		QAR-15	519-64_Prod	luct key iss	uing server	_Linux ser	ver replace	ment suppo	ort_Functio	n check			
Test History								,					1
No.		Example	1	2	3	4	5	6	7	8	9	10	
Date		Year/Month/Day	12/19/2024	12/19/2024	12/19/2024	12/20/2024	12/20/2024	12/23/2024					]
manager		full name	Harada	Harada	Harada	Harada	Harada	Harada					
Number of evaluat	tion items	Automatic	2	2	222	5	154	1	0	0	0	0	
lumber of OKs		Automatic	2	2	222	5	154	1	0	0	0	0	]
lumber of NGs		Automatic	0	0	0	0	0	0	0	0	0	0	]
Evaluation Time		1.00h	0.50h	0.50h	7.00h	1.00h	6.50h	0.25h					15
erification portal	site	Admin Portal	Admin Portal	Admin Portal	Admin Portal / Web Portal	-	Admin Portal / Web Portal	-					1
erification Server	Ver.	2.0.0.0	2.5.0.1	2.5.0.1	2.5.0.1	-	2.5.0.1	-					
1FP		C-CubelT	-	-	B-Atlas	B-Atlas	B-Atlas	-					
	Model number	BP-30C25	-	-	BP-70M65	BP-70M65	BP-70M65	-					
	RM No.	RM#4098	-	-	RM#4750	RM#4750	RM#4750	-					
	Serial number	12345678	-	-	2502274500	2502274500	2502274500	-					
	Firmware (Bundle)	0100U1B0_21031700	-	-	0084Q100_24080700	0084Q100_24080700	0084Q100_24080700	-					
	Destination	JAPAN	-	-	EUROPE	EUROPE	EUROPE	-					
PC	Manufacturer name	IIYAMA	HP	HP	HP	-	HP	Dell					
	Product Name	CTO PC biz-M	Z620/CT	Z620/CT	Z620/CT	-	Z620/CT	Optiplex 3060					
	os	Win10_Pro 64bit (Ver:21H2 Build:19044)	Virtual environment: Win11_Pro 64bit (Ver:21H2 Build:22000)	Virtual environment: Win11_Pro 64bit (Ver:21H2 Build:22000)	Virtual environment: Win11_Pro 64bit (Ver:21H2 Build:22000)	-	Virtual environment: Win11_Pro 64bit (Ver:21H2 Build:22000)	Win10_Pro 64bit (Ver:22H2 Build:19045)					
	language	Japanese	Japanese	Chinese	English (US)	-	English (US)	Japanese					]
	browser	Edge (Chromium version)	Google Chrome	FireFox	Edge (Chromium version)	-	Edge (Chromium version)	-					]
	Browser version	99.0.1150.46	131.0.6778.205	133.0.3	131.0.2903.99	-	131.0.2903.112	-					1
	browser	Edge (Chromium version)	-	-	Google Chrome	-	Google Chrome	-					1
	Browser version	99.0.1150.46	-	-	131.0.6778.205	-	131.0.6778.205	-					1
	СРИ	Intel® Core™ i5-6400 CPU	Intel(R) Xeon(R) CPU E5-1620 v2	Intel(R) Xeon(R) CPU E5-1620 v2	Intel(R) Xeon(R) CPU E5-1620 v2	-	Intel(R) Xeon(R) CPU E5-1620 v2	Intel(R) Core(TM) i5-8400 CPU					1
	Clock speed	2.71GHz	3.70GHz	3.70GHz	3.70GHz	-	3.70GHz	2.80GHz					1
	Memory size	8.00GB	4.00GB	4.00GB	4.00GB	-	4.00GB	8.00GB					1

Mobile devices	os	Android	-	-	-	Android	-	-		
	Terminal type	Phone	-	-	-	Phone	-	-		
	OS version	9	-	-	-	12	-	-		
	language	Japanese	-	-	-	Japanese	-	-		
	Product Name	AQUOS	-	-	-	arrows	-	-		
	Model name	907SH	-	-	-	F-51B	-	-		
	UTS Control Number	-	-	-	-	UTS-SMT003	-	-		
remarks		-	-	-	-	-	-	-		

# **Update history**

No.	Updated on	Updated by	rsion Managem	Updates	Update history	remarks
1	11/12/2024	Harada	0.01	General	Create new	
2	11/13/2024	Harada	0.02	Product key issuance and application confirmation_Mobile / Login screen / User management screen	Adding a check item	
3	11/13/2024	Harada	0.03	User Management Screen	Adding a check item	
4	11/13/2024	Harada	1.00	General	Review consensus confirms final version	
5	12/12/2024	Harada	1.01	Login screen	Added an access restriction check item to the "Admin Portal (login page)"	
6	12/13/2024	Harada	2.00	General	Review consensus confirms final version	
7	12/20/2024	Harada	2.01	Environment settings	Added "How to set up a product key issuing server (staging environment)"	
8				,		
9						
10						

## - table of contents -

		Dra assas sata	Number of items	breakdown				
No.	Medium item	Progress rate	Number of items	0	×	on hold	Not tested	remarks
1	Product key issuance and application confirmation	100.0%	24	24	0	0	0	
2	Product key search/deletion confirmation	100.0%	14	14	0	0	0	
3	Product key issuance and application confirmation_Mobile	100.0%	5	5	0	0	0	
4	Login screen	100.0%	20	20	0	0	0	
5	User Management Screen	100.0%	237	237	0	0	0	
6	Product Key Screen	100.0%	39	39	0	0	0	
7	System Screen	100.0%	47	47	0	0	0	
	total	100.0%	386	386	0	0	0	

				Pending Items				
Date of issue	DB No.	Tracker	title	total	Occurrence Version	Status	Compatible Version	remarks
12/23/2024	60367	Inquiry	Specifications for each display	0	2.5.0.1	Closed	-	Current specifications

## ■ Environment settings

[Evaluation environment\_issuance/management Web portal (login page) URL] \*Display language follows the OS language https://product-key-staging.net/ProductKeyGenerator/LoginPortal https://product-key-staging.net/AdminWeb/Login \*ID/password as of April 11, 2022 user General User sqa20190909 Dealer keyuser\_sqa When issuing option keys other than the following special option keys, keyuser key000323 User for logging in to the portal site for mobile devices Password Reset User Productkeyuser02@group.sharp.co.jp 269069555 587401333 Productkeyuser03@group.sharp.co.jp Special user when issuing SecUnlock option key 300940444 SpeedCTO User Productkeyuser04@group.sharp.co.jp Special user for issuing SpeedCTO option key Productkeyuser01@group.sharp.co.jp 957432222 User to log in to the Admin portal If you change your password, update the password field. [Destination] user

General User Dealer email address According to OS language Special Users Password Reset User Productkeyuser02@group.sharp.co.jp [Browser used] Unlock users Productkeyuser03@group.sharp.co..jp Use the latest version SpeedCTO User Productkeyuser04@group.sharp.co.jp

## [Evaluation environment: MFP] [How to unlock DSK] [How to issue a key to reset personal information and data in this unit] 1. Press the "Home" key twice on the MFP unit 1. Press the "Home" key twice on the MFP unit 2. When the "Total Page Count/Toner Remaining" screen appears, press the bottom right corner of the screen. 2. When the "Total Page Count/Toner Remaining" screen appears, press the bottom right corner of the screen. 3, Sim55-3 SW26 Set the 8th bit to 1 4. Set Sim26-79 to DIP Set 0 4. (Interim) Initialize the TPM from dbin 5. Access the MFP web page ${\it \%}{\it Enter}~{\it "mantpm}{\rightarrow} 0 ({\it Initialize/Reset}) {\rightarrow} 3 ({\it Force~Clear})"~{\it from~dbin}$ 6. Click "Initialize personal information and internal data" (depending on the model, you may have to wait about an hour). "Force Clear" step is not required after 0040Q100 \*The location varies depending on the model, so please search. 7. AgainSet steps 3 and 4and note down the displayed unlock code. [How to set up the product key issuing server (staging environment)] 1. Access the MFP web page [How to issue a key for resetting administrator password] 2. Display the "System Settings $\rightarrow$ System Administration $\rightarrow$ Advanced Settings" screen 1. Press the "Home" key twice on the MFP unit \*The location varies depending on the model, so please search. 2. When the "Total Page Count/Toner Remaining" screen appears, press the bottom left corner of the screen. 3. Display "99997" from ID 3. Press the numbers 4, 6, 3, and // in that order on the displayed numeric keypad. 4. The "Product Key Issuance Server Settings" screen appears. 4. Note down the displayed reset key 5. Enter "product-key-staging.net" in Server Name 6. Register and restart the MFP [How to issue a key for resetting service password] 1. Press the "Home" key twice on the MFP unit 2. When the "Total Page Count/Toner Remaining" screen appears, press the bottom left corner of the screen. 3. Press the numbers 5, 8, 7, and // in that order on the displayed numeric keypad. 4. Note down the displayed reset key

■ Product key issuance and application confirmation

(Total number of item

Total items CK NG on hold Not tested

1-1. Issuance using correct application number

Lissuance using incorrect/duplicate application number

I settings/set conditions!

- Please hack the "Environment Settings" to for common settings such as the login page.

- Access the Wilde potal (login page) from the specified browner.

2. Log in with the appropriate user for the option you want to check.

[Test procedure/verification contents]	

procedum/entrolection content()

1. On Pin princise by princise parts content VEP model Chippersy premishinary entral a Selective by MEP report Disease the basecomine application modern.

2. Selective by MEP report Disease the basecomine application modern accessive and the selection of the selection of the selection of the selection accessive accessive and the selection accessive ac

No.	language	CG Version	Browser	Agency Name
00	English (US)	Wir11_Pro-64bit (Ver-21HZ Build:22000)	Google Chrome	222
00				
(8)				
00				
(6)				

												_										•	
			Confirmation MFP					What to check				CF	K					-	•			CRI No.	nenaka
No	Model name	Model name	Serial number	Option Display Name	MFP Option ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	00	00		00	•	ID1	ID2	ID3	ID4	106	ID6	1	
- 1	D-Adas	EP-70AGS	84713895	Printer Expansion Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
2		1 1		PS Expansion Kit					The MFP option ID is displayed without any cur-off or garded characters.														
3		1 1		Barcode Font Kit	MX-PF10	E913903065		13262074184462275591	The MFP option ID is displayed without any cut-off or garbled characters.	ОК						3							
4				Kanji Fort Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
5				Direct Print Expansion Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
6				Internet Fax Expansion Kit	MX-FWX1	A768072489		46537624371408383809	The MFP option ID is displayed without any cur-off or garbled characters.	OK						3							
7				Network Scanner Expansion Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
				Application Extension Kit	MX-AMX1	K250149230		10020524112193772217	The MFP option ID is displayed without any cur-off or garbled characters.	ОК						3							
9				Application Communication Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
10				External Account Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
11				Scanner Expansion Kit					The MFP option ID is displayed without any cur-off or garbled characters.														
12				OCR Expansion Kit					The MFP option ID is displayed without any cut-off or garbled characters.														
13				Virus Detection Kit	8P-VD10	P410332008		89334585581365248846	The MFP option ID is displayed without any cur-off or garbled characters.	ОК						3							
14				Data Security Kit	BP-FR12U	NU10945950		15347470501247679721	The MFP option ID is displayed without any cut-off or garbled characters.	ОК						3							
15				E-RIC					The MFP option ID is displayed without any cur-off or garbled characters.														
16									The MFP option ID is displayed without any cur-off or garbled characters.														
17				MFF adventionally passened read	AdmPWRxt0		AGSLGJMC	30705467403605094176	The MFP option ID is displayed without any cur-off or garbled characters.	ОК						3							
10				Service Password Reset	Sn/PWRst1		Y927J96A	90905727564062256343	The MFP option ID is displayed without any cut-off or garbled characters.	ОК						3							
19	1	1 1							The product key has been issued and is displayed on the issue screen.	ОК						3							
20									The issued product key matches the product key issued by the PK tool.	ОК						а							
21	l	1 1							The issued product key matches the product key displayed in the email.	ОК						6							

22 D-Adam	EP-70MSS	84713896	Printer Expansion Kit				The MFP option ID is displayed without any cut-off or garbled characters.							
23			PS Expansion Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
24			Barcode Font Kit	MX-PF10			The MFP option ID is displayed without any curroff or garbled characters.							
25			Kanji Fort Kit				The MFP option ID is displayed without any out-off or garbled characters.							
26			Direct Print Expansion Kit				The MFP option ID is displayed without any out-off or garbled characters.							
27			Internet Fax Expansion Kit	MX-PWX1			The MFP option ID is displayed without any curroff or garbled characters.							
20	1 1		Network Scanner Expansion Hit				The MFP option ID is displayed without any out-off or garbled characters.							
20	1 1		Application Extension Kit	MIX-AMDC1			The MFP option ID is displayed without any out-off or garbled characters.							
30	1 1		Application Communication Kit	_			The MFP option ID is displayed without any out-off or garbled characters.							
31	1 1		External Account Kit				The MFP option ID is displayed without any out-off or garbled characters.							
32			Scanner Expansion Kit				The MFP option ID is displayed without any out-off or garbled characters.							
22			OCR Expansion Kit				The MFP option ID is displayed without any cut-off or garbled characters.							
34	1 1		Virus Detection Kit	8PVD10			The MFP option ID is displayed without any out-off or garbled characters.							
×	1 1		Data Security Kit	EP-FR12U			The MFP option ID is displayed without any out-off or garbled characters.							
36			E-RIC				The MFP option ID is displayed without any out-off or garbled characters.							
37			making proved information and married mar-				The MFP option ID is displayed without any out-off or garbled characters.							
30			MTP advoices assemble passent read	AdmPWRxtx			The MFP option ID is displayed without any cut-off or garbled characters.							
30			Service Password Reset	SNPWRetx	_		The MFP option ID is displayed without any cur-off or garbled characters.							
40							The product key has been issued and is displayed on the issue screen.				_			
41							The issued product key matches the product key issued by the PK tool.							
42							The issued product key matches the product key displayed in the email.							

43 B-Adas	EP-70AMS	84713897	Printer Expansion Kit				The MFP option ID is displayed without any cut-off or garbled characters.							
44			PS Expansion Kit				The MFP option ID is displayed without any cun-off or garded characters.							0
46	1 1		Barcode Font Kit	MX-PF10			The MFP option ID is displayed without any cur-off or garbled characters.							0
46	1 1		Kanji Fort Kit				The MFP option ID is displayed without any cur-off or garbled characters.							0
a	1 1		Direct Print Expansion Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
40	1 1		Internet Fax Expansion Kit	MX-PWX1			The MFP option ID is displayed without any cur-off or garbled characters.							
40	1 1		Network Scanner Expansion Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
50	1 1		Application Extension Kit	MIX-AMIX1			The MFP option ID is displayed without any cur-off or garbled characters.							
51	1 1		Application Communication Kit		_	_	The MFP option ID is displayed without any cur-off or garbled characters.							
52	1 1		External Account Kit				The MFP option ID is displayed without any cur-off or garbled characters.							0
sa	1 1		Scanner Expansion Kit		_	_	The MFP option ID is displayed without any cur-off or garbled characters.							
54	1 1		OCR Expansion Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
22	1 1		Virus Detection Kit	BP-VD10			The MFP option ID is displayed without any cur-off or garbled characters.							
56	1 1		Data Security Kit	EP-FR12U			The MFP option ID is displayed without any cun-off or garbled characters.		_					
57	1 1		E-RIC				The MFP option ID is displayed without any cur-off or garbled characters.							
50	1 1		Making around information and instructions				The MFP option ID is displayed without any cur-off or garbled characters.							
59	1 1		MFF advoicedable passened read	AdmPWRstx		 	The MFP option ID is displayed without any cur-off or garbled characters.							
60	1 1		Service Password Reset	SnPWRsts			The MFP option ID is displayed without any out-off or garbled characters.		_					
61							The product key has been issued and is displayed on the issue screen.							0
62							The issued product key matches the product key issued by the PK tool.							
							The issued product key matches the product key displayed in the email.							
									 				_	

G4 D-Adas	EP-70M36	84713898	Printer Expansion Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
65			PS Expansion Kit				 The MFP option ID is displayed without any cut-off or garbled characters.							
66	1 1		Barcode Font Kit	MX-PF10			The MFP option ID is displayed without any currelf or garbled characters.							
er er	1 1		Kanji Font Kit				The MFP option ID is displayed without any curreffor garbled characters.							
GG	1 1		Direct Print Expansion Kit				The MFP option ID is displayed without any curreffor garbled characters.							
69	1 1		Internet Fax Expansion Kit	MX-FWX1			The MFP option ID is displayed without any curreffor garbled characters.							
70	1 1		Network Scanner Expansion ACE				The MFP option ID is displayed without any curreffor garbled characters.							
71	1 1		Application Extension Kit	MIX-AMEST			The MFP option ID is displayed without any curreffor garbled characters.							
72	1 1		Application Communication Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
73	1 1		External Account Kit				The MFP option ID is displayed without any curreffor garbled characters.							
74	1 1		Scanner Expansion Kit				The MFP option ID is displayed without any cur-off or gardied characters.							
75	1 1		OCR Expansion Kit				The MFP option ID is displayed without any curreffor garbled characters.							
76	1 1		Virus Detection Kit	8P-VD10			The MFP option ID is displayed without any cur-off or garbled characters.							
77	1 1		Data Security Kit	EP-FR12U			The MFP option ID is displayed without any cur-off or garbled characters.							
70	1 1		E-RIC				 The MFP option ID is displayed without any cur-off or gardied characters.							
79							The MFP option ID is displayed without any cur-off or garbled characters.							
80			MFP adventionally passenge read	AdmPWRxtx			The MFP option ID is displayed without any cur-off or garbled characters.							
81	1 1		Service Password Reset	SNPWRets			The MFP option ID is displayed without any cur-off or garbled characters.							
82							The product key has been issued and is displayed on the issue screen.							
83							The issued product key matches the product key issued by the PK tool.							
84					i i	,	The issued product key matches the product key displayed in the email.							

_						 			 						
85	D-Adas	EP-70M31	84713899	Printer Expansion Kit				The MFP option ID is displayed without any cut-off or garbled characters.							
86				PS Expansion Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
87				Barcode Font Kit	MX-PF10			The MFP option ID is displayed without any cur-off or garbled characters.							
				Kanji Fort Kit		 		The MFP option ID is displayed without any cur-off or garbled characters.							
89				Direct Print Expansion Kit				The MFP option ID is displayed without any cut-off or garbled characters.							
90				Internet Fax Expansion Kit	MX-FWX1			The MFP option ID is displayed without any cur-off or garbled characters.							
91				Network Scanner Expansion His				The MFP option ID is displayed without any cur-off or garbled characters.							
92				Application Extension Kit	MIX-AMEST			The MFP option ID is displayed without any cur-off or garbled characters.							
93				Application Communication Kit				The MFP option ID is displayed without any cur-off or garbled characters.							
94				External Account Kit				The MFP option ID is displayed without any curreffor garbled characters.							
95				Scanner Expansion Kit			$\overline{}$	The MFP option ID is displayed without any cur-off or gardied characters.							
96				OCR Expansion Kit				The MFP option ID is displayed without any curreffor garbled characters.							
97				Virus Detection Kit	8P-VD10			The MFP option ID is displayed without any cur-off or garbled characters.							
90				Data Security Kit	EP-FR12U			The MFP option ID is displayed without any cur-off or garbled characters.							
99				E-RIC				The MFP option ID is displayed without any cur-off or garbled characters.							
100								The MFP option ID is displayed without any cur-off or garbled characters.							
101				MFP adventionally passented reset	AdmPWRate			The MFP option ID is displayed without any curreffor garbled characters.							
102				Service Password Reset	SNPWRets			The MFP option ID is displayed without any cur-off or garbled characters.							
103								The product key has been issued and is displayed on the issue screen.							
104								The issued product key matches the product key issued by the PK tool.							
105						,		The issued product key matches the product key displayed in the email.							

## 1-2. Issuance using incorrect/duplicate application numbers

## Verify that on

verry that product keys are not issued using unauthorded application numbers.

Total items	OK	NG	on hold	Not tested

## (Initial settings/test conditions)

- Please check the "Environment Settings" tab for common settings such as the login page.

language	Duplicate Application Number	Invalid application number
English (US)	Ouplicate issue	Invalid application number
Chinese	RepeatedProblem	Invalid applicationPlease is sueCode
Japanese	Ouplicate issue	Invalid application number

Access the Web portal (login page) from the specified browser.

## (Test procedure/verification contents

1. On the product key issuance input screen, enter 'MFP model ID/lagency name/delivery email address/MFP setal number

ct the MFP Option ID and enter the "Used Application Number" or "Non-existent Application Number" is the "Next" button and confirm the product key issuance screen (check screen).

"button and confirm the product key issuance screen (check screen).

No.	language	OS Version	Browser	Agency Name
00	English (US)	Wir11_Pro-64bit (Ver-21H2 Build:22000)	Google Chrome	http://
00				
00				
00				
(8)				

-											_	-	нс					_		_	_	CR No.	menaka
No.			Confirmation MFP					What to check					ns.									- ma	Parisana.
, AL	Model name	Model name	Serial number	Option Display Name	MFP Option ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
1	D-Adas	EP-70A6S	84713700	Printer Expansion Kit					An error message appears in the check result and the productivey cannot be issued.														
2		l 1		PS Expansion Kit					An error message appears in the check result and the productively cannot be issued.														
3	1	l 1		Barcode Fort Kit	MX-PF10	8471370000			An error message appears in the check result and the productively cannot be issued.	ОК						3							
4		l 1		Kanji Fort Kit					An error message appears in the check result and the productivey cannot be assed.														
5	1	1 1		Direct Print Expansion Kit					An error message appears in the check result and the productivey cannot be assed.														
6		l 1		Internet Fax Expansion Kit	MX-PWX1				An error message appears in the check result and the productivey cannot be issued.														
7		l 1		Network Scanner Expansion Kit					An error message appears in the check result and the productively cannot be issued.														
0		l 1		Application Extension Kit	MX-AMX1				An error message appears in the check result and the productivey cannot be assed.														
9		1 1		Application Communication Kit					An error message appears in the check result and the productivey cannot be assed.														
10		l 1		External Account Kit					An error message appears in the check result and the productivey cannot be issued.														
11		l 1		Scanner Expansion Kit					An error message appears in the check result and the productivey cannot be issued.														
12		l 1		OCR Expansion Kit					An error message appears in the check result and the productively cannot be issued.														
13		l 1		Virus Detection Kit	BP-VD10				An error message appears in the check result and the productivey cannot be assed.														
14		l 1		Data Security Kit	EP-FR12U	NU10945950			An error message appears in the check result and the productivey cannot be issued.	OK						3							
15		l 1		E-RIC					An error message appears in the check result and the productivey cannot be issued.														
16	]	1 1						_	An error message appears in the check result and the productivey cannot be issued.														
17	]	1 1		MTP administrator passeord read.	AdmPWRstx				An error message appears in the check result and the productively cannot be issued.														
10	1	1 1		Service Password Reset	SNPWRstx				An error message appears in the check result and the productively cannot be														

19 8	Adas	EP-70MSS	84713701	Printer Expansion Kit					An error message appears in the check result and the productively cannot be assed.										
20				PS Expansion Kit					An error message appears in the check result and the productively cannot be assed.										
21				Barcode Fort Kit	MX-PF10				An error message appears in the check result and the productively cannot be issued.										
22				Kanji Fort Kit			-		An error message appears in the check result and the productivey cannot be										
23				Direct Print Expansion Kit			_		An error message appears in the check result and the productively cannot be										
24				Internet Fax Expansion Kit	MX-FWX1				An error message appears in the check result and the productively cannot be	_									
25				Network Scanner Expansion Kit			-		An error message appears in the check result and the productively cannot be	_		_	_		_				
26				Application Extension Kit	MIX-AMIX1		-		An error message appears in the check result and the productively cannot be				_						
27				Application Communication Kit			-		An error message appears in the check result and the productively cannot be	_	_	_	1		_		-	_	
20				External Account Kill		-	-		An error message appears in the check result and the productively cannot be				1		_				
-				Scanner Eveneniera III		-	-		issued.  An error message appears in the check result and the productively cannot be	_		_	_		-	-		-	
20				OCR Expansion Kit			-		issued.  An error message appears in the check result and the productively cannot be	_	_	_	-		-	-		$\rightarrow$	
2							-	-	issued.  An error message appears in the check result and the productivey cannot be		_	_	-		_	-		-	°
21				Virus Detection Kit	BP-VD10		-		assed.  An error message appears in the check result and the productivey cannot be	_	_	-	-		_				0
32				Data Security Kit	BP-FR12U				An error message appears in the check result and the productively cannot be				-		_	_		_	• • • • • • • • • • • • • • • • • • •
23				E-RIC		-	-		An error message appears in the check result and the productively cannot be						$\rightarrow$	$\rightarrow$		$\rightarrow$	0
34				Mining promision and moral day		-	-		stued.										
25				MFP administrator password reset	AdmPWRstx				An error message appears in the check result and the productively cannot be assed.										0
36				Service Password Reset	SnPWRstx				An error message appears in the check result and the productively cannot be assued.										0
37 8	Adas	EP-70AMS	84713702	Printer Expansion Kit					An error message appears in the check result and the productivey cannot be assed.										0
30				PS Expansion Kit					An error message appears in the check result and the productively cannot be assed.										
39				Barcode Fort Kit	MX-PF10				An error message appears in the check result and the productively cannot be assed.										0
40				Kanji Fort Kit					An error message appears in the check result and the productively cannot be assed.										۰
41				Direct Print Expansion Kit					An error message appears in the check result and the productively cannot be assed.										0
42				Internet Fax Expansion Kit	MX-FWX1				An error message appears in the check result and the productively cannot be issued.										0
40				Network Scanner Expansion Kit					An error message appears in the check result and the productively cannot be										
44				Application Extension Kit	MIX-AMIX1				An error message appears in the check result and the productivary cannot be										
45				Application Communication Kit					An error message appears in the check result and the productively cannot be										
46				External Account Kit					An error message appears in the check result and the productively cannot be										
47				Scarner Expansion Kit					An error message appears in the check result and the productively cannot be										
-				OCR Expansion Kit					An error message appears in the check result and the productively cannot be	_		_	_		_				
-				Virus Detection Kit	BP-VD10				assed.  An error message appears in the check result and the productively cannot be										
-				Data Security Kit	BP-FR12U				issued.  An error message appears in the check result and the productively cannot be										
-				E-RIC	EREGO				issued.  An error message appears in the check result and the productivey cannot be		-								
51				s-RiC			-		assed.  An error message appears in the check result and the productivey cannot be		_								· ·
122				Militing provide information and more time.		-	-		assed.  An error message appears in the check result and the productivey cannot be		_								•
53				MPP administrator passeord reset	AdmPWRstx				An error message appears in the check result and the productively cannot be		_								
54				Service Password Reset	SnPWRstx				essed.										0

55 8	Adas	EP-70M36	84713703	Printer Expansion Kit					An error message appears in the check result and the productively cannot be assed.										
56				PS Expansion Kit					An error message appears in the check result and the productively cannot be issued.										
57				Barcode Fort Kit	MX-PF10				An error message appears in the check result and the productively cannot be										
50				Kanji Fort Kit					An error message appears in the check result and the productivey cannot be										
				Direct Print Expansion Kit					An error message appears in the check result and the productively cannot be										
				Internet Fax Expansion Kit	MX-FWX1				An error message appears in the check result and the productively cannot be						_				
61				State of States Consider No.					An error message appears in the check result and the productively cannot be			_	_		_	-		_	
62				Application Extension Kit	MIX-AMIX1				lassed.  An error message appears in the check result and the productively cannot be		_	+	1		_	_		-	
				Application Communication Kit					issued.  An error message appears in the check result and the productivey cannot be		_	-	1		-	-		-	
-							-		issued.  An error message appears in the check result and the productivey cannot be			_	-	_	-	_		_	
-				External Account Kit					assed.  An error message appears in the check result and the productively cannot be				_		-	$\rightarrow$		-	°
65				Scanner Expansion Kit	-	-		-	issued.  An error message appears in the check result and the productively cannot be		_	_	_	_	-	$\rightarrow$		$\rightarrow$	°
66				OCR Expansion Kit				-	assed.  An error message appears in the check result and the productivey cannot be						_	$\rightarrow$		$\rightarrow$	°
67				Virus Detection Kit	8P-VD10				stued.										0
60				Data Security Kit	BP-FR12U				An error message appears in the check result and the productively cannot be assued.						_				0
69				E-RIC					An error message appears in the check result and the productively cannot be assed.										0
70				Making provide international characters and					An error message appears in the check result and the productively cannot be assed.										0
71				MFP advisionable password reset	AdmPWRstx				An error message appears in the check result and the productively cannot be assed.										
72				Service Password Reset	SNPWRstx				An error message appears in the check result and the productively cannot be assed.										۰
73 B	Adas	EP-70M31	84713704	Printer Expansion Kit					An error message appears in the check result and the productively cannot be issued.								İ		0
74				PS Expansion Kit					An error message appears in the check result and the productively cannot be										
75				Barcode Fort Kit	MX-PF10				An error message appears in the check result and the productively cannot be										
76				Kanji Fort Kit					An error message appears in the check result and the productively cannot be										
77				Direct Print Expansion Kit		-			An error message appears in the check result and the productively cannot be										
70				Internet Fax Expansion Kit	MX-PWX1				An error message appears in the check result and the productivey cannot be										
79				Network Scanner Expansion Kit					An error message appears in the check result and the productivey cannot be										
80				Application Extension Kit	MX-AMX1				An error message appears in the check result and the productivey cannot be										
81				Application Communication Kit					An error message appears in the check result and the productivey cannot be										
82				External Account Kit					An error message appears in the check result and the productively cannot be						$\overline{}$				
83				Scanner Expansion Kit					An error message appears in the check result and the productively cannot be						_				
				OCR Expansion Kit					An error message appears in the check result and the productively cannot be										
- 65				Virus Detection Kit	803/040				An error message appears in the check result and the productively cannot be			_	_		_	_		_	
-				Data Security Kit	EP-FR12U				issued. An error message appears in the check result and the productively cannot be										
-				E-RIC					issued.  An error message appears in the check result and the productively cannot be						-				
				2-60					issued.  An error message appears in the check result and the productivey cannot be		_				-				
Ĥ									assed.  An error message appears in the check result and the productively cannot be		_				-	_			°
				MPP administrator passeord reset	AdmPWRstx	-			studd.  An error message appears in the check result and the productivey cannot be		_				-	_			•
90				Service Password Reset	SNPWRstx				assed.										0

al settings/test conditions)

- Please check the "Environment Settings" bit for common settings such as the login page.

1. Access the Wild portal flogin page) from the specified browner.

2. Log in with the appropriate user for the option you want to check.

No.	language	CG Version	Browser	Agency Name
00	English (US)	Wir11_Pro-64bit (Ver:21H2 Rulid:22000)	Google Chrome	
00				
00				
(8)				

	"For the red":	" in the MFP opti	on ID, please enter the numb	er shown.																			
			Confirmation MFP					What to check				CH						E				CR No.	netaka
N	Model name	Model name	Serial number	Option Display Name	MFP Option ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	00	00	•	00	•	ID1	102	ID3	ID4	106	ID6		
-	D-Adas	EP-70MS	2502274500	Printer Expansion Kit					The issued product key can be applied to the MFP.														
2		1 [		PS Expansion Kit					The issued product key can be applied to the MEP.														
3		1 1		Barcode Font Kit	MX-PF10	E913913292	$\setminus$	75679079002521470936	The issued product key can be applied to the MFP.	ОК						5							
4	1			Kanji Font Kit					The issued product key can be applied to the MEP.														
5				Direct Print Expansion Kit					The issued product key can be applied to the MEP.														
6	1			Internet Fax Expansion Kit	MK-FWX1	A768082227		57836425883902136487	The issued product key can be applied to the MFP.	ОК						5							
7	1			Network Scanner Expansion His			-		The issued product key can be applied to the MFP.														
L	1			Application Extension Kit	MIX-AMEX1	K250159126		51337201203310361091	The issued product key can be applied to the MFP.	ОК						5							
۰	1			Application Communication Kit					The issued product key can be applied to the MFP.														
10	1			External Account Kit	-				The issued product key can be applied to the MFP.														
11	4			Scanner Expansion ICt	-		-		The issued product key can be applied to the MFP.														
15				OCR Expansion Kit			-		The issued product key can be applied to the MFP.														
13	4			Virus Detection Kit	8PV010	P410342007			The issued product key can be applied to the MFP.	ОК						5							
14	4			Data Security Kit	EP-FR12U	NU10255369	-		The issued product key can be applied to the MFP.	ОК						5							
12	4			E-RIC	-		-		The issued product key can be applied to the MFP.	_													
10	1								The issued product key can be applied to the MFP.														
12	4			MFF adventionally passened read	AdmPWRxt8		DZBTVYTS		The issued product key can be applied to the MFP.	ОК						5							
10	1	1 1		Service Password Reset	SNPWRst1		DQHISKKM	36576485613029346129	The issued product key can be applied to the MFP.	CK						5							

			1					1	_	_	 _		_		_	_	
19	D-Adas	EP-70MSS	Processor to consistence of the latest	Printer Expansion Kit			-	The issued product key can be applied to the MFP.			 	-	$\rightarrow$			_	
20				PS Expansion Kit		 		The issued product key can be applied to the MFP.									
21				Barcode Font Kit	MX-PF10	 		The issued product key can be applied to the MFP.									
22				Kanji Font Kit		 		The issued product key can be applied to the MFP.									
23				Direct Print Expansion Kit				The issued product key can be applied to the MFP.									
24				Internet Fax Expansion Kit	MX-FWX1			The issued product key can be applied to the MFP.									
25				Network Scanner Expansion Kit		 		The issued product key can be applied to the MFP.									
26				Application Extension Kit	MIK-AMIK1			The issued product key can be applied to the MFP.									
27				Application Communication Kit		 		The issued product key can be applied to the MFP.									
20				External Account Kit				The issued product key can be applied to the MFP.									
29				Scanner Expansion Kit				The issued product key can be applied to the MFP.									
30				OCR Expansion Kit				The issued product key can be applied to the MEP.									
31				Virus Detection Kit	8P-VD10			The issued product key can be applied to the MFP.									
32				Data Security Kit	BP-FR12U			The issued product key can be applied to the MFP.									
22				E-RIC				The issued product key can be applied to the MFP.									
34								The issued product key can be applied to the MFP.									
35				MFF adventuator password reset	AdmPWRsts			The issued product key can be applied to the MFP.									
36				Service Password Reset	SNPWRets			The issued product key can be applied to the MFP.			_						
37	D-Adas	EP-70AMS	Programme to contain out the design	Printer Expansion Kit				The issued product key can be applied to the MEP.									
30				PS Expansion Kit				The issued product key can be applied to the MFP.									
39				Barcode Font Kit	MX-PF10			The issued product key can be applied to the MFP.				-					
40				Kanji Fort Kit				The issued product key can be applied to the MFP.			_	-					
41				Direct Print Expansion Kit				The issued product key can be applied to the MFP.			_						
42				Internet Fax Expansion Kit	MX-FWX1			The issued product key can be applied to the MFP.									
49				Network Scanner Expansion His				The issued product key can be applied to the MFP.									
44				Application Extension Kit	MX-AMX1			The issued product key can be applied to the MFP.									
45				Application Communication Kit				The issued product key can be applied to the MFP.			_						
46				External Account Kit			-	The issued product key can be applied to the MFP.			_						
47				Scanner Expansion Kit				The issued product key can be applied to the MFP.			_						
-				OCR Expansion Kit				The issued product key can be applied to the MFP.		_	 _	_					
-				Virus Detection Kit	8PV010			The issued product key can be applied to the MFP.									
20				Data Security Kit	EP-FR12U			The issued product key can be applied to the MFP.									
51				E-RIC		 		The issued product key can be appead to the 68-9.  The issued product key can be applied to the 68-9.									
52				2-400			-	The issued product key can be appead to the 68-9.  The issued product key can be applied to the 68-9.									
-				Making source Hondon and Harvin has													
53				MFP adventional or passeord read	AdmPWRstx			The issued product key can be applied to the MFP.									
54				Service Password Reset	SNPWRate			The issued product key can be applied to the MFP.									

_						 	 	 	 	 	 	 		 
55	D-Adas	EP-70M36	Processor to considerate after two	Printer Expansion Kit			The issued product key can be applied to the MFP.							
56				PS Expansion Kit			The issued product key can be applied to the MFP.							
57				Barcode Fort Kit	MX-PF10		The issued product key can be applied to the MFP.							
50				Kanji Font Kit			The issued product key can be applied to the MFP.							
59				Direct Print Expansion Kit			The issued product key can be applied to the MFP.							
60				Internet Fax Expansion Kit	MX-PWX1		The issued product key can be applied to the MFP.							
61				Network Scanner Expansion Kit			The issued product key can be applied to the MFP.							
62				Application Extension Kit	MIK-AMIKT		The issued product key can be applied to the MFP.							
63				Application Communication Kit			 The issued product key can be applied to the MFP.							
64				External Account Kit			The issued product key can be applied to the MFP.							
65				Scanner Expansion Kit			The issued product key can be applied to the MFP.							
66				OCR Expansion Kit			The issued product key can be applied to the MFP.							
67				Virus Detection Kit	BP-VD10		The issued product key can be applied to the MFP.							
60				Data Security Kit	SP-FR12U		The issued product key can be applied to the MFP.							
69				E-RIC			The issued product key can be applied to the MFP.							
70				Mining provide information and moral field			The issued product key can be applied to the MFP.							
71				MFP adventional or passent of read	AdmPWRstx		The issued product key can be applied to the MFP.							
72				Service Password Reset	SNPWRute		The issued product key can be applied to the MFP.							
73	D-Adas	EP-70M31	Processor to continuous of the decise	Printer Expansion Kit			The issued product key can be applied to the MFP.							
74				PS Expansion Kit			The issued product key can be applied to the MFP.							
75				Barcode Fort Kit	MX-PF10		The issued product key can be applied to the MFP.							
76				Kanji Fort Kit			The issued product key can be applied to the MFP.							
77				Direct Print Expansion Kit			The issued product key can be applied to the MFP.							
70				Internet Fax Expansion Kit	MK-PWX1		The issued product key can be applied to the MFP.							
79	1			Network Scanner Expansion Kit			The issued product key can be applied to the MFP.							
80				Application Extension Kit	MX-AMX1		The issued product key can be applied to the MFP.							
81				Application Communication Kit			The issued product key can be applied to the MFP.							
82				External Account Kit			The issued product key can be applied to the MFP.							
83				Scanner Expansion Kit			The issued product key can be applied to the MFP.							
84				OCR Expansion Kit			The issued product key can be applied to the MFP.							
85				Virus Detection Kit	8P-VD10		The issued product key can be applied to the MFP.							
86				Data Security Kit	BP-FR12U		The issued product key can be applied to the MFP.							
87				ERIC			The issued product key can be applied to the MFP.							
00				Militing proved information and married the			The issued product key can be applied to the MFP.							
89				MFP advoiceator passeord reset	AdmPWRstx		The issued product key can be applied to the MFP.							
90				Service Password Reset	SnPWRstx		The issued product key can be applied to the MFP.							
					-								_	

1. Accounts in NETY was trap to finate specializationses.

(Ingredient wild failed in content)

1. Seant System Series — Intelligen - Applicate Number Early to duply the application medient ethy scores.

2. On the specialization medient with possion, either application series associated with the global display sense.

2. On the System Series — Series

No.	language	OS Version	Stowser	Agency Name
0	English (US)	Wir11_Pro-64bit (Ver:21H2 Ruid:22000)		
00				
00				
(6)				

Π.			Confirmation MFP					What to check				CI	IK .						0			DIE No.	maks
N		e Model name	Serial number	Option Display Name	MFP Option ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	0	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
Г	D-Adas	EP-70A6S	2502274500	Printer Expansion Kit	_			$\overline{}$	The application number is verified.														
- [7	1			PS Expansion Kit			_		The application number is verified.														
Г	7			Barcode Font Kit	MX-PF10	E915169293			The application number is verified.	ОК						5							
Ŀ				Kanji Fort Kit					The application number is verified.														
				Direct Print Expansion Kit					The application number is verified.														
				Internet Fax Expansion Kit	MX-FWX1	A775157311		/	The application number is verified.	ОК						5							
				Network Scanner Expansion His	_			/	The application number is verified.														
				Application Extension Kit	MX-AMX1	K285150250			The application number is verified.	OK						5							
				Application Communication Kit					The application number is verified.														
1				External Account Kit					The application number is verified.														
1				Scanner Expansion Kit	_			/	The application number is verified.														
1				OCR Expansion Kit					The application number is verified.														
1				Virus Detection Kit	8P-VD10	P410038010			The application number is verified.	OK						5							
1				Data Security Kit	SP-FR12U	NU20040502			The application number is verified.	ОК						5							
1				E-RIC	_				The application number is verified.														
1	1			Ministry process information and many has	_				The application number is verified.														
1				MFF adventional or passent conf.	AdmPWRstx			$\overline{}$	The application number is verified.														
- [-		1 1		Service Password Reset	SNPWRitz				The application number is verified.														

	_										_	_	 _	_	_	_	
19	D-Adas	EP-70MSS	Processor to consideration of the decision	Printer Expansion Kit		-		-	The application number is verified.			-	_				
20				PS Expansion Kit					The application number is verified.								
21				Barcode Fort Kit	MX-PF10				The application number is verified.								
22				Kanji Fort Kit					The application number is verified.								
23				Direct Print Expansion Kit					The application number is verified.								
24				Internet Fax Expansion Kit	MX-FWX1				The application number is verified.								
25				Network Scanner Expansion ACE					The application number is verified.								
26				Application Extension Kit	MIX-AMECT				The application number is verified.								
27				Application Communication Kit					The application number is verified.								
20				External Account Kit					The application number is verified.								
29				Scanner Expansion Kit					The application number is verified.								
30				OCR Expansion Kit					The application number is verified.								
21				Virus Detection Kit	8P-VD10				The application number is verified.								
32				Data Security Kit	BP-FR12U				The application number is verified.								
22				E-RIC					The application number is verified.								
34									The application number is verified.								
35				MFF adventuator passaurid reset	AdmPWRstx				The application number is verified.								
36				Service Password Reset	SnPWRstx				The application number is verified.			1	_				
37	D-Adas	EP-70MG	Programme to contain out the district	Printer Expansion Kit					The application number is verified.			1	_				
30				PS Expansion Kit					The application number is verified.			1					-
39				Barcode Font Kit	MX-PF10				The application number is verified.		_	1					-
40				Kanji Fort Kit					The application number is verified.		_	_	-				
41				Direct Print Expansion Kit			-		The application number is verified.		-	<del>                                     </del>	_				
42				Internet Fax Expansion Kit	MX-FWX1		-		The application number is verified.			1	_				
40				Network Scanner Expansion Act			-		The application number is verified.		_	<del>                                     </del>	_				
44				Application Extension Kit	MIX-AMIX1				The application number is verified.		_	<del>                                     </del>	_				
45				Application Communication Kit			-		The application number is verified.		_	_	_				
46				External Account Kit				-	The application number is verified.		_	1	_				
47				Scanner Expansion Kit					The application number is verified.		_	1	_				
40				OCR Expansion Kit					The application number is verified.		_	<del>                                     </del>	_		_		
-				Virus Detection Kit	8PV010			-	The application number is verified.				_				
20				Data Security Kit	EP-FR12U		-	-	The application number is verified.								
51				E-RIC				_	The application number is verified.								
52				2-60				-	The application number is verified.				-				
53				MET administrative passent (rest				-	The application number is verified.				_				
-					AdmPWRstx			-					-	_			
54				Service Password Reset	SNPWRate				The application number is verified.								

										_	_		_		_	
SS B-Adam	BP-70M36	Processor to consideration of the decision	Printer Expansion Kit		-		-	The application number is verified.			-	_				0
56			PS Expansion Kit					The application number is verified.								0
57			Barcode Fort Kit	MX-PF10				The application number is verified.								0
50			Kanji Fort Kit					The application number is verified.								0
59			Direct Print Expansion Kit					The application number is verified.								0
60			Internet Fax Expansion Kit	MK-PWX1				The application number is verified.								
61			Network Scanner Expansion ACE					The application number is verified.								
@			Application Extension Kit	MIX-AMECS				The application number is verified.								
ω.			Application Communication Kit					The application number is verified.								
64			External Account Kit					The application number is verified.								0
65			Scanner Expansion Kit					The application number is verified.								0
GG			OCR Expansion Kit					The application number is verified.								
er .			Virus Detection Kit	BP-VD10				The application number is verified.			1					
ω.			Data Security Kit	EP-FR12U				The application number is verified.			1	_				
			E-RIC					The application number is verified.			1					-
70								The application number is verified.		_	1					
71			MFF administrator passent conf.	AdmPWRstx		-		The application number is verified.			<del>                                     </del>			_		
72			Service Password Reset	SNPWRetx		-		The application number is verified.		_	1	_				
73 S-Adas	EP-70M01	Property to account of the decision	Printer Expansion Kit					The application number is verified.			<del>                                     </del>					
74			PS Expansion Kit			-		The application number is verified.			<del>                                     </del>					
75			Racode Fort Kit	MX-PF10				The application number is verified.		_	_	_		_		
76			Kanji Fort Kit					The application number is verified.		_	_	_		_		
77			Direct Print Expansion Kit			-		The application number is verified.		+	<del>                                     </del>	_	_	+		
70			Internet Fax Expansion Kit	MX-FWX1		-		The application number is verified.		_	1	_	_			
79			National Science Evolution Sci.			-	-	The application number is verified.		_	<del>                                     </del>	_				
100			Application Extension Kit	MKAMKI		-	-	The application number is verified.		_	 _	_		-		
81			Application Communication Kit	MARKET		-	-	The application number is verified.		_	-	_	_	-		
82			External Account Kit	-	-	-	-	The application number is verified.		+-	-	_	_	-		
80						-				-	-	_	_			
-			Scanner Expansion Kit	-	-	-	-	The application number is verified.			-	_		-		
84			OCR Expansion Kit			-	-	The application number is verified.		_	-	_	_	_		°
85			Virus Detection Kit	BP-VD10		-	-	The application number is verified.				_				
86			Data Security Kit	EP-FR12U				The application number is verified.				_				-
67			E-RIC				-	The application number is verified.								
			Mining promising interest and more trees			$\overline{}$	-	The application number is verified.				_				
89			MFF advisionable password read	AdmPWRstx				The application number is verified.								0
90			Service Password Reset	SNPWRetx				The application number is verified.								0

■ Product key search/deletion confirmation

[Total number of items]

Total Items OK NG on hold Not tested

2-1. Search for registered product keys 2-2. Deleting a registered product key

No.	language	CG Version	Browser	Agency Name
00	English (US)	Wir11_Pro-64bit (Ver21H2 Build:22000)	Google Chrome	797
00				
00				
00				
(8)				

	7	7	0 0	0																			
Dolla	settings/test o	onditions]																					
				settings such as the login page																			
			Issuance using normal appli eral number/MFP option IDIR	ration number* on the "Product	key issue/application confirm	ation" tab																	
			gin page) from the specified b																				
	2. Loginas th	e Admin user										No.	language			OS Version				Browser			Agency Name
												0	English (US)		Wir11_Pro	HBR (Ver21H2	Build 22000)			Google Chrome			777
(144E		Scation contents uct Key" on the to										00							_			_	
				FP serial number/MFP option I	Dispplication number.*																		
	3. Click the "S											00											
	4. Check the p	product key regist	tration information on the pro-	duct key registration information	n screen.		(CHK)																
			Confirmation MFP		_			What to check				0	нк						D D			DB No.	nmaks
No	Model name	Model name	Serial number	Cotion Display Name	MFP Cotion ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	00	0	•	0	•	ID1	102	ID3	ID4	106	ID6		
- 1	D-Adas	EP-70AGS	84713895	Printer Expansion Kit					The product key registration information matches the registered product key.														
2	1			PS Expansion Kit					The product key registration information matches the registered product key.														
3	1			Barcode Font Kit	MX-PF10	E913903065		13262074184462275591	The product key registration information matches the registered product key.	OK						3							
4	1			Kanji Font Kit					The product key registration information matches the registered product key.														
5	1			Direct Print Expansion Kit					The product key registration information matches the registered product key.														
6	1			Internet Fax Expansion Kit	MX-FWX1	A768072489		46537624371408383809	The product key registration information matches the registered product key.	ОК						з							
7	1	1 1		Network Scanner Expansion His					The product key registration information matches the registered product key.														
				Application Extension Kit	MX-AMX1	K250149230		10828524112193772217	The product key registration information matches the registered product key.	ОК						3							
9	1			Application Communication Kit					The product key registration information matches the registered product key.														
10	]			External Account Kit					The product key registration information matches the registered product key.														
11				Scanner Expansion Kit					The product key registration information matches the registered product key.														
12				OCR Expansion Kit					The product key registration information matches the registered product key.														
13				Virus Detection Kit	8P-VD10	P410332008		89334585581365348846	The product key registration information matches the registered product key.	ОК						3						$\vdash$	
14				Data Security Kit	BP-FR12U	NU10945850		15347470561247679721	The product key registration information matches the registered product key.	ОК						3							
15	1			E-RIC					The product key registration information matches the registered product key.														
16	1			minimpered rimate ad hard has					The product key registration information matches the registered product key.														
17	1			MFF adventionally passened read	AdmPWRst8	$\overline{}$	AGREGIMO	38765467403805894176	The product key registration information matches the registered product key.	OK						3						⊢	
10	1			Service Password Reset	SNPWRetB		Y927396A	90905727564062256343	The product key registration information matches the registered product key.	ОК						3							l

19 8	l-Adas	EP-70MSS	84713896	Printer Expansion Kit				The product key registration information matches the registered product key.							0
20				PS Expansion Kit				The product key registration information matches the registered product key.							0
21				Barcode Fort Kit	MX-PF10	0	/	The product key registration information matches the registered product key.							0
22				Kanji Fort Kit				The product key registration information matches the registered product key.							0
23				Direct Print Expansion Kit				The product key registration information matches the registered product key.							0
24				Internet Fax Expansion Kit	MX-FWX1	0		The product key registration information matches the registered product key.							0
25				Network Scanner Expansion Kit				The product key registration information matches the registered product key.							0
26				Application Extension Kit	MK-AMK1	0		The product key registration information matches the registered product key.							0
27				Application Communication Kit				The product key registration information matches the registered product key.							0
20				External Account Kit				The product key registration information matches the registered product key.							0
29				Scanner Expansion Kit				The product key registration information matches the registered product key.							0
30				OCR Expansion Kit				The product key registration information matches the registered product key.							0
21				Virus Detection Kit	8P-VD10	0		The product key registration information matches the registered product key.							0
32				Data Security Kit	SP-FR12U	0		The product key registration information matches the registered product key.							0
22				E-RIC				The product key registration information matches the registered product key.							0
34				Missing promise information and interest flow				The product key registration information matches the registered product key.							0
25				MFF administrator passeord reset	AdmPWRstx		0	The product key registration information matches the registered product key.							0
36				Service Password Reset	SnPWRetx		0	The product key registration information matches the registered product key.							0
37 6	l-Adas	EP-70AMS	84713897	Printer Expansion Kit				The product key registration information matches the registered product key.							0
30				PS Expansion Kit				The product key registration information matches the registered product key.							0
39				Barcode Fort Kit	MX-PF10	0		The product key registration information matches the registered product key.							
40				Kanji Fort Kit				The product key registration information matches the registered product key.							0
41				Direct Print Expansion Kit				The product key registration information matches the registered product key.							0
42				Internet Fax Expansion Kit	MX-FWX1	0		The product key registration information matches the registered product key.							0
43				Network Scanner Expansion Kit				The product key registration information matches the registered product key.							0
44				Application Extension Kit	MIX-AMDE1	0		The product key registration information matches the registered product key.							
46				Application Communication Kit				The product key registration information matches the registered product key.							0
46				External Account Kit				The product key registration information matches the registered product key.							0
47				Scanner Expansion Kit				The product key registration information matches the registered product key.							0
40				OCR Expansion Kit				The product key registration information matches the registered product key.							0
40				Virus Detection Kit	BP-VD10	0		The product key registration information matches the registered product key.							
50				Data Security Kit	BP-FR12U	0		The product key registration information matches the registered product key.							0
51				E-RIC			$\overline{}$	The product key registration information matches the registered product key.							0
52				making around information and moral free			$\overline{}$	The product key registration information matches the registered product key.							0
sa				MFP administrator passeord reset	AdmPWRstx		0	The product key registration information matches the registered product key.							
54				Service Password Reset	SnPWRetx		٥	The product key registration information matches the registered product key.							

55 B-A	Adas	EP-70M36	84713898	Printer Expansion Kit				The product key registration information matches the registered product key.							
56				PS Expansion Kit				The product key registration information matches the registered product key.							
57				Barcode Font Kit	MX-PF10	0		The product key registration information matches the registered product key.							
50				Kanji Fort Kit				 The product key registration information matches the registered product key.							
59				Direct Print Expansion Kit				 The product key registration information matches the registered product key.							
60				Internet Fax Expansion Kit	MX-FWX1	0		The product key registration information matches the registered product key.							
G1				Network Scanner Expansion His				 The product key registration information matches the registered product key.							
62				Application Extension Kit	MIK-AMIKT	0		The product key registration information matches the registered product key.							
63				Application Communication Kit				The product key registration information matches the registered product key.							
64				External Account Kit				The product key registration information matches the registered product key.							
65				Scanner Expansion Kit				The product key registration information matches the registered product key.							
66				OCR Expansion Kit				 The product key registration information matches the registered product key.							
67				Virus Detection Kit	8P-VD10	0		The product key registration information matches the registered product key.							
60				Data Security Kit	BP-FR12U	0		The product key registration information matches the registered product key.							
69				E-RIC				The product key registration information matches the registered product key.							
70				Mileting personal information and internal trans				 The product key registration information matches the registered product key.							
71				MFF administrator password read	AdmPWRstx		0	The product key registration information matches the registered product key.							
72				Service Password Reset	SNPWRstx		0	The product key registration information matches the registered product key.							
73 B-A	Adas	EP-70M01	84713899	Printer Expansion Kit				The product key registration information matches the registered product key.							
74				PS Expansion Kit				The product key registration information matches the registered product key.							
75				Barcode Font Kit	MX-PF10	0		The product key registration information matches the registered product key.							
76				Kanji Fort Kit				The product key registration information matches the registered product key.							
77				Direct Print Expansion Kit				The product key registration information matches the registered product key.							
70				Internet Fax Expansion Kit	MX-FWX1	0		The product key registration information matches the registered product key.							
79				Network Scanner Expansion His				The product key registration information matches the registered product key.							
80				Application Extension Kit	MICAMICS	0		The product key registration information matches the registered product key.							
81				Application Communication Kit				The product key registration information matches the registered product key.							
82				External Account Kit				The product key registration information matches the registered product key.							
83				Scanner Expansion Kit				The product key registration information matches the registered product key.							
84				OCR Expansion Kit				The product key registration information matches the registered product key.							
as				Virus Detection Kit	BPV010	0		The product key registration information matches the registered product key.							
86				Data Security Kit	BP-FR12U	0		The product key registration information matches the registered product key.							
67				E-RIC				The product key registration information matches the registered product key.							
80				Making proma internation and more task				The product key registration information matches the registered product key.							
89				MFP adventistic passeord read	AdmPWRstx		0	The product key registration information matches the registered product key.							
90				Service Password Reset	SnPWRstx		0	The product key registration information matches the registered product key.							

-

Verify that regists	stered product ke	sys can be deleted																				
Number of items  Total items  7	OK 7	NG on hold	Not tested 0																			
Initial settings/test cor - Please check to		nt Settings" tab for common :	settings such as the login page																			
Use WFP mo	odel ID/MFP ser	rial number/MFP option IDIA	pplication number*	key issue/application confirms	ation" tab																	
1. Access the Ac 2. Login as the A		in page) from the specified b	OWNER.								No.	language			OS Version				Stower			Agency Name
Test procedure/verific											0	English (US)		Wir11_Pro4	HBR (Versitiva) B	wid 22000)			Google Chrome			777
1. Click "Product	ct Key" on the to	p menu.									00											
2. On the display 3. Click the "Sea		, enter the "MFP model ID/M	FP serial number/MFP option I	Displication number.*							0)		_									
4. Click the "Deli	elete" button on t	the product key registration in	formation screen.			(CHK)					•											
-	-	Confirmation MFP					What to check				0	ec .					-	-			CG No.	remaks
No Model name N	Model name	Serial number	Option Display Name	MFP Option ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6	1	
1 D-Adas	EP-70MS	84713895	Printer Expansion Kit					Registered product keys are deleted.														
2	- 1		PS Expansion Kit					Registered product keys are deleted.														
3			Barcode Font Kit	MX-PF10	E913903065		13262074184462275591	Registered product keys are deleted.	ОК						3							
4	- 1		Kanji Font Kit					Registered product keys are deleted.														
5			Direct Print Expansion Kit					Registered product keys are deleted.														
6			Internet Fax Expansion Kit	MK-PWX1	A768072489		46537024371400303009		ОК						3							
7			Network Scanner Expansion His					Registered product keys are deleted.														
0			Application Extension Kit	MICAMICI	K250149230		10020524112193772217		OK						3							
9 10			Application Communication Kit					Registered product keys are deleted.														
11			External Account Kit  Scanner Expansion Kit					Registered product keys are deleted.  Replication of product keys are deleted.														
12			OCR Expansion Kit					Registered product keys are deleted.														
13	- 1		Virus Detection Kit	8P-VD10	P410332008		80234585381365348846	Registered product keys are deleted.	OK.						,							
14			Data Security Kit	BP-FR12U	NU10045850		15347470501247679721		OK						3						-	
15	- 1		ERIC					Registered product keys are deleted.														
16			Minimperoral internation and moral task					Registered product keys are deleted.														
17	- 1		MFF advisionable passecrif read	AdmPWRst8		AGREGING	38765467423605694176	Registered product keys are deleted.	ОК						3							
10	- 1		Service Password Reset	SnPWRst8		Y827J96A		Registered product keys are-deleted.	OK						2							

$\overline{}$	_	,					 ,			 _	 _	 	_	
19 D-Adas	EP-70MS	5 84713696	Printer Expansion Kit				Registered product keys are deleted.			_				
20			PS Expansion Kit				Registered product keys are deleted.							
21			Barcode Fort Kit	MX-PF10	0		Registered product keys are deleted.							
22			Kanji Fort Kit				Ragistaned product keys are deleted.							
23			Direct Print Expansion Kit				Ragistaned product keys are deleted.							
24			Internet Fax Expansion Kit	MX-PWX1	0		Registered product keys are deleted.							
z			Network Scanner Expansion His				 Ragistaned product keys are deleted.							
26			Application Extension Kit	MX-AMX1	0		Registered product keys are deleted.							
27			Application Communication Kit				Ragistaned product keys are deleted.							
20			External Account Kit				Ragistaned product keys are deleted.							
29			Scanner Expansion Kit				Ragistaned product keys are deleted.							
20			OCR Expansion Kit				 Ragistaned product keys are deleted.							
21			Virus Detection Kit	BP-VD10	0		Ragistaned product keys are deleted.							
32			Data Security Kit	BP-FR12U	0		Ragistaned product keys are deleted.							
23			ERIC				Registered product keys are deleted.							
34							Registered product keys are deleted.							
z			MTP adventionally password read	AdmPWRstx		0	Registered product keys are deleted.							
×			Service Password Reset	SnPWRstx		0	Registered product keys are deleted.							
27 D-Adas	EP-70AM	6 84713697	Printer Expansion Kit	/			 Ragistaned product keys are deleted.							
20			PS Expansion Kit				Registered product keys are deleted.							
20			Barcode Font Kit	MX-PF10	0		Registered product keys are deleted.							
40			Kanji Fort Kit				 Ragistaned product keys are deleted.							
41			Direct Print Expansion Kit				 Registered product keys are deleted.							
42			Internet Fax Expansion Kit	MX-PWX1	0		Ragistaned product keys are deleted.							
40			Network Scanner Expansion Hit				Registered product keys are deleted.							
44			Application Extension Kit	MIX-AMEC!	0		Registered product keys are deleted.							
45			Application Communication Kit				Registered product keys are deleted.							
46			External Account Kit				Registered product keys are deleted.							
a			Scanner Expansion Kit				Registered product keys are deleted.							
40			OCR Expansion Kit				Registered product keys are deleted.							
40			Virus Detection Kit	BP-VD10	0		Registered product keys are deleted.							
50			Data Security Kit	BP-FR12U	0		Registered product keys are deleted.							
51			E-RIC				Registered product keys are deleted.							
52							Registered product keys are deleted.							
sa sa			MTP administrator passeuré read	AdmPWRstx		0	Registered product keys are deleted.							
54			Service Password Reset	Sn/PWRstx		0	Registered product keys are deleted.							

		r							1										
-	D-Adas	EP-70M36	84713898	Printer Expansion Kit				-	Registered product keys are deleted.		$\rightarrow$	_	_		_		_		
56				PS Expansion Kit					Registered product keys are deleted.		$\rightarrow$	_			_		_		
57				Barcode Font Kit	MX-PF10	۰			Registered product keys are deleted.		_		_						
50				Kanji Fort Kit					Registered product keys are deleted.										
59				Direct Print Expansion Kit					Registered product keys are deleted.		_								
60				Internet Fax Expansion Kit	MX-FWX1	0			Registered product keys are deleted.										
61				Network Scanner Expansion Act					Registered product keys are deleted.										
62				Application Extension Kit	MK-AMK1	0			Registered product keys are deleted.										
63				Application Communication Kit					Registered product keys are deleted.										
64				External Account Kit					Registered product keys are deleted.										
65				Scanner Expansion Kit					Registered product keys are deleted.										
66				OCR Expansion Kit					Registered product keys are deleted.										
67				Virus Detection Kit	8P-VD10	0			Registered product keys are deleted.										
60				Data Security Kit	EP-FR12U	0			Registered product keys are deleted.										
69				E-RIC					Registered product keys are deleted.										
70									Registered product keys are deleted.						=				
71				MFP adventionally password read	AdmPWRstx		0		Registered product keys are deleted.						=				
72				Service Password Reset	SnPWRstx		0		Registered product keys are deleted.						_				
73	D-Adas	EP-70M31	84713899	Printer Expansion Kit					Registered product keys are deleted.						=				
74				PS Expansion Kit					Registered product keys are deleted.										
75				Barcode Font Kit	MX-PF10				Registered product keys are deleted.						=		_		
76				Kanji Fort Kit					Registered product keys are deleted.		-				=				
77				Direct Print Expansion Kit					Registered product keys are deleted.		-				=		=		
70				Internet Fax Expansion Kit	MX-FWX1				Registered product keys are deleted.						=				
79				Network Science Expansion Kit					Registered product keys are deleted.		_				=		_		
80				Application Extension Kit	MIX-AMIX1	-			Registered product keys are deleted.		_			_	=		_		
81				Application Communication Kit					Registered product keys are deleted.		_				=		=		
82				External Account Kit					Registered product keys are deleted.		_				=		_		
83				Scanner Expansion Kit	-			-	Registered product keys are deleted.		_						_		
-				OCR Expansion Kit	-			-	Registered product keys are deleted.		_				=	_	_		
-				Virus Detection Kit	8PV010	-	-		Registered product keys are deleted.	_	_			_	_	-	_	_	
				Data Security Kit	EP-FR12U	0					_								
85					MP+R12U				Registered product keys are deleted.		-								
-				5-810				-	Registered product keys are deleted.		-								
-				The state of the state of the state of					Registered product keys are deleted.		_								
80				MFF adventionally passented read	AdmPWRstx		0		Registered product keys are deleted.		_								
90				Service Password Reset	Sn/PWRstx		0		Registered product keys are deleted.										

■ Product key issuance and application confirmation\_Mobile

[Total number of items]

Total items OK NG on hold Not tested

S S 0 0 0

-1. Mobile-specific screen generation and application to actual devices

1 2 5 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

Coverview Verify that the issued product key can be applied to the actual device.

# 

- The state of the control of the cont

			Confirmation MFP					What to check				C	нс					-	ii)			CR No.	wnake
No	Model name	Model name	Serial number	Option Display Name	MFP Option ID	Application Number	Unlocking code	Issue Key	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6	1	
- 1	D-Adas	EP-70AGS	2502274500	Printer Expansion Kit					The issued product key can be applied to the MFP.														
2				PS Expansion Kit					The issued product key can be applied to the MFP.														
3				Barcode Font Kit	MX-PF10	E-913908010		75679079802521470836	The issued product key can be applied to the MFP.	ОК						4							
4				Kanji Fort Kit					The issued product key can be applied to the MFP.														
s				Direct Print Expansion Kit					The issued product key can be applied to the MFP.														
6				Internet Fax Expansion Kit	MX-PWX1	A768077350		57836425883902136487	The issued product key can be applied to the MFP.	ОК						- 4							
7				Network Scanner Expansion Kit					The issued product key can be applied to the MFP.														
				Application Extension Kit	MIX-AMDE1	K250154170		51337201203310361091	The issued product key can be applied to the MFP.	ОК						- 4							
9				Application Communication Kit					The issued product key can be applied to the MFP.														
10				External Account Kit					The issued product key can be applied to the MFP.														
11				Scanner Expansion Kit					The issued product key can be applied to the MFP.														
12				OCR Expansion Kit					The issued product key can be applied to the MFP.														
13				Virus Detection Kit	8P-VD10	P493337076		75641370222788074731	The issued product key can be applied to the MFP.	СК						- 4							
14				Data Security Kit	BP-FR12U	NU10250124		544381183178052822	The issued product key can be applied to the MFP.	СК						- 4							
15				E-RIC					The issued product key can be applied to the MFP.														
16				Ministry process information and interest trees					The issued product key can be applied to the MFP.														
17	_			MFF adventional or passent conf.	AdmPWRstx				The issued product key can be applied to the MFP.														
10				Service Password Reset	SNPWRetz				The issued product key can be applied to the MFP.														

									_	_						
19	D-Adas	EP-70MSS	Processor to contract of the decise	Printer Expansion Kit			-	The issued product key can be applied to the MEP.		_	 	-	_		_	
20				PS Expansion Kit		 		The issued product key can be applied to the MPP.								
21	1			Barcode Font Kit	MX-PF10	 		The issued product key can be applied to the MFP.								
22				Kanji Fort Kit		 		The issued product key can be applied to the MFP.								
23				Direct Print Expansion Kit				The issued product key can be applied to the MFP.								
24				Internet Fax Expansion Kit	MX-FWX1			The issued product key can be applied to the MFP.								
25				Network Scanner Expansion Kit		 		The issued product key can be applied to the MFP.								
26				Application Extension Kit	MX-AMX1			The issued product key can be applied to the MFP.								
27				Application Communication Kit		 		The issued product key can be applied to the MFP.								
20				External Account Kit				The issued product key can be applied to the MFP.								
29				Scanner Expansion Kit				The issued product key can be applied to the MFP.								
30	1			OCR Expansion Kit				The issued product key can be applied to the MFP.								
31	1			Virus Detection Kit	8P-VD10			The issued product key can be applied to the MFP.								
32				Data Security Kit	SP-FR12U			The issued product key can be applied to the MFP.								
22				E-RIC				The issued product key can be applied to the MFP.								
34	1							The issued product key can be applied to the MFP.								
35	1			MFP administrator passeord rest	AdmPWRxtx			The issued product key can be applied to the MEP.								
36	1			Service Password Reset	SNPWRetx			The issued product key can be applied to the MEP.								
37	D-Adas	EP-70M/S	Processor to consideration of the basis	Printer Expansion Kit				The issued product key can be applied to the MFP.								
30				PS Expansion Kit				The issued product key can be applied to the MFP.								
39	1			Barcode Font Kit	MX-PF10			The issued product key can be applied to the MFP.								
40	1			Kanji Fort Kit				The issued product key can be applied to the MEP.								
41	1			Direct Print Expansion Kit				The issued product key can be applied to the MEP.								
42	1			Internet Fax Expansion Kit	MX-PWX1			The issued product key can be applied to the MEP.								
40	1			Network Scanner Expansion Kit				The issued product key can be applied to the MFP.								
44	1			Application Extension Kit	MIX-AMIX1			The issued product key can be applied to the MFP.					=			
45	1			Application Communication Kit				The issued product key can be applied to the MFP.								
46				External Account Kit				The issued product key can be applied to the MFP.								
47				Scanner Expansion Kit				The issued product key can be applied to the MFP.								
40				OCR Expansion Kit				The issued product key can be applied to the MFP.								
49				Virus Detection Kit	8P-VD10			The issued product key can be applied to the MFP.								
50				Data Security Kit	SP-FR12U			The issued product key can be applied to the MFP.								
51				E-RIC				The issued product key can be applied to the MFP.								
52				Ministry annual relation and moral from				The issued product key can be applied to the MFP.								
53				MFF administrator passeors read	AdmPWRsts			The issued product key can be applied to the MEP.								
-				Service Password Reset	SnPWRstx			The issued product key can be applied to the MFP.								
					ann Arresta											

		_							_	_	_	_	_	 	_	_		
-	D-Adas	EP-70M36	Processor to considerate of the decision	Printer Expansion Kit				The issued product key can be applied to the MFP.			_	_	_				_	•
56				PS Expansion Kit			-	The issued product key can be applied to the MFP.			_							0
57				Barcode Fort Kit	MX-PF10			The issued product key can be applied to the MFP.										0
50				Kanji Fort Kit				 The issued product key can be applied to the MFP.										0
59				Direct Print Expansion Kit				The issued product key can be applied to the MFP.										0
60				Internet Fax Expansion Kit	MX-FWX1			The issued product key can be applied to the MFP.										0
61				Network Scanner Expansion Kit				 The issued product key can be applied to the MFP.										•
62				Application Extension Kit	MIX-AMDE1			The issued product key can be applied to the MFP.										•
63				Application Communication Kit				The issued product key can be applied to the MFP.										٥
64				External Account Kit				The issued product key can be applied to the MFP.										0
65				Scanner Expansion Kit				The issued product key can be applied to the MFP.										0
66				OCR Expansion Kit				The issued product key can be applied to the MFP.										0
67				Virus Detection Kit	8P-VD10			The issued product key can be applied to the MFP.										0
60				Data Security Kit	SP-FR12U		-	The issued product key can be applied to the MFP.										0
69				E-RIC				The issued product key can be applied to the MFP.										
70				Making promating and married trans				The issued product key can be applied to the MFP.				-						
71				MFF adventuator passence reset	AdmPWRstx			The issued product key can be applied to the MEP.				$\neg$	_					
72				Service Password Reset	SNPWRets			The issued product key can be applied to the MEP.			_							0
73	D-Adas	EP-70M31	Processing the same name of the decise	Printer Expansion Kit				 The issued product key can be applied to the MEP.			_							0
74				PS Expansion Kit				The issued product key can be applied to the MEP.			_	_						
75				Barcode Fort Kit	MX-PF10			The issued product key can be applied to the MEP.			_	$\rightarrow$	_					
76				Kani Fort Kit			-	 The issued product key can be applied to the MEP.			_	$\rightarrow$	_					-
77				Direct Print Expansion Kit				The issued product key can be applied to the MSP.			_	$\rightarrow$	_	_			_	
70				Internet Fax Expansion Kit	MX-FWX1			The issued product key can be applied to the MEP.			_	$\rightarrow$	_					
79				Network Scanner Expansion Kit			-	 The issued product key can be applied to the MEP.			_	$\rightarrow$	_				_	
-				Application Extension Kit	MKAMKI		-	The issued product key can be applied to the MEP.			_	$\rightarrow$	_				-	
01				Application Communication Kit			-	 The issued product key can be applied to the MFP.			_	$\rightarrow$	_				-	
82				External Account Kit		-	-	 The issued product key can be applied to the MFP.			-	$\rightarrow$	-				-	
-				Scanner Expansion Kit				 The issued product key can be applied to the MFP.		_	-	$\rightarrow$	-	_				
H						-		 The issued product key can be applied to the MFP.		_	-	$\rightarrow$	-				-	
				OCR Expansion Kit	8PV010			 The issued product key can be applied to the MPP.  The issued product key can be applied to the MPP.			_							°
25				Virus Detection Kit														•
86				Data Security Kit	EP-FR12U			The issued product key can be applied to the MEP.			_							٥
87				ERIC				The issued product key can be applied to the MEP.			_							0
				Militing proved information and more trees		-		The issued product key can be applied to the MFP.			_							•
89				MFP adventionable passeord reset	AdmPWRxtx			The issued product key can be applied to the MFP.			_							
90				Service Password Reset	SNPWRete			The issued product key can be applied to the MFP.										0

No.	language	OS Vension	Browser
0	Japanese	Win12_Pts 64bit (Ver:21H2 Build:19044)	Google Chrome
00	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
0	Chinese	Win12_Pts 64bit (Ver:21H2 Build:19044)	FireFox
•	Chinese	Win11_Pro-64bit (Ver/21H2 Build 22000)	FireFox
0	English (US)	Win12_Pts 64bit (Ver:21H2 Build:19044)	Edge (Chromium version)
	English (US)	Win11_Pro-64bit (Ver/21H2 Build 22000)	Edge (Chromium version)

No		Expected behavior	CHK									DEI No.	remaks			
	What to check		0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6	1	
1 /	Access the Admin Portal (ogin page) from the specified browser	Inability to access the Admin Portal (ogin page)		ОК		СК		ОΚ		1		2		3		

\_\_\_\_\_\_

## 4-2. Access restrictions (after IP address registration)

[overview]

Manager of Second

Total items OK NG on hold Not tested
3 3 0 0 0 0

(Initial settings/test conditions)

Please check the "Environment Settings" tab for common settings such as the login page.

[Test procedure/verification contents]

1. Implement the checks and ensure that the expected behavior is achieve

No.	ianguage	Ob Version	Browser
0	Japanese	Win12_Pro-64bit (Ver/21H2 Build:19044)	Google Chrome
00	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	Chinese	Win12_Pro-64bit (Ver/21H2 Build:19044)	FireFox
	Chinese	Win11_Pro-64bit (Ver/21H2 Build 22000)	FireFox
00	English (US)	Win12_Pro 64bit (Ver/21H2 Build:19044)	Edge (Chromium version)
	English (US)	Win11_Pro-64bit (Ver/21H2 Build 22000)	Edge (Chromium version)

No					СНК							6						
	What to check	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6				
1	Access the Admin Portal (login page) from the specified browser	You can access the Admin portal (login page).		ОК		ОК		ОК		1		2		3				

1

		Expected behavior	СИК									DIR No.	remake			
No	What to check		0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6	1	ľ
1	Click the "\" next to "Language"	The list box opens and displays "Japaness."														
2		The lat box opens and displays "English."														
3	Select "Japanese"	The login screen will be displayed in Japanese.														
4		The selected language is displayed correctly and there are no garbled characters.														
5	Select 'English'	The login screen will be changed to English.														
6		The selected language is displayed correctly and there are no garbled characters.														

(Number of Items)

Total Items CK NG on hold Not tested

0 0 0 0 0

all setfingerheat conditions)

- Please check the Twindowness Settings\* sold for common settings such as the logingage.

1. Access the Add Proteil (poly) people of the specified bower.

2. Select the same language as the OS language in the Language list box.

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver/21H2 Build 22000)	Edge (Chromium version)
00			
•			
(9)			

- 1						-	**						-			SM NZ	
1	No	What to check	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	105	ID6		
	1	Check "Mail Address"	The default input hirt "E-mail Address" is displayed.														
	2	Enter your email address	You can enter an email address														

Number of items)

Total Rems OK NG on hold Not tested

0 0 0 0 0

all setfingerheat conditions)

- Please check the Twindowness Settings\* sold for common settings such as the logingage.

1. Access the Add Proteil (poly) people of the specified bower.

2. Select the same language as the OS language in the Language list box.

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver/21H2 Build 22000)	Edge (Chromium version
0)			
•			
(9)			
(4)			

	What to check				CI	ex.									UM NO.	pertana
No	WHIRE TO CHICK	Expected behavior	0	00	00		00	•	ID1	ID2	ID3	ID4	106	ID6		
1	Dack Passaord	The default input hirt "Password" is displayed.														
2	Enter your password	You can enter a password														

a semagenest conductors;

-Please check the "Environment Settings" tab for common settings such as the logic page.

1. Access the Admin Fortal (logic page) from the specified browner.

2. In the list box next to Language, select the same language as your OS language.

				CHK						•			DR No.	remaks	41.			
No	What to check		Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6			25
- 1	Inter a valid value in "Mail Address", enter an invalid value in "Password", and click the "Sign in" button.	An error message is displaye	1		ОК						3							72
2		«English»	Your email address is not registered or your password is incorrect. Please log in again.															ŀ
3		<ul> <li>Japaneser</li> </ul>	There is no mail address registration or the password is incorrect. Please login again.		OK						3							2
4	Inter an invalid value in "Mail Address" and a valid value in "Password" and press the "Sign in" button.	An error message is displaye	1		OK						3							72
5		«English»	Your email address is not registered or your password is incorrect. Please log in again.															
6		<ul> <li>Japaneser</li> </ul>	There is no mail address registration or the password is incorrect. Please login again.		OK						3							2
7	Inter invalid values in "Mail Address" and "Password" and press the "Sign in" button.	An error message is displaye	1		OK						3							2
0		«English»	Your email address is not registered or your password is incorrect. Please log in again.															
9		<.ispanese*	There is no mail address registration or the password is incorrect. Please login again.		ок						3							2
10	inter a valid value in "Mail Address" and an invalid value in "Password" and by logging in 10 times in a row.	Account being locked			ox						3							2
11		A notification of account lock	will be sent to the registered email address.		OK						3							2
12		-English-	Scales Account Les Nationies Spannberg (plant le signification particul les product de les products de l'extraction de l'extra															0
13		«Japaneses»	Dalgots Account lock modifications (Apanel keeple specified they would private plants about the plants of the specified private specified private strategy account the latest states, focuse apply for witnessing 4.5-mail address 40-mail Address of the Statesty account the latest states, focuse of the statesty 4.5-mail address 40-mail Address of the Statesty account the latest states, focus plants for the statesty of the Statesty account the statesty account the statesty focus account to the statesty of the Statesty account th		ĕ						3							2
14	Please enter valid "Mail Address" and "Password" again and by logging in.	Your account is locked and y	su cannot log in.		ок						3							2
15		An error message is displaye	1		ОК						3							2
16		<english-< td=""><td>The administrator is locked.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>ŀ</td></english-<>	The administrator is locked.															ŀ
17		<.lapaneser	Administrator is locked.		ОК						3							2
10	After 20 minutes have passed, enter valid values in "Mail Address" and "Password" and log in.	What you can log in to																
19	Afterunlocking the account, enter valid values in "Mail Address" and "Password" to log in.	What you can log in to			ОК						3							2
20	Inter valid values in "Mail Address" and "Password" and press the "Sign in" button.	What you can log in to									3							2

					CHK							-	•			CRI No.	menaks
No		What to check	Expected behavior	œ	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6	1	
1	Check the screen display		The selected language is displayed correctly and there are no gathled characters.														
2	Check "User ID"		The user ID of the user who is registered as an administrator is displayed.														
3		Press*≜*	In ascending order based on user ID														
4		Press*♥*	The order will be descending based on the user ID.														
5	Check "Name"		The name of the user who is registered as an administrator is displayed.														
6		Press*A*	In accending order by name														
7		Press*♥*	In descending order by name														
	Check your 'email address'		The email address of the registered administrator user is displayed.														
9		Press*A*	In accending order by email address														
10		Press "V"	Descending order based on email address														
11	Check "Region"		The region of the userwho is registered as an administrator is displayed.														
12	Check "Actions"		Actions of users registered as administrators are displayed														
13		Click the "Y" next to "Action"	The list box is open and "Attribute Display" is displayed.														
14			The list box is open and "Changes" is displayed.														
15			The list box opens and displays "Delets."														
16			The list box is open and "Log Display" is displayed.														
17			The lat box opens and "Password Resel" is displayed.														
10			The list box opens and displays "Account Lock/Unlock."														
19	Check the number of lists dis	played on the screen	The number of lists displayed must not be more than 10.														
20	Check the page number at th	e bottom left of the screen	The number of pages is displayed														
21	Press "Previous"		Ability to switch pages														
22	Click 'Nest'		Ability to switch pages														
23	Click the page number		Go to the page you clicked														

| Number of items| | Total items | CK | NG | on hold | Not tested | 27 | 27 | 0 | 0 | 0 |

Polici settingerheat conditional

- Presses check the "Conicomer Settings" to for common settings such as the high-page.

- Access the Assist in Policy dipp appell from the specified between.

- Seting the same improper as the OSI stranger in the Language int box.

- Logic has the Admisses.

- Logic has the Admisses.

- Cost Chaus Management on the top manu.

[Test procedure/verification contents]
1. Select the "Administrator" ration the "User Management" screen.
2. Implement the checks and ensure that the especial behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (vier 21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (vier 21H2 Build 22000)	Edge (Chromium version)
00			
•			
(9)			
(4)			

	No What to check Executed behavior							0	нк						Ď			CR No.	remarks	
- 1 '				What to check		Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6	1	
	1 Click to	the "Create New" button	1			Go to the "New Administrator Registration" screen		ОК						3						
	2 Regist	tering a new administrat	Check the screen display			The selected language is displayed correctly and there are no garbled characters.		ОК						3						
	3		Enter the administrator ID in	"Administrator ID"		Administrator ID can be entered		ОК						3						
Г	4		Enter the administrator name	in "Administrator name"		The administrator name can be entered.		ОК						3						
	s		Enter your email address in "I	Email address*		You can enter an email address		ОК						3						
	6		Enter your email address in "I	Ratype*		You can enter an email address.		ОК						3						
	7		Select your region in "Region			Ability to select region		ОК						3						
			Switch ON/OFF with "Lock O	Control*		ON/OFF can be selected		ОК						3						
	9		Check the permission setting			Each permission setting is displayed		ОК						3						
,	0			Allows privileged administration permissions	Allows privileged administration permissions	Checkboxes can be turned on off		ОК						3						
- [-	11					When you change a check box to ON, all check boxes become ON.		ОК						3						
- [-	2			privileges for the specified	Allows viewing and deleting product key registration data	Checkboxes can be turned on off		ОК						3						
_ [·	э				Allows you to manage your Dealer account	Checkboxes can be turned onlot!		ОК						3						
_ [·	4			Allow operations for special users	System Data User	Checkboxes can be turned onloff		ОК						3						
- [	5		1	1	Unlock User	Checkboxes can be turned on off		ОК						3						
- [-	16		1	1	Speed CTO User	Checkboxes can be turned on biff		ОК						3						
	7				Password Reset User	Checkboxes can be turned onlot?		OK						3						

_	
10	
19	
20	
21	
22	
23	
24	
25	
26	
27	
20	
29	
30	
31	
32	
23	
34	
25	
36	
27	
30	

Click the "Create New" button with the "Administrator ID" field blank.	An error message is displaye	1	ОК			3			
	«English»	Please enteryour administrator ID.							
	<ul> <li>Japaneser</li> </ul>	Please enter an Administrator ID.	ОК						
Click the "Create New" button with the "Administrator name" field blank.	An error message is displaye	1	ОК						
	«English»	Please enteryour first name. Please enter your last name.							
	<ul> <li>Japaneser</li> </ul>	Please order the first name. Please order the last name.	ОК			3			
Press the "Create New" button with the "Email address" field blank.	An error message is displaye	1	ОК			3			
	«English»	Please enteryour email address.							
	<.lapaneser	Please enteryour e-mail address.	οĸ			3			
Enter valid values in "Administrator ID" and "Administrator Name", enter the same values as another administrator in "Email Address" and "Retype", and click the "Create New" button.	An error message is displaye	1	OΚ			3			
	«English»	The same email address has already been registered. Please enter a different email address.							
	<japanese*< td=""><td>The same mail address has already been registered. Please specify a different email address.</td><td>ŏ</td><td></td><td></td><td>3</td><td></td><td></td><td></td></japanese*<>	The same mail address has already been registered. Please specify a different email address.	ŏ			3			
Enter valid values for "Administrator ID", "Administrator Name" and "Email Address", order a different value for "Email Address" in "Re-enter" and click the "Create New" button.	An error message is displaye	1	ŏ			3			
	«English»	The re-entered email address does not match.							
	<ul> <li>Japaneser</li> </ul>	It does not match the re-input e-mail address.	OK			3			
Press the "Create New" button with "Re-enter" blank	An error message is displaye		ox			3			
	«English»	Please re-enter your input.							
	<japanese*< td=""><td>Plasse re-enter.</td><td>ŏ</td><td></td><td></td><td>3</td><td></td><td></td><td></td></japanese*<>	Plasse re-enter.	ŏ			3			
Press the "Search" button when "Permission Settings" is not set.	An error message is displaye	1	OK						
	«English»	Administrative privileges are not set.							
	<ul> <li>Japaneser</li> </ul>	Administrator authority is not set.	OK			3			

_	_											_
	39	Enter valid values in "Administrator ID" and "Administrator Name", enter valid values in "Entall Address" and "Re-enter" and click the "Create New" button.	A new account will be create	4	ОК			3				]-
	40		Select "Change" from the "A	ction' list box and make sure the setting is retained.	ОК			3				]-
Г	41		A notification of the completi	on of the new administrator's registration will be sent to the registered email address.	ОК			3				7
	42		«English»	Sales to that date of completes of segendary of the administrating Spanishers to the content of the administration of the administra								
	45		<ul><li>Japaneser</li></ul>	Salaret Males of symmetric completion of our administration (Spendinger). The control of the assessed of the salaret Males and Spendinger (Spendinger) and Spendinger (Spe	ŏ			э				1
	44	Click the 'Cancel' button	The screen will close and you	will return to the "Administrator List" screen.	ок			3				],
	45 Log in with the newly created	account.	What you can log in to		ОК			3				].

Coverview 2

### (Namber of Name) Total Rams CK NG on held Not tested 8 8 0 0 0

Bobbs settings/less conditions]

- Researches the "Goviernment deliting" for for common settings such as the logic page.

1. Access the Addition Plant (logic page) from the specified between 2.

2. Select the some language as the OS intropage in the Language int box.

3. Logic that the Additional Conference of the language in the Conference of the Cold Victor Management on the language.

[Test proceduralverification contents]

1. Select the "Administrator" sub-on the "User Management" screen.

2. Implement the checks and ensure that the especial behavior is achieved.

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver-21H2 Build 22000)	Edge (Chromium version)
00			
•			
0)			

	Т						CI	ec .						5			DEI No.	nmaks
No	٥	What to check		Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
- 1	Chi	eck the acreen display	The selected language is disp	played correctly and there are no garbled characters.		OK						3						
2	Che	eck the "Senica Status" when the service is in operation	The service status "+" is gree	n .		ОК						3						
3	Che	eck "Senice Status" if the service is stopped	The service status "+" is red.			ОК						3						
4			You can log out of the "User	Wanagement' screen and then log back in.		OK						3						
s			You can "create new users" a	and "change users" from the "User Management" screen.		OK						3						
6	П	Log in to the "Product Key Issuance" screen	An error message is displaye	d		ОК						3						
7	7		«English»	We are currently undergoing maintenance. Please wait a moment.														
			«Japanese»	Now it is under maintenance. Please wait.		ОК						3						
9	1	After service resumes	You can log in to the "Produc	t Key Issuance" screen and issue a product key.		ОК						3						

# Polici settingerheat conditional - Presses check the "Conicomer Settings" to for common settings such as the high-page. - Access the Assist in Policy dipp appell from the specified between. - Seting the same improper as the OSI stranger in the Language int box. - Logic has the Admisses. - Logic has the Admisses. - Cost Chaus Management on the top manu.

[Test procedure/verification contents]

1. Select the "Administrator" sub-on the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pts 64bit (Ver:21H2 Build:22000)	Edge (Chromium version)
00			
•			
00			
(0)			

	<ol><li>Implement the checks and ensure that the expected behavior is achieved</li></ol>							*		_		_																							
					•	СНК					ID .			CG No.	remarks	ОК	0 0		0 0	0	0 0	0	0 0	0 0	0 0	0 0	0 '	0 0	0 0	0 0	0 /	0 0	0 1	0 0	0
Ni	What to check	Expected behavior	0	0	00	•	0	ID1	ID2	ID3	ID4	106	ID6	1		0 NG	0 0	۰	0 0	0	0 0		0 0	0 0	0 0	0 0		1 0	0 0	0 0	0 /	0 0	0 (	0 0	0
- 1	Check the screen display	The selected language is displayed correctly and there are no garbled characters.														0																			
2	Check the status when all "regions" are set in the administrator	The "+" in Regional Status is green.														0																			
2	Check the status when at least one "region" is not set by the administrator	The "•" in Regional Status is red.														0																			
4		A region that is not set as Regional Status is displayed.														0																			

Coverview)
On the user

### 

Sale underpoint confidency

- Please social to "Environment Saleign" in the common saleign such as the large oppo1. Access to Annia's high perspections the support Saleign seed of the 
| No. | language     | OS Version                             | Browser                 |
|-----|--------------|--|-------------------------|
| 00  | Japanese     | Win11_Pro-64bit (Ver/21H2 Build 22000) | Google Chrome           |
| 00  | English (US) | Win11_Pts 64bit (Ver:21H2 Build:22000) | Edge (Chromium version) |
| 00  |              |  |                         |
| •   |              |  |                         |
| (9) |              |  |                         |
| (4) |              |  |                         |

						_	CI	6K		_				0			DIR No.	nmaka
No		What to check		Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
-1	Click the "My Account" buttor		Go to the "My Account" scre	10		ОК						3						
2	My Account	Check "User ID"	The user ID of the account yo	tu are logged in with is displayed.		OK						3						
э		Check "Username"	The username of the account	you are logged in with is displayed.		ОК						3						
4		Check your "email address"	The email address of the acc	ount you are logged in with is displayed.		ОК						3						
s		Enter your password in "Current Password"	You can enter a password			ОК						3						
6		Enter your new password in "New Password"	You can enter a password			ОК						3						
7		Enter the password in "Retype"	You can enter a password			OK						3						
		Press the "Change" button with "Current Password" left blank.	An error message is displaye	d		ОК						3						
9			«English»	Please enteryour current password.														
10			«Japanese»	Please order a current password.		ox						3						
11		Press the "Change" button without entering "New Password"	An error message is displaye	d		οĸ						3						
12			«English»	Please enter a new password.														
13			<.lapaneser	Please enter a password.		ОК						3						
14		Press the "Change" button with "Re-enter" blank	An error message is displaye	d		ox						3						
15			«English»	Please re-enter your input.														
16			<.lapaneser	Please ro-enter.		οĸ						3						
17		Enter an invalid value in "Current Password", enter valid values in "New Password" and "Re-enter", and click the "Change" button.	An error message is displaye	d		οĸ						3						
10			«English»	Your current password is incorrect.														
19			<japaneser-< td=""><td>The current password is incorrect.</td><td></td><td>OK</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td></japaneser-<>	The current password is incorrect.		OK						3						
20		Enter the value you changed on the "Change Password by Password Reset" screen in "Current Password", enter the same value (7 or less alphanumeric characters) in "New Password" and "Re-enter" and press the "Change" button.	An error message is displaye	4		ox						3						
21			«English»	Please enter a password that is between 6 and 16 characters long and contains alphanumeric characters.														
22			<.lapanese>	Please enter a password with 6 to 16 letters in half-size alphabetical symbol.		οĸ						3						
23		Enter the values you changed on the "Change Password by Password Raset" screen into "Current Password", "New Password" and "Re-enter" and press the "Change" button.	An error message is displaye	d		OK						3						
24			«English»	The password specified is the same as the current password.														
25			<.lapaneser	The same password was specified with previous password.		ŏ						3						
26		Enter the value you changed on the "Change Password by Password Reset" screen in "Current Password", enter a different value from the "New Password" in "Re-enter", and press the "Change" button.	An error message is displaye	d		ŏ						3						
27			«English»	Re-entered and new passwords do not match.														
20			<.lapaneser	The re-entry does not match the new password.		OK						3						
29		Enter the value you changed on the "Change Password by Password Reset" screen in "Current Password", enter valid values in "New Password" and "Re-enter", and press the "Change" button.	After making the changes, th	e screen will close and you will return to the "Administrator List" screen.		×						3						
30		Click the "Cancel" button	The screen will close and you	will return to the "Administrator List" screen.		ŏ						3						
21	Enter your new password and	liogis.	What you can log in to			×						3						

### |Biamber of Items| | Total Pams | CK | NG | on held | Not tested | 2 | 2 | 0 | 0 | 0

# Bobbs settings/less conditions] - Researches the "Goviernment deliting" for for common settings such as the logic page. 1. Access the Addition Plant (logic page) from the specified between 2. 2. Select the some language as the OS intropage in the Language int box. 3. Logic that the Additional Conference of the language in the Conference of the Cold Victor Management on the language.

[Test proceduralverification contents]

1. Select the "Administrator" sub-on the "User Management" screen.

2. Implement the checks and ensure that the especial behavior is achieved.

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (vier:21H2 Build:22000)	Google Chrome
00	English (US)	Win11_Pro 64bit (Her 21H2 Build 22000)	Edge (Chromium version)
•			
(4)			

							CHK						io o		٥	© No.	mraks	OK 0	0	2 0	0	0 0	0	0	0 0	0 (	0 0	0 0	0 0	0 0	0 0	0 /	0	0 0	0 0	
No		What to check	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6			NG 0	0	0 0	0	0 0	0	0	0 0	0 1	9 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	
-1	Click the "Logout" button		Go to the "Logis" acreen		ОК						3																									
2	Login	Enter valid values in "Mail Address" and "Password" to log in.	Being able to log in again		ОК						3																									

### [Number of Items] Total Items OK NG on hold Not tested 0 0 0 0 0

Datai satingshee conditions!

- Passes check the "Conicomer Satings" to for common satings such as the login page.

- Access the Asian horizing login page (from the specified brasses:

2. Seafer the sensingspage as the CS language in the Language laid box.

3. Login as the Administer

- Click "Use Satingsparent" on the log manu.

[Test procedure/verification contents]

1. Select the "Users" tabon the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved.

No.	language	OS Version	Drowser
	Japanese	Win11_Pro-64bit (vier 21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro 64bit (Ver 21H2 Build 22000)	Edge (Chromium version)
•			

							_			_			_				
No		What to check	Expected behavior				HK						Ď			DEI No.	remarks
AU		What to check	Expected certavor	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
1	Check the screen display		The selected language is displayed correctly and there are no garbled characters.														
2	Check "User ID"		The user ID of the registered user is displayed.														
3		Press*≜*	in secending order based on user ID														
- 4		Press*♥*	The order will be descending based on the user ID.														
5	Check "Name"		The name of the registered user is displayed.														
6		Press*≜*	In secending order by name														
7		Press***	In descending order by name														
	Check your "email address"		The email address of the registered user is displayed.														
9		Press*≜*	in secending order by email address														
10		Press*♥*	Descending order based on email address														
11	Check "User Type"		The user type of the registered user is displayed.														
12	Check "Actions"		Actions of registered users are displayed														
13		Click the "♥" next to "Action" for "User Type" Dealer.	The list box is open and "Changes" is displayed.														
14			The list box opens and displays "Delete."														
15			The list box opens and displays "Account Lock/Unlock."														
16		Click the "♥" under "Action" for a special user whose "User Type" is other than Dealer.	The list box is open and "Changes" is displayed.														
17			The last box opens and displays "Delete."														
10			The list box opens and "Password Resel" is displayed.														
19			The list box opens and displays "Account Lock/Unlock."														
20	Check the number of lists di	splayed on the screen	The number of lists displayed must not be more than 10.														
21	Check the page number at t	he bottom right of the screen	The number of pages is displayed														
22	Press "Previous"		Ability to switch pages														
23	Click "Next"		Ability to switch pages														
24	Click the number of the page	you want to display.	Go to the page you entered														

Coverview 2

### 

Saltie setiogatest condition]

-Plass decic hit "Environment Settings" for for common settings such as the logic page.

1. Access the Active Plass (Plang plang) from the specified Environme.

2. decic the semi-impages as the OSI impages in the Language list box.

3. Log is set Monthoniser

4. Click "User Management" on the lagment.

[Test procedure/verification contents]

1. Select the "User" tab on the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved.

No.	language	OS Version	Browser
00	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pts 64bit (Ver:21H2 Build:22000)	Edge (Chromium version)
•			
00			
(2)			

No 1 C								CI	er.					D		-	DRI No.	amaka
1 0			What to check		Expected behavior	0	0	00		(8)	ID1	ID2	ID3	I Di	IDS	ID6		
1 C							_											
$\rightarrow$	Dick the "Create New" butto			Go to the "New User Registro			OΚ					5						
2 R	Registering a new user	Check the screen display		The selected language is disp	layed correctly and there are no gastiled characters.		OK					5						
3		Select "Dealer" in "User Type		The following items should be	daplayed		ок					5						
4			Enter your user ID in "User ID"	User ID can be entered			ОК					5						
5			Enter your username in "Username"	User name can be entered			OK					5						
6			Enter your password in "Password"	You can enter a password			ок					s						
7			Enter the password in "Retype"	You can enter a password			×					5						
0			Switch ON/OFF with "Lock Control"	ON/OFF can be selected			ж					s						
9		Click the "Create New" butto	n with the "User ID" field blank.	An error message is displaye	1		ок					5						
10				«English»	Please enteryour user ID.													
11				<.lapanese>	Please enter User ID.		ОК					5						
12		Enter the same value as and click the "Create New" button	her user in "User ID", enter valid values in "User Name", "Password" and "Re-enter", and it.	An error message is displaye	1		OΚ					5						
13				«English»	The same user ID has already been registered. Please specify a different user ID.													
14				<.lapanese>	The same user ID has already been registered. Please specify another user ID.		ОК					5						
15		Click the "Create New" butto	n with the "User Name" field blank.	An error message is displaye	1		ОК					5						
16				«English»	Please enteryour first name. Please enter your last name.													
17				<.iapanese*	Please order the first name. Please enter the last name.		×					5						
10			" and "User Name", enter the same value (7 or less alphanumeric characters) in and click the "Create New" button.	An error message is displaye	1		ОК					5						
19				«English»	Please enter a password that is between 6 and 16 characters long and contains alphanumeric characters.													
20				<.lapanese>	Please enter a password with 6 to 16 letters in half-size alphabetical symbol.		ОК					5						
21		Enter valid values in "User ID and click the "Create New" b	", "User name" and "Password", enter a different value from the "Password" in "Re-enter" ation.	An error message is displaye	1		ОК					5						
22		I		«English»	Re-entered and new passwords do not match.													
23				<.lapanese>	The re-entry does not match the new password.		ОК					5						
24		Enter valid values in "User ID New" button.	" and "User Name", enter valid values in "Password" and "Re-enter", and click the "Create	A new account will be created			οκ					s						
25				Select "Change" from the "Ac	Sion" list box and make sure the setting is retained.		ок					s						
26		Click the "Cancel" button		The screen will close and you	will return to the "User List" screen.		ОК					5						
27 L	og in with the newly created	account		What you can log in to			OΚ					5						

### 5-1-9. Creating a new user (special user other than Dealer)

### Coverview 2

### 

Bobbs settings/less conditions]

- Researches the "Goviernment deliting" for for common settings such as the logic page.

1. Access the Aside The Willing Registry from the specified between

2. Select the some language as the OS intropage in the Language int box.

3. Logic tase the Asides services

4. Cold "User Management" on the language.

[Test procedure/verification contents]

1. Select the "Usen" fait-on the "User Management" acreen.

2. Implement the checks and ensure that the expected behavior is achieved.

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
- 00	English (US)	Win11_Ptu 64bit (Her 21H2 Build 22000)	Edge (Chromium version)
•			
- 0			

							0	нк						b			CIR No.	remarks	
No			What to check	Expected behavior	0	0	00	•	0	•	ID1	102	ID3	ID4	106	ID6			
1	Click the "Create New" butto	0		Go to the "New User Registration" screen		ок						5							
2	Registering a new user	Check the screen display		The selected language is displayed correctly and there are no gastled characters.		ОК						5							
3	]	Select "Unlock User" under "	UserType*	The following items should be displayed:		ок						s							
4			Enter your user ID in "User ID"	User ID can be entered		ОК						5							
5			Enter your username in "Username"	User name can be entered		ОК						5							
6	1		Enter your email address in "Email address"	You can enter an email address		ŏ						5							
7			Enter your email address in "Retype"	You can enter an email address		ок						s							
			Switch ON/OFF with "Lock Control"	ON/OFF can be selected		ox						5							
9		Select "Speed CTO User" in	'User Type'	The following items should be displayed:		ОК						5							
10			Enter your user ID in "User ID"	User ID can be entered		ОК						5							
11	1		Enter your username in "Username"	User name can be entered		×						5							
12			Enter your email address in "Email address"	You can enter an email address		ox						s							
13			Enter your email address in "Retype"	You can enter an email address		ок						5							
54			Switch ON/OFF with "Lock Control"	ON/OFF can be selected		ОК						5							
15		Select 'Password Reset Use	of for "User Type"	The following items should be displayed:		ОК						5							
16			Enter your user ID in "User ID"	User ID can be entered		ОК						5							
17	1		Enter your username in "Username"	User name can be entered		ОК						5							
10	]		Enter your email address in "Email address"	You can enter an email address		ок						5							
19	]	l	Enter your email address in "Retype"	You can enter an email address		ок						5							
20			Switch ON/OFF with "Lock Control"	ON/OFF can be selected		ОК						5							

Columb   Count Nort - Substant No. 1		Click the "Create New" button with the "User ID" field blank.	An error message is displays									
Applies   Section Se	22				OK.			5				
Applies   Section Se			«English»	Please enteryour user ID.								
Exception	23		<ul> <li>Japaneser</li> </ul>	Please enter User ID.	OK			5				1
For institution of the Chart four		Click the "Create New" button with the "User Name" field blank.	An error message is displays	d	OK			5				1
For institution of the Chart four	25		«English»	Please enteryour first name. Please enter your last name.								
For institution of the Chart four	26		«Japanese»	Please enterthe first name. Please enter the last name.	αк			5				
For institution of the Chart four	27	Press the "Create New" button with the "Email address" field blank.	An error message is displays	d	OΚ			5				
Exercise and in the first of th	20		«English»	Please enteryour email address.								
Segret   Processes and above to be an incident to the control of	29		«Japanese»	Please enteryour e-mail address.	ox			5				,
Description	20		An error message is displays	d	ОК			5				
And the Charle four Fall and The Charle four F	21		«English»	The same email address has already been registered. Please enter a different email address.								
And the Charle four Fall and The Charle four F	32		«Japanese»	The same mail address has already been registered. Please specify a different email address.	ок			5				
Service and an extra confidence of the formation of the formation and the formation	22	Press the "Create New" button with "Re-enter" blank	An error message is displays	d	ОК			5				
Service and an extra confidence of the formation of the formation and the formation	34		«English»	Please re-enter your input.								
Service and an extra confidence of the formation of the formation and the formation	25		<.lapaneser	Please to extist.	ox			5				
As an extend of an extend of the complete of t	36	Enter valid values for "User ID", "User name" and "Email address", enter a different value for "Email address" in "Re-	An error message is displays	4	ОК			5				
As an extend of an extend of the complete of t	37	and and doctor cleaning data.	«English»	The re-entered email address does not match.								
Some relativistical in Year Committee of Year Co	30		<.lapaneser	It does not match the re-input e-mail address.	ox			5	_			
Ripper trafficials of projection of plantitum of two and Sparkson of contract of the Management of the American of the America			A new account will be create	4	OΚ			5	=			
Ripper trafficials of projection of plantitum of two and Sparkson of contract of the Management of the American of the America	40	Chase New Gutton.	Select "Change" from the "A	clion" list box and make sure the setting is retained.	OK.			5	=		-	
Ripper trafficials of projection of plantitum of two and Sparkson of contract of the Management of the American of the America	41				OK.			5	=			
and record to be deen record from the contract the deen record from the deep contract the deen record from the deep contract the deep cont	-							_	_			-
	42			user account has been completed. Please use this to log in tethe product key issuing web portal. https://product-key-staging-net-Product/key-Generator-Logi-Portal A temporary password has been set. After loggingin, please change your password by clicking "Change Password by Password Reset."								K
Indigent bases of more care registrates completed Speakings The solding of the sounce of this low.  Approximate Annual Speakings of the Speaking Speakings of			<.lspanses-	user below has been completed. Please use to login to product port issuing web portal. https://product- key-staging.net/Product/keyGeneratorit.ogin/Portal Please be sure to change your password from If Change Password by Password Reset after realing a temporary password. Exmal address:	οx			s				,
44 Clot the "Clear of hatton The covers oil close parties, used in American and place parties, used in American	44	Click the "Cancel" button	The screen will close and yo	will return to the "User List" screen.	ОК			5				
	45 Log in with the newly crea	and account.	What you can log in to		ОК			5				1

### 5-2. Action

overview

On the user management screen, check that there are no problems with the display content, input values. UI operations, error content, etc.

### | [Number of Items] | Total Items | OK | NG | on hold | Not tested | 12 | 12 | 0 | 0 | 0 |

### (Initial settings/test conditions)

Please check the "Environment Settings" tab for common settings such as the login pag

Select the same language as the OS language in the Language list box

Log in as the Admin user
 Click "User Management" on the tro menu.

t procedure/verification contents)

4. Salart the "Administrator" taken the "Lear Management" arm

| No. | Images | Depth 
- 1	Sin I			What to check		Expected behavior			CI	нк					•			DB No.	remaks	
	wo			WHAT IS CHECK		Expected behavior	0	00	00	•	00	ID1	102	ID3	ID4	201	ID6			
	1 Select 'S	Show Attributes" from	the "Action" list box.			Go to the "Administrator Rights" screen		ОК					3							
	2 Administ	strator privileges	Check the screen display			The selected language is displayed correctly and there are no gastled characters.		OK					3							
	3		Check the permission setting	s display		Each permission setting is displayed		ОК					3							
L	4					Allowed settings are checked		ОК					3							
	s			Allows privileged administration permissions	Allows privileged administration permissions	Checkboxes cannot be turned on or off		ОК					3							
	6				Allows viewing and deleting product key registration data	Checkboxes cannot be turned on or off		OK					3							
	7					Checkboxes cannot be turned on or off		OK					3							
	0			Allow operations for special users	System Data User	Checkboxes cannot be turned on or off		OK												
	9				Uniock User	Checkboxes cannot be turned on or off		ОК					2							
	10				Speed CTO User	Checkboxes cannot be turned on or off		ОК					3							
	11				Password Reset User	Checkboxes cannot be turned on or off		OK					3							
	12		Click the "Close" button			The screen will close and you will return to the "Administrator List" screen.		ОК					3							

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedure/verification contents]

1. Select the "Administrator" ration the "U ser Management" screen.

2. Implement the checks and ensure that the especial behavior is achieved.

No.	language	OS Version	Browser
00	Japanese	Win11_Pro 64bit (Ver/21H2 Build 22000)	Google Chrome
- 00	English (US)	Win11_Pro-64bit (Ver/21H2 Build 22000)	Edge (Chromium version)
00			
•			
(9)			

									0	нк						io .			OR No.	remaks
- 11	No			What to check		Expected behavior	0	0	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6	1	
Г	1 8	elect "Modify" from the "Act	on" list box.			Go to the "Change Administrator Information" screen		ОК												
Г	2 C	hange administrator informs	Check the screen display			The selected language is displayed correctly and there are no garbled characters.		ОК						n						
Г	3		Check the "Administrator ID"			The administrator ID is displayed.		ОК						8						
Г	4		Enter the administrator name	in "Administrator name"		The administrator name can be entered.		ок						5						
	s		Enter your email address in "	Email address*		You can enter an email address		ок						5						
Г	6		Enter your email address in "	Ratype*		You can enter an email address		ОК						a						
Г	7		Check "Region"			Ability to select region		ОК						n						
Г	0		Switch ON/OFF with "Lock of	Control*		ON/OFF can be selected		ОК						5						
	9		Check the permission setting			Each permission setting is displayed		ок						5						
	10			Allows privileged administration permissions	Allows privileged administration permissions	Checkboxes can be turned on off		ОК						a						
Г	11					When you change a check box to CIN, all check boxes become CIN.		ОК						a						
Г	12			privileges for the specified	Allows viewing and deleting product key registration data	Checkboxes can be turned on off		ОК						· ·						
Г	13				Allows you to manage your Dealer account	Checkboxes can be turned onlot!		ОК						5						
	14			Allow operations for special users	System Data User	Checkboxes can be turned on off		OK						5						
	15			1	Unlock User	Checkboxes can be turned on off		ок						5						
Г	16			1	Speed CTO User	Checkboxes can be turned on off		ОК						5						
	17				Password Reset User	Checkboxes can be turned onloff		ОК						5						

_					 		 				 	 	
10		Click the "Update" button with the "Administrator name" field blank.	An error message is displays	d	ОК				5				1
19 20 21			«English»	Please enteryour first name. Please enter your last name.									
20			<.lapaneser	Please order the first name. Please enter the last name.	ox				5	_			
21		Leave "Administrator name" and "Lock control" as is, enter the same values as another administrator in "Email address"	An error message is displays	d d	OΚ				5				
-		and "Retype", and click the "Create new" button.	«English»	The same email address has already been registered. Please enter a different email address.		_		_		_			
-			dapaneser-	The same mail address has already been registered. Please specify a different email address.	ox				5	_			
22 23 24 25 26 27 28 29 30		Draze tha "Crassia New" history with "Decarder" Mark	An error message is displays		OK OK	-						_	
24		Press the "Create New" button with "Re-enter" blank			OK.	-			5				
25			«English»	Please re-enter your input.						_			
26			<.lapaneser	Please re-enter.	ОК				5				
27		Leave "Administrator name" and "Lock control" as is, enter a different value for "Email address" in "Re-enter", and click the "Update" button.	An error message is displays	d	OΚ				5				
20			«English»	The re-entered email address does not match.									
29			<ul> <li>Japaneser</li> </ul>	It does not match the re-input e-mail address.	OK				5				
30		Leave "Email address", "Re-enter" and "Lock control" as is, enter a valid value in "Administrator name", and click the "Liodate" button.	After updating, return to the "	Administrator List" screen.	OΚ				5				
31			Select "Change" from the "A	ction" list box and make sure the setting is retained.	ОК				s				
32		1	A notification of completions	of administrator information changes will be sent to the registered email address.	OΚ				5				
H													
22			«English»	Subject: Notification of completion of administrator information change SpaceName) The account change for the following administrator has been completed. Please use it to log in to the administrator with postar litter products—key straigs and informitive load.									i c
				web portal. Petps: il product-key ettaging net i Admini/Veb/Login									
34			<.lapanese-	Subject. Notice of change completion of administrator information (Speekseed). The change of the account of the administrator balls has been completed. Please use it to big in to the administrator web ports. Inter-I product hey entering new Administrator web ports.	ax				s				
Н		Leave "Administrator name" and "Lock control" as is, enter salid values in "Email address" and "Retype", and click the			_	-		-	_	_			
25		"Update" button.	After updating, return to the *		ОК	-		-	5	_			
36				ction" list box and make sure the setting is retained.	ОК				5				
27			Notification of change of add	ninistrator's email address will be sent to the registered email address	ОК				5				
				Subject: Notification of administrator's email address change \$juents area; Your password has been year because your errall address has been changed. A tempopurary password has been set. Please									
30			<english-< td=""><td>charge your plaseword's y clicking. *Change Plaseword by Plaseword Reset" after togging in to the product hay instruity was prince; *They instruct, *Hey stagging neith dimorbition Login Ernal address: Sprainfuldered; Plaseword: Sprainfuldered; *Plaseword; *Plaseword Sprainfuldered; *Plaseword; *Plasewor</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>•</td></english-<>	charge your plaseword's y clicking. *Change Plaseword by Plaseword Reset" after togging in to the product hay instruity was prince; *They instruct, *Hey stagging neith dimorbition Login Ernal address: Sprainfuldered; Plaseword: Sprainfuldered; *Plaseword; *Plaseword Sprainfuldered; *Plaseword; *Plasewor									•
П													
29			<.lapanese*	Subject Administrator's erral address change radios \$j.aen/hame) Your erral address has been changed, your passworthma been seed. Please change the password from [Change, Password by Password Sensigli Herring high the abstractive who print using business a temporary password. Please of Sensigli Herring high the Sensiglian was seen and the seed of the sensiglian seed \$j.aena was seen and the second seed of the sensiglian seed of the sensiglian seed. \$j.aena was seed to the sensiglian seed of the sensiglian seed of the sensiglian seed of the sensiglian seed.	ок				s				,
Ш													
40		Click the "Cancel" button	The screen will close and yo	will return to the "Administrator List" screen.	ОК				5				1
41 Lo	g in with the changed acco	unt.	What you can log into		ОК				5				1

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedure/verification contents]

1. Select the "Administrator" ration the "U ser Management" screen.

2. Implement the checks and ensure that the especial behavior is achieved.

No.	language	OS Vension	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver/21H2 Build:22000)	Edge (Chromium version)
•			
(A)			

Г						0	нк									DB No.	remarks
,		What to check	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	IDS	ID6	1	
Г	Select "Delete" from the "A	clor' let box.	Go to the "Delete Administrator" screen		ОК						5						
Г	Remove an administrator	Check the screen display	The selected language is displayed correctly and there are no garbled characters.		ОК						5						
		Check "Administrator name"	The administrator name is displayed.		ОК						5					60367	Specifications for each display
		Check your "email address"	Your email address is displayed		ОК						5						
		Click the "Delete" button	After deleting the account, return to the "Administrator List" acreen.		ОК						5						
Г		Click the "Cancel" button	The screen will close and you will be returned to the "Administrator List" screen without deleting the account.		ОК						5						
Г	Check the "Administrator L	it" screen	The deleted account is no longer there.		ОК						5						

[overview] On the use

### 

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedure/verification contents]
1. Select the "Administrator" ration the "U ser Management" screen.
2. Implement the checks and ensure that the especial behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro 64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver/21H2 Build 22000)	Edge (Chromium version
•			

							0	ur.									CR No.	nenaka
N			What to check	Expected behavior													- M. M.	- Indiana
			WHAT TO CHECK	Expected between	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
1	Select "View Log" from the "i	Action" list box.		Go to the "Administrator Login Log Information" screen														
2	Administrator login log information	Check the screen display		The selected language is displayed corectly and there are no garbled characters.														
2		Check the "Date"		The clate is displayed														
4			Press "A"	In secending order based on date														
s			Press ***	In descending order based on date														
6		Check the "Operation Name"		The operation name is displayed.														
7			Press "▲"	In secending order by operation name														
			Press 'T'	Descending order based on operation name														
9		Check the "Contents"		The contents are displayed														
10			Press "A"	In secending order based on content														
11			Press "#"	Descending order based on content														
12		Check the number of lists dis	played on the acreen	The number of lists displayed must not be more than 10.														
13		Check the page number at the	e bottom left of the screen	The number of pages is displayed														
14		Press "Previous"		Ability to switch pages														
15		Click "Next"		Ability to switch pages														
10		Enter the page number you've	ant to-display in the text box.	Go to the page you entered														
12		Click the "Close" button		The acreen will close and you will return to the "Administrator List" acreen.														

### |Number of items| | Total items| CK NG on hold Not tested | 12 12 0 0 0

Date unlarghest conditional

-Passes which the "Environment Selling" that for common sellings such as the logic page.

-Access to Annia Selling logic page (min the specified towner.

2 dieset for assertinguage as that Oil pageage in this Language into Eco.

- Linging to Annia Selling logic page (min the specified towner.)

4 Clima in one was account on the administrate registrates access

5 Charge in one present on the Administrate registrates access

5 Charge in one present on the Administrate registrates access

							CI	ex.									DG No.	remarks
N	0	What to check		Expected behavior	0	00	00	•	00	•	ID1	102	ID3	ID4	106	ID6		
Г	Select "Password Reset" fr	on the "Action" list box.	Go to the "Password Reset"	screen		ОК						3					-	
	Password Reset	Check the screen display	The selected language is dis	played correctly and there are no gastiled characters.		ОК						3						
		Check the "Administrator ID"	The administrator ID is displ	nyed.		ОК						3						
Ŀ		Check your "email address"	Your email address is display	yed		OK						3						
		Press the "Reset" button	After resetting your passwor	d, return to the "Administrator List" screen.		ОК						3						
			A notification of password re	set completion will be sent to the registered email address.		ОК						3						
:			«English»	Table of These and seed completion self-section for participating in the passed seed that been completed. A representation seed and all for agging in the practice to exist people seed and properly the product two products of the passed of the passed of the passed of passed in the passed of br>Quantitation of the passed of														
			<.lapanese-	Salest Pleased and conjection of finds to Administrat Sparkfordy Inscordinately contine. Pleased and steps to personate the China of Pleased Pleased Read for the special for contine. Pleased Read to Section Sec		ox						9					60367	Specifications for each display
		Click the "Cancel" button	The screen will close and yo	will be returned to the "Administrator List" screen without resetting your password.		ОК						3						
1	Log in to the account whose	password has been seed.	An error occurs and you can	not log in		ОК						3						
-	1		An error message is displays	d .		OK						3						
-	2		«English»	Your email address is not registered or your password is incorrect. Please log in again.														
_	1		<li>dapanesar-</li>	There is no mail address registration or the password is incorrect. Please login again.		ОК						3						
1	Reset your password and in	gin	What you can log in to			ОК						3						

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedure/verification contents]

1. Select the "Administrator" sub-on the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pts 64bit (Ver:21H2 Build:22000)	Edge (Chromium version)
•			
00			
(A)			

							0	нк						)			DE No.	remarks
No		What to check		Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
1	Select "Lock Account" from	the "Action" list box.	Go to the "Account Lock" scr	nen .		ОК						5						
2	Account Lock	Check the screen display	The selected language is disp	played correctly and there are no garbled characters.		ОК						5						
3		Check the "Administrator ID"	The administrator ID is displa	nyed.		ОК						5						
4		Check your "email address"	Your email address is display	ped		OK						5						
5		Press the "Lock" button	After locking your account, re	sturn to the "Administrator List" screen.		OK						5						
6		Click the "Cancel" button	The screen will close and you	will be returned to the "Administrator List" screen without your account being locked.		ОК						5						
7	View the list of locked accou	ris	The list of accounts is display	yed in md.		ОК						5						
	Log in to a locked account		An error occurs and you cann	not log in		ОК						5						
9			An error message is displaye	nd .		OK						5						
10			«English»	The administrator is locked.														
11			<ul> <li>Japaneser</li> </ul>	Administrator is locked.		ОК						5						

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedure/verification contents]
1. Select the "Administrator" ration the "U ser Management" screen.
2. Implement the checks and ensure that the especial behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build/22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver-21H2 Build 22000)	Edge (Chromium version)
•			
(4)			

Π.						0	нк						b			OR No.	menaka	
1 "	° I	What to check	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6			
Г	[52-6. Account lockCheck	the lat of locked users by clicking	The lat of users is displayed in red.		ОК						5							
- [7	Select "Unlock" from the "A	tion" list box.	Go to the "Unlock" screen		ОК						5							
	Unlock	Check the screen display	The selected language is displayed correctly and there are no gashled characters.		ОК						s							
Ŀ		Check the "Administrator ID"	The administrator ID is displayed.		ОК						5							
		Check your "email address"	Your email address is displayed		ОК						5							
Г		Click the "Unlock" button	After unlocking, return to the "Administrator List" screen		ОК						5							
Г		Click the "Cancel" button	The screen closes and returns to the "Administrator List" screen without being unlocked.		ОК						5							
Г	Log in to the unlocked accord	nt .	What you can log in to		ОК						5							
_																		

### 5-2-8. Change of user (Dealer)

[overview] On the user n

mber of items)				
Total items	OK	NG	on hold	Not tested
0		0	0	0

Saltie setiogatest condition]

-Plass decic hit "Environment Settings" for for common settings such as the logic page.

1. Access the Active Plass (Plang plang) from the specified Environme.

2. decic the semi-impages as the OSI impages in the Language list box.

3. Log is set Monthoniser

4. Click "User Management" on the lagment.

[Test procedure/verification contents]

1. Select the "Users" tabon the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved.

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (vier:21H2 Build:22000)	Google Chrome
00	English (US)	Win11_Pro 64bit (Her 21H2 Build 22000)	Edge (Chromium version)
•			

No.							(	34K									OR No.	remarks
PAG		What to check		Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6	1	
1	Select 'Modify' from the 'Act	ion" list box.	Go to the *Change User Infor	mation" screen														
2	Change user information	Check the screen display	The selected language is disp	played correctly and there are no garbled characters.														
3		Check "Liser Type"	The user type is displayed as	"Dealer".														
4		Check "User ID"	User ID is displayed															
s		Enter your name in "Name"	You can enter your name															
6		Enter your password in "Password"	You can enter a password															
7		Enter the password in "Retype"	You can enter a password															
		Switch ON/OFF with "Lock Control"	ON/OFF can be selected															
9		Press the "Update" button with "Name" blank.	An error message is displaye	4														
10			«English»	Please enteryour first name. Please enter your last name.														
11			<.lapaneser	Please enter the first name. Please enter the last name.														
12		Leave "Name" and "Lock Control" as is, and enter the same value (7 or less alphanumeric characters) in "Password" and "Re-enter", then click the "Update" button.	An error message is displaye															
13			«English»	Please enter a password that is between 6 and 16 characters long and contains alphanumeric characters and symbols.														
14			<ul><li>Japaneser</li></ul>	Please enter a password of 8 characters or more and less than 95 letters in half size alphanumeric characters.														
15		Leave "Name" and "Lock Control" as is, enter a valid value in "Password", enter a different value from the "Password" in "Re-enter", and click the "Update" button.	An error message is displaye	d														
16			«English»	Re-entered and new passwords do not match.														
17			<ul><li>Japaneser</li></ul>	The re-entry does not match the new password.														
10		Enter a valid value in "Name", enter valid values in "Password" and "Re-enter", and click the "Update" button.	After updating, return to the "	User List* screen.														
19			Select "Change" from the "A	ction" list box and make sure the setting is retained.														
20		Click the "Cancel" button	The screen will close and you	will return to the "User List" screen.														
21	Log in with the changed acco	et.	Being able to log in again															

Coverview 2

### 

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedural verification contents]

1. Select the "Users" tabon the "User Management" acreen.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build/22000)	Google Chrome
00	English (US)	Win11_Ptu-64bit (Her:21H2 Build:22000)	Edge (Chromium version)
•			

				Expected behavior			CI	ec .									CRI No.	maks
No		What to check		Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6	1	
1	Select 'Modify' from the 'Ac	sion' let box.	Go to the "Change User Infor	mation' screen		ОК						5						
2	Change user information	Check the screen display	The selected language is disp	played correctly and there are no gathled characters.		ОК						5						
3		Check "User Type"	The user type of the registers	od user is displayed.		ОК						5						
4		Check "User ID"	User ID is displayed			OK						5						
5		Enter your name in "Name"	You can enter your name			ОК						5						
6		Enter your email address in "Email address"	You can enter an email addre	MA.		ОК						5						
7		Enter your email address in "Retype"	You can enter an email addre	MA.		ОК						5						
		Switch ON/OFF with "Lock Control"	ON/OFF can be selected			ОК						5						
9		Press the "Update" buttor with "Name" blank.	An error message is displaye	nd .		OK						5						
10			«English»	Please enteryour first name. Please enter your last name.														
11			<japanese*< td=""><td>Please enter the first name. Please enter the last name.</td><td></td><td>ОК</td><td></td><td></td><td></td><td></td><td></td><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td></japanese*<>	Please enter the first name. Please enter the last name.		ОК						5						
12		Leave "Name" and "Lock Control" as is, enter a valid value in "Email Address", enter a different value from "Email Address" in "Re-enter", and click the "Update" batton.	An error message is displaye	d		ОК						5						
13			«English»	The re-entered email address does not match.														
14			<japanese*< td=""><td>It does not match the re-input e-mail address.</td><td></td><td>OK</td><td></td><td></td><td></td><td></td><td></td><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td></japanese*<>	It does not match the re-input e-mail address.		OK						5						
15		Enter a valid value in "Name", enter valid values in "Email Address" and "Retype", and click the "Update" button.	After updating, return to the "	User List* screen.		OK						5						
16			Select "Change" from the "A	ction' let box and make sure the setting is retained.		ОК						5						
17		Click the "Cancel" button	The screen will close and you	will return to the "User List" screen.		ОК						5						
10	Log in with the changed acco	ant.	What you can log in to			ОК						5						

Bobbs settings/less conditions]

- Researches the "Goviernment deliting" for for common settings such as the logic page.

1. Access the Aside The Willing Registry from the specified between

2. Select the some language as the OS intropage in the Language int box.

3. Logic tase the Asides services

4. Cold "User Management" on the language.

[Test procedural verification contents]

1. Select the "Users" tabon the "User Management" acreen.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (vier 21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Her 21H2 Build 22000)	Edge (Chromium version)
00			
•			
00			
•			

Π.	. [						О	нк						D			OR No.	mmaks
Ľ			What to check	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
Г	1 Se	elect "Delete" from the "Act	Sor" let box.	Go to the "Delete User" screen		ОК						5						
Г	2 De	eleting a User	Check the screen display	The selected language is displayed correctly and there are no garbled characters.		ОК						5						
Г	э		Check "User ID"	User ID is displayed		ОК						5						
	4		Click the "Delete" button	After deleting the account, return to the "User List" screen.		ОК						s						
	s		Click the "Cancel" button	The screen will close and you will be returned to the "User List" screen without deleting the account.		ОК						5						
Г	6 01	heck the "User List" screen	1	The deleted account is no longer there.		ОК						5						

[overview] On the user n

umber of items)				
Total items	OK	NG	on hold	Not tested
0		0	0	0

Salais settingsinet countificut|

-Please-clock the "Environment Settings" iso for common settings such as the logic page.

1. Access the Asian "Deal (logic page) often the specified forwares.

2. Select the sense impropage is the OSI long page in the Language list tox.

3. Liquis in the Authoriseser

4. Click "User Management" on the top menu.

[Test procedure/verification contents]

1. Select the "Users" tabon the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved.

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (vier:21H2 Build:22000)	Google Chrome
00	English (US)	Win11_Pro 64bit (Ver/21H2 Build 22000)	Edge (Chromium version
•			
00			

							0	нк					-				DEI No.	nemarks
No		What to check		Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
1	Select "Password Reset" from	s the "Action" list box.	Go to the "Password Reset"	screen														
2	Password Reset	Check the screen display	The selected language is disp	played correctly and there are no gastiled characters.														
3		Check "User ID"	User ID is displayed															
4		Press the "Reset" button	After resetting your password	t, return to the "User List" screen.														
5			A notification of password re-	set completion will be sent to the registered email address.														
6			«English»	Eagles: Trease of and complete notification by least Speakhing Frazzont seed the bare complete. A least program passworth lates for Removed only per pleased by clinic Charge Pleased by Pleased Stranging to the Speak for the policy of the Speak Stranging April 1987 - The Stranging Stranging Charge Stranging April 1987 - The Stranging Stranging Stranging Charge Stranging April 1987 - The Stranging Stranging Stranging April 1987 - The Stranging Stranging Stranging April 1987 - The Stranging Apr														
7			<ul> <li>Japaneser</li> </ul>	Papers Treased and complete softened by the Spankins Papersol and complete Paperson theory Spanses from Charge Paperson Paperson Seased, the suggestion force Commerce and place and pulse streamy paperson for Spanses (and sea company on Practicity Seasons Light and Seases Spankins Spanses of pages on Practicity Seasons Light and Seases Spankins of Paperson Spanses of the Spanses of Spanses														
0		Click the "Cancel" button	The screen will close and you	will be returned to the "User List" screen without seeting your password.														
9	Log in to the account whose p	assword has been seed.	An error occurs and you cann	et lag in														
10			An error message is displaye	d														
11			«English»	Your password has been reset. Please reset your password.														
12			<.lapanese>	Password has been reset. Please reset the password.														
13	Reset your password and log	n .	What you can log in to															

### | Number of items | CK | NG | on hold | Not tested | 0 | 0 | 0 | 0 |

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the high-page.

1. Access the Archite Forth (plippings) from the specified forward.

2. diese the sense impage as the OS impage in the Language intil box.

3. Logis the Brack dississ.

4. Closi Value Management" on the top nexu.

[Test procedure/verification contents]

1. Select the "Users" tabon the "User Management" screen.

2. Implement the checks and ensure that the expected behavior is achieved.

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver21H2 Build 22000)	Edge (Chromium version)
•			
- 0			

_																			
N								0	нк						D			DEI No.	menaka
	٩		What to check		Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
	Select 'Lor	ack Account" from th	te "Action" list box.	Go to the "Account Lock" scr	MO.														
	Account Lo	Lock	Check the screen display	The selected language is disp	Sayed correctly and there are no gashled characters.														
2			Check "User ID"	User ID is displayed															
-			Press the "Lock" button	After locking your account, re	tum to the "User List" screen.														
-			Click the "Cancel" button	The screen will close and you	will be returned to the "Liser List" screen without your account being looked.														
-	View the la	list of locked account	that the same of t	The lat of accounts is display	ed in red.														
- 5	Logintoa	a locked account		An error occurs and you cann	ot log in														
Г				An error message is displaye	1														
-				«English»	The user is locked.														
10		«Japanese» User's locked																	

Overview On the user

### 

Bobbs antingsives conditional

- Researches the "Conformment distings" the for common settings such as the logic page.

1. Access the Aside The Mary Display from the specified between:

2. Sealor the some language as the OS simplage in the Language list box.

3. Legin has the Additional settings of the Sampage list box.

4. COLV Thus languagement on the lap menu.

[Test procedural verification contents]

1. Select the "Users" tabon the "User Management" acreen.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
00	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pts 64bit (Ver:21H2 Build:22000)	Edge (Chromium version)
00			
•			
(9)			

						CI	ec .									DEI No.	maks
1 "		What to check	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
Г	[5-2-12. (Special user) acc	ount lockCheck the list of locked users by clicking	The lat of users is displayed in red.														
- [7	Select "Unlock" from the "A	ction" list box.	Go to the "Unlock" screen														
	Unlack	Check the screen display	The selected language is displayed correctly and there are no gashled characters.														
Ŀ		Check "User ID"	Liser ID is displayed														
		Click the "Unlock" button	After unlocking, return to the "User List" screen														
Г		Click the "Cancel" button	The acreen closes and returns to the "User List" screen without being unlocked.														
Г	Log in to the unlocked accou	zt	What you can log in to														

Potal estimates constroid

- Posas con the "Concorned Sarlay" in the common satings and as the lapproper

- Assess to Assess the proper proper sating season to the lapproper

- Sarlay to the control proper price for separate toward

- Sarlay to the season proper price of the proper sating season to the season proper price as only proper labor.

- A CAL "STANGE AND "In the prime.

| Post procedure-vertication content]

- I Sarlay "Variables" via the "Sarlay Sarlay Sar

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (vier 21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (vier:21H2 Build:22000)	Edge (Chromium version)
00			
•			
0)			
•			

	What to check				-	**								SM NV.	-	
Ni	What to Check	Expected behavior	(8)	8	00	•	8	ID1	ID2	ID3	ID4	106	ID6			
1	1 Check "MFP Model ID"	The default is unselected.		ОК					3							
2	2 Click the "♥" next to "MFP Model ID"	A list box opens and displays the model names of compatible MFPs.		OK					3							
3	Select the model name	Each model name can be selected		OK					3							
_																

|Biamber of Items|
| Total Pams | CK | NG | on held | Not tested
| 2 | 2 | 0 | 0 | 0

Bobbs settingsvives conditional

- Researches the "Goviernment deliting" for for common settings such as the logic page.

1. Access the Aside Theat (logic page) from the specified flowers.

2. Select the some language as the OS language in the Language init box.

3. Logic that the Admission of the CS language in the Language init box.

4. Color "Youthor For" of the top menu.

[Test procedure/verification contents]

1. Select the "View Delete" tab on the "Product Key" acreen

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver-21H2 Build:22000)	Edge (Chromium version)
•			
(4)			

	2. Implement the checks an	ensure that the expected behavior is achieved								•								I																
			Expected behavior				CHK						D			DEI No.	remaks	). ox o	0 2	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
No		What to check	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	105	ID6			NG 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
- 1	Check the "MFP serial num	e'	The default input hint "MFP Serial Number" is displayed.		ок						3							2																
2		Enter the MFP serial number	The MFP serial number can be entered.		ок						3							2																

### 6-3. MFP Option ID

Coverview 2

(Namber of Norms)

Total Rems CK NG on held Not tested

3 3 0 0 0 0

Bobbs settingsvives conditional

- Researches the "Goviernment deliting" for for common settings such as the logic page.

1. Access the Aside Theat (logic page) from the specified flowers.

2. Select the some language as the OS language in the Language init box.

3. Logic that the Admission of the CS language in the Language init box.

4. Color "Youthor For" of the top menu.

### [Test procedure/verification contents] 1. Select the "View Delete" tab on the "Product Key" acreen 2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver-21H2 Build 22000)	Edge (Chromium version)
00			
•			
0)			

No What to check	Expected behavior	0	00	00	- 20								
						•	ID1	ID2	ID3	ID4	106	ID6	
1 Check "MFP Option ID"	The default is unselected.		ОК										
2 Click the "♥" next to "MFP Option ID"	The list box opens and displays the option ID of the MFP selected in "MFP Model ID".		ОК										
3 Select an option ID	Each option ID can be selected		ок										

[Number of items]

Total items CK NG on hold Not tested
2 2 0 0 0 0

Patini settingerises conditional

- Researches the "Chindrenes Editing" into for common settings such as the logic page.

1. Access the Assist Fortall plags page from the specified flowers.

2. direct the sense language as the OS language in the Language intit box.

3. Logic to the Debt Admission

4. Cold "Patinal Patin of the fortal train.

[Test procedure/verification contents]

1. Select the "View Delete" tab on the "Product Key" acreen

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro 64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver-21H2 Build:22000)	Edge (Chromium version)
•			
(4)			

							CHK						io .		06	3 No.	mmaks	OK 0	0	2 0	0 1	0	0 0	0 0	0 0	0	0 0	2 0	0 0	0 0	0 0	0 0	0 0	0 0	0
N		What to check	Expected behavior	0	0	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		l i	NG 0	0	0 0	0	0	0 0	0 0	0 0		0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0
- [-	Check your "Application Num	ber'	The default input hint "Application Number" is displayed.		ОК						3																								
		Enter your application number	You can enter your application number.		ОК						3																								

### Total items CNC NG on hold Not tested 28 28 0 0 0

						0	ю					-	Ď			OR No.	remarks
No	What to check		Expected behavior	0	00	00	•	00	•	ID1	102	ID3	ID4	106	ID6		1
-	Enter incorrect product key information and click the "Search" button.	The "Product Key Registration	in Information" screen appears and an error message is displayed.		ОК						3						
2		«English»	The Issued product key could not be found.														
3		<japanese*< td=""><td>We could not retrieve issued product key.</td><td></td><td>ОК</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td></japanese*<>	We could not retrieve issued product key.		ОК						3						
4	Press the "Search" button while "MFP Model ID" is not selected.	An error message is displaye	d		ОК												
s		«English»	Please select the MFP model ID.														
6		<japaneser-< td=""><td>Please select a MFP model.</td><td></td><td>ОК</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td></japaneser-<>	Please select a MFP model.		ОК						3						
7	Press the "Search" button while "MFP Option ID" is not selected	An error message is displaye	d		ОК						3						
		«English»	Please select the MFP Option ID.														
9		<ul> <li>Japaneser</li> </ul>	Please select a MFP Option ID.		ОК												
10	Press the "Search" button with the "MFP serial number" field blank.	An error message is displaye	d		ОК						0						
11		«English»	Please enteryour MFP serial number.														
12		<japanese*< td=""><td>Please order the MFP Serial Number.</td><td></td><td>ОК</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td></japanese*<>	Please order the MFP Serial Number.		ОК						3						
13	Enter the "MFP serial number" in "alphanumeric characters, 7 characters or less" and click the "Search" button.	An error message is displaye	d		ОК												
14		«English»	Please enter an MFP serial number consisting of 8 to 10 alphanumeric characters.														
15		<.lapaneser	Please enter a MFP serial number of 8 characters or more and less than 10 letters in half size alphanumetic characters.		ОК						2						
16	Press the "Search" button without entering the "Application Number"	An error message is displaye	d		ОК						3						
17		«English»	Please enteryour application number.														
10		<japanese*< td=""><td>Please enter the application number.</td><td></td><td>ОК</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td></japanese*<>	Please enter the application number.		ОК						3						
19	Enter the "Application Number" in "alphanumeric characters (incharacters or less)" and click the "Search" button.	An error message is displaye	d		ОК						3						ĺ
20		«English»	Please entera 10-digit application number using alphanumeric characters.														
21		<japaneser*< td=""><td>Please enter a application number of 10 characters in half size alphanumeric characters.</td><td></td><td>ОК</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td></japaneser*<>	Please enter a application number of 10 characters in half size alphanumeric characters.		ОК						3						

22	Enter the correct product key	information and click the "Se	arch" button.		Go to the "Product Key Registration Information" screen	ОК			3			
23	Product key registration information	Check 'agency name'			The agency name is displayed	OK			3			
24		Check the "Delivery email a	ddress*		The destination email address is displayed	ОК			3			
25		Check "MFP Model ID"			The MFP model ID is displayed.	OK			3			
26		Check the "MFP setal num	ber"		The MFP serial number is displayed.	ОК			3			
27		Check "MFP Option ID"			The MFP option ID is displayed.	ОК			3			
20		Check your "Application Nu	mber*		The application number is displayed	ОК			3			
29		Check "Region"			The region is displayed	ОК			3			
30		Check the "Update Date"			The update date and time are displayed	ОК			3			
31		Check "Created by User"			The creating user is displayed	ОК			3			
32		Click the "Delete" button			The "Delete registered product key" screen is displayed.	ОК			3			
23		1	Deleting a registered product key	Click the "Yes" button	The product key is deleted.	ОК			3			
34				Click the "No" button	The product key is not deleted.	ОК			3			
35		Click the "Close" button			The screen will close and you will return to the "Product Key" screen.	ОК			3			
36	Reissue and re-search for a de	eleted product key			Compare with the product key issuance email and make sure there are no differences							

# Ballal selfage/set conditions - Researches the "Children's feldings" and for common selfings such as the logic page. - Access the Activity floring page (from the specified brease). 2. died the serial lenguage as the GS language in the Language list box. 3. Logic har 8 PA difference. 4. Click "Posted Ref" on the top more.

[Test procedure/vedfication contents]

1. Select the "View Delet" tab on the "Product Kiry" screen

2. Implement the checks and ensure that the expected behavior is achieved

	.	What to check					HK						b			DEI No.	senaks
1 "		What to check	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	106	ID6		
_ [	1 6	Inter the correct product key information and press the "Resel" button.	Returning to the state before input		ОК												
_																	

System Screen

[Total number of items]

Total items OK NG on hold Not tested

7. System acreen log deplay
7-1. Region
7-2. Start date and time

### 7. System screen log display

### Foundary 1

Check that there are no problems with the display content, input values. UI operations, error content, etc. on the system screen

### | Total Rems| CK NG on hold Not tested | 3 3 0 0 0

### (Initial settings/test conditions)

- Please check the "Environment Settings" tab for common settings such as the login gage.

Access the Admin Portal (login page) from the specified browser.

3. Log in as the Admin user

set procedure/verification contents)

				٥							_			DIR No.	maks
What to check	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
Check 'Region'	The default is "All Of Country"		ОК						3						Due to an existing long men if you winst Vanguage Engls the lot loss of the stoplayer in Japanese.
Click the "V" next to "Region"	The list box opens and displays the regions that are supported.		OK						3						
Select your region	What each region can choose		ОК												
	Dick the "#" next to "Region"	Date Wilgolf She Stagel She Stagel She Stagel She	Date Stepper Treatment Stepper Treatment and an Accountry Treatment Stepper Treatmen	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0	20   20   20   20   20   20   20   20	0   0   0   0   0   0   0   0   0   0	0   0   0   0   0   0   0   0   0   0

1

-

### [Number of items] Total items CK NG on hold Not tested 9 9 0 0 0

# Patini settingenises conditional - Researches the "Chindrenes Editing" into for common settings such as the logic page. 1. Access the Assist Poul (plags page) from the specified fitnesses. 2. diese the sense longuage as the OS language in the Language int box. 3. Logic har the Admissions. 4. Clock "Syptient" on the language.

[Test procedure/verification contents]

1. On the "System" screen, select the "Log View" tab.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (Ver/21H2 Build/22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver21H2 Build 22000)	Edge (Chromium version
•			
(0)			

							0	нк						D			CIR No.	nmaks
No	1		What to check	Expected behavior	0	00	00	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
- 1	Check the "Sta	tart Date and Tir	m'	The default setting is "2000/ 1 / 1".		ОК						3						
2	Click the "♥" n	'next to "Year" in	"Start Date and Time"	The list box opens and displays "2000 to 2009."		ОК						3						
3	7		Select the "year" for the start date and time	You can select the year of the start date and time		ОК						3						
	Dick the "♥" n	next to "Month"	in "Start Date and Time"	The list box opens and displays "1 to 12."		ОК						3						
5	1		Select the "Month" for the start date and time	You can select the "month" of the start date and time		ОК						3						
6	Click the "♥" n	'next to "Day" in	"Start Date and Time"	The list box opens and displays "1 to 31."		ОК						3						
7	1		Select the "Day" for the start date and time	You can select the "day" of the start date and time		ОК						3						
	Dick the 'Cale	iendar' button fo	"Start Date and Time"	The calendar is displayed		ОК						3						
	1		Select a start date and time	You can choose the start date and time		OK						3						

### [Number of items] Total items CK NG on hold Not tested 9 9 0 0 0

Patini settingenises conditional

- Researches the "Chindrenes Editing" into for common settings such as the logic page.

1. Access the Assist Poul (plags page) from the specified fitnesses.

2. diese the sense longuage as the OS language in the Language int box.

3. Logic har the Admissions.

4. Clock "Syptient" on the language.

[Test procedure/verification contents]

1. On the "System" screen, select the "Log View" tab.

2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
	Japanese	Win11_Pro 64bit (Ver/21H2 Build 22000)	Google Chrome
00	English (US)	Win11_Pro-64bit (Ver-21H2 Build:22000)	Edge (Chromium version)
•			
(4)			

						0	ec .						Ď			DRI No.	maks
No		What to check	Expected behavior	0	00	00	•	00	•	ID1	ID2	ID3	ID4	105	ID6		
1	Oheck the "End Date and Ti	ma'	The default setting is "2000/ 1 / 1".		ОК						3						
2	Click the "♥" next to "Year"	in "End Date and Time"	The list box opens and displays "2000 to 2099."		ОК						3						
3		Select the "year" for the end date and time	You can select the year of the end date and time		ОК						3						
4	Click the "♥" next to "Mont!	" in "End Date and Time"	The list box opens and displays "1 to 12."		ОК						3						
5		Select the "Month" for the end date and time	You can select the "month" of the end date and time		ОК						3						
6	Olick the "♥" next to the "D	sy" in the "End Date and Time" field.	The list box opens and displays "1 to 21."		ОК						3						
7		Select the "day" of the end date and time	You can select the "day" of the end date and time		ОК						3						
-	Click the "Calendar" button	for "End Date and Time"	The calendar is displayed		ОК						3						
9		Select an end date and time	You can choose the end date and time		ОК						3						

# Salte entireplant condition] -Plans check the "Environment Saltings" she for common saltings such as the logic page. 1. Access the Active Plans (Plans plans grape from the specified Environment. 2. disket the same interpretation in the CSI impage in the Lampage list box. 3. Log is set Monthoniser 4. Click "System" on the top menu.

[Test procedural/welf-callion contents]
1. On the "System" screen, salect the "Log View" tab.
2. Implement the checks and ensure that the expected behavior is achieved

No.	language	OS Version	Browser
0	Japanese	Win11_Pro-64bit (vier 21H2 Build 22000)	Google Chrome
- 00	English (US)	Win11_Pro-64bit (vier 21H2 Build 22000)	Edge (Chromium version)
00			
•			
00			
(4)			

								нк						iD.			CRI No.	smake
No			What to check	Expected behavior	0	00	0	•	0	•	ID1	ID2	ID3	ID4	106	ID6		
1	Enter valid values for "Area",	"Start Date and Time" and "E	ind Date and Time" and click the "Report" button.	Go to the "Report" screen		ОК						3						
2	Reports	Check the screen display		The selected language is displayed correctly and there are no gathled characters.		OK						3						
3	1	Check the "Date"		The date is displayed		ОК						3						
4	1		Press "A"	In secending order based on date		ОК						3						
5	1		Press '♥'	In descending order based on date		ОК						3						
6		Check "User"		The user is visible		ОК						3						
7	1	1	Press *A*	In according order by user		OK						3						
0	1	1	Press "♥"	Descending order based on user		ОК						3						
9		Check the "Event Name"		The event name is displayed		ОК						3						
10		1	Press *A*	Event name will be sorted in ascending order.		ОК						3						
11			Press "V"	Event name is sorted in descending order.		ОК						3						
12		Check "Region"		The region is displayed		ОК						3						
13			Press *A*	In secending order based on region		ОК						3						
54			Press 'V'	In descending order based on region		ОК						3						
15		Check "IP Address"		The IP address is displayed		ОК						3						
16			Press *▲*	In secending order based on IP address		ОК						3						
17			Press "▼"	In descending order based on IP address		ОК						3						
10		Check "Comments"		Comments are displayed		ОК						3						
19			Press *▲*	In accending order based on comments		ОК						3						
20			Press *▼*	Descending order based on comments		OK						3						
21		Check the number of lists d	aplayed on the screen	The number of lists displayed must not be more than 10.		ОК						3						
22		Check the page number at t	he bottom left of the screen	The number of pages is displayed		ОК						3						
23		Press "Previous"		Ability to switch pages		ОК						3						
24	_	Click "Next"		Ability to switch pages		ОК						3						
25		Click the page number		Go to the page you clicked		ОК						3						
26	1	Click the "Close" button		The screen will close and you will return to the "Log Display" screen.		ОК						3					l	