


PA 6 Part 1: BST Worksheet

DSC 30 Spring 2024

Name	Lakshmi Manasa Maddi
PID	A17735225


First, you will perform several operations by hand so that you become familiar with the BSTs before coding them. For each part you should have solutions in two forms: hand-written and Java function (similar to the PA5 part 1).


To represent a BST as a set of strings, you should treat each level as one string with the appropriate number of nodes per level.



If the node is missing in a level, then use X to represent the missing node.


For example,

Binary Tree	Corresponding representation
	"1", "2, 3", "4, 5, X, X"




1. **Insert** the following integers in the order presented to an empty BST. Then draw the BST after these insertions in the box below, and then add it in a string format to `BSTManual.java`. You don't need to show each step. Your Java answer should "mimic" your drawing.

[50, 15, 37, 38, 61, 65, 13, 25, 92, 21]




2. **Remove** the following integers in the order presented from the given BST and show each step of removal by drawing the BSTs after each step of removal in the box below (i.e. 5 trees in total). When removing a node with 2 children, you must

replace it with its **in-order successor** to get credits. Then add the resulting tree in a string format to BSTManual.java.




Elements to remove: [22, 59, 56, 72, 63]


① Remove 22:




② Remove 59:




③ Remove 56:




④ Remove 12:



⑤ Remove 63:



3. Write down the in-order, pre-order, and post-order traversal output of the following BST, then also add your answer to BSTManual.java in a string format: (number, comma, space, number, comma, space etc, like this: "66, 77, 88")



In-order	4, 19, 22, 28, 39, 56, 64, 68, 93, 95, 96, 97, 98
Pre-order	39, 19, 4, 22, 28, 93, 64, 56, 68, 96, 95, 98, 97
Post-order	4, 28, 22, 19, 56, 68, 64, 95, 97, 98, 96, 93, 39

Pre-Order → root begin

Post-Order → root at the end