
# **Experiment 7: Simple application using Servlet**

Aim: To make a simple application using Servlet.

## **Implementation:**

#### **Output:**



## Code:

## Servlet.java file

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
/**
* Servlet implementation class FirstServlet
*/
@WebServlet("/FirstServlet")
public class FirstServlet extends HttpServlet {
        private static final long serialVersionUID = 1L;
  /**
   * @see HttpServlet#HttpServlet()
  */
  public FirstServlet() {
    super();
    // TODO Auto-generated constructor stub
  }
        /**
        * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
        */
```

```
protected void doGet(HttpServletRequest request, HttpServletResponse response) throws

ServletException, IOException {

// TODO Auto-generated method stub

response.setContentType("text/html");

PrintWriter out = response.getWriter();

out.println("Welcome to my first servlet!");

}

/**

* @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)

*/

protected void doPost(HttpServletRequest request, HttpServletResponse response) throws

ServletException, IOException {

// TODO Auto-generated method stub
}
```

#### index.jsp file

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
    "http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1>Welcome to JSP!</h1>
<hr/><hr/>></hr/>></hr/>></hr/>>
```

