# **Experiment 2: Internal CSS**

<u>Aim:</u> To make an attractive page using Internal Css.

#### Tags Used:

<style>

. -> is used for id

# ->is used for class


Background-color

**Padding** 

Margin-left

## **Implementation:**

#### **Output:**



## Code:

<html>

<head>

<title>My\_Decoder</title>

<style type="text/css">

```
.imglogo
     {
        margin-top: 20px;
       margin-bottom: 0px;
        margin-right: 25px;
       margin-left: 25px;
        height: 100px;
        width: 100px;
        background-color: white;
     }
     #minion
     {
        margin-top: 20px;
        margin-bottom: 0px;
       margin-right: 10px;
        margin-left: 10px;
       height: 250px;
        width: 140px;
       background-color: white;
       float: right;
     }
     #square
       float: right;
       width: 1000px;
       height: 100%;
       margin-top: 20px;
       margin-bottom: 20px;
```

```
margin-right: 0px;
        margin-left: 0px;
        padding: 20px;
        background-image: url('https://img.rawpixel.com/s3fs-
private/rawpixel_images/website_content/rm27-minty-02-
summerbackground.jpg?bg=transparent&con=3&cs=srgb&dpr=1&fm=jpg&ixlib=php-
3.1.0&q=80&usm=15&vib=3&w=1300&s=a865d2f2ea8a2582e55d76509162f5b2');
      }
      body {
        font-family: sans-serif;
        padding:0;
        margin:0;
        background-color: #EEEEEE
      }
      #header {
       width:100%;
        padding:5px;
        height: 35px;
        background-image: url('https://cdn5.vectorstock.com/i/1000x1000/80/19/green-
marble-texture-background-vector-20868019.jpg');
        border-radius: 50px 20px;
      }
      #logo {
        float:left;
        font-weight: bold;
```

```
font-size: 120%;
  padding: 3px 5px;
}
\verb|#buttonContainer| \{
  width:400px;
  margin: 0 auto;
}
.toggleButton {
  float:left;
  border: 1px solid grey;
  padding: 6px;
  border-right: none;
  font-size: 90%;
}
#html {
  border-top-left-radius: 4px;
  border-bottom-left-radius: 4px;
}
.output {
```

```
border-top-right-radius: 4px;
  border-bottom-right-radius: 4px;
  border-right: 1px solid grey;
}
.active {
  background-color: #E8F2FF;
}
.highlightedButton {
  background-color: grey;
}
.panel {
  float:left;
  width: 50%;
  border-left: none;
}
textarea {
  resize: none;
  background-color: #EEE8AA;
}
```

```
iframe {
       border:none;
     }
     .hidden {
       display: none;
     }
   </style>
 </head>
  <body style="background-image:</pre>
url('https://previews.123rf.com/images/germanopoli/germanopoli1712/germanopoli17120
0024/91260633-light-blue-exposed-concrete-wall-texture-sky-effect-grunge-textures-and-
backgrounds-perfect-backgrou.jpg');">
   <a href="C:\Users\Ankita Senthil\Desktop\sem7\P-
web_lab\weblab_project\xml_forWeb_lab\languages.xml">More information</a>
   <div id="minion">
     <img src="https://data.whicdn.com/images/72196045/original.jpg"
style="width:140px;height:200px;">
     </b>
   </div>
   <div id="square">
   <div id="header">
```

```
<div id="logo">
        My_Decoder
      </div>
      <div id="buttonContainer">
        <div class="toggleButton active" id="html"><button>HTML</button></div>
        <div class="toggleButton" id="css"><button>CSS</button></div>
        <div class="toggleButton" id="javascript"><button>JavaScript</button></div>
        <div class="toggleButton active output"><button>Output</button></div>
        <div class="toggleButton output m-auto d-block"><button><a href="logout.php"</pre>
class="btn btn-danger m-auto">Sign Out</a></button></div>
      </div>
    </div>
    <div id="bodyContainer">
      <textarea id="htmlPanel" class="panel">Hello
World!</textarea>
      <textarea id="cssPanel" class="panel hidden">p { color: green; }</textarea>
```

```
<textarea id="javascriptPanel" class="panel
hidden">document.getElementById("paragraph").innerHTML = "Hello!";</textarea>
      <iframe id="outputPanel" class="panel"></iframe>
    </div>
    </div>
    <div class="imglogo">
      <img
src="https://upload.wikimedia.org/wikipedia/commons/thumb/6/61/HTML5_logo_and_wo
rdmark.svg/1200px-HTML5_logo_and_wordmark.svg.png"
style="width:100px;height:100px;">
    </div>
    <div class="imglogo">
      <img src="https://cdn.worldvectorlogo.com/logos/css3.svg"</pre>
style="width:100px;height:100px;">
    </div>
    <div class="imglogo">
      <img src="https://encrypted-
tbn0.gstatic.com/images?q=tbn%3AANd9GcTgC6vRmJVYMmS 2IqSVInUURfl1NYe7u033A&
usqp=CAU" style="width:100px;height:100px;">
    </div>
 </body>
</html>
Result: The experiment was successfully completed.
```