

# HireIQ

## AI Hiring Intelligence Platform

Frontend Specification Document (FSD)

|                  |                                                     |
|------------------|-----------------------------------------------------|
| Document Type    | Frontend Specification Document (FSD)               |
| Product          | HireIQ — AI Hiring Intelligence Platform            |
| Version          | v1.0.0                                              |
| Parent Documents | HireIQ PRD v1.0   HireIQ TAD v1.0                   |
| Status           | DRAFT — Frontend Review                             |
| Author           | Frontend Engineering & Design Team                  |
| Date             | June 14, 2026                                       |
| Framework        | Next.js 14 (App Router) + TypeScript + Tailwind CSS |

# SECTION 1

Design System & Visual Language

## 1. Design System & Visual Language

HireIQ uses a consistent, professional design system built on Tailwind CSS with custom design tokens. Every visual decision — color, spacing, typography, shadow — must follow this system. No ad-hoc values.

### 1.1 Color Palette

| Token Name   | Hex / Tailwind Class | Usage                                                  |
|--------------|----------------------|--------------------------------------------------------|
| Primary Blue | #1E40AF / blue-800   | Primary actions, CTA buttons, active nav items, links  |
| Indigo       | #3730A3 / indigo-800 | Secondary headings, accent elements, badges            |
| Teal         | #0F766E / teal-700   | Success states, AI score indicators, positive feedback |
| Slate Dark   | #1E293B / slate-800  | Body text, headings, primary content                   |
| Slate Mid    | #475569 / slate-600  | Secondary text, labels, metadata                       |
| Light Gray   | #F1F5F9 / slate-100  | Page backgrounds, table alternating rows, card fills   |
| White        | #FFFFFF              | Card surfaces, input backgrounds, modal overlays       |
| Light Blue   | #DBEAFE / blue-100   | Info boxes, AI insight backgrounds, highlight areas    |
| Light Green  | #DCFCE7 / green-100  | Success notifications, shortlisted status badge bg     |
| Light Red    | #FEE2E2 / red-100    | Error states, rejected status badge bg, alert boxes    |
| Light Orange | #FEF3C7 / amber-100  | Warning states, pending status badge bg                |
| Border Gray  | #E2E8F0 / slate-200  | All card borders, table borders, dividers              |

### 1.2 Typography Scale

| Style      | Specification                      | Usage Context                      |
|------------|------------------------------------|------------------------------------|
| Display XL | font-size: 48px   font-weight: 800 | Hero headings on landing page only |
| Heading 1  | font-size: 36px   font-weight: 700 | Page titles (one per page)         |

|            |                                            |                                      |
|------------|--------------------------------------------|--------------------------------------|
| Heading 2  | font-size: 28px   font-weight: 700         | Section headings within a page       |
| Heading 3  | font-size: 22px   font-weight: 600         | Card titles, subsection labels       |
| Body Large | font-size: 18px   font-weight: 400         | Primary body copy, descriptions      |
| Body Base  | font-size: 16px   font-weight: 400         | Default text, form labels, nav items |
| Body Small | font-size: 14px   font-weight: 400         | Metadata, timestamps, helper text    |
| Caption    | font-size: 12px   font-weight: 400         | Badge labels, table footnotes        |
| Code       | font-family: Courier New   font-size: 14px | Inline code snippets only            |

### 1.3 Spacing System

All spacing values use Tailwind's 4px base unit. The following spacing tokens are used consistently across all components:

| Value     | Token / Usage                         | Applied To                          |
|-----------|---------------------------------------|-------------------------------------|
| 4px (1)   | Component padding inner (tight)       | Inside small badges, icon buttons   |
| 8px (2)   | Component padding inner (normal)      | Input fields, small cards           |
| 12px (3)  | Component padding inner (comfortable) | Default button padding (vertical)   |
| 16px (4)  | Component padding inner (spacious)    | Card padding, section padding       |
| 24px (6)  | Section gap / between components      | Gap between cards in a grid         |
| 32px (8)  | Page section spacing                  | Gap between major page sections     |
| 48px (12) | Large section spacing                 | Between hero and content on landing |
| 64px (16) | Page-level outer padding              | Left/right padding on main layout   |

### 1.4 Shadow & Border System

|           |                                                                                |
|-----------|--------------------------------------------------------------------------------|
| shadow-sm | Subtle elevation for inputs, secondary cards: 0 1px 2px rgba(0,0,0,0.05)       |
| shadow-md | Default card elevation: 0 4px 6px rgba(0,0,0,0.07), 0 1px 3px rgba(0,0,0,0.06) |

|                                |                                                                        |
|--------------------------------|------------------------------------------------------------------------|
| <b>shadow-lg</b>               | Hover elevation for interactive cards: 0 10px 15px rgba(0,0,0,0.1)     |
| <b>shadow-xl</b>               | Modal and dropdown elevation: 0 20px 25px rgba(0,0,0,0.1)              |
| <b>rounded-lg</b>              | Border radius 8px — default for all cards and containers               |
| <b>rounded-xl</b>              | Border radius 12px — used for modals and primary CTA sections          |
| <b>rounded-full</b>            | Border radius 9999px — used for badges, avatar images, pill buttons    |
| <b>border border-slate-200</b> | Default border: 1px solid #E2E8F0 — used on all cards and input fields |

## 1.5 Component States

| State                   | Trigger                        | Visual Treatment                                                                |
|-------------------------|--------------------------------|---------------------------------------------------------------------------------|
| <b>Default</b>          | Normal resting state           | Full opacity, default colors as defined in design tokens                        |
| <b>Hover</b>            | Mouse over interactive element | shadow-md to shadow-lg, slight scale(1.01) on cards, color deepens by one shade |
| <b>Focus</b>            | Keyboard/click focus           | ring-2 ring-blue-500 ring-offset-2 — visible focus ring for accessibility       |
| <b>Active / Pressed</b> | Being clicked                  | scale(0.98), color darkens, shadow reduces                                      |
| <b>Disabled</b>         | Not interactable               | opacity-50, cursor-not-allowed, no hover effects                                |
| <b>Loading</b>          | Async operation in progress    | Spinner replaces icon or text, button disabled, opacity-75                      |
| <b>Error</b>            | Validation failure             | border-red-500, text-red-600 error message below field                          |
| <b>Success</b>          | Action completed               | border-green-500 or green checkmark icon, toast notification                    |

# SECTION 2

## Layout Architecture & Navigation

## 2. Layout Architecture & Navigation

### 2.1 Application Shell Layout

The authenticated application uses a persistent shell layout with a fixed sidebar and top navbar. The main content area scrolls independently. This layout is shared across all authenticated pages.

```
// app/(dashboard)/layout.tsx - Authenticated shell layout

export default function DashboardLayout({ children }) {
  return (
    <div className='flex h-screen bg-slate-50 overflow-hidden'>
      {/* Sidebar - fixed left, collapsible on mobile */}
      <Sidebar />

      {/* Main area - flex column */}
      <div className='flex flex-col flex-1 overflow-hidden'>
        {/* Top Navbar */}
        <Navbar />

        {/* Scrollable content area */}
        <main className='flex-1 overflow-y-auto p-6 lg:p-8'>
          {children}
        </main>
      </div>
    </div>
  );
}
```

### 2.2 Sidebar Specification

|                   |                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------|
| <b>Width</b>      | 256px (w-64) on desktop. Collapses to 0 (hidden) on mobile with slide-in overlay.                    |
| <b>Background</b> | bg-white with right border border-slate-200. Logo area has bg-blue-800 top band.                     |
| <b>Logo Area</b>  | HireIQ logo + tagline. Height 64px. bg-blue-800 text-white.                                          |
| <b>Nav Items</b>  | Icon + label. Active state: bg-blue-50 text-blue-800 border-r-2 border-blue-800. Hover: bg-slate-50. |

|                           |                                                                                                                                                                 |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Role-Based Items</b>   | Job seeker nav: Dashboard, Browse Jobs, My Applications, Resume, AI Insights, AI Interview. Recruiter nav: Dashboard, My Jobs, Applicants, Analytics, Post Job. |
| <b>Bottom Section</b>     | User avatar + name + role badge. Settings link. Logout button.                                                                                                  |
| <b>Mobile Behavior</b>    | Sidebar hidden by default. Hamburger icon in Navbar opens slide-in overlay with backdrop blur. Close on overlay click or X button.                              |
| <b>Collapse Animation</b> | transition-transform duration-300 ease-in-out. translateX(-100%) when closed, translateX(0) when open.                                                          |

## 2.3 Top Navbar Specification

|                          |                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Height</b>            | 64px (h-16). Fixed at top of main content area. bg-white border-b border-slate-200.                    |
| <b>Left Side</b>         | Hamburger menu (mobile only) + current page title (dynamic, from route).                               |
| <b>Right Side</b>        | Dark mode toggle button + Notification bell (badge with count) + User avatar dropdown.                 |
| <b>Notification Bell</b> | Dropdown shows last 5 unread notifications. Mark all as read button. Link to full notifications page.  |
| <b>User Dropdown</b>     | Shows name, email, role badge. Links: View Profile, Settings, Help. Logout button with confirmation.   |
| <b>Dark Mode Toggle</b>  | Moon/sun icon button. Toggles dark class on html element. State persisted in localStorage and uiStore. |
| <b>Breadcrumb</b>        | Optional secondary row below main navbar for deep pages (e.g. Jobs > Senior React Dev > Apply).        |

## 2.4 Responsive Breakpoints

| Breakpoint          | Range                   | Layout Behavior                                                                                             |
|---------------------|-------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Mobile</b>       | < 640px (sm)            | Single column. Sidebar hidden. Cards full width. Tables become scrollable. Bottom tab nav replaces sidebar. |
| <b>Tablet</b>       | 640px – 1024px (md/lg)  | Sidebar collapsible. 2-column grids. Charts resize to fit.                                                  |
| <b>Desktop</b>      | 1024px – 1280px (lg/xl) | Full sidebar visible. 3-column job grids. Full chart width.                                                 |
| <b>Wide Desktop</b> | 1280px+ (2xl)           | Max content width 1400px centered. Extra sidebar info shown.                                                |

## SECTION 3

### Authentication Pages

## 3. Authentication Pages

### 3.1 Login Page — /auth/login

|               |                                                                                                                                                                                       |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Layout        | Split-screen: left 50% is an illustrated hero panel (blue gradient, HireIQ tagline, feature bullets). Right 50% is the login form on white.                                           |
| Hero Panel    | Background: gradient from blue-800 to indigo-900. Large HireIQ logo. Tagline: 'Hire Smarter with AI'. 3 feature bullets with icons (AI Resume Score, Smart Matching, Interview Prep). |
| Form Card     | Centered in right panel. max-width 400px. White bg. shadow-xl. rounded-xl. padding 40px.                                                                                              |
| Fields        | Email input (type=email, autocomplete=email). Password input (type=password, show/hide toggle). Remember Me checkbox.                                                                 |
| CTA Button    | Full width. bg-blue-800 hover:bg-blue-900. text-white. font-semibold. height 48px. rounded-lg. Loading spinner when submitting.                                                       |
| Error Display | Alert box below form: bg-red-50 border border-red-200 text-red-700. Shows API error message. Dismissable.                                                                             |
| Links         | Forgot Password link (right-aligned, text-blue-600). Sign Up link at bottom.                                                                                                          |
| Validation    | Email: required, valid format. Password: required, min 8 chars. Errors shown inline below each field in real time on blur.                                                            |
| Redirect      | On success: redirect to /dashboard. If returnUrl query param exists, redirect there instead.                                                                                          |

### 3.2 Registration Page — /auth/register

|                         |                                                                                                                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Layout                  | Same split-screen as login. Hero panel shows 'Join 10,000+ professionals' with user count stats.                                                                                                |
| Step 1 — Role Selection | Before the form: two large cards side by side. 'I am a Job Seeker' (person icon, blue border on select) and 'I am a Recruiter' (briefcase icon). Role selection required before showing Step 2. |
| Step 2 — Details Form   | Name (text). Email (email). Password (with strength meter below — uses zxcvbn: Weak/Fair/Strong/Very Strong shown as colored bar). Confirm Password field.                                      |

|                                |                                                                                                                                                                          |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Consent Checkboxes</b>      | Three required checkboxes: (1) I agree to Terms of Service, (2) I agree to Privacy Policy, (3) I consent to AI analysis of my resume. All must be checked before submit. |
| <b>Submit Button</b>           | Register as [Role] — dynamically shows selected role. Same styling as login CTA.                                                                                         |
| <b>Password Strength Meter</b> | 4-segment colored bar below password field. Weak=red, Fair=orange, Strong=yellow, Very Strong=green. Updates in real time as user types.                                 |
| <b>Success State</b>           | On success: show green checkmark animation + 'Account created!' message. Auto-redirect to /dashboard after 2 seconds.                                                    |



SECTION 4

Role-Based Dashboards

## 4. Role-Based Dashboards

### 4.1 Job Seeker Dashboard — /dashboard

The job seeker dashboard is the central hub showing their profile health, AI insights, and recommended actions. It must load in under 2 seconds with skeleton loaders showing during data fetch.

|                          |                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header Row               | Welcome back, [Name]! greeting + current date. Profile completion progress bar (0-100%). If < 80%: yellow banner prompting profile completion with link.                                      |
| Stats Row (4 cards)      | Animated counter cards: (1) AI Resume Score (large number, colored ring), (2) Applications Sent, (3) Shortlisted count (green), (4) Profile Views (if available). Cards have hover shadow-lg. |
| AI Resume Score Card     | Large circular progress ring showing score (0-100). Color: green if >= 70, orange if 40-69, red if < 40. Below ring: skill match percentage and 'View Full Analysis' link.                    |
| Recommended Jobs Section | Heading: 'Jobs Recommended for You'. 3 JobCard components in a horizontal row (desktop) or vertical stack (mobile). Each card shows match percentage badge. 'View All' link.                  |
| Recent Applications      | Table showing last 5 applications: Job Title, Company, Applied Date, Status badge (color-coded). 'View All Applications' link at bottom.                                                      |
| Skill Gap Alert          | If missing_skills detected from last AI analysis: orange info box listing top 3 missing skills with 'Learn [skill]' links. Dismissable.                                                       |
| Resume Status            | If no resume uploaded: prominent red/orange call-to-action card: 'Upload Your Resume to Get AI Insights'. If uploaded: green card showing upload date and AI parse status.                    |
| Quick Actions            | Row of 3 action buttons: Browse Jobs, Upload Resume, Take Mock Interview. Icon + label buttons. Blue outlined style.                                                                          |

### 4.2 Recruiter Dashboard — /dashboard

|            |                                                                                                    |
|------------|----------------------------------------------------------------------------------------------------|
| Header Row | Welcome back, [Name]! + Company name. Today's date. 'Post New Job' primary CTA button (top right). |
|------------|----------------------------------------------------------------------------------------------------|

|                                 |                                                                                                                                                           |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stats Row (4 cards)</b>      | Active Jobs count, Total Applications received (this month), Shortlisted candidates, Average AI Score across all applicants. Animated on mount.           |
| <b>Active Jobs List</b>         | Table with columns: Job Title, Posted Date, Applicants, Avg AI Score, Status (Active/Closed), Actions (View Applicants / Edit / Close). Sortable columns. |
| <b>Top Candidates Widget</b>    | Side panel or bottom section showing top 5 AI-scored candidates across all open jobs. CandidateCard component. Clicking opens applicant detail modal.     |
| <b>Applicant Trend Chart</b>    | Line chart (Recharts LineChart). X-axis: last 30 days. Y-axis: new applications per day. Shows hiring momentum. Tooltip with exact count on hover.        |
| <b>Score Distribution Chart</b> | Bar chart (Recharts BarChart). X-axis: score ranges (0-20, 21-40, 41-60, 61-80, 81-100). Y-axis: applicant count. Shows talent quality distribution.      |
| <b>Skill Heatmap</b>            | Top 10 most common skills across all applicants shown as tag cloud with size proportional to frequency. Helps recruiters understand the talent pool.      |
| <b>Quick Filters</b>            | Filter buttons above Active Jobs list: All / Active / Closed / Most Applications / Lowest Average Score. Single-click filter, no page reload.             |

# SECTION 5

## Job Listing & Detail Pages

### 5. Job Listing & Detail Pages

#### 5.1 Job Listing Page — /jobs

|                 |                                                                                                                                                                                                                                                |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Page Layout     | Full-width header with search bar. Below: 2-column layout — left sidebar (280px) for filters, right main area for job cards.                                                                                                                   |
| Search Bar      | Full-width search input at top. Placeholder: 'Search jobs by title, skill, or company...'. Real-time search with 300ms debounce. Search icon on left, clear X on right when filled.                                                            |
| Filter Sidebar  | Skills filter: multi-select tag input. Location: text input with city suggestions. Salary Range: dual-handle range slider (min/max). Job Type: checkbox group (Full Time, Part Time, Contract, Remote). 'Apply Filters' + 'Clear All' buttons. |
| Filter State    | Active filters shown as dismissable chips above job cards. Each chip has an X to remove that filter. Chip count badge on mobile filter toggle button.                                                                                          |
| Job Cards Grid  | 2-column grid on desktop, 1-column on mobile. Each card: JobCard component (see Section 7). Skeleton loader (3 rows of placeholder cards) shown while fetching.                                                                                |
| Sort Options    | Dropdown above cards: Sort by — Most Recent (default), Highest Salary, Most Applicants, Best AI Match (if job seeker). Updates grid without page reload.                                                                                       |
| Pagination      | Bottom of page: page number buttons (Previous, 1, 2, 3..., Next). Shows 'Showing 1-10 of 47 jobs'. URL updates with ?page=2 for shareability.                                                                                                  |
| Empty State     | If no jobs match filters: centered illustration + 'No jobs found matching your criteria.' + 'Clear Filters' button. Not a blank white screen.                                                                                                  |
| Mobile Behavior | Filters hidden behind 'Filters' button that opens a bottom sheet modal. Job cards single column. Search bar sticky at top.                                                                                                                     |

#### 5.2 Job Detail Page — /jobs/:id

|                |                                                                                                                                                                                                |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Layout         | Single column, max-width 800px, centered. Sticky sidebar on desktop (320px) with Apply button and recruiter info.                                                                              |
| Header Section | Job title (H1). Company name + location tag. Salary range badge (green). Job type badge (Remote/Full-time). Posted date. Applicant count. AI Match % badge (if job seeker, shown prominently). |

|                                    |                                                                                                                                                                                                                    |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Job Description</b>             | Full markdown-rendered description with proper heading hierarchy. Syntax highlighted code blocks if any tech stacks mentioned.                                                                                     |
| <b>Required Skills</b>             | Tag cloud of required skills. Skills the job seeker already has are shown in green. Missing skills shown in orange. Visual skill gap right on the page.                                                            |
| <b>Sticky Apply Sidebar</b>        | Apply Now button (primary, full width). AI Match Score (large, with ring). Recruiter info: name, company, member since. Share job button. Save job button (bookmark icon).                                         |
| <b>Apply Flow</b>                  | Click Apply Now → pre-flight check: is user logged in? Does user have a resume? If yes: confirmation modal showing job title + resume to be attached + submit button. If no resume: prompt to upload resume first. |
| <b>Application Submitted State</b> | After applying: Apply button changes to 'Applied' (green, disabled). Show: 'Application submitted on [date]. We will notify you of updates.' Remove AI match score, show application status instead.               |
| <b>Related Jobs</b>                | Bottom of page: 'Similar Jobs You Might Like' — 3 JobCard components based on overlapping skills.                                                                                                                  |

### 5.3 Create / Edit Job Page — /jobs/create (Recruiter Only)

|                       |                                                                                                                                                                                                                                                                                                                                                |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Layout</b>         | Single column form. max-width 720px. Centered. Card container with shadow-md.                                                                                                                                                                                                                                                                  |
| <b>Fields</b>         | Job Title (text, required). Job Description (rich text editor — TipTap or textarea with markdown preview). Required Skills (multi-select tag input with autocomplete from skills dictionary). Salary Min/Max (number inputs side by side). Location (text with suggestions). Job Type (radio buttons: Full Time, Part Time, Contract, Remote). |
| <b>Skills Input</b>   | Tag input field. User types a skill, presses Enter or selects from dropdown autocomplete. Skills shown as blue tags with X to remove. Max 20 skills.                                                                                                                                                                                           |
| <b>Preview Mode</b>   | Toggle button to switch between Edit mode and Preview mode (shows how job will appear to candidates).                                                                                                                                                                                                                                          |
| <b>Submit Actions</b> | 'Publish Job' (primary button) and 'Save as Draft' (secondary outlined button). On success: redirect to job detail page with success toast.                                                                                                                                                                                                    |
| <b>Edit Mode</b>      | Same form pre-populated with existing values. Button changes to 'Update Job'. Delete Job button (red, outlined) at bottom with confirmation dialog.                                                                                                                                                                                            |
| <b>Validation</b>     | All required fields validated on submit. Inline errors on each field. Salary max must be >= salary min validated at form level.                                                                                                                                                                                                                |

# SECTION 6

## Resume & Applications Pages

### 6. Resume & Applications Pages

#### 6.1 Resume Upload Page — /resume

|                                   |                                                                                                                                                                                                              |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Layout</b>                     | Single column. Two sections: Upload Zone (top) and Resume Analysis Results (bottom, shown after upload).                                                                                                     |
| <b>Upload Zone (No Resume)</b>    | Large dashed border box (border-2 border-dashed border-blue-300 bg-blue-50). Centered upload cloud icon. 'Drag & drop your resume PDF here' + 'or click to browse' text. Shows accepted format and max size. |
| <b>Upload Zone (Has Resume)</b>   | Green border. Checkmark icon. 'Resume uploaded on [date]'. File name. File size. Two buttons: 'View Resume' (opens in new tab via S3 pre-signed URL) and 'Replace Resume' (triggers new upload).             |
| <b>Upload Progress</b>            | After file selected: progress bar shows upload progress (0-100%). Animated with percentage text. Transitions to 'Analyzing resume with AI...' spinner after upload completes.                                |
| <b>File Validation (Client)</b>   | Before upload: check file type (must be .pdf). Check file size (must be <= 5MB). Show error inline if either check fails. Never send invalid files to API.                                                   |
| <b>Parsed Skills Section</b>      | After AI analysis complete: 'Skills Found in Your Resume' section. Each skill shown as a teal tag. Count shown: 'X skills detected'.                                                                         |
| <b>Experience &amp; Education</b> | Two stat cards side by side: 'Experience Detected' (e.g. '3 years') and 'Education Detected' (e.g. 'B.Tech Computer Science').                                                                               |
| <b>AI Score Card</b>              | Large card: 'Your Resume AI Score: 78/100'. Colored ring (green/orange/red by score range). Below: 'What this means' expandable section with score interpretation.                                           |
| <b>Improvement Tips</b>           | If score < 70: 'Suggestions to Improve Your Score' section. Bulleted list of actionable suggestions (add missing skills, add quantified achievements, etc.).                                                 |

#### 6.2 My Applications Page — /applications

|                    |                                                                                                                                                               |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Layout</b>      | Full width. Filter tabs at top. Table below. Pagination at bottom.                                                                                            |
| <b>Status Tabs</b> | All   Applied   Shortlisted   Rejected. Tabs show count badge. Clicking tab filters the table instantly (client-side filter if < 100 records, else API call). |

|                                |                                                                                                                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Applications Table</b>      | Columns: Company Logo + Job Title, Applied Date, AI Score (badge), Status (colored badge), Actions. Responsive: on mobile becomes card stack.                                 |
| <b>Status Badges</b>           | Applied: blue bg. Shortlisted: green bg (celebrate with subtle confetti on first shortlist). Rejected: red bg. Hired: gold/yellow bg.                                         |
| <b>AI Score Badge</b>          | Circular badge showing score. Color-coded: $\geq 70$ green, 40-69 orange, $< 40$ red.                                                                                         |
| <b>Row Actions</b>             | 'View Job' button (opens job detail in new tab). 'Withdraw Application' button (confirmation dialog before action). Withdraw not available if status is shortlisted or hired. |
| <b>Empty State</b>             | 'You have not applied to any jobs yet.' + 'Browse Jobs' CTA button. Friendly illustration.                                                                                    |
| <b>Shortlisted Celebration</b> | When user first sees a shortlisted status (new since last visit): subtle confetti animation + 'Congratulations! You have been shortlisted.' toast notification.               |

# SECTION 7

## AI Insights & Interview Pages

## 7. AI Insights & Interview Pages

### 7.1 AI Insights Page — /ai/insights (Job Seeker)

This is the most important page for job seekers — it makes HireIQ uniquely valuable. It must be visually impressive and data-rich.

|                                   |                                                                                                                                                                                                                                   |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Overall Score Hero</b>         | Large circular score gauge at top center. Score displayed large (e.g. '78'). Subtitle: 'AI Profile Strength'. Color ring changes based on score. Animated on page load (counts up from 0).                                        |
| <b>Score Breakdown</b>            | 4 sub-score cards below main score: Skills Match %, Experience Score, Education Score, Profile Completeness. Each has a small circular indicator and a label. Hover shows tooltip with explanation.                               |
| <b>Skill Gap Analysis Section</b> | Two-column layout: 'Skills You Have' (green tags, left) and 'Skills in High Demand' (orange tags with X, right). Title: 'Close the Gap — Skills to Learn'. 'Missing' skills link to a recommended resource (Coursera/Udemy etc.). |
| <b>Job Match Breakdown</b>        | For the last applied job (or selected job): horizontal bar chart showing match % by category: Technical Skills, Experience, Education, Location. Each bar animated on scroll into view.                                           |
| <b>Improvement Roadmap</b>        | Numbered list of top 5 actions to improve the AI score. Examples: 'Add Python to your skills list', 'Add a project description', 'Specify years of experience'. Each item has a checkbox (saves to localStorage).                 |
| <b>Industry Benchmarks</b>        | Comparison section: 'How you compare to other candidates for [job title]'. Bar chart showing user score vs average vs top 10%. Motivational but not discouraging.                                                                 |
| <b>Resume Re-Analyze</b>          | Button at bottom: 'Re-analyze My Resume'. Triggers AI re-analysis. Shows spinner. Updates all scores when complete. Use case: user updated their profile skills.                                                                  |
| <b>Export Insights</b>            | 'Download My AI Report (PDF)' button. Generates a simple PDF summary of scores and suggestions. Uses browser print API or jsPDF.                                                                                                  |

### 7.2 AI Interview Page — /ai/interview

|               |                                                                                                         |
|---------------|---------------------------------------------------------------------------------------------------------|
| <b>Layout</b> | Full-height chat interface. Left sidebar: interview settings and history. Right main area: chat window. |
|---------------|---------------------------------------------------------------------------------------------------------|

|                              |                                                                                                                                                                                                                                               |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Interview Setup Panel</b> | Before starting: 'Choose Interview Type' dropdown (General, Frontend Dev, Backend Dev, Data Science, Product Manager, HR Round). 'Select Difficulty' (Easy, Medium, Hard). 'Number of Questions' (5, 10, 15). 'Start Interview' green button. |
| <b>Chat Window</b>           | White bg. Rounded message bubbles. AI messages: left-aligned, bg-slate-100. User messages: right-aligned, bg-blue-100. Timestamps on each message. Auto-scroll to bottom on new message.                                                      |
| <b>AI Question Bubble</b>    | Shows question number (Q3/10). Question text. Time started timestamp. Optional hint button (expander).                                                                                                                                        |
| <b>User Answer Input</b>     | Large textarea at bottom. Placeholder: 'Type your answer here...'. Send button (right side). Character count (max 1000). Submit on Enter+Ctrl or click Send button.                                                                           |
| <b>AI Feedback Bubble</b>    | After user submits answer: AI responds with score badge (0-100), feedback paragraph, and 'Confidence: Medium' label. Color-coded: green $\geq 70$ , orange 40-69, red $< 40$ .                                                                |
| <b>Progress Bar</b>          | Top of chat: 'Question 3 of 10' progress bar. Percentage complete. Session timer showing elapsed time.                                                                                                                                        |
| <b>End of Interview</b>      | After last question: 'Interview Complete!' screen. Overall score (average of all question scores). Score breakdown table (question by question). 'Download Report' and 'Start New Interview' buttons.                                         |
| <b>Interview History</b>     | Left sidebar lists past sessions: date, interview type, overall score badge. Click to review past session answers and feedback (read-only replay mode).                                                                                       |



# SECTION 8

## Recruiter-Specific Pages

### 8. Recruiter-Specific Pages

#### 8.1 Applicants Page — /recruiter/applicants/:jobId

|                                 |                                                                                                                                                                                                           |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Page Header</b>              | Job title + company. Job status badge. Total applicants count. Average AI score. Date posted. Back to My Jobs link.                                                                                       |
| <b>Filter &amp; Sort Bar</b>    | Filter by Status: All / Applied / Shortlisted / Rejected. Sort by: AI Score (default, desc), Applied Date, Name (A-Z). Search bar to filter by candidate name.                                            |
| <b>Candidate Rankings Table</b> | Rank #   Candidate Name + Avatar   AI Score (large colored badge)   Matched Skills (tag list, max 5 shown + count)   Missing Skills (orange tags)   Applied Date   Status   Actions.                      |
| <b>AI Score Column</b>          | Score shown as colored circle badge. $\geq 80$ : green. 60-79: teal/blue. 40-59: orange. $< 40$ : red. Tooltip on hover shows matched/missing skills breakdown.                                           |
| <b>Row Actions</b>              | 'Shortlist' button (green)   'Reject' button (red outlined). One-click status update with optimistic UI update (instant visual change, API call in background). Undo option shown in toast for 5 seconds. |
| <b>Candidate Detail Drawer</b>  | Click candidate name: right-side drawer slides in (not a new page). Shows: parsed resume skills, experience, education, AI score breakdown, full application details. 'View Full Resume' link.            |
| <b>Bulk Actions</b>             | Checkbox on each row. Select multiple. 'Shortlist Selected' + 'Reject Selected' bulk action buttons appear when any row is checked. Confirmation dialog for bulk actions.                                 |
| <b>Export</b>                   | 'Export to CSV' button. Downloads candidate list with all visible columns. Useful for sharing with hiring managers outside the platform.                                                                  |

#### 8.2 Analytics Dashboard — /recruiter/analytics

|                      |                                                                                                                                                                                  |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Page Header</b>   | 'Hiring Analytics' title. Date range picker (Last 7 days / Last 30 days / Last 3 months / Custom). Job filter dropdown (All Jobs or specific job).                               |
| <b>KPI Cards Row</b> | 4 cards: Total Applications (this period), Shortlist Rate (%), Average AI Score, Time to First Shortlist (days). Each has trend arrow (up/down vs previous period) in green/red. |

|                               |                                                                                                                                                                                           |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Applications Over Time</b> | Recharts LineChart. X-axis: dates. Y-axis: daily application count. Line in blue-600. Tooltip with count on hover. Smooth curve (type='monotone'). Reference line for average.            |
| <b>Score Distribution</b>     | Recharts BarChart. X-axis: score brackets (0-20, 21-40, 41-60, 61-80, 81-100). Y-axis: candidate count. Bars colored by bracket (red to green gradient). Shows quality of applicant pool. |
| <b>Top Skills Chart</b>       | Recharts HorizontalBarChart. Top 10 skills across all applicants. Bar width proportional to frequency count. Label with count on each bar.                                                |
| <b>Funnel Chart</b>           | Application funnel: Applied → Reviewed → Shortlisted → Hired. Each stage shows count and conversion rate %. Funnel shape visualization using CSS/SVG.                                     |
| <b>Per-Job Breakdown</b>      | Sortable table at bottom: Job Title, Applications, Shortlisted, Rejected, Avg Score, Best Candidate Score, Days Open. Click row to go to that job's applicants page.                      |
| <b>Data Refresh</b>           | Auto-refresh every 60 seconds. Manual refresh button. Last updated timestamp shown.                                                                                                       |

# SECTION 9

## Reusable Component Specifications

## 9. Reusable Component Specifications

---

### 9.1 JobCard Component

```
// components/jobs/JobCard.tsx

interface JobCardProps {
  job: {
    id: string;
    title: string;
    company: string;
    location: string;
    salary_min: number;
    salary_max: number;
    required_skills: string[];
    job_type: string;
    applicant_count: number;
    created_at: string;
  };
  matchScore?: number; // Optional: AI match % for this job seeker
  onSave?: () => void; // Optional: save/bookmark callback
}

// Visual spec:
// - White card, rounded-xl, shadow-md, hover:shadow-lg transition
// - Top: Company logo placeholder (gray initials box) + Job Type badge
// - Title: text-xl font-bold text-slate-800
// - Company + Location: text-sm text-slate-500 with map-pin icon
// - Salary: green badge 'USD X - Y / year'
// - Skills: first 4 skills as blue tags, '+N more' if > 4
// - Footer: Applicants count + Posted X days ago + Match% badge (if available)
// - Full card is clickable (Link to /jobs/:id)
// - Bookmark icon top-right, toggles saved state
```

### 9.2 CandidateCard Component

```
// components/candidates/CandidateCard.tsx

interface CandidateCardProps {
  candidate: {
    id: string;
    name: string;
  };
}
```

```

    avatar_url?: string;
    ai_score: number;
    matched_skills: string[];
    missing_skills: string[];
    experience: string;
    education: string;
    applied_at: string;
    status: 'applied' | 'shortlisted' | 'rejected' | 'hired';
  };
  onShortlist: (id: string) => void;
  onReject: (id: string) => void;
  rank?: number; // Optional rank number badge (1st, 2nd, 3rd have
gold/silver/bronze)
}

// Visual spec:
// - White card, border-l-4 colored by score (green/orange/red)
// - Top row: Rank badge + Avatar + Name + Score ring
// - Middle: Matched skills (green tags) + Missing (orange tags)
// - Bottom: Experience | Education | Applied date
// - Action buttons: Shortlist (green) + Reject (red outlined)
// - Click name opens candidate detail drawer

```

## 9.3 AIScoreCard Component

|                |                                                                                                                                                                                                    |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purpose</b> | Displays an AI score with visual ring, label, and contextual color. Used in dashboard, job detail, and AI insights pages.                                                                          |
| <b>Props</b>   | score: number (0-100), label: string, size: sm   md   lg, showLabel: boolean, animateOnMount: boolean                                                                                              |
| <b>Visual</b>  | SVG circular progress ring. Stroke color: green if score >= 70, orange if 40-69, red if < 40. Score number centered inside ring. Label below ring. Animation: ring draws from 0 to score on mount. |
| <b>Sizes</b>   | sm: 64px ring (used in tables), md: 96px ring (used in cards), lg: 160px ring (used in hero sections)                                                                                              |

## 9.4 Loading Skeleton Component

```

// components/common/LoadingSkeleton.tsx
// Used as placeholder while data is fetching

// Pulse animation: bg-slate-200 animate-pulse rounded
// Matches exact shape of the real component it replaces

// JobCard skeleton:
// - Gray rectangle for title (h-6 w-3/4)
// - Two shorter rectangles for company + location (h-4 w-1/2)
// - Three pill shapes for skill tags (h-6 w-16 each)
// - Bottom row: two rectangles for meta info

```

```
// Dashboard stats skeleton:
// - 4 cards, each with: circle (avatar placeholder) + two rectangles

// Rule: EVERY data-fetched component must have a matching skeleton.
// Never show a blank white space while loading.
```

## 9.5 Toast Notification System

|                      |                                                                                                                                        |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Library</b>       | react-hot-toast — configured in app/layout.tsx as a global provider                                                                    |
| <b>Position</b>      | Top-right corner. Stack vertically if multiple toasts active.                                                                          |
| <b>Success Toast</b> | Green left border. Check icon. Auto-dismiss after 4 seconds. Example: 'Application submitted successfully!'                            |
| <b>Error Toast</b>   | Red left border. X icon. Auto-dismiss after 6 seconds (longer to allow reading). Example: 'Failed to upload resume. Please try again.' |
| <b>Loading Toast</b> | Blue left border. Spinner icon. Does not auto-dismiss — must be manually dismissed or replaced by success/error toast.                 |
| <b>Info Toast</b>    | Blue left border. Info icon. Auto-dismiss after 4 seconds. Example: 'Resume is being analyzed by AI...'                                |
| <b>Undo Toast</b>    | Special format with Undo button. Used after status updates (shortlist/reject). 5-second window. Clicking Undo reverses the action.     |
| <b>Usage</b>         | toast.success('...'), toast.error('...'), toast.loading('...'), toast.dismiss(id)                                                      |

# SECTION 10

## State Management & API Integration

## 10. State Management & API Integration

---

### 10.1 Zustand Store Architecture

```
// store/authStore.ts - Global authentication state
import { create } from 'zustand';

interface AuthState {
  user:      User | null;
  accessToken: string | null;
  isLoading: boolean;
  isAuthenticated: boolean;

  // Actions
  setUser:      (user: User, token: string) => void;
  clearAuth:    () => void;
  setLoading:   (loading: boolean) => void;
}

export const useAuthStore = create<AuthState>((set) => ({
  user:      null,
  accessToken: null,
  isLoading: true, // true on first load (checking existing session)
  isAuthenticated: false,

  setUser: (user, accessToken) => set({ user, accessToken, isAuthenticated: true,
    isLoading: false }),
  clearAuth: () => set({ user: null, accessToken: null,
    isAuthenticated: false }),
  setLoading: (isLoading) => set({ isLoading }),
}));

// store/uiStore.ts - UI state (dark mode, sidebar)
interface UIState {
  darkMode:      boolean;
  sidebarOpen:   boolean;
  toggleDarkMode: () => void;
  toggleSidebar:  () => void;
}
```

### 10.2 Axios Configuration & JWT Interceptors

```

// lib/api.ts - Axios instance with auth interceptors
import axios from 'axios';
import { useAuthStore } from '@store/authStore';

const api = axios.create({
  baseURL: process.env.NEXT_PUBLIC_API_URL,
  withCredentials: true, // Sends httpOnly cookie (refresh token) automatically
  headers: { 'Content-Type': 'application/json' },
  timeout: 15000, // 15 second timeout
});

// REQUEST interceptor - inject access token on every request
api.interceptors.request.use((config) => {
  const token = useAuthStore.getState().accessToken;
  if (token) config.headers.Authorization = `Bearer ${token}`;
  return config;
});

// RESPONSE interceptor - handle 401, auto-refresh token
api.interceptors.response.use(
  (response) => response, // Pass through successful responses
  async (error) => {
    const originalRequest = error.config;
    if (error.response?.status === 401 && !originalRequest._retry) {
      originalRequest._retry = true;
      try {
        const { data } = await axios.post('/auth/refresh', {}, { withCredentials:
true });
        useAuthStore.getState().setUser(data.user, data.token);
        originalRequest.headers.Authorization = `Bearer ${data.token}`;
        return api(originalRequest); // Retry original request
      } catch {
        useAuthStore.getState().clearAuth();
        window.location.href = '/auth/login';
      }
    }
    return Promise.reject(error);
  }
);

export default api;

```

## 10.3 React Query (TanStack Query) Hooks

```

// hooks/useJobs.ts - Server state management for jobs
import { useQuery, useMutation, useQueryClient } from '@tanstack/react-query';
import api from '@lib/api';

// Fetch paginated job list with filters
export const useJobs = (params: JobQueryParams) =>
  useQuery({
    queryKey: ['jobs', params], // Auto-refetch when params change
    queryFn: () => api.get('/jobs', { params }).then(r => r.data),
  });

```

```

    staleTime: 1000 * 60 * 2,    // Consider data fresh for 2 minutes
    placeholderData: keepPreviousData, // Show old data while fetching new page
  });

// Apply for a job
export const useApplyJob = () => {
  const queryClient = useQueryClient();
  return useMutation({
    mutationFn: (jobId: string) => api.post('/applications', { job_id: jobId }),
    onSuccess: () => {
      queryClient.invalidateQueries({ queryKey: ['applications'] }); // Refresh list
      toast.success('Application submitted successfully!');
    },
    onError: (err) => toast.error(err.response?.data?.error || 'Failed to apply'),
  });
};

// hooks/useAI.ts - AI score and recommendations
export const useAIScore = (userId: string) =>
  useQuery({
    queryKey: ['ai-score', userId],
    queryFn: () => api.post('/ai/analyze-resume', {}).then(r => r.data),
    staleTime: 1000 * 60 * 30, // AI scores are stable - cache for 30 minutes
    enabled: !!userId,
  });

```

## 10.4 TypeScript Type Definitions

```

// types/index.ts - All shared TypeScript interfaces

export interface User {
  id: string;
  name: string;
  email: string;
  role: 'job_seeker' | 'recruiter' | 'admin';
  bio?: string;
  skills: string[];
  experience?: string;
  education?: string;
  avatar_url?: string;
  profile_pct: number;
  created_at: string;
}

export interface Job {
  id: string;
  title: string;
  description: string;
  required_skills: string[];
  salary_min?: number;
  salary_max?: number;
  location?: string;
  job_type: 'full_time' | 'part_time' | 'contract' | 'remote';
}

```



```
status:          'active' | 'closed' | 'draft';
recruiter_id:    string;
applicant_count: number;
created_at:      string;
match_score?:    number; // Only present for job seeker context
}

export interface Application {
  id:          string;
  user_id:     string;
  job_id:      string;
  job?:        Job;
  resume_url:  string;
  ai_score?:   number;
  matched_skills: string[];
  missing_skills: string[];
  status:      'applied' | 'shortlisted' | 'rejected' | 'hired';
  applied_at:  string;
}

export interface AIScore {
  score:          number;
  matched_skills: string[];
  missing_skills: string[];
}

export interface PaginatedResponse<T> {
  data:    T[];
  total:   number;
  page:    number;
  pages:   number;
  has_next: boolean;
}
```

# SECTION 11

Dark Mode, Animations & Accessibility

## 11. Dark Mode, Animations & Accessibility

### 11.1 Dark Mode Implementation

|                            |                                                                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Strategy</b>            | CSS class-based dark mode. Tailwind config: darkMode: 'class'. dark class added to <html> element.                                                                     |
| <b>State Persistence</b>   | Dark mode preference stored in localStorage key 'hireiq-theme'. Loaded on app init to prevent flash of wrong theme.                                                    |
| <b>Toggle Behavior</b>     | Moon icon (dark mode off) / Sun icon (dark mode on). Click toggles both the html class and localStorage. Smooth transition via transition-colors duration-300 on body. |
| <b>Dark Color Mapping</b>  | Background: bg-slate-900. Surface cards: bg-slate-800. Text primary: text-slate-100. Text secondary: text-slate-400. Border: border-slate-700. Input bg: bg-slate-700. |
| <b>Component Updates</b>   | All components use dark: prefix classes: e.g. bg-white dark:bg-slate-800. No component should hard-code light-only colors.                                             |
| <b>Charts in Dark Mode</b> | Recharts: override stroke and fill colors using CSS variables that change with theme. Tooltip bg changes to slate-700 in dark mode.                                    |

### 11.2 Animation Specifications

|                            |                                                                                                                                                           |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Page Transitions</b>    | Framer Motion layout animations on route change. Fade in + slide up (y: 10 to 0) with duration 0.2s. Applied in the root layout.                          |
| <b>Card Hover</b>          | transition-all duration-200 ease-in-out. shadow-md to shadow-xl on hover. translate-y-(-2px) (subtle lift effect).                                        |
| <b>Number Counter</b>      | Dashboard stat cards animate numbers counting up from 0 to their value on mount. Using a custom useCountUp hook with duration 1.2s.                       |
| <b>Circular Score Ring</b> | SVG strokeDashoffset animation from 0 to calculated value. Duration 1.5s. ease-out timing. Triggered when element enters viewport (IntersectionObserver). |
| <b>Skeleton Loader</b>     | animate-pulse CSS animation. bg-slate-200 dark:bg-slate-700. Matches exact layout of real content to eliminate layout shift.                              |
| <b>Toast Entry</b>         | Slide in from top-right with fade. Duration 200ms. Slide out when dismissed.                                                                              |

|                       |                                                                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sidebar Slide</b>  | translateX animation on mobile sidebar. Duration 300ms ease-in-out. Backdrop fades in simultaneously.                                   |
| <b>Button Loading</b> | Spinner icon (Loader2 from Lucide, animate-spin) replaces button text content while async action is pending. Button dims to opacity-75. |

## 11.3 Accessibility Requirements

|                            |                                                                                                                                                     |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WCAG Target</b>         | WCAG 2.1 Level AA compliance required for all pages before launch.                                                                                  |
| <b>Color Contrast</b>      | All text must have contrast ratio $\geq 4.5:1$ against its background. Verify with axe DevTools browser extension in CI.                            |
| <b>Keyboard Navigation</b> | All interactive elements reachable and operable via keyboard. Tab order must be logical. No keyboard traps.                                         |
| <b>Focus Indicators</b>    | Visible focus ring on all focusable elements: ring-2 ring-blue-500 ring-offset-2. Never remove focus outline without a visible replacement.         |
| <b>ARIA Labels</b>         | All icon-only buttons must have aria-label. All form inputs must have associated <label>. Status badges use role=status and aria-label.             |
| <b>Screen Reader</b>       | Test with VoiceOver (macOS) and NVDA (Windows). Dynamic content updates announced via aria-live regions (e.g. toast notifications, status changes). |
| <b>Image Alt Text</b>      | All images and icons that convey meaning must have descriptive alt text. Decorative images use alt="".                                              |
| <b>Form Errors</b>         | Error messages linked to their input via aria-describedby. Error state communicated via aria-invalid='true' on the input element.                   |

# SECTION 12

## Performance & SEO

## 12. Performance & SEO

### 12.1 Performance Targets

| Metric                         | Target              | Optimization Strategy                                                 |
|--------------------------------|---------------------|-----------------------------------------------------------------------|
| First Contentful Paint (FCP)   | < 1.2 seconds       | Next.js SSR on authenticated pages; static on public pages            |
| Largest Contentful Paint (LCP) | < 2.5 seconds       | Image optimization, font preloading, CDN delivery                     |
| Cumulative Layout Shift (CLS)  | < 0.1               | Skeleton loaders prevent layout shift; all images have dimensions     |
| Time to Interactive (TTI)      | < 3.5 seconds       | Code splitting per route; lazy load heavy components (charts, editor) |
| Bundle Size (JS)               | < 200KB initial     | Tree shaking, dynamic imports for recharts and heavy libs             |
| Lighthouse Score               | >= 90 (Performance) | Measured on every PR via Lighthouse CI GitHub Action                  |

### 12.2 Code Splitting Strategy

|                              |                                                                                                                      |
|------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Route-Level Splitting        | Next.js automatically code-splits per page. Each page bundle loads only when that route is visited.                  |
| Heavy Component Lazy Loading | Recharts, TipTap editor, and react-dropzone loaded with dynamic() import and { ssr: false }. Not in initial bundle.  |
| Chart Loading                | Charts wrapped in Suspense with skeleton fallback: only loaded when dashboard route is visited.                      |
| Image Optimization           | All images use next/image component: automatic WebP conversion, lazy loading, blur placeholder, responsive srcset.   |
| Font Optimization            | Google Fonts loaded via next/font: font files bundled with the app, no external network request. Font-display: swap. |

### 12.3 SEO Configuration

|                       |                                                                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Public Pages</b>   | Landing page, public job listings, and company pages are server-side rendered for full SEO indexability.                                |
| <b>Metadata</b>       | Each page defines title and description via Next.js Metadata API. Dynamic pages (job detail) use job title in title tag.                |
| <b>Open Graph</b>     | OG tags defined for social sharing: og:title, og:description, og:image (HireIQ brand image). Job pages generate job-specific OG images. |
| <b>Robots.txt</b>     | Public pages allowed. /dashboard, /admin, /api/* disallowed. Sitemap generated at /sitemap.xml.                                         |
| <b>Canonical URLs</b> | All pages define canonical URL to prevent duplicate content issues from query parameter variations.                                     |

## **HireIQ FSD v1.0 — End of Document**

This Frontend Specification Document governs all UI/UX implementation decisions for HireIQ v1.0.