

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
20	4.256947	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	64850 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
21	4.495215	10.51.243.120	1.2.3.4	TCP	66	[TCP Retransmission] 59007 → 9922 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
22	4.511172	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	53569 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
23	4.576571	10.51.243.120	103.165.192.204	TCP	66	59907 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
24	4.800502	10.51.243.120	103.165.192.207	TCP	66	64541 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
25	4.848604	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	[TCP Retransmission] 56337 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
26	5.151363	10.51.243.120	103.165.192.205	TCP	66	[TCP Retransmission] 59006 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
27	5.151453	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	[TCP Retransmission] 53918 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
28	5.263663	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	[TCP Retransmission] 64850 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
29	5.487138	10.51.243.120	103.165.192.202	TCP	66	[TCP Retransmission] 64646 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
30	5.583347	10.51.243.120	103.165.192.204	TCP	66	[TCP Retransmission] 59907 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
31	5.911825	ba:e9:d5:37:d6:71	28:15:94:9c:5c:af	ARP	42	Who has 10.51.243.120? Tell 10.51.243.189
32	5.911855	28:15:94:9c:5c:af	ba:e9:d5:37:d6:71	ARP	42	10.51.243.120 is at 28:15:94:9c:5c:af
33	6.367518	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	58906 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
34	6.673032	10.51.243.120	103.165.192.208	TCP	66	58804 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
35	6.689619	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	50176 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
36	7.009562	10.51.243.120	103.165.192.207	TCP	66	64313 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
37	7.264005	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	[TCP Retransmission] 64850 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
38	7.375358	2401:4900:ca84:3d41...	2001:df6:7280::92:2...	TCP	86	[TCP Retransmission] 58906 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM

Frame 1: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF...{4C2...}

Ethernet II, Src: ba:e9:d5:37:d6:71 (ba:e9:d5:37:d6:71), Dst: 28:15:94:9c:5c:af (28:15:94:9c:5c:af)

Internet Protocol Version 6, Src: 2603:1061:14:a2::1, Dst: 2401:4900:ca84:3d41:e9e9:e1cf:5ead:5275

Transmission Control Protocol, Src Port: 443, Dst Port: 58002, Seq: 1, Ack: 1, Len: 0

Wi-Fi: <live capture in progress>


Packets: 38

Profile: Default

28°C Mostly cloudy

Search

ENG IN 22:11 06-08-2026



Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
2196	41.830294	2401:4900:ca84:3d41...	2404:6800:4007:817...	HTTP	276	GET /r/gsr1.crl HTTP/1.1
2202	41.869165	2404:6800:4007:817...	2401:4900:ca84:3d41...	HTTP	297	HTTP/1.1 304 Not Modified
2204	41.883718	2401:4900:ca84:3d41...	2404:6800:4007:817...	HTTP	274	GET /r/r4.crl HTTP/1.1
2206	41.912237	2404:6800:4007:817...	2401:4900:ca84:3d41...	HTTP	297	HTTP/1.1 304 Not Modified
2391	45.365575	10.51.243.120	23.155.129.172	HTTP	550	GET /login/login.asp HTTP/1.1
2401	45.686408	23.155.129.172	10.51.243.120	HTTP	799	HTTP/1.1 200 OK (text/html)
2416	45.796072	10.51.243.120	23.155.129.172	HTTP	510	GET /favicon.ico HTTP/1.1
2507	46.401881	23.155.129.172	10.51.243.120	HTTP	177	HTTP/1.1 404 Object Not Found (text/html)
5016	102.988565	10.51.243.120	23.155.129.172	HTTP	518	GET /login/login.asp HTTP/1.1
5027	103.288751	23.155.129.172	10.51.243.120	HTTP	799	HTTP/1.1 200 OK (text/html)
5036	103.370539	10.51.243.120	23.155.129.172	HTTP	510	GET /favicon.ico HTTP/1.1
5138	103.952820	23.155.129.172	10.51.243.120	HTTP	177	HTTP/1.1 404 Object Not Found (text/html)
5546	117.367383	10.51.243.120	23.155.129.172	HTTP	788	POST /login/login_results.asp HTTP/1.1 (application/x-www-form-urlencoded)
5568	117.698208	23.155.129.172	10.51.243.120	HTTP	143	HTTP/1.1 100 Continue
5580	118.047840	23.155.129.172	10.51.243.120	HTTP	376	HTTP/1.1 200 OK (text/html)

Frame 2196: Packet, 276 bytes on wire (2208 bits), 276 bytes captured (2208 bits) on interface \Device\NPF{...}

Ethernet II, Src: 28:15:94:9c:5c:af (28:15:94:9c:5c:af), Dst: ba:e9:d5:37:d6:71 (ba:e9:d5:37:d6:71)

Internet Protocol Version 6, Src: 2401:4900:ca84:3d41:e9e9:e1cf:5ead:5275, Dst: 2404:6800:4007:817::2003

Transmission Control Protocol, Src Port: 63293, Dst Port: 80, Seq: 1, Ack: 1, Len: 202

Hypertext Transfer Protocol

ba e9 d5 37 d6 71 28 15 94 9c 5c af 86 dd 60 0a ...7 q(... \ ...
db 9e 00 de 06 3f 24 01 49 00 ca 84 3d 41 e9 e9 ...? \$ I ...=A ...
e1 cf 5e ad 52 75 24 04 68 00 40 07 08 17 00 00 ...Ru\$ h @...
00 00 00 00 20 03 f7 3d 00 50 3c f1 9d f8 11 39 ...= P...9
cb d7 50 18 00 ff 9a c8 00 00 47 45 54 20 2f 72 ...P... GET /r
2f 67 73 72 31 2e 63 72 6c 20 48 54 54 50 2f 31 .../gsr1.crl HTTP/1
2e 31 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 6f ...l: Cach e-Contro
6c 3a 20 6d 61 78 2d 61 67 65 20 3d 20 33 30 30 ...l: max-a ge = 300
30 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 4b ... Connection: K
65 65 70 2d 41 6c 69 76 65 0d 0a 41 63 63 65 70 ...eep-Alive-Accep
74 3a 20 2a 2f 2a 0d 0a 49 66 2d 4d 6f 64 69 66 ...t: /* If-Modif
69 65 64 2d 53 69 6e 63 65 3a 20 54 75 65 2c 20 ...ied-Sinc e: Tue,
30 37 20 4a 75 6c 20 32 30 32 36 20 30 38 3a 33 ...07 Jul 2 026 08:3
38 3a 30 30 20 47 4d 54 0d 0a 55 73 65 72 2d 41 ...8:00 GMT User-A
67 65 6e 74 3a 20 4d 69 63 72 6f 73 6f 66 74 2d ...gent: Mi crosoft-
43 72 79 70 74 6f 41 50 49 2f 31 30 2e 30 0d 0a ...CryptoAP I/10.0...
48 6f 73 74 3a 20 63 2e 70 6b 69 2e 67 6f 6f 67 ...Host: c. pki.goog
0d 0a 0d 0a

Hypertext Transfer Protocol: Protocol

Packets: 5755 - Displayed: 15 (0.3%) - Dropped: 0 (0.0%) Profile: Default

28°C Mostly cloudy

Search

ENG IN 22:28 06-08-2026

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

http.request.method == 'GET'

No.	Time	Source	Destination	Protocol	Length	Info
2196	41.830294	2401:4900:ca84:3d41::	2404:6800:4007:817::	HTTP	276	GET /r/r4.cr1 HTTP/1.1
2204	41.883718	2401:4900:ca84:3d41::	2404:6800:4007:817::	HTTP	274	GET /r/r4.cr1 HTTP/1.1
2391	45.365575	10.51.243.120	23.155.129.172	HTTP	550	GET /login/login.asp HTTP/1.1
2416	45.796072	10.51.243.120	23.155.129.172	HTTP	510	GET /favicon.ico HTTP/1.1
5016	102.988565	10.51.243.120	23.155.129.172	HTTP	518	GET /login/login.asp HTTP/1.1
5036	103.370539	10.51.243.120	23.155.129.172	HTTP	510	GET /favicon.ico HTTP/1.1

Frame 2196: Packet, 276 bytes on wire (2208 bits), 276 bytes captured (2208 bits) on interface \Device\NPF{...}

Ethernet II, Src: 28:15:94:9c:5c:af (28:15:94:9c:5c:af), Dst: ba:e9:d5:37:d6:71 (ba:e9:d5:37:d6:71)

Internet Protocol Version 6, Src: 2401:4900:ca84:3d41:e9e9:e1cf:5ead:5275, Dst: 2404:6800:4007:817::2003

Transmission Control Protocol, Src Port: 63293, Dst Port: 80, Seq: 1, Ack: 1, Len: 202

Hypertext Transfer Protocol

ba e9 d5 37 d6 71 28 15 94 9c 5c af 86 dd 60 0a ...7 q(... \...
db 9e 00 de 06 3f 24 01 49 00 ca 84 3d 41 e9 e9? \$ I...=A...
e1 cf 5e ad 52 75 24 04 68 00 40 07 08 17 00 00 ...^ Ru\$ h @.....
00 00 00 00 20 03 f7 3d 00 50 3c f1 9d f8 11 39= P C...9
cb d7 50 18 00 ff 9a c8 00 00 47 45 54 20 2f 72 ...P.....GET /r
2f 67 73 72 31 2e 63 72 6c 20 48 54 54 50 2f 31 /gsr1.cr 1 HTTP/1
2e 31 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 6f .1. Cach e-Contro
6c 3a 20 6d 61 78 2d 61 67 65 20 3d 20 33 30 30 l: max-age = 300
30 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 4b 0 - Connection: K
65 65 70 2d 41 6c 69 76 65 0d 0a 41 63 63 65 70 eep-Alive: Accep
74 3a 20 2a 2f 2a 0d 0a 49 66 2d 4d 6f 64 69 66 t: /* If-Modif
69 65 64 2d 53 69 6e 63 65 3a 20 54 75 65 2c 20 ied-Sinc e: Tue,
30 37 20 4a 75 6c 20 32 30 32 36 20 30 38 3a 33 07 Jul 2 026 08:3
38 3a 30 30 20 47 4d 54 0d 0a 55 73 65 72 2d 41 8:00 GMT User-A
67 65 6e 74 3a 20 4d 69 63 72 6f 73 6f 66 74 2d gent: Mi crosoft
43 72 79 70 74 6f 41 50 49 2f 31 30 2e 30 0d 0a CryptoAP I/10.0
48 6f 73 74 3a 20 63 2e 70 6b 69 2e 67 6f 6f 67 Host: c. pki.goog
0d 0a 0d 0a

wireshark_Wi-FiO3JKT3.pcapngPackets: 5755 - Displayed: 6 (0.1%) - Dropped: 0 (0.0%)Profile: Default

28°C Mostly cloudy

Search

ENG IN

22:29 06-08-2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
5546	117.367383	10.51.243.120	23.155.129.172	HTTP	788	POST /login/login_results.asp HTTP/1.1 (application/x-www-form-urlencoded)

Frame 5546: Packet, 788 bytes on wire (6304 bits), 788 bytes captured (6304 bits) on interface \Device\NPF{...}

Ethernet II, Src: 28:15:94:9c:5c:af (28:15:94:9c:5c:af), Dst: ba:e9:d5:37:d6:71 (ba:e9:d5:37:d6:71)

Internet Protocol Version 4, Src: 10.51.243.120, Dst: 23.155.129.172

Transmission Control Protocol, Src Port: 63817, Dst Port: 80, Seq: 1, Ack: 1, Len: 734

Hypertext Transfer Protocol

HTML Form URL Encoded: application/x-www-form-urlencoded

0000ba e9 d5 37 d6 71 28 15 94 9c 5c af 08 00 45 00...7 q(... \... E...

001003 06 ae 40 40 00 80 06 b2 be 0a 33 f3 78 17 9b...@... 3 x...

002081 ac f9 49 00 50 0c c2 b9 b0 09 b7 3c 5a 50 18...I P... <ZP...

003000 ff 53 13 00 00 50 4f 53 54 20 2f 6c 6f 67 69...S... PO ST /logi...

00406e 2f 6c 6f 67 69 6e 5f 72 65 73 75 6c 74 73 2e...n/login_results...

005061 73 70 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f...asp HTTP /1.1. Ho...

006073 74 3a 20 76 62 73 63 61 2e 63 61 0d 0a 43 6f...st: vbasc a.ca...Co...

00706e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61...nnection : Keep-a...

00806c 69 76 65 0d 0a 43 6f 6e 74 65 6e 74 2d 4e 65...live-Content-Le...

00906e 67 74 68 3a 20 34 34 0d 0a 43 61 63 68 65 2d...ngth: 44 Cache...

00a043 6f 6e 74 72 6f 6c 3a 20 6d 61 78 2d 61 67 65...Control: max-age...

00b03d 30 0d 0a 55 70 67 72 61 64 65 2d 49 6e 73 65...=0 Upgrade-Inse...

00c063 75 72 65 2d 52 65 71 75 65 73 74 73 3a 20 31...cure-Requests: 1...

00d00d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 65 3a 20...Content-Type:...

00e061 70 70 6c 69 63 61 74 69 6f 6e 2f 78 2d 77 77...application/x-ww...

00f077 2d 66 6f 72 6d 2d 75 72 6c 65 6e 63 6f 64 65...w-form-u rlencode...

010064 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d...d-User-Agent: M...

01106f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64...ozilla/5 .0 (Wind...

01206f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e...ows NT 10.0; Win...

013036 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65...64; x64) AppleWe...

014062 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 54...bKit/537 .36 (KHT...

01504d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20...ML, like Gecko)

Bytes 94-109: Host (http.host)

Packets: 5755 - Displayed: 1 (0.0%) - Dropped: 0 (0.0%)

Profile: Default

28°C Mostly cloudy

Search

ENG IN

22:30 06-08-2026