MILITARY ENGINEER SERVICES

NAME OF WORK : SPL REPAIRS OF 03 X LED DOUBLE DOMED SHADOW LESS CEILING HANGED OPERATING LIGHTS IN OT OF MH JAIPUR UNDER ZONE-II AREA AT JAIPUR MIL STN

CONTENTS

Ser No	Description	Pages	
		From	To
1	2	3	4
1.	Contents.	1	1
2.	Notice of tender including Appendix 'A' thereto.	2	6
3.	Tender and item rates contracts (BOQ) for works IAFW-1779-A (Revised 1955).	7	
4.	General Conditions of Contracts IAFW-2249 (1989 Print). Including Errata and amendments to IAFW-2249.		
5.	Schedule Of Minimum Wages		
6.	Special conditions.		
7.	Particular Specifications including Appendix 'A' & 'B'		
8.	Forwarding letter and instructions of filling and submission of tender.		
9.	Amendments to tender documents.		
10.	Relevant Correspondence.		
11.	Acceptance letter.		
12.	Drawing Sheet	-	-
	Total Pages		_____

(Signature of Contractor) For Accepting Officer

(In lieu of IAFW-2162)
(Revised-1960)

MILITARY ENGINEER SERVICES

NOTICE OF TENDER

1. A tender is invited for the work as mentioned in Appendix 'A' to this NOTICE INVITING TENDER (NIT).

2. The work is estimated to cost as indicated in aforesaid Appendix 'A'. This estimate, however, is not a guarantee and is merely given as a rough guide and if the work costs more or less, a tenderer/bidder will have no claim on that account.

3. The work is to be completed within the period as indicated in aforesaid Appendix 'A' in accordance with the phasing, if any, indicated in the tender from the date of handing over site, which will be on or about two weeks after the date of acceptance of tender.

4. Contractors whose names are on the MES approved list and within whose financial category the estimated amount would fall and unenlisted contractors may submit tender/bid subject to other criteria mentioned in Appendix A. However in case of term contracts, enlisted contractors of Class SS to E may submit tender. Not more than one tender shall be submitted/uploaded by one contractor/ firm. Under no circumstances will a father and his son(s) or other close relations who have business dealing with one another be allowed to tender/bid for the same contract as separate competitors. Two firms shall be deemed to have business dealing if any of the partners/proprietor/director is common among both of them. A breach of this condition will render the tenders/bids of both the parties liable for rejection.

5. The Garrison Engineer, Jaipur-12 will be the Accepting Officer here-in-after referred to as such for the purpose of the contract.

6. Not more than one tender/bid shall be submitted/uploaded by one bidder firm. Under no circumstances will a father and his son(s) or other close relations who have business dealing with one another be allowed to tender/bid for the same tender as separate competitors. A breach of this condition will render the tenders/bids of both the parties liable for rejection.

7. The Technical Bid and Financial Bid (Cover-1 and Cover-2) shall be uploaded by the contractor on or before the date & time mentioned in **NIT**. A scanned copy of DD with enlistment details and other documents as specified in Appendix A shall be uploaded as Cover-1 (Technical bid) of the tender on e-tendering portal. DD is refundable in case the contractor is not considered eligible in technical evaluation of Cover 1 resulting in non-opening of Cover1. The applicant contractor shall bear the cost of bank charges for procuring and encashing the DD including revalidation of DDs and shall not have any claim from Government whatsoever on this account.

8. Tender form and conditions of contract and other necessary documents shall be available on website defproc.gov.in for download and shall form part of contract agreement in case the tender/bid is accepted.

9. In case of MES enlisted contractor who has not executed the Standing Security Bond and un enlisted contractor, the Cover-I shall be accompanied by Earnest Money for the amount mentioned in Appendix 'A' in the form of deposit at call receipt issued in favor of Garrison Engineer, Jaipur-12 (See Appendix 'A') by a Scheduled Bank or in received treasury Challan the amount being credited to the revenue deposit of Garrison Engineer, Jaipur-12 (See Appendix 'A'). The Garrison Engineer, Jaipur-12 will return the Earnest Money, wherever applicable, to all unsuccessful tenderers/bidders by endorsing an authority on the deposit at call receipt for it's refund, on receipt of intimation from the Accepting Officer to do that.

NOTICE OF TENDER (CONTD…..)

10. In case of successful contractor i. e. the lowest contractor having submitted EMD, he shall have the option of converting the EMD instrument into part of the Performance Security to be deposited by him within 28 days from the receipt of intimation of acceptance of tender from Accepting Officer.

13. Sample of materials and stores to be supplied by the contractor will also be available for inspection by the bidder at the office of GE Jaipur-12 during working hours. The bidder is advised to visit the site of work by making prior appointment with GE Jaipur-12, who is the Executing Agency of the work (see Appendix 'A'). The bidder shall be deemed to have full knowledge of all relevant documents, samples, site etc whether he has inspected them or not.

14. Any bid which proposes any alteration to any of the conditions laid down or proposes any other new condition whatsoever, is liable to be rejected.

15. The uploading of bid by a bidder implies that bidder has read this notice and the conditions of contract and has made himself aware of the scope and specification of work to be done and of the conditions and rates at which stores (as applicable) etc will be issued to him and local conditions and other factors having bearing on the execution of the work.

16. The bidder must be in possession of a copy of the MES Schedule (SSR) (Part-I & Part-II of latest edition) including amendments and errata thereto.

17. Accepting Officer does not bind himself to accept the lowest or any tender/bid or to give any reason for not doing so.

18. The Accepting Officer reserves the right to accept a tender submitted by a Public Undertaking/Small & Medium Enterprises (SMEs), giving a price preference/purchase preference over other tender(s)/bids which may be lower, as are admissible under the Government Policy. No claim for any compensation or otherwise shall be admissible for such tenderer/bidder whose tender/bid is rejected.

19. The **Notice Inviting Tender (NIT)** including Appendix 'A' and Annexures thereto, if any, shall form part of the contract agreement.

Signature of Contractor For Accepting Officer

APPENDIX 'A' TO NOTICE INVITING TENDER (NIT)

<table>
<tr><td>1.</td><td>Name of Work</td><td>SPL REPAIRS OF 03 X LED DOUBLE DOMED SHADOW LESS CEILING HANGED OPERATING LIGHTS IN OT OF MH JAIPUR UNDER ZONE-II AREA AT JAIPUR MIL STN</td></tr>
<tr><td>2.</td><td>Estimated Cost</td><td>Rs 29.95 Lakhs (at par Market)</td></tr>
<tr><td>3.</td><td>Period of Completion</td><td>180 days</td></tr>
<tr><td>4.</td><td>Cost of tender documents</td><td>Rs 500/- in the form of DD/Bankers Cheque from any schedule Bank in favour of GE Jaipur and payable at Jaipur
(Note : In case of retendering, the contractor who had quoted in the previous call is not required to submit the cost of tender.)</td></tr>
<tr><td>5.</td><td>Website/portal address</td><td>www.defproc.gov.in</td></tr>
<tr><td>6.</td><td>(a) Type of Contract</td><td>The tender shall be based on drawing and specifications (IAFW-2159)/ (IAFW-1779A) and GCC (IAFW-2249) with Schedule 'A' (list of items of work) to be priced by contractor/ pre priced by MES.</td></tr>
<tr><td>7.</td><td>Information & details :-</td><td></td></tr>
<tr><td></td><td>(a) Bid submission start date</td><td rowspan="3">Refer critical dates on the website.</td></tr>
<tr><td></td><td>(b) Last date of bid submission</td></tr>
<tr><td></td><td>(c) Date of bid opening</td></tr>
<tr><td>8.</td><td>Eligibility Criteria :-</td><td></td></tr>
<tr><td></td><td>(a) For MES enlisted Contractors</td><td>All contractors enlisted with MES in Class 'D' and above and category b (i) subject to satisfactory remarks wrt performance in respect of wks in hand reflected in Workload return(WLR) or any other report circulated by competent engineer authority.</td></tr>
<tr><td></td><td>(b) For contractors not enlisted with MES.</td><td>(i) Contractor not enlisted with MES should meet the enlistment criteria of 'D' class MES contractors, b(i) category contractor with regard to satisfactorily completion of requisite value works with Central/State government/ Central/ State PSUs/ AWHO/ AFNHB/ CGEWHO/ DGMAP, annual turnover, bank solvency, working capital and other requirements given in Para 1.4 & 1.5 of Section 1 of MES Manual of Contracts 2020 as available in all MES formations as well as MES website (www.mes.gov.in).
(ii) Not carrying adverse remarks in Work Load Report (WLR) or any other similar report circulated by any competent authority, if already working in MES.
(iii) Not suspended/debarred/blacklisted (either permanently or temporarily) from participating in any bid or for business dealings by Central/State Government Department or any Central /State Government PSU or any Autonomous Body under Central/State Government or any Local Body as on the bid submission end date
(iv) Details of work completed and under progress in MES be submitted in the following format
<table>
<tr><td>Sr No .</td><td>CA No. & Name of work</td><td>Value of CA</td><td>Date of commencement</td><td>Date of completion</td><td>Extended date of completion</td></tr>
</table>
(v) Un-enlisted contractor who have secured two works in MES should get themselves registered in the appropriate designated class with any registering authority, else the firm will not be eligible for participation in the tender unless until the firmis enlisted with the MES.</td></tr>
<tr><td></td><td>(c) For all Contractors</td><td>Contractor will not be allowed to execute the work by subletting or through power of attorney holder on his behalf to a third party/another firm except sons/ daughters of proprietor/partner/Director and firm's own employees, Director, Project Manager. This shall be subject to certain conditions which will be prescribed in the Notice of Tender forming part of the tender documents.</td></tr>
<tr><td>9.</td><td>Tender issuing and Accepting Officer</td><td>Garrison Engineer, Khatipura Road, Jaipur- 302012</td></tr>
<tr><td>10.</td><td>Executing agency</td><td>GE Jaipur</td></tr>
<tr><td>11.</td><td>Earnest Money</td><td>Rs 59,900.00 infavour of GE Jaipur in the form of Deposit at call receipt, FDR not acceptable.</td></tr>
</table>

NOTES :

1. In case after opening of Cover 1, the number of MES enlisted contractors of eligible class as well as eligible un-enlisted contractors, if any, fulfilling the other eligibility criteria given in NIT is less than 7(Seven), applications in respect of MES contractors of one class or two classes (in case of remote and difficult areas to be decided as per list circulated by CE command/ADG) below the eligible class shall also be considered subject to fulfillment of other eligibility criteria given in the NIT. Therefore MES contractors one class below (two classes below in case of remote and difficult areas) may also bid for this tender. Such contractors (contractors of one/two classes below the eligible class) shall not be considered in case their present residual work in hand is more than **FIVE TIMES** their present tendering limit. However in case such contractors fulfill the criteria of upgradation to the stipulated eligible class based on past experience of completed works (individual work experience and/or average annual turnover, as applicable) and financial soundness (solvency/financial soundness and working capital) the ceiling of present residual work will not apply and they will be considered for issue of tender. Such bidders shall upload in their Cover-1 bid details related to residual work in hand like details of work in hand showing name of work, names of Accepting Officers, Contract amounts, dates of commencement and completion (stipulated) and progress as on bid submission date. Such contractors, if claim to fulfill the criteria of upgradation shall also upload the requisite information/documents in support of upgradation. These details shall be verified by the Tender issuing Authority from concerned formations in case bids of such contractors are considered for evaluation.

2. In case after opening of Cover 1, the number of MES enlisted contractors of eligible class as well as un-enlisted contractors, if any, fulfilling the other eligibility criteria given in NIT, are 7 (Seven) or more, applications of only those one class below the eligible class bidders shall be considered, who have previously completed similar works satisfactorily and are meeting the criteria of upgradation in respect of past experience of completed works (individual work experience and/or average annual turnover as applicable) and financial soundness (solvency/financial soundness and working capital) as per details given in Manual on Contracts. Therefore such contractors shall upload the requisite information/documents in the Cover-1.

3. Unenlisted contractor shall be considered provided he meets the criteria. Foreign firms shall not be eligible for this tender. However Indian Firms having foreign national / Indian national staying abroad/ Indian national having taken foreign citizenship, as director(s) shall be considered subject to security clearance from the concerned authorities.

4. Contractors enlisted with MES will upload following documents in Cover 1 checking eligibility :-
   (a) Application for tender on Firm's letterhead.
   (b) Enlistment letter issued by the Registering Authority duly renewed for the cycle period in vogue.
   (c) Scanned copy of DD /Bankers Cheque toward cost of tender and EMD instrument in case SSD bond is not signed at the time of registration.
   (d) Scanned copy of provident fund code No allotted to firm
   (e) Scanned copy of GST registration
   (f) Any other document required as described in this Appendix.

5. Contractors not enlisted with MES will be required to upload following documents in Cover 1 for checking eligibility.
   (a) Application for tender on Firm's letterhead.
   (b) Scanned copy of DD/ Bankers cheque toward cost of tender and earnest Money Deposit (EMD) instrument.
   (c) Copy of Police Verification Report/Police Clearance Certificate/ Character Certificate from the Police Authority of the area where the registered office of the firm is located/notarized copy of valid passport of Proprietor/each Partner/each Director.
   (d) All documents required for enlistment in MES for the class mentioned in Para 8(b) above as per Para 1.5 of Section 1 of MES Manual on Contracts 2020.
   (e) Details of works being executed in MES, if any.
   (f) Any other documents required as described in this Appendix.

6. **Applications/bids not accompanied by scanned copies of requisite DD/Bankers Cheque towards cost of tender and earnest money (as applicable) in Cover 1 shall not be considered for validation of 'T' bid and their Financial Bids will not be opened**.

7. Contractors should ensure that their original physical DDs and Earnest Money Deposit (EMD) instruments (as applicable) reach the office of Accepting Officer within 07 (Seven) days of bid submission end date failing which followingaction shall be taken.

   (a) In case of tenders from an enlisted contractor of MES, where scanned copies of requisite DD/ BankersCheque towards cost of tender have been uploaded in Cover 1 but physical copies are not received within the stipulated period, their financial bids (Cover 2) will be opened. However non-submission of physical copies of cost of tender shall be considered as willful negligence of the tenderer with ulterior motives and such tenderer shall be banned from bidding for a period of six months commencing from the date of opening of Financial Bid(Cover2).

APPENDIX 'A' TO NOTICE INVITING TENDER (NIT) (Contd ------)

(b) In case of tenders from un enlisted contractor, where scanned copies of requisite DD/Bankers Cheque towards cost of tender have been uploaded in Cover 1 but physical copies are not received within thestipulated period, their financial bids (Cover 2) will not be opened. Name of such contractors along with complete address shall be circulated for not opening of their bids for a period of six months commencing from the date of opening of Financial bid (Cover 2).

(c) **In case of tenders from enlisted and unenlisted contractors, where scanned copies of instruments for Earnest Money Deposit (as applicable) have been uploaded in Cover 1 but the same are not received in physical form within stipulated period, such tenders shall not qualify for opening of financial bid (Cover2**).

8. Contractor will not be allowed to execute the work by subletting or through power of attorney to a third party/another firm on his behalf. However a contractor can execute the work through power of attorney to sons/daughters/ spouse of Proprietor/Partner/Director and firm's own employees, director, project manager **provided they are not having a separate enlisted firm in MES in their name as Proprietor/Partner/Director.**

9. After opening of Cover 1 and during its technical evaluation, in case any deficiency is noticed in the documents required to be uploaded by the tenderers as per NIT, a communication in the form of e-mail/SMS/Speed post etc shall be sent to the contractor to rectify the deficiency within a period of seven days from date of communication failing which their financial bid (Cover 2) shall not be opened and contractor shall not have any claim on the same.

10. Invitation for e-tender does not constitute any guarantee for validation of Technical bid and subsequent opening of financial bid of any applicant/bidder merely b y virtue of enclosing DD. Accepting Officer reserves the right to reject the Technical bid and not to open the financial bid of any applicant/bidder. Technical bid validation shall be decided by the Accepting Officer based on eligibility of the firm as per criteria given in this Appendix. Tenderer/bidder will be informed regarding non-validation of his Technical bid assigning reasons therefore through tender evaluation report which shall be uploaded on the website. Such tenderer, if desires, may appeal to the next higher Engineer Authority (NHEA) viz HQ CWE Jaipur on email id **jpr3-mes@nic.in** with copy to the Accepting Officer on email (jpr4-mes@nic.in)before the scheduled date of opening of Cover2. NHEA shall decide the matter within a period of seven working days from the date of receipt of appeal. The decision of the NHEA shall be final and binding. The tenderer/bidder shall not be entitled for any compensation whatsoever for rejection of his bid.

11. In case an unenlisted contractor is already executing works in MES, he shall not be considered eligible for the subject tender if the total value of such works is more than twice the tendering limit of the MES Class of contractor for which it is eligible. For this purpose, details of the works being executed by such a contractor shall be uploaded in the Cover-1 of the bid and shall be checked/verified by the Accepting Officer.

12. In case the BOQ is revised through the corrigendum and the bidder has failed to quote on revised BOQ (ie he has quoted on pre revised BOQ), such bid shall be treated as willful negligence by the bidder and his quotation shall be considered non-bonafide. In such case the lowest tender shall be determined from amongst the valid/bonafide bids only. Accepting Officer may decide whether to re-tender or consider the lowest bonafide tender for acceptance.

13. Revoking the offer or revising the rates upward or offering voluntary reduction by the lowest tenderer after opening of Cover 2 shall be considered as a willful default. For this default a penalty of an amount equal to Earnest Money shall be levied. In case of an un enlisted tenderer, Earnest Money deposited by him shall be forfeited. In caseof MES enlisted tenderer having deposited the Standing Security Bond, an amount equal to the earnest money stipulated in the NIT, shall be notified to the tenderer for depositing through MRO and consideration of such tendererin tender evaluation for future works shall remain suspended till the aforementioned amount is deposited in the Government Treasury. No other disciplinary/administrative action shall be taken against such tenderers. In such a situation, the next lowest offer shall not be considered for acceptance. Instead, retendering shall be resorted to in a transparent and fair manner and the defaulting tenderer and his related firm if any, shall not be eligible for this tender in second call or subsequent calls.

14. Tender to related firms shall not be issued simultaneously. Firms shall be termed as related if Proprietor/oneor more Partners/Directors are common. Decision of Accepting Officer on issue/ deny the tender to any one of the related firms shall be final and binding.

Signature of Contractor

AGE (Contracts)
For Accepting Officer

Case No : **8393**/ /E8
Garrison Engineer
Khatipura Road, Jaipur-12
Dated : Mar 2024

MILITARY ENGINEER SERVICES

(IN LIEU OF IAFW-1779-A (REVISED)

TO BE USED IN CONJUCTION WITH GENERAL CONDITIONS
OF CONTRACTS (IAFW-2249)

Tele : 2352021

Garrison Engineer
Military Engineer Services
Khatipura Road
Jaipur – 302012

8393/ /E8

11 Aug 2025

SPL REPAIRS OF 03 X LED DOUBLE DOMED SHADOW LESS CEILING HANGED OPERATING LIGHTS IN OT OF MH JAIPUR UNDER ZONE-II AREA AT JAIPUR MIL STN

1. Shri/S'Shri_____ of _____ is/are hereby authorized to tender for the above work. The tender is to be uploaded in the www.defproc.gov.in site before the date and time given in the www.defproc.gov.in portal.

2. All correspondence concerning this tender will be addressed to as indicated at the top of this sheet quoting the reference as given above.

"THE PRESIDENT OF INDIA DOES NOT BIND HIMSELF TO ACCEPT THE LOWEST OR ANY TENDER".

SIGNATURE OF CONTRACTOR

SIGNATURE OF OFFICER ISSUEING THE TENDER DOCUMENTS
Appointment: GE Jaipur

SCHEDULE 'A' NOTES

SCOPE OF WORK : The work required to be completed under said tender is all as described in Schedule 'A' items and all as specified in particular specifications, drawings and general specifications. This work comprises of the following sanctioned work:-

(i) Job No : 33/SR/61SA/BLDG/2023-24/Q3W: Special repairs of 03 x LED double domed shadow less ceiling hanged operating lights in operation theatre of MH Jaipur under zone-II area at Jaipur Mil Stn

NOTES :-

1. Tenderer is required to quote his unit rates against each items of schedule of Works (BOQ)

2. The tender rates shall be deemed to be subject to all special conditions and all preambles as given in the MES standard schedule of Rates Part-II – 2020 and also all preambles of schedule of work unless specifically mentioned to the contrary in any item of schedule of Works (BOQ) or in the special conditions of particular specifications.

3. The items of Schedule of works shall be read in conjunction with the particular specifications, drawings and specifications given in SSR Part-I (2009).

4. **PERIOD OF COMPLETION** : Period of completion for the entire work under this contract shall be **180 days** from the date of handing over site mentioned in the WORK ORDER NO 1.

5. Unit rate to be quoted by the tenderer shall be deemed to include for any minor details of construction/minor accessories which are obviously and fairly intended which might not have been referred to in these tender documents but which are essential for the execution and entire completion of the work. The decision of the Accepting Officer as to what constitutes minor details of construction/minor accessories shall be final and binding.

6. Unless otherwise indicated unit rates quoted in Schedule of Works (BOQ) shall be deemed to include for labour and material/supply and fix and testing etc complete.

7. All quantities mentioned in Sch of Works (BOQ) are approximate and are inserted as guide only. They shall however, not be varied beyond the limits laid down in condition 7 of IAFW-2249.

8. Irrespective of mentioned herein after the unit rate(s) quoted shall be deemed to be inclusive of all Taxes, Duties, Royalties, Octroi and other levies payable under the respective statues including GST (Goods & Service Tax) on works contract, Turnover Tax, Labour Welfare Tax etc. on last date of submission of electronic bids.

9. Site for execution of work will be available as soon as the work is awarded. In case it is not possible to make the entire site available on the award of work, the contractor will have to arrange his working program accordingly. No claim whatsoever, for not giving entire site on award of work and forgiving site gradually, will be tenable.

10. Wherever occurs in tender documents and IAFW-2249 (General conditions of Contracts) Sch 'A"/Schedule 'A" amended to read as 'Schedule of Works".

11. Wherever any type of soil mentioned in tender documents shall mean average of soft/loose soil and hard/dense soil. The contractors shall quote his rates accordingly.

SCHEDULE 'A' NOTES (Contd…)

12. The contract sum shall be arrived at after deducting amount of schedule of credit from the total quoted amount.

13. In case of repetition/duplication of any item in BOQ, the minimum rates quoted by the contractor shall be applicable for payment purpose and contractor shall not be claimed on this account.

14. In case, the contractor does not quote rate against any item or items in any particular part of BOQ, for which he has quoted the tender, the rate will be treated as Rs 0.00 (Rupees Zero only). The contractor shall execute the work against such items of the particular part of schedule without any cost to Govt minimum upto the extent quantities inserted in BOQ.

15. In case of any class of works for which there is no specification in the tender documents including SSR, such work shall be carried out in accordance with Indian Standard specification, where Indian Standard specification do not cover the same the work should be carried out as per standard Engineering practice subject to the approval of the GE and otherwise as per local practice.

16. The contractor shall make precautionary measures not to damage existing assets to the extent possible. If it becomes inevitable to execute the work, he shall make good disturbed/damaged surfaces/Assets to match with the existing without any extra cost to the Government.

17. The rate quoted by the tenderer shall be inclusive of all types of taxes, levies including GST, labour welfare tax etc as prevailing on the bid submission end date. Certain taxes such as central excise duty, service tax, additional custom duty, state level value added tax, octroi and other levies which were applicable on interstate transportation of goods are subsumed by GST, thus special condition Clause 21 for Reimbursement/refund on variation in taxes directly related to contract value of tender shall be deemed to be amended incorporating GST in lieu of taxes mentioned in the condition but subsumed by GST.

18.. Schedule of this contract consisting as under :-

(a) Schedule of items, refer BOQ sheet in Excel format. (to be quoted by Contractor in BOQ)

(b) Credit Schedule

(Signature of Contractor) For Accepting Officer

SCHEDULE OF CREDIT

Ser No	Brief Specification of Items	A/U	Qty	Rate	Amount
1	U/s Domed light	Each	3.00	3500.00	10500.00
Total of Schedule of Credit carried over to General Summary (Below)				**Rs.**	**10,500.00**

Note :-

1. Quantities given in Column 4 of SCHEDULE of CREDIT are tentative and recovery for CREDIT amount shall be affected as per work done. Materials obtained from dismantling/demolition/taking down as listed here-in-before (except those specified for reused in the work) shall become contractors property and shall remain under custody of Engineer-in-Charge till completion of the whole work. Contractor shall remove the materials from the site after completion of the contract to the entire satisfaction and with prior permission of the Engineer-in-Charge.
2. For purpose of recovery the measurement shall be the same as the net measurements for taking down/ dismantling /replacement.
3. Unit rates catered under Col 5 of schedule of credit are firm and shall not be changed under any circumstances. Accordingly, Contractor will quote their unit rate in the tender considering this element. No claim/nothing extra will be admissible to the contractor on this account and/or any price adjustment in the quoted unit rate shall be made at a later date.
4. Materials obtained from demolition dismantling taking down taking up taking out etc which are not listed in the SCHEDULE of CREDIT will be deposited to MES stores Yard and stacked neatly and/or Disposed off out side MOD land including loading Unloading Spreading and leveling at the destination with prior written permission all as directed by the Engineer-in-Charge without any extra cost to the department.

1.	Total of Schedule 'A'	:	Rs. _____
2	Deduct schedule of credit (-)	:	**Rs. 10,500 (Minus)**
3.	Net contract Sum	:	Rs. _____

(Signature of Contractor) For Accepting Officer

SCHEDULE 'B'

ISSUE OF MATERIALS TO THE CONTRACTOR

(See condition 10 of IAFW-2249 General Condition of Contracts)

Ser No	Particulars	Rate on which stores will be issued to the contractor		Place of issue (by name)	Remarks
		Unit	Rate		

----------NIL----------

SCHEDULE 'C'

LIST OF TOOLS AND PLANTS : (OTHER THAN TRANSPORT) WHICH WILL BE HIRED TO THE CONTRACTOR)

(See condition 15, 34 and 35 of IAFW-2249)

Srl No	Qty	Particulars	Details of MES crew supplied	Hire charges per unit per working day Rs. P	Stand by charges per unit per off day Rs. P	Place of issue by name	Remarks
1	2	3	4	5	6	7	8

----------NIL----------

SCHEDULE 'D'

TRANSPORT TO BE HIRED TO THE CONTRACTOR

(See condition 16 and 35 of IAFW-2249)

Srl No	Qty	Particulars	Rate per unit working day Rs. P.	Place of issue by name	Remarks
1	2	3	4	5	6

----------NIL----------

(Signature of contractor) For Accepting Officer

(In lieu of IAFW-1779-A) (Revised 1955)

TENDER

THE PRESIDENT OF INDIA
Having examined and persued the following documents : -

1. Specifications signed by the GE Jaipur.

2. Drawings detailed in the specifications.

3. Schedule `A', `B', `C' and `D' attached hereto.

4. MES standard schedule of rates 2009 (Part-I) 'specifications' with amendment No 1 to 3 and MES Standard Schedule of Rates 2020 (Part-II) "Rates" together with errata/ amendment 1 to 122 and in IAFW-2249 referred to as the MES schedule.

(i) General Conditions of Contract IAFW-2249 (1989 Print) together with amendment No **1 to 49 and Errata Nos 1 to 20.**

(ii) **WATER** : Condition 31 of IAFW-2249 (General Condition of Contract). The water shall be supplied by MES and shall be paid @ Rs. 3.75 per Rs. 1000/- worth of work done priced at contract rates.

(iii) Should this tender be accepted I /we agree :-

*(a) That the sum of Rs._____ forwarded as Earnest Money shall either be retained as Part of Security deposit or be refunded by the Govt on receipt of the appropriate amount of security deposit all as per condition 22 of IAFW-2249 (1989 reprint).

(b) To execute all the works referred to in the said documents upto the terms and conditions contained or referred to therein and as detailed in General summary here-in-after and to carry out such deviations as may be ordered vide condition 7 of IAFW-2249 upto a maximum of 10% (ten percent) and further agree to refer all disputes as required by condition 70 to the sole arbitration of a serving officer having degree in Engineering or equivalent or having passed final/direct final examination of sub division II of Institution of Surveyors (India) initialed by the Govt of India, to be appointed by Chief Engineer, South Western Command Jaipur or in his absence the officer officiating as Chief Engineer, South Western Command Jaipur whose decision shall be final conclusive and binding.

*To be deleted where not applicable.

TENDER (CONTD..)

(In lieu of IAFW-1779-A)

Signature _____ Name : _____

in the capacity of _____ duly authorized to sing the tender for and on behalf of the

M/S_____(IN BLOCK LETTERS)

Date _____

WITNESSES

M/S_____

Address_____ Postal Address_____

_____ _____

_____ _____

ACCEPTANCE

_____ Alteration (s) have been made in these documents as evidence that these alteration (s) were made before the execution of the Contract Agreement, they have been initialed by the Contractor and _____ **AGE (CONTRACTS)**. The said officer(s) is/are hereby authorized to sign and initial on my behalf the documents forming part of this contract.

The above tender was accepted by me on _____ day of _____ 2025 on behalf of the President of India, at the items rates contained in Schedule 'A' (BOQ).

Signature _____ dated this _____ day of _____ 2025.

APPOINTMENT : GARRISON ENGINEER, JAIPUR
(FOR AND ON BEHALF OF THE PRESIDENT OF INDIA)

GENERAL CONDITIONS OF CONTRACTS (IAFW-2249 : 1989 PRINT)

FOR

~~*LUMP SUM CONTRACTS (IAFW-2159)~~
~~TERM CONTRACTS FOR ARTIFICERS WORKS (IAFW-1821)~~
~~AND~~

MEASUREMENT CONTRACTS (IAFW-1779 & 1779-A)

1. It is hereby agreed by me/us* that the General Conditions of Contract, including Condition 70 pertaining to the settlement of disputes by Arbitration IAFW-2249 (1989 Print) containing 33 pages with errata Nos 1 to 20 and amendment Nos 1 to 49 there to form an integral part of the tender documents.

2. The tender submitted by me/us* is subject to the aforesaid General Condition of contracts in IAFW-2249, an amended copy of which has been supplied to me/us* and is in my/our* possession and which I/We* have read and fully understood, before submission of the tender.

3. My/Our* signature hereunder is in token of my/our* having accepted the aforesaid General Condition of contracts together with Errata and amendments (IAFW-2249 –1989 Print) and the clause relating to Arbitration forming an integral part of this tender.

NOTES :-

(i) These documents are not attached with tender documents however shall form part of Contract Agreement.

(ii) The documents mentioned above can be seen in the office of Garrison Engineer, Jaipur or in any other MES office during working hours.

(iii) In case of difference in interpretation due to wording of English and Hindi Version, the English version will prevail as per article 348 of Constitution of India.

* Delete whichever is not applicable

AGE (Contracts)
For Accepting Officer

Signature of Contractor

Condition 70 of IAFW 2249

1. Arbitration.

(a) Arbitration Where Applicability of Section 12 (5) of the Arbitration and Conciliation Act Has Been Waived Off:-

All disputes, between the parties to the Contract (other than those for which the decision of the CWE or any other person is by the Contract expressed to be final and binding) shall, after written notice by either party to the Contract to the other of them, be referred to the Arbitral Tribunal of a Sole Arbitrator (in case of contract sum less than or equal to Rs 100 Crore) or to Arbitral Tribunal of three Arbitrators (in case of contract sum exceeding Rs 100 Crore) from MoD Panel of Arbitrators .The officers so considered for appointment of Arbitrator. either as sole Arbitrator or for Arbitral Tribunal, shall be having degree in Engineering or equivalent or having passed Final/Direct Final Examination of Sub-Division 11 of .Institution of Surveyor (India)_ or similar other Institutes recognised by the Government of India.

In case of arbitration by Sole Arbitrator, the Arbitrator shall be appointed by the Authority mentioned in the contract document within a period of thirty days of having received the notice from any of the parties to Contract, out of MoD Panel of Arbitrators. In case of Arbitral Tribunal consisting of panel of three Arbitrators, both the parties will be asked by the Appointing Authority to suggest at least two names out of MoD Panel of Arbitrators within thirty days. The Appointing Authority will appoint two Arbitrators, one Arbitrator each out of the suggested names. The two Arbitrators so appointed will select one Arbitrator from the MoD Panel of Arbitrators who will be the 'Presiding Arbitrator'. The Serving Officer(s) so appointed as Arbitrator(s), either as Sole Arbitrator or as one of the three Arbitrators in the Arbitral Tribunal, can continue as Arbitrator even after retirement, provided both the parties to the Contract give written consent to this effect. In such case. However, the Arbitrator shall not be entitled for any fee even after retirement.

(b) Arbitration Where Applicability of Section 12 (5) of Arbitration & Conciliation Act Has Not Been Waived Off.

All disputes, between the parties to the Contract (other than those for which the decision of the CWE or any other person is by the Contract expressed to be final and binding) shall, after written notice by either party to the Contract to the other of them, be referred to the Arbitral Tribunal of a Sole Arbitrator (in case of contract sum less than or equal to Rs 100 Crore) or to Arbitral Tribunal of three Arbitrators (in case of contract sum exceeding Rs 100 Crore). The Officers so considered for appointment as Arbitrator, either as Sole Arbitrator or for Arbitral Tribunal, shall be having degree in Engineering or equivalent or having passed Final/Direct Final Examination of Sub Division 11 of Institution of Surveyor (India) or similar other Institutes recognised by the Government of India.

In case of arbitration by sole Arbitrator, the Arbitrator shall be appointed by the authority mentioned in the contract document from the MoD Panel of Arbitrators within a period of thirty days of having received the notice from any of the parties to Contract. In case of Arbitral Tribunal consisting of panel of three Arbitrators, both the parties shall be asked by the Appointing Authority to suggest at least two names out of MoD Panel of Arbitrators within thirty days. The Appointing Authority will appoint two Arbitrators, one Arbitrator each out of the suggested names. The two Arbitrators so appointed shall select one Arbitrator from the MoD Panel of Arbitrators who will be the 'Presiding Arbitrator'.

(c) Common For All Arbitration.

Unless both parties agree in writing, such reference shall not take place until after the completion or alleged completion of the works or termination or determination of the contract under Condition Nos 55, 56 and 57 hereof.

Provided that in the event of abandonment of the works or cancellation of the Contract under Condition No 52, 53 or 54 hereof, such reference shall not take place until alternative arrangements have been finalized by the Government to get the works completed by or through any other Contractor or Contractors or Agency or Agencies.

Provided always that commencement or continuance· of any arbitration proceeding hereunder or otherwise shall not in any manner militate against the Government's right of recovery from the Contractor as provided in Condition 67 hereof.

If the sole Arbitrator or one or more Arbitrators of the Arbitral Tribunal so appointed resign(s) from his/her appointment or vacate(s) his/her office or in unable or unwilling to act due to any reason whatsoever, the Authority appointing him/her will appoint a substitute Arbitrator to act in his/her place in the manner specified hereinabove. In case the Arbitrator resigning in this manner is the Presiding Arbitrator, the other two Arbitrators of the Arbitral Tribunal shall appoint the substitute Presiding Arbitrator.

The Arbitral Tribunal may proceed with the arbitration, exparte, if either party, inspite of a notice from the arbitrator fails to take part in the proceedings.

The Arbitral Tribunal may from time to time with the consent of the parties, enlarge the time for making and publishing the award subject to the limit laid down in the Arbitration & Conciliation Act 1996 as amended upto the date on which arbitration proceedings commence.

The Arbitral Tribunal shall make the award within the period as provided in the Arbitration & Conciliation Act 1996 (as amended upto the date oh which arbitration proceedings commence) from the date of entering on the reference or within the extended period as the case may be on all matters referred to it and shall indicate findings along with sums awarded separately on each individual item of dispute. The Arbitral Tribunal shall give reason for the award in each and every case irrespective of the value of claims or counter claims.

The venue of Arbitration shall be such place or place or places as May by fixed by the Arbitral Tribunal in its sole discretion.

The Award of the Arbitral Tribunal shall be final and binding on both parties to the Contract.

SCHEDULE OF MINIMUM WAGES

It is hereby agree that the 'Schedule of Minimum Wages' as published by Government of India or Provincial Governments notification whichever is higher issued up to date of submission of tender shall form part of these tender documents.

My/our signature hereunder amounts to my/our having signed the aforesaid documents forming part of tender.

My/our signatures hereunder amounts to my/our having read and understood the provisions contained therein and I/we agree that I/We shall abide by the same and that aforesaid documents shall form of tender documents**.**

AGE (Contracts) Signature of Contractor
For Accepting Officer

SPECIAL CONDITIONS

1. **GENERAL**. These special conditions shall be read in conjunction with the general conditions of contracts (IAFW-2249) and IAFW- 1779A including errata and amendments thereto. Any provisions in these special conditions if, at variance with the provision in the above mentioned documents shall be deemed to take precedence there over .

2. **VISIT TO SITE OF WORK**. Reference para 8 and 11 of notice of tender (IAFW-2162) and condition 4 of IAFW-2249. The tenderer shall be deemed to have satisfied himself before submitting his tender, as to the nature of the ground and substrata soil of (as far as practicable), the climatic conditions, the form and nature of the site, nature of work and means of access to the site, the accommodation he may requires, and in general shall be deemed to have himself obtained all necessary informations on inspection of site as to risks, contingencies and other circumstances which may alter his tender. No extra payment consequent to any mistake, or mis-understanding or otherwise on this account will be allowed.

3. **OTHER AGENCIES**. Contractor's attention is invited to the fact that during the currency of this contract, works on other services which are outside the scope of work of this contract may be entrusted for execution of other agencies. The contractor shall permit full access and afford all facilities for such other agencies or departmental workman, if any, engaged by Govt to carry out their part of work in the area. No extra payment shall, however, be made to the contractor on this account whatsoever.

4. **EMPLOYMENT OF PERSONNEL**

(a) Contractor shall employ only Indian Nationals as his representatives, servants and workmen and verify their antecedents and loyalty. He shall ensure that no person of doubtful antecedents and nationality is in any way associated with the work. If for the reasons of technical collaboration or other considerations the employment of foreign national (s) is unavoidable the contractor shall furnish full particulars to this effect to the Accepting Officer at the time of submission of the tender, As a proof that the contractor has employed only Indian Nationals he shall render a certificate to GE within one month from the date of acceptance of tender to this effect. In case the GE desires contractor will have the police verification done of personnel employed by him.

(b) The GE shall have full powers and without giving any reason to order the contractor immediately to cease to employ, in connection with his contract any agent servant or employee whose continued employment is in his opinion undesirable. The contractor shall not be allowed any compensation on this account.

(c) The contractor's attention is also drawn to condition 25 of IAFW-2249 in this connection.

(d) Verification of antecedents contractors representative/labour deployed at site in connection with execution of work under the contract, as per security requirement of user unit/installation shall be the responsibility of the contractor and all expenses in connection with verification of antecedents by police authority/security agency shall be borne by the contractor.

5 **SECURITY OF CLASSIFIED DOCUMENTS**. Contractor's special attention is drawn to condition 2-A and 3 of general conditions of contracts (IAFW-2249). The contractor shall not communicate any classified information regarding works either to sub contractor or others without prior approval of the Engineer-in-Charge. The contractor shall also not make copies of the design/drawings and other documents furnished to him in respect of works and he shall return all documents on completion of the works or on earlier termination of the contract. The contractor shall alongwith final bill attach a receipt from the Engineer-in-Charge in respect of his having returned the classified documents as per condition 3 of general conditions of contracts (IAFW-2249).

SPECIAL CONDITIONS (CONTD…)

6 **ACCEPTANCE OF TENDER**. The tender shall remain open for acceptance for a period of 60 days from the date specified for its submission.

7. **CRITICAL PATH METHOD CPM WORK**.

(a) The time and progress chart to be prepared as per conditions 11 of general conditions of contracts (IAFW-2249) shall consist of detailed network analysis and a time schedule. The critical path network will be drawn jointly by the GE and contractor soon after acceptance of tender. The time scheduling of the activities will be done by the contractor so as to finish the work within the stipulated time. On completion of the time schedule a firm calender date schedule will be prepared and submitted by the contractor to GE, who will approve it after his scrutiny. The schedule will be submitted in four copies within two weeks from the date of handing over site.

(b) During currency of the work the contractor is expected to adhere to the time schedule and this adherence will be a part of the contractor's performance under the contract. During the execution of work contractor is expected to participate in the review and updating of the network, undertaken by the GE. These reviews may be undertaken at his discretion of the GE either as a periodic appraisal measure or when the quantum of work ordered on the contractor is substantially changed through deviation orders or amendments. Any revision of the schedule as a result of the review, will be submitted by the contractor to GE within a week who will approve it after due scrutiny. The contractor will adhere to the revised schedule thereafter. In case of contractor disagreeing with the revised schedule the same will be referred to the Accepting Officer whose decision will be final, conclusive and binding. GE's approval to the revised schedule resulting in a completion date beyond the stipulated date of completion shall not automatically amount to a grant of extension of time. Extension of time shall be considered and decided by the appropriate authority mentioned in condition 11 of (IAFW- 2249) and separately regulated.

(c) Contractor shall mobilise and employ sufficient resources to achieve the detailed schedule within the broad frame work of the accepted methods of working and safety.

(d) No additional payment will be made to the contractor for any multiple shift work or other incentive method contemplated by him in his work schedule even thought the time schedule is approved by the Department.

8 **SAMPLES OF MATERIALS AND INDIAN STANDARDS**.

(a) In case where materials are specified to conform to samples the tenderer is advised to inspect samples of the materials which are displayed in the office of the GE before submitting his tender. The tenderer shall be deemed to have inspected the samples and satisfied himself so as to the nature and quality of materials he is required to incorporate in the work irrespective of whether he has actually inspected them or not. The materials to be incorporated in the work by the contractor, shall conform to or shall be superior in quality to the sample displayed and shall comply with the specifications given here-in-after.

(b) The contractor shall produce sample of materials and get them approved by the GE before commencement/ incorporation in the work.

(c) Contractor shall provide items/articles from the firms mentioned in particular specifications. Where a firm listed in particular specifications is manufacturing both ISI/non ISI marked materials, only ISI marked items/articles shall be provided. In case of material which are not manufactured ISI marked, the same shall produce sufficient proof to satisfy that there items/articles are conforming to relevant IS or superior to IS.

SPECIAL CONDITIONS (CONTD…)

9. **RECORD OF MATERIALS AND PURCHASE VOUCHERS**:-

(a) The quantity of materials such as cement steel paints and the like as directed by the Engineer-in-Charge (the quantity of which cannot be checked after incorporation in the works) shall be recorded in measurement books and signed by the contractor and the Engineer-in-Charge as a check to ensure that the required quantity has been brought to site for incorporation in the work.

(b) Materials brought to site shall be stored as directed by the Engineer-in-Charge and those already recorded in Measurement book shall be suitably marked for identification.

(c) Contractor shall produce vouchers/invoices from the manufactures and/or their authorized agents for the full quantity of materials as applicable as a pre requisite before submitting claims for payment for advances on account of the work done and/or materials collected in accordance with condition 64 of General Conditions of Contracts IAFW-2249.

(d) The contractor shall on demand produce to the GE and original receipted vouchers/invoices in respect of the materials other than as stated in sub Para (c). Vouchers/invoices so produced and verified shall be stamped by the materials are brought to site, in original sealed contractor shall ensure that manufacturers marking except. In the case of the requirement of materials (s) being less than smallest packing.

(e) The vouchers/invoices will clearly indicate the contract number and the IS No specific alternative to which the material conforms in case of various alternative in IS.

10. QUARRIES. Reference condition 14 of IAFW-2249. Quarries are not available on Defence land for use by the contractor

11. **RELEASE OF ADDITIONAL SECURITY DEPOSIT.**

Refer condition 22 and 68 of IAFW-2249.

The contractor in case he has to deposit additional security for the contract, is advised to deposit the additional security in two equal parts so as to facilitate release of additional security in accordance with condition 68 of IAFW- 2249.

SPECIAL CONDITIONS (CONTD…)

12. **AVAILABILITY OF LAND FOR STORAGE OF MATERIALS/TEMPORARY WORKSHOP OFFICE (REFERENCE CONDITION 24 OF IAFW-2249)**

Delete the following in para 1 of condition 24 of IAFW-2249, "In the event of.....areas of land allotted to him" and following shall be read in conjunction with condition 24 of IAFW-2249.

The contractor shall be permitted to store his materials including erection of temporary sheds thereof and also to erect his temporary workshop and the like at the area of land marked for the all purpose on the site plan free of rent if it is on class A1 land. For other types of land he shall be charged a license fee of Rs 1/- per year or part of year for each and every separate area of land allotted to him.

Reference condition 24 of IAFW-2249. No land will be allotted for labour camp and canteen

13. **Minimum Wages Act 1948 and Fair Wages:-** The contractor shall pay not less than the fair wage as defined below or the minimum wage fixed under the Minimum Wages Act, whichever is higher to labourers engaged by him to the work (condition 58 of IAFW-2249 (General conditions of Contracts refers). The contractor shall not pay wages lower than minimum wages for labour as fixed by the Government of India/State Government/Union territory, whichever is higher. The contractor shall notwithstanding the provisions of any contract to the contrary, has to pay ' fair wage' or minimum wage fixed under the Minimum Wages Act, whichever is higher to labourers indirectly engaged on the work, including any labour engaged by his sub contractors in connection with the said work, as if the labourers had been directly employed by him. " **Fair Wage'** means whether for time or piece work notified at the time of inviting tenders for the works and where such wages have not been so notified the wages prescribed by the Chief Engineer for the stations at which the work is done."

13.01 **The employees Provident funds & Miscellaneous Provisions (EPF & MP) Act, 1952.** The implementation of EPF & MP Act, 1952 in MES has been instructed vide E-in-C's Branch letters No 66546/Manual/77/E8 dated 06 Nov 2015 and No 66546/Manual/677/E8 dated 30 Nov 2016, containing the provision :- "that the contractor shall have Provident Fund Code Number (PFCN), the contractor shall produce the copy of PFCN to GE before acceptance of tender and the contractor shall also ensure compliance of the EPF & MP Act, 1952 by the sub- contractors, if any engaged by the contractor for the said work".

13.02 **The Building and other Construction workers Welfare Cess Act 1996.** The cess as per The building and other construction workers welfare Cess Act 1996' shall be deducted, as notified by respective State Government from payments to contractors.

13.03 **Payment of Wages Act, 1936** (i) The amendment to payment of Wages Act, 1936 Act, issued in the Gazette Notification dated 15 Feb 17 states 'All wages shall be paid in current coin or currency notes or by cheque or by crediting the wages in the bank account of the employee " .Crediting of wages directly in bank account of the employee may preferably be adopted over the modes of payment of wages. This provision would make it easy to verify and ensure that minimum/due wages are paid to the employees and their social security rights are protected, leaving little room forcomplaints/litigations at a later date.

(ii) Mode of Payment . The payments will be made to the employees by the contractor. Where the employee insists on being paid in coins or currency notes or by cheque, the same will not be denied. An undertaking may be obtained from such employees. However, efforts shall be made to educate the employees on benefits of bank/digital payments and pursue with the individuals to shift towards banking system/digital modes.

SPECIAL CONDITIONS (CONTD…)

13.04 The contractor shall fully comply with the provisions contained in the above regulations. The GE during his visit to the sites shall specifically check that the contractor is complying with the labour laws and rules and should there be any shortcomings, action is taken to rectify the same. The CWE also during the inspections of works shall examine this aspect and satisfy themselves about the compliance of the labour Laws by the Contractors. GE being the Principal employer shall ensure payment of minimum fair wages to labourers engaged by contractors by verifying the same from Muster Rolls.

13.05 Vis-à-vis the Government, the contractor shall be primarily liable for all payments to be made under and for observance of the Regulations aforesaid without prejudice to his right to claim indemnity from his sub-contractors. The GE shall have the right to deduct from the payment due to the Contractor, any sum required for making good the loss suffered by a worker or workers by reason of non fulfillment of the Conditions of the contract for the benefit of the workers, non payment of wages or of deductions made from his or their wages, which are not justified by the terms of the Contract or non-observance of the Regulations.

13.06 The GE shall take prompt action in rectifying irregularities notified by the Inspecting officers. In case of non-payment or short payment of fair wages to the workers by the contractors, he shall take prompt action by recovering the amount notified by labour Officer and paying the same to workers. Amount of unpaid wages with held from contractors bills should be paid to the labourers concerned within 60 days from receipt of report from the labour Welfare Officer/Regional Labour Commissioner.

13.07 EPFO MOL vide their letter No CAIU/011(33) 2015/HQ/Vol-II dated 02 Feb 2017 have been circulated vide a letter of Additional CPFC-II containing the under mentioned provisions, which shall be strictly complied with:-

(i) It shall be ensured by the contractor that his firms is registered with EPFO before awarding the Contract. After award of the contract the contractor details shall be entered in the EPFO portal.

(ii) Payments due to contractor shall be made only after verifying that the statutory PF payments have been made to EPFO. This can be verified either directly from the EPFO portal or insisting on a payment receipt obtained by the contractor from the EPFO portal while making payment.

13.08 Submission of proof of crediting the wages in the bank account/payment made to the employees by the contractor, shall be a pre-requisite to enable the GE to release subsequent payments to contractors. The registered contractor shall also provide the details of individual's EPF and ESI account number to claim the payment and the contract executing authority will ensure verification of the same from time to time.

14. **OFFICIAL SECRETS ACT.**

The contractor shall be bound by the official secret act 1923.

SPECIAL CONDITIONS (CONTD…)

15. **WATER SUPPLY (REFER CONDITION 31 OF IAFW 2249)**

If the contractor does not buy water from MES piped sources he is required to indicate his intention in covering letter to his tender failing which it will be deemed that he will buy water from MES. In case he desires not to buy water from MES, he will make his own arrangement for the water at his own cost from source(s) outside defence premises and no claim whatsoever shall be admissible on this account. In case contractor buys MES water for use in the work, the water will be available subject to following:-

(a) The contractor shall be charged for the water supply by MES for use in the work and by his workman / employee at the rate of Rs.3.75 per Rs 1000 worth of work done priced at contract rates.

(b) Point of supply, if not indicated in site plan, the same shall be decided by the GE. However, the location of such point of supply shall be within the parameter of site of work or near to the site of work but in no case farther than 200 metres from nearer site point as decided by the GE. Cost of supply of water at point stated above shall be borne by MES. Beyond that it will be responsibility of the contractor to make arrangement as described in para 2 of condition 31 of IAFW-2249.

(c) Size of ferrule at the point of supply shall be 15mm bore unless otherwise indicated in site plan.

(d) Unless indicated in site plan or elsewhere in the tender documents duration of water supply from MES point will be generally as under:-

(i) Two hours in the morning
(ii) One hours in the evening/night.

No claim however shall be admissible, if there is breakdown of water supply in the MES system or change in timing of supply of water. Storage of water will be contractor's responsibility without extra cost to MES. Water may be supplied by MES even earlier/later than the working hours observed by the contractor.

16. **CONDITIONS OF WORKING (RESTRICTED AREA)**

(a) The work lies in RESTRICTED AREA. However, the contractor, his agents, servants, work people and vehicles may pass through the unit lines in which case the Engineer-in-Charge shall at his discretion have the right to issue passes, control their admission to the site of work or any part thereof. The contractor shall on demand by the Engineer-in-Charge submit a list of personnel. etc, concerned and shall satisfy the Engineer-in-Charge as to the bonafides of such people. Passes shall be returned at any time on demand by the Engineer-in-Charge and in any case on completion of work. Routine security checks can be carried out including checks at the time of entry / exits through unit lines.

(b) The contractor and his working people shall observe all the rules promulgated from, the authority controlling the area in which the work is to be carried out for e.g prohibition of smoking lighting and fire precaution, restricted hours of working etc. Any person found violating the security rules laid down by the authority, shall be immediately expelled from, the area without assigning any reasons whatsoever and the contractor shall have no claim on this account. Nothing shall he admissible for any man hours lost on this account.

17. **LOCATION OF BUILDING AND WORKS**

There may be some changes in location/sitting of building shown in site(layout) plan (s) to suit local conditions and/or departmental requirements. The contractor shall have no claim what so ever consequent to such changes in the location/siting of works.

SPECIAL CONDITIONS (CONTD…)

18. **WATCH/LIGHTING/SAFETY**

The contractor shall at his own cost take all possible precautions to ensure safety of life and property by providing necessary fencing barrier, Night watchmen etc during the progress of work and as directed by the Engineer-in-Charge. The contractor shall arrange uniform for all staff working at site for identification of contractors worker. The pattern and color of uniform shall be decided by local security authority in Military Station in consolation with Engr-in-Charge and as approved by GE. Owing to this clause on uniform, contractor/supervisor will ensure that there is no breach of security in complex. This uniform will not be worm unless on duty with in complex. Any failure on this part will attract legal & Penal action. .

19. **CLEANING DOWN**

Refer Condition 49 of IAFW-2249

The contractor shall clean whole premises neat and tidy to the entire satisfaction of Engineer-in-Charge before handing over the items/works no extra payment shall be admissible to the contractor for this operation. The contractor shall clear entire site of work as per satisfaction of Engr-in-Charge. The contractor will submit a certificate duly signed by JE and countersigned by Engr-in-Charge that entire site has been cleared and all excavated materials, unserviceable materials, demolished materials obtained from demolition and rubbish, have been removed from the site to outside MOD land..The final completion of contract shall only be issued by GE after physical verification and confirmation of site clearance as confirmed by contractor in his letter for issue of completion.

20. **RETENTION MONEY/COMPENSATION FOR DELAY**

Refer condition 64 and 50 of IAFW-2249.

For the purpose of calculating retention money under condition 64 of IAFW-2249 and compensation for delay under condition 50 of IAFW-2249, the value of contract as revised by price variation shall be taken in to account.

21. **SPECIAL CONDITION FOR REIMBURSEMENT/REFUND ON VARIATION IN "TAXES DIRECTLY RELATED TO CONTRACT VALUE**

(a) The rates quoted by the contractor shall be deemed to be inclusive of all taxes (including GST, Sales tax/VAT on materials, sales tax/VAT on works contracts, turnover tax service tax, Labour welfare cess/tax etc), duties, Royalties, Octroi & Other levies payable under the respective statutes. No reimbursement/refund for variation in rates of taxes, duties, Royalties, Octroi & other levies, and /or imposition/abolition of any new/existing taxes, duties, Royalties, Octroi & other levies shall be made except as provided in sub Para (b) herein below.

(b) (i) The taxes which are levied by Government at certain percentage rates of contract sum/amount shall be termed as "taxes directly related to contract value" such as sales tax/VAT on works contracts, turnover tax, service tax Labour welfare cess/tax and like but excluding income tax. The tendered rates shall be deemed to be inclusive of all "taxes directly related to contract value" with existing percentage rates as prevailing on last due date for receipt of tenders. Any increase in percentage rates of "taxes directly related to contract value" with reference to prevailing rates on last due date for receipt of tenders shall be reimbursed to the contractor and any decrease in percentage rates of "taxes directly related to contract value" with reference to prevailing rates on last due date for receipt of tenders shall be refunded by the contractor to the Govt/deducted by the Govt from any payments due to the contractor. Similarly imposition of any new "taxes directly related to contract value" after the last due date for receipt of tenders shall be reimbursed to the contractor and abolition of any "taxes directly related to contract value" prevailing on last due date for receipt of tenders shall be refunded by the contractor to the Govt/ deducted by the Govt from the payments due to the contractor.

SPECIAL CONDITIONS (CONTD…)

(ii) The contractors shall within a reasonable time of his becoming aware of variation in percentage rates and/ or imposition of any further "taxes directly related to contract value" give written notice thereof to the GE stating that the same is given pursuant to this Special Condition, together with all information relating thereto which he may be in a position to supply. The contractors shall also submit the other documentary proof/information as the GE may require.

(iii) The Contractor shall, for the purpose of this condition keep such books of account and other documents as are necessary and shall allow inspection of the same by a duly authorised representative of Government, and shall further, at the request of the GE furnish, verified in such a manner as the GE may require, any documents so kept and such other information as the GE may require.

(iv) Reimbursement for increase in percentage rates/imposition of "taxes directly related to contract value" shall be made only if contractors necessarily and properly pays additional "taxes directly related to contract value" to the Government, without getting the same adjusted against any other tax liability or without getting the same refunded from the concerned Government Authority and submits documentary proof for the same as the GE may require.

22 **Refund of Performance Security**

The Performance Security Deposit mentioned in condition 19 of IAFW-2249 may be refunded to the contractor after the expiration of the defects liability period (vide condition 46 of IAFW-2249) by the GE provided always that the contractor shall first have been paid the final bill and have rendered a No- Demand Certificate (I.A.F.W.-451).

23 TESTING. Unless otherwise specified in these tender documents, the cost of all tests shall be borne by the contractor. In case any implementation and equipments for the testing at site of work are required, the same shall also be provided by the contractor without any extra cost to the Govt.

24 **DEFECT LIABILITY PERIOD**

The defect liability period shall be Twenty Four calender months (24 months) and shall be commenced after completion of whole contract as certified by the GE in completion certificate. In this connection ref condition 46, Para (a) to (d) of IAFW-2249 General condition of contracts.

25 **ELECTRICAL LICENSE**

(a) Contractor will not be allowed to execute the work by subletting of through power of attorney holder on his behalf to a third party/ another firm except sons/ daughters of proprietor/ partner/ Director and firm's own employees, director, Project Manager. This shall be subject to certain conditions, which will be prescribed in the NIT forming part of the tender documents.

(b) Prior to commencement of electrical work/electrical component of works and other works as mentioned in BOQ, copy of valid Electrical License in the name of the contractor or copy of agreement with agency having valid Electrical License alongwith Agency's Electrical License shall be submitted by the contractor to the Accepting Officer. In case contractor does not possess valid Electrical License and he intends to get such work executed through agency having valid Electrical License and with whom he has agreement prior approval of such agency shall be got done from HQ CWE Jaipur. Copy of License shall be kept on record by GE/AGE for further reference.

(c) In addition, Supervisor for execution of electrical works/electrical component of works employed by the contractor shall possess. Supervisor Certificate of competency issued by concerned State Govt/Union Territory and the worker/ tradesmen for execution of electrical works/electrical component of works shall hold necessary permit issued by concerned State Govt/Union Territory.

(d) Reference of Electrical License and details of Supervisor's Certificate of Competency and permit of tradesman employed for execution of electrical wok/electrical component of works shall be duly incorporated in the Works Diary and relevant site documents respectively for the whole period during which such works is executed.

(e) If the contractor fail to submit the License/permit necessary action as deemed fit shall be taken against the contractor.

26. NOTE FOR LED ITEMS :-

(a) The amount of security deposit to be held back from the contractors running bill against the guarantee/warranty for LED lights for the specified period **@ 5% (Five percent)** of the contract value of the items. This shall be worked out by AGE and be intimated to the contractor. The amount shall be refunded to him after the expiry of the warranty period.

(b) Alternatively the security deposit, the contractor may give a separate interest bearing security deposit in **favour of GE valid for 5 years for** this amount, should the AGE at any time during execution or prior to the expiration of the warranty period, finds that the LED lights are not working, the contractor shall on demand in writing from the AGE specifying the defects of non-with-standing that the same may have been inadvertently passed/ certified and paid for undertake to carry out the defect/replace the LED lights asany be necessary forthwith at his own expense, till expiry of the warranty period. In the event of fis failure to do so within the specified period (to be specified by the AGE in his demand) the AGE may undertake the same at the risk and expenditure in all respects of the contractor. The liability of the contractor under this condition shall not extend beyond the period of 05 years from the certified date of completion unless the previously given notice to the contractor to rectify the defects.

For Schedule of Credit

27. Tenderers are advised to visit the site of work before quoting their rates of Schedule ‘A’ to ascertain the conditions/ quality of material to be retrieved.

28. Material retrieved shall not be allowed for reuse in the work except indicated in Sch ‘A’.

29. All other retrieved materials which are not covered under Sch of credit shall become Govt. property and contractor shall deposit the same in the store yard of GE at his own arrangement & expenses.

(Signature of contractor) For Accepting Officer

SPECIAL CONDITIONS (CONTD …)

ANNEXURE –I

MATERIALS AND THEIR TESTS IN SITE LAB (A-LEVEL)

SN	Material	Test	Method of testing	Frequency of tests	Rate (in Rs)	Remarks
1	2	3	4	5	6	7
1	Brick	(i) Compressive Strength	IS-3495 (Part-I)	As per IS 5454 as given under	350	Checks for visual and dimensional characteristics shall also be carried out as per IS-5454
		(ii) Water absorption	IS-3495 (Part-II)	Lot size / Sample size / Permissible defective %age of bricks 1001 to 10000 / 5 / 0 10001 to 35000 / 10 / 0 35001 to 50000 / 15 / 1	290	
		(iii) Efflorescence	IS-3495 (Part-III)		350	
2	Coarse aggregate	(i) Sieve analysis	IS-2386 (Part-I)	One test for every 15 Cum of aggregate or part thereof brought to site	230	
		(ii) Flakiness Index	-do-	-do-	180	
		(iii) Estimation of deleterious materials	IS-2386 (Part-II)	One test for every 100 Cum of aggregate or part thereof	230	
		(iv) Moisture content	IS-2386 (Part-III)	Regularly as required	230	
3	Fine aggregate/ M-Sand	(i) Sieve analysis	IS-2386 (Part-I)	One test for every 15 Cum of FA or part when brought to site	350	
		(ii) Test for clay silt and impurity	IS-2386 (Part-II)	-do-	180	
		(iii) Moisture content	IS-2386 (Part-III)	Regularly as required	350	
4	Cement	(i) Setting item test	IS-4031	One test for each/lot/ consignment or as and when required	350	
		(ii) Compressive strength test	-do-	-do-	690	
4A	Structural concrete(M-15 Grade and above) or quality concrete design for flexural concrete	(i) Slump test or compacting factor test or Vee-Bee time	IS-1199	The minimum frequency of sampling of concrete of each grade shall be as under	350	(i) Random sampling shall be carried out conveyer /at mixing unit.
		(ii) Compressive strength	IS-516	Qty of concrete in the work (Cum) / No of sample 1-5 / 1 6-15 / 2 16-30 / 3 31-50 / 4 51 and above additional 50 thereof / 4+1for each Cum or part	230	(ii) Ref IS-456 (1978) clause 14.2 for frequency of sampling. (iii) One sample constitute 7 Cubes/ beams, 03 to be tested at 7 days, 3 at 28 days and balance 1 shall be preserved at least one year after the completion of work (iv) Cubes/beams shall be marked with sample number & date of casting.

SPECIAL CONDITIONS (CONTD …)

ANNEXURE –II

MATERIALS AND THEIR TESTS IN SITE LAB (B-LEVEL)

SN	Material	Test	Method of testing	Frequency of tests	Rate (in	Remarks
1	2	3	4	5	6	7
1	Coarse A aggregate	Specific gravity	IS-2386 (Part-II)	One test for each source of supply.	230	
2	Fine aggregate	Specific gravity	IS-2386 (Part-III)	One test for each source of supply.	350	
3	Burnt clay roofing tiles (hand made)as per IS-2690 (Part-II) length 150-250 mm width 100-200mm thickness 35 to 50mm	Water absorption	IS-3495 (Part-II)	6 tiles out of 12	420	Samples 12 tiles from each source of supply selected at random
4	Timber	Specific gravity and weight	IS-1708-1960	Maximum three samples from a lot of 4 Cum or 250 pieces of seasoned timber.	230	
5	Water for construction purpose	(a)Test for acidity	IS-456& 3025	Once at the stage of approval of source of water	460	Also refer clause 43 of IS-456 and its Subsequent sub clause regarding suitability of water.
		(b) Test for alkalinity	IS 456 & 3015	Once at the stage of approval of source of water.	460	
6	Ply wood	Moisture contents	IS-1734-1983 (Part-I)	Six tests pieces out from each of the boards selected as per table shall be subjected to tests.	230	
7	Wood particle board (Medium density) IS 3097-1085	(a) Modulus rupture	IS-2380 of 1977 (Part-4)	Three test specimens as per IS-2380-1977	180	Sample shall be as per IS 3087-83 class with moisture meter.
		(b) Moisture content	-do- (Part-III)	Three test specimens from Each sample (size 150 x 75mm).	120	-do-

SPECIAL CONDITIONS (CONTD …)

ANNEXURE –III

MATERIALS AND THEIR TESTS IN NATIONAL TEST HOUSE/SEMT WING/ENGG COLLEGE (C-LEVEL)

SN	Material	Test	Method of testing	Frequency of tests	Rate (in Rs)	Remarks
1	2	3	4	5	6	7
1	Coarse aggregate	Organic impurities	IS-2386 (Part-II)	One test for each source of supply.	230	
2	Fine aggregate	Test organic impurities	IS-2386 (Part-II)	One test for each source of supply.	350	
3	Cement	(i) Soundness	IS-4031-63 Reaffirms 1988	One for each consignment as and when required.	230	
		(ii) Fineness	-do-	-do-	230	
4	Water for construction purpose	Test for solid content	IS-456& 3025	Once at the stage of approval of source of water	560	Also refer clause 4.3 of IS-456 and sub clause regarding suitability of water.
5	Wood particle board (Medium density) IS 3097	Screw withdrawal strength	IS-2360 (Part-14)	Three test specimens as per IS-2385.	230	Sample shall be as Per IS 7533-1975 table.
6	Plywood (IS-303-1989)	Water resistance test	IS-1734 1983 (Part VI)	Six tests pieces out from each of the boards selected as per table shall be subjected to tests.	460	

(Signature of contractor) For Accepting Officer

PARTICULAR SPECIFICATIONS

1.0 **GENERAL.**

1.1 The work under this contract shall be carried out in accordance with Schedule `A' particular specifications and General Specification and other provisions in MES SSR part-I (2009) and Part-II of 2020 including all amendments and errata thereto.

1.2 The term General specifications referred to herein before as well as referred to in IAFW-2249 (General Conditions of contracts) shall mean the specifications contained in the MES schedule.

1.3 General rules, specifications special conditions and all preamble in the MES schedule shall be deemed to apply to the work under the contract unless mentioned otherwise in these documents, in which care the provisions in these documents shall take precedence over the foresaid provisions in the MES Schedule.

1.4 The item rate quoted by the tenderer shall be deemed to include for any minor details/items of work and/or construction which are obviously and fairly intended and which may not have been included in these documents but which are essential for the execution and entire completion of the work.

1.5 Decision of the Accepting officer as to whether any minor details of work and or construction is obviously and fairly intended to included in the contract shall be final conclusive and binding.

2.0 **SCOPE OF WORK**

2.1 The works included in this contract is caters for works as described in Schedule 'A' and specified in particular specifications. The tenderer are however advised to visit the sites in consultation with GE to ascertain the actual location of work, nature of work, quantum of work etc involved in different locations. However, no claim whatsoever whether the contractor visits the sites or not shall be entertained at any stage.

3.1 CEMENT

3.1.1 **GENERAL :-**
Cement required for the entire work under the concrete shall be procured, supplied and incorporated in the works by the contractor under his own arrangement. Cement shall be of tested quality and shall comply with the requirements mentioned in the drawings, MES Schedules, IS Specification as amended and particular specifications given hereafter.

3.1.2 Type of cement for the subject work shall be Ordinary Port land cement grade 43 (Forty three) in accordance with IS 8112-1989 or Portland Slag cement conforming to IS 455 or Portland Pozzolana cement (PPC) as per IS-1489-1991 (subject to conditions mentioned hear-in-after) at the option of contractor without any price adjustment. Only OPC shall be used in water retaining structures such as OH water tank, static water tank etc, unless otherwise mentioned in structural drawings forming part of the tender documents. However one type of cement shall only be used in an individual building.

3.1.2.1 When the contractor opts for using PPC in the work, GE can allow incorporation of PPC subject to following:-

(a) GE is required to ensure that PPC meets the strength criteria of 43 Grade OPC as laid down in IS-1812 1989.

(b) The minimum period before striking formwork given in clause 11.3.1 of IS 456-2000 is to be suitably modified at sites by the GEs.

PARTICULAR SPECIFICATIONS (Contd…)

(c) The contractor shall give an undertaking that he shall not claim anything extra what-so-ever on account of extra time for stripping form work etc while using PPC in lieu of OPC.

(d) In cold climate regions where temperature is lower than 15 degree Cel and important structures like Over Head Reservoirs, Under Ground Sumps, Prestigious Buildings and Buildings with spans 10m or more only OPC shall be used.

(e) Mixing of OPC and PPC shall not be allowed in work except for plaster and mortar.

(f) While procuring PPC the following requirements are to be ensured and certificate to that effect shall be obtained for each batch from the manufacturers.

a. The quality of fly ash is strictly as per IS 1489 (Part-I) – 2002.

b. Fly ash is inter-ground with clinker not mixed with clinker.

c. Dry fly ash is transported in closed containers and stored in silos.

d. Only pneumatic pumping has been used.

e. The fly ash received from thermal power plants using high temperature combustion above 1000 degree Cel has been used.

3.1.3 **SOURCES OF PROCUREMENT**

(a) Cement shall be procured by the contractor directly from any of the following main producers of cement The lists of main producers of OPC & PPC are given in Ser No.2A of Appendix C In addition to above manufacturers cement can also be procured from manufacturer as approved by E-in-C's branch even after the date of submission of bid.

(a) Where total estimated requirement of cement in the work is less than 1200 bags , contractor can procure cement from the authorised distributors/dealers of the main producers as mentioned above.

(b) The contractor shall furnish the particulars of the manufacturer of cement along with the date of manufacture to the Garrison Engineer for every lot of cement separately. The cement so brought shall be fresh and in no case older than 90 days from the date of manufacture. The GE shall verify the document in support of the purchases of cement. Before placing order for supply of cement by the contractor, he shall obtain written approval from the GE regarding name of manufacturer, quantity of cement etc. Cement shall be procured for minimum requirement of one month and not exceeding the requirements of the same for more than two months at a time. The cement shall be consumed in the work within three months after receipt. Cement shall conform to the requirement of IS Specification and each bag of cement shall bear relevant ISI mark. The weight of each consignment shall be verified by the GE and recorded. The content of cement shall be checked at random to verify the actual weight of cement per bag. However, the content of cement per bag shall be 50 Kg only subject to tolerance given in Clause 9.2.1.1 and Annexure 'B' of IS –8112 and Clause 10.2.1.1 and Annexure 'B' of IS – 1489 for OPC and PPC respectively.

3.1.4 **TESTING OF CEMENT**

3.1.4.1 (a) The contractor shall submit the manufacturer's test certificate in original along with test sheets giving the results of each physical test as applicable in accordance with relevant IS provision and the chemical composition of the cement or authenticated copy there of , duly signed by the manufacturer with each consignment, as per the following IS provision. :-

(i) Method of sampling hydraulic cement as per IS-3535 1986.

(ii) Method of physical test of hydraulic cements as per IS-4031.

(iii) Method of chemical analysis of hydraulic cement as per IS-4032-1985.

(b) The test certificate and test sheet shall be furnished with each batch of cement. The Engineer-in-Charge shall record these details in cement acceptance register to be maintained by him which will be signed by JE (Civil), Engineer-in-Charge, GE and the Contractors as given in the format hereinafter for verification.

PARTICULAR SPECIFICATIONS (Contd…)

(b) The contractor shall however, organize setting time and a compressive strength test of cement at site labor through designated laboratory on samples collected from the lot brought at site before incorporation in work. The contractor will be allowed to use the cement only after satisfactory compressive strength of seven days. To meet this requirement, contractor is required to keep minimum 10 days stock before any new lot is brought at site, which can be used, in the work. The contractor shall be required to remove the cement not meeting the requirement from site within 24 hours. Seven days strength test will be relied upon to accept the lot of cement to commence the work. 28 Days compressive strength test will be the final criteria to accept/reject the lot.

(c) The random samples as per relevant IS shall be selected by GE before carrying out testing. The record of such samples selected by the GE for testing shall be properly maintained in the Cement Testing Register giving cross reference to relevant consignment of cement and quantity received etc.

(d) Cost of transportation of samples to the approved laboratory/test house and all testing charges including cost of sample shall be borne by the contractor.

(e) The GE shall carryout independent testing as per the tests mentioned in the 'CEMENT SUPPLY AND ACCEPTANCE REGISTER' of random samples of cement drawn from various lots, if sample fails in 7 days compressive strength. The testing shall be carried out through National Test House, SEMT, CME, Regional Research Laboratories, Govt. approved Laboratories, Zonal Laboratories/IIT Kanpur as per IS-3535-1986, (Method of sampling hydraulic cement), IS-4031 (Method of physical test for hydraulic cement) and IS-4032-1985 (Method of chemical analysis of hydraulic cement) referred to above. The decision as to where the testing of cement is to be done shall be taken by GE. In case the cement is not of requisite standard despite manufacturer's test certificate, the contractor shall remove the total consignment from the site at his own cost after written rejection order of the consignment by the GE. The cost of test shall be borne by the contractor irrespective of the results of testing.

(f) The contractor shall submit original purchase vouchers for the total quantity of cement supplied under each consignment to be incorporated in the work. All consignments received at the work site shall be inspected by the GE along with the relevant documents to ensure the requirements as mentioned hereinbefore, before acceptance The original purchase vouchers and the test certificates shall be verified for subject contract and defaced by the Engineer-in-Charge and kept on record in the office of the GE duly authenticated and with cross reference to the consignment/control number recorded in the Cement Acceptance Register'. The Cement Acceptance Register shall be signed by the JE (Civil), Engineer-in-Charge, GE and the contractor. The contractor shall maintain schedule of supply of cement for each consignment.

(g) The Accepting officer may order a board of officers for random check of cement and verification of connected documents during the currency of contract.

3.1.5 **STORAGE/ACCOUNTING/PRESERVATION OF CEMENT**

3.1.5.1 (a) Cement shall be stored in covered godown over dry platform at least 20 cm high in such a manners as to prevent deterioration due to moisture or intrusion of foreign matter. In case of store room the stack should be at least 20cm away from floors and 60 cm from walls. The stacking of cement shall be done as specified in relevant IS. The storage accounting and preservation of cement supplied by the contractor shall be done as per standard Engineering practice till the same is incorporated in the work and the cost of the same shall be deemed to be included in the unit rate/amount quoted by the tenderer. The Engineer-in-charge (EIC) shall inspect once a day to verify that cement lying at site is stored, accounted, preserved and maintained as per the norms. The cement shall be stored so as to differentiate each tested and untested consignment separately with distinct identification. If the GE is not satisfied with the storage/preservation of cement , he may order for any test (s) of cement as applicable for that consignment to ensure its conformity to the quality mentioned in the in the manufacturer's test certificate. The contractor shall bear the cost of necessary testing (s) in this regard and no claim whatsoever shall be entertained.

(b) Stacking of cement shall be done as per relevant IS and as under :-

(h) Each cement consignment shall be stacked separately and removal shall be made on the basis of First in First out.

(ii) Adequate top cover will be provided.

(i) Stacks in no case shall be higher than 12 bags. The maximum width of each stack shall be 3.00 m. If the stack is more than 7 or 8 bags high, the bags shall be arranged in header and stretcher fashion, i.e. alternatively lengthwise and crosswise so as to pile together and avoid topping over.

PARTICULAR SPECIFICATIONS (Contd…)

(ii) Adequate space shall be kept between two stacks.

(c) Cement godown shall be provided with two locks on each door. The key of one lock at each door shall remain with EIC or his representative and that of the other lock with the contractor's authorized agent at site of works so that cement is removed from the godown only according to daily requirement with the knowledge of both the parties. During the period of storage, if any cement bag (s) is found to be in damaged condition due to whatsoever reason, the same shall be removed from the cement godown on written orders of the GE and suitable replacement for the cement bag (s) so removed shall be made and no claim whatsoever shall be admissible on this account.

(c) In case more than one type of cement is used in the work ie Ordinary Portland cement or Portland Pozzolana Cement, both type of cement shall be stored separately as directed by the Engineer-in-Charge to avoid mixing of these type of cement. Separate record shall be maintained including the location/items where these type of cement are used.

(d) Cement shall be removed from the store only according to daily requirement with the knowledge of both the parties and the EIC and the contractor shall record daily consumption of cement in cement consumption register, which shall be signed. Cement constants given in Appendix 'A' to E-in-C's branch letter No. 19280/E8 dated 03 May 1976 shall from the basis of consumption of cement for various items of works unless specifically indicated otherwise.

(e) In case the consumption of cement as per cement consumption register is found to be more than the estimated quantity of cement due to whatsoever reason, the contractor shall not have any claim whatsoever for such excess consumption of cement.

3.1.6 **SCHEDULE OF SUPPLY**

The contractor shall procure the cement timely as required in accordance with CPM chart agreed between GE and the contractor. The contractor will forfeit his right to demand extension of time if the supply of cement got delayed due to his failure in placing order in time to the manufacturer.

3.1.7 **MEASUREMENTS AND PAYMENT OF CEMENT**

3.1.7.1 (a) The entire quantity of cement shall also be suitably recorded in the measurement book for record purposes as Not to be abstracted before incorporation in the work and shall be signed by the EIC and the contractor.

(b) The payment shall only be allowed after production of original purchase voucher, certified copies of test certificates from manufacturer for each consignment and results of testing carried out in laboratory on receipt of cement (7 days compressive test) are found satisfactory after testing at site as per condition 64 of IAFW-2249. Rate of payment given in SSR shall be applicable for cement irrespective of type of grade of cement specified for use in the work.

3.1.7.2 **DOCUMENTATION**

The following documents will be maintained by the Engineer-in-Charge / GE for cement supplied by the contractor in addition to the documents specified in the contract: -

(a) Original vouchers of cement shall be kept in the concerned file of the contract in GE Office, serially numbered on each page.

(b) Original test certificates and test sheet should also be kept in the concerned file of the contract duly numbered.

(c) Cement acceptance register

(d) In / Out Register for cement. Register containing results of independent and additional testing by GE.

(e) Register containing records of surprise checks and BOO.

(f) Inspection Register.

4.0 **BLANK**

PARTICULAR SPECIFICATIONS (Contd…)

5.0 **CONCRETE**

5.1 COARSE AGGREGATE

(i) Coarse aggregate (stone aggregate) for all cement concrete work such as PCC/RCC shall be of granite/basalt/trap stone of approved quality all as specified in clause 4.4.1 to 4.4.7 of MES Schedule Part-I and complying with the provision of IS-383. Mixture of two types of stones shall not be permitted.

(ii) Coarse aggregate (stone aggregate) 20mm and below shall be machine crushed. Coarse aggregate above 20 mm may be hand broken.

(iii) Grading of coarse aggregate (stone aggregate) unless specified otherwise in the specifications here-in-after in various work i.e PCC/RCC shall be as specified in MES schedule Part-I.

5.2.1 **FINE AGGREGATE**

(i) Fine aggregate for all concrete work shall be coarse sand conforming to requirement laid down in clause 4.4.7.2 of MES Schedule (Part I) except that sand conforming to grading zone IV of IS-383 shall not be used in concrete work.

(ii) The sand shall be stored at site in bins or in dumps. The contractor shall take necessary precautions to avoid contamination or risk of shovelling up earth or other impurities by keeping sand over firm level ground as stipulated in IS 4082.

5.2 **WATER**. Quality of water to be used for mixing and curing of concrete, masonry and plaster work etc shall conform to the requirement of clause No 5.4 of IS-456-2000(revised upto date). GE will ensure that testing of water is carried out at regular intervals to comply with the requirement. Cost of testing of water will be borne by the contractor.

5.3 **MIXING AND COMPACTION OF CEMENT CONCRETE**

(a) All cement concrete shall be mixed in approved mechanical mixer. The mixer must also have a water container with a water meter for adding measured quantity of water in each batch. Mixing of concrete shall be as per clause 4.11.5 of MES SSR Part-I 2009. Volumetric mixing shall be carried out for all concrete.

(b) All RCC work shall be thoroughly consolidated with approved mechanical vibrators except where not practicable in the opinion of the Engineer-in-Charge. RCC in slab shall be compacted with plate / surface type vibrator only and in beam/ columns with needle/pin vibrator.

6.0 **BRICK MASONRY** : Brick masonry shall be all as specified in Sch `A' and as specified in clause No 5.2. to 5.32 of SSR Part-I.

6.1 Broken Glass Coping shall be all as specified in Sch 'A' and as specified in clause No 5.55 of SSR Part-I.

6.2 **BRICK WORK**

(a) Bricks shall be well burnt, sub class `B' available from best local kilns and as approved by the GE. Minimum compressive strength of bricks shall be 75 Kg/square centimetre. Bricks shall be tested for compressive strength, water absorption and efflorescence as per relevant IS. The physical requirement of water absorption and efflorescence shall be as specified in MES SSR Part-I.

(b) Brick work shall be carried out all as described in schedule of works and as specified in clause No. 5.19 to 5.33 of MES SSR Part I.

7-9 **BLANK**

10. **WATER SUPPLY, PLUMBING, DRAINS AND SANITARY APPLIANCES**

10.1 **DUCTILE IRON PIPES AND FITTINGS**

10.1.1 DI pipes and fittings shall be as per BoQ and shall comply with the requirements laid down in para 18.94.1 to 18.94.2 of MES Schedule (Part-I).

PARTICULAR SPECIFICATIONS (Contd…)

10.1.2 Detection of cracks in DI pipes and fittings: Before incorporation in works, the pipes and fittings shall be inspected for defects and be rung with a light hammer preferably while suspended to detect cracks. If doubt persists, further confirmation shall be obtained by pouring a little paraffin on the inside of the pipe at the suspected spot. If a crack is present the paraffin will seep through and could be seen on the outer surface.

10.1.3 Laying and jointing of DI pipes: Refer Paras 18.95, 18.95.1, 18.95.1.1 to 18.95.1.8, 18.95.2 & 18.95.3 of MES Schedule (Part-I).

10.1.4 **Lead Joints**: Refer para 18.48.2 to 18.48.2.4 of MES Schedule (Part-I).

10.1.5 **Rubber Gasket Joints**: Refer para 18.48.4 to 18.48.4.4 of MES Schedule (Part-I).

10.1.6 **Cutting of pipes**: Refer para 18.95.1.4 to 18.95.1.4.3 of MES Schedule (Part-I).

10.1.7 **End preparation of Cut pipes for Jointing**: Refer para 18.95.1.5 of MES Schedule (Part-I).

10.1.8 **Testing of pipes**: After laying the pipes, testing shall be carried out as per provisions of clause 18.95.4 of MES Schedule (Part-I).

10.1.9 Flushing and disinfection of piping system and Sterilization of Main before commissioning: After laying & testing the pipes, these pipes shall be disinfected by any one method as per provisions of clause 18.95.5 of MES Schedule (Part-I).

10.1.10 A record giving reference to the main points between which each section has been tested shall be maintained by the Engineer-in-Charge and shall be signed by the contractor and the Engineer-in-Charge for the tests mentioned above in a separate register.

10.1.11 All testing equipment, materials and labour for testing shall be provided by the contractor at his own expense without any extra cost to the Govt.

11. **SLUICE VALVE**: - Sluice valves shall be cast iron body class-I with flanged ends; having SS spindle with Iron wheel at top. Sluice valve shall be IS marked and as per IS-14846 and/or as per IS-2906 of 1984 of Class as specified in Schedule 'A'. The contractor shall procure sluice valve either direct from the manufacturer or authorised distributor / authorised dealers. The contractor shall also submit the Manufacturers test certificate.

12. **CAST IRON PRESSURE PIPES & FITTINGS**:- Refer clause 18.2 of MES Schedule, Part-I.

13-28 BLANK

29.0 **ELECTRIFICATION WORK**

29.01 **SAFETY MEASURES AND PRECAUTIONS**

The work of repair, renewal, taking down etc shall be carried out carefully in such a way that no damage to existing /adjoining work may take place. In case any damage is occurred, it shall be got rectified by the contractor to match with the existing work to the entire satisfaction of the Engineer-in-Charge. The taking down, re-fixing etc shall be carried out by contractor adopting suitable load carrying/shifting, tools & plants, equipments or mechanism i.e. chain & pulley, crane etc, if so considered necessary. The contractor shall take all steps to avoid any damage, mis-happening, accident etc to the workmen engaged by him to carryout the work & nothing extra shall be paid to him on this account.

29.02 **CONFORMITY TO INDIAN ELECTRICITY ACT, INDIAN ELECTRICITY RULES AND INDIAN STANDARDS**

All electrical works shall be carried out in accordance with the provisions of Indian Electricity Act, Indian Electricity Rules and various Indian Standards amended upto date (date of call of tender unless otherwise specified).

29.03 **MATERIAL TO BE PROVIDED BY THE CONTRACTOR**.

(a) Refer condition 10 of IAFW-2249(General Conditions of Contracts)

PARTICULAR SPECIFICATIONS (Contd…)

(b) All equipments and materials incorporated in this work shall conform to the relevant Indian Standard Specification wherever existing. Materials with ISI certification mark shall be preferred. In exceptional cases where situation so warrants, materials without ISI marking may be incorporated after getting written approval of the accepting officer subject to the following : -

(i) The materials/articles must conform to IS/BIS requirement.

(ii) The change shall be subject to price adjustment in minus 10% (Ten percent) of the cost of IS/BIS marked materials and in the absence of the availability of the rate of IS/BIS marked materials / articles the rate of the adjustment shall be at minus 11% (Elevent percent) of the cost of the materials actually incorporated. The element of Sales Tax etc and 10% (Ten percent) for overheads and profits as per condition 62 of IAFW -2249 shall be in addition to price adjustment stated above.

(c) All materials and equipments supplied by the contractor shall be new. They shall be of such design, size and materials as to satisfactorily function under the rated conditions of operation and to withstand the environment condition at site.

(d) Materials/articles conforming to other internationally accepted standards, which ensure equal or higher quality than the IS/BIS would also be acceptable subject to approval of accepting officer.

(e) Samples of all the materials shall be first got approved from Engineer-in-Charge /GE in writing before incorporation in the work and shall conform to the make and catalogue number as specified. The contractor shall not procure bulk material unless the samples of each article is got approved in writing from Engineer-in-Charge/Garrison Engineer.

30.0 **INSPECTION OF MATERIALS AND EQUIPMENTS**

(a) Materials and equipments to be used in the work shall be inspected by the departmental officers. Such inspections will be of following categories : -
(i) Inspection of materials/equipments to be witnessed at the Manufacturer's premises in accordance with relevant BIS/Agreement Inspection Procedure.
(ii) To receive materials at site with Manufacturer's Test Certificate(s).
(iii) To inspect materials at Authorized Dealer's Godown to ensure delivery of genuine materials at site.
(vi) To receive materials after physical inspection at site.

(b) The department officers will take adequate care to ensure that only tested and genuine materials of proper quality are used in work.

(c) For fabricated equipments, the contractor shall first submit dimensional detailed drawings for approval before fabrication is taken up in the factory. Suitable stage inspection at factory will also be made to ensure proper use of materials, workmanship and quality control.

(d) The contractor shall offer to the inspecting official representing the department, all reasonable facilities without any charge to satisfy him that the material is being furnished in accordance with stipulated specification. Type test certificate for items as asked shall be submitted by the contractor at the time of sample approved from the manufacturer. An undertaking for replacement of defective items from the nearest authorized distributor / dealer within a period not exceeding 30 days shall be obtained from the manufacturer at the time of purchase of materials and submitted to Engineer-in-Charge alongwith paid purchase voucher. The department has the right to have the test carried out at his own cost by an independent agency wherever there is a dispute regarding the quality of material. The contractor shall give 15 days advance intimation to enable the department to depute his representative in this regard.

PARTICULAR SPECIFICATIONS (Contd…)

31 **RATING OF COMPONENT**

(a) All components in a wiring installation shall be appropriate ratings of voltage, current, and frequency as required at the respective section of the electrical installation in which they are used.

(b) All conductors, switches and accessories shall be of such size as to be capable of carrying the maximum current, which will normally flow through them without their respective ratings being exceeded.

32 **WORKMANSHIP**

(a) Refer condition 25 of General Condition of Contracts (IAFW-2249).

(b) Good workmanship is an essential requirement to be complied with. The entire work of manufacture /fabrication, assembly and installation shall conform to sound engineering practice.

(c) All electrical work shall be carried out properly by skilled and licensed electrician under supervision of qualified electrical supervisors. The contractor shall produce to Engineer-in-Charge / GE evidence of qualifications of his workmen and supervisor at the time of commencement of work and at any time when demanded during currency of the contract. Record of license of electrician and supervisor shall be endorsed in works diary by Engineer-in-Charge in token of check made by him. The entire work shall be high class with best workmanship and to the entire satisfaction of Engineer-in-Charge.

33 TAKING DOWN OF OLD POINT WIRING & OTHER WORK

Taking down of old point wiring and other connected work shall be carried out carefully without causing any damage to other existing work.The old materials other than covered under schedule of credit shall be Govt property & to be deposited by contractor to MES store yard of MES or handed over to Engineer-in-Charge with proper receipt under his own arrangement without any extra cost.

34 WIRING

34.1 Wiring shall be done all as described in BoQ and these particular specifications. Suitable junction boxes and bends as approved shall be provided in conduit wiring through out avoiding tee and elbow respectively. In concealed wiring cost of cutting of chases in stone or brick masonry is deemed to be included in the quoted rate of point wiring.

34.2 Location of all electrical wiring, fittings, accessories etc are tentative. The position of wiring, fittings, accessories etc may be altered if so desired by the Engineer-in-charge without any price adjustment. All electrical fittings must be clear off the doors, windows and other openings.

34.3 Wiring shall be done in “LOOP IN” system only without any intermediate joint in the line using colour coded cables (Phase -Red, Neutral - Black and Earth wire - Green). Phase / live conductors shall be looped at the switch box. For point wiring, neutral wire / earth wire looping for the Ist point shall be done in switch box; and neutral / earth looping of subsquent points will be made from point outlets.

34.4 The light / fan switches shall be mounted at a uniform height. The bottom edge of boards / boxes for these switches shall be at height of 1200 mm from finished floor level. The height of light fittings viz. tube light fittings, lamp holders, brackets, pendents etc shall be 2150 mm from finished floor level. The socket outlets with switches at an independent boards / boxes shall be at height (height from bottom edge of the boards / boxes) of 1200 mm or 230 mm from finished floor level or as directed by Engineer-in-charge.

PARTICULAR SPECIFICATIONS (Contd…)

34.5 The contractor shall submit a wiring diagram to the Engineer-in-charge for approval. Approval of Engineer-in-charge shall be obtained to the proposed run of wiring cables and exact positions of fittings and accessories etc before resorting to the fixing of cables, fittings etc.

34.6 Switches and socket outlet boxes shall be made of GI pressed CRCA sheet steel after suitable pretreatment process. These shall be fixed flush with wall and top covered with phenolic resin bonded laminated white sheet (conforming to grade P-I of IS: 2046-1995) of 3 mm thickness. Box size shall vary depending upon the number of switches, sockets, fan regulators etc to be provided but not be less than 100 x 100 x 60 mm, 180 x 100 x 60 mm, 200 x 100 x 60 mm for fixing switch, switch socket outlet and electronic regulators respectively.

All other details of fabrications etc shall conform to relavant standard and SSR Part - I. It is not essential to provide individual box with individual switch. Number of boxes and sizes to be provided shall be directed by Engineer-in-Charge subject to maintaining minimum size of boxes for individual switch, switch socket combinations and regulators as mentioned above. No price adjustment shall be made on this account.

34.7 No bars or twist joint shall be provided at the intermediate points in the throughout run of cables unless the length of final sub circuits or sub-main is more than the length of standard coil. Joint if any unavoidable shall be made through proper junction boxes as approved by the Engineer-in-Charge.

35 **ELECTRICAL SWITCHES / SOCKETS / BELL PUSHES / DOOR BELLS / CEILING ROSES / INSULATED BODY ANGLE HOLDERS ETC**

Unless otherwise specified all electrical switches, sockets, bell pushes, door bells, ceiling roses, insulated body lamp / angle holders etc shall be of same make, white in colour and made of polycarbonate material.

36 **BLANK**

37. **EARTHING**

(a) The earthing shall be done as described in schedule 'A' and shall conform to IS-3043 of 1987.

(b) Excavation for earth pit shall be in any type soil and shall be passed by the Engineer-in-Charge before filling in. Surplus soil if any, shall be removed to a distance of not exceeding 50 meters, and the site shall be left clean and tidy.

(c) The earth test point shall be provided in the circuit of each pit at a suitable point to be approved by the Engineer-in-Charge for carrying out resistance test. The earth resistance shall not exceed 2 ohm in any case. If the desired earth resistance shall not be obtained during test, the earthing will be redone at no extra cost.

(d) Earthing shall be tested by the contractor using his own calibrated testing equipments at site without any extra payment and test result shall be kept in MES record duly signed by executive staff, Engineer-in-Charge and contractor. If contractor fails to submit the record of earth test result, an amount of Rs 500/- per earthing shall be recovered from his final RAR / final bill as the case may be.

38. **MCB / RCCBs / RCBOs / MCCBs & MCB DBs**

38.1 Unless otherwise specified MCBs shall be of 10 KA breaking capacity, ISI marked as per IS-8828 of 1996 with 'C' characteristics.

PARTICULAR SPECIFICATIONS (Contd…)

38.2 Unless otherwise specified MCB distribution boards shall conform IS 8623. These shall be made of CRCA steel sheet powder coated with minimum IP 43 degree protection and 100 amp insulated tinned copper busbar. Blanking plates shall be provided in unused spaces of MCB DBs wherever required. Cost of the same is deemed to be included in the rate quoted by the contractor.

38.3 MCBs / RCCBs / RCBOs / MCCBs & MCB DBs shall be of the same make .

38.4 Wiring cables shall be connected to MCBs / RCCBs / RCBOs / MCCBs with suitable size lugs of copper materials. DBs shall be fixed on wall in flush pattern by chase cutting in stone or brick wall and disturbed surfaces shall be made good even and smooth using CM (1:3).

38.5 Unless otherwise specified all MCCBs shall be thermally adjustable type between 70% to 100%.

39 **TESTING.**

All relevant tests shall be carried out by the contractor using his own calibrated testing equipments at site to the satisfaction of the Engineer-in-Charge without any extra payment. Testing results shall be kept in MES record duly signed by expenditure staff, Engineer-in-Charge and contractor, Power wherever required shall be supplied free of cost by MES for testing.

40 **SUBMISSION OF TEST CERTIFICATES, WIRING DIAGRAMS, DRAWINGS ETC**

The contractor shall submit all relevant test certificates, internal wiring diagrams, drawings etc in triplicate. Failure to submit the aforesaid documents, a recovery @ Rs 3000/ per building shall be effected from him. In case of differences in opinion between contractor and Engineer-in-Charge regarding recovery to be effected, the decision of Garrison Engineer shall be final and binding.

41 **GURANTEE**

The complete wiring installation will be handed over to the department after necessary testing and commissioning. The installation will be guaranteed against any defective design / workmanship. Similarly the material supplied by the contractor will be guaranteed against any manufacturing defect / inferior quality. The guarantee period will be for a period of 12 months from date of handing over to the department. Installation / equipments or components thereof shall be rectified / repaired to the full satisfaction to the Engineer-in-Charge.

42 INVENTORIES

On physical completion of work the contractor shall submit three copies of inventories of fitting and fixtures of each buildings to Engineer-in-Charge in good quality A-4 size paper in addition to a soft copy for computer use. If contractor fails to comply this requirement, an amount of Rs 500/- per building or part thereof shall be recovered from him.

43 SUBMISSION OF PAID PURCHASE VOUCHERS

The contractor on demand from Engineer-in-Charge shall submit / produce original paid purchase vouchers of the all important materials and original excise invoices for all the excisable materials incorporated in the work for verification. After verification, vouchers shall be defaced and original shall be returned to contractor keeping a copy of the same for official record. If the contractor fails to produce the aforesaid vouchers, a deduction of 10% shall be made from his payment for those items whose paid purchase vouchers have not been submitted. Decision of Garrison Engineer in this regard shall be final and binding.

44 COMPLETION CERTIFICATE

On physical completion of work the contractor shall apply in duplicate to GE through Engineer-in-charge for completion certificate. Engineer-in-charge after verification will forward the details to GE with his remarks for issue of completion certificate. Completion certificate will be issued by GE within seven days.

PARTICULAR SPECIFICATIONS (Contd…)

45 RECTIFICATION OF DEFECTS DURING DEFECT LIABILITY PERIOD

On receipt of communication regarding defects during defect liability period through any mode (Viz. letter, fax, telephone call , SMS, e-mail etc) contractor shall arrange to rectify the defects of emergency nature like **NO LIGHT, CURRENT LEAKEGE, SHORT CIRCUIT** etc within 12 hours. Other defects may be rectified within 48 hours but not later than 72 hours from the time of receipt of communication. In case of failure to rectify the defects within stipulated period, the same will be got rectified by the deptt through other agency at the risk and cost of the contractor. Decision of Garrison Engineer in this regard shall be final and binding.

46 LIST OF MAKES/ BRANDS/MANUFACTURES FOR INCORPORATION IN THE WORK ONLY IF NOT SPECIFIED IN BOQ.

All material incorporated in this work shall be one of the following make as approved by the Garrison Engineer and shall strictly comply with BOQ specifications and particular specifications. Materials shall be procured directly from the manufacturer or his authorized distributor / dealer. The quality and makes of materials not specified in BOQ or Appendix 'A' shall be decided and approved by Engineer-in-Charge / Garrison Engineer.

47 DEMOLITION/DISMANTLING AND MAKING GOOD

(a) Contractor shall ensure that demolition/dismantling shall be done carefully without damaging the walls/roof or to the building. The work shall be executed as per direction of Engineer-in-Charge. The contractor shall take all safety measures for protection of existing
floor, plastering, joinery etc during demolition of lime concrete, RCC etc. The contractor quoted rate shall be deemed to include for the same.

(b) All dismantling work (except for which separate item is given in schedule „A") required for execution of work mentioned in sch. „A" shall be deemed to be included in the rate quoted. The contractor shall make good all disturbed surfaces to match with the existing specification and to the entire satisfaction of Engineer-in-Charge. All dismantled material except those shown in schedule of credit shall be property of department and shall be handed over in the MES store Yard for which no removal shall be payable.

(c) The contractor should take necessary precaution for dismantling to the required shape/size. All excess dismantling and damages caused to existing structure shall be made good by contractor without any payment.

(d) Rates quoted for dismantling taking down/fixed in repair shall included cost of making good, shorting of materials and their removal as directed by Engineer-in-Charge.

(e) The rates quoted for dismantling/taking down/fixed in repair shall deemed to include for removal of all unserviceable materials from site to outside MD land. All the unserviceable materials obtained from demolition/dismantling/taking down shall be removed to a distance exceeding 1 Kilometre but not exceeding 2 Kilometre or low lying area and depositing where directed by Engineer-in-Charge. Rates quoted by contractor shall be deemed to include for such removals and nothing extra shall be payable.

(Signature of contractor) For Accepting Officer

PARTICULAR SPECIFICATIONS (Contd..)

APPENDIX 'B' (CONTD...)

APPROVED LIST OF MAKES/MANUFACTURERS OF B/R ITEMS TO BE INCORPORATED OF ALL MES FMNS & ITS SUBORDINATE UNITS IN AOR OF SWC

1	**PVC CASING CAPING (ISI MARKED)**		PRESTO PLAST, FINOLEX, PRECISION, MODI, SUPREME, POLYCAB WIRES PVT LTD (POLY CAB), AREVA ABB, SIEMENS, PRINCE
1	**PVC CONDUIT (FLEXIBLE)**		FINOLEX SUPREME, POLYCAB WIRES PVT LTD (POLY CAB), KALINGA CABLE & CONDUIT CO. (KALINGA PREMIUM), GRANDLAY WIRES AND CABLES
3	**PVC CONDUITS (RIGID)**		FINOLEX, SUPREME, PRESTO PLAST POLYCAB WIRES PVT LTD (POLY CAB) AKG, TIRUPATI, KALINGA CABLE & CONDUIT CO. (KALINGA PREMIUM), PRECISION, PLAZA
4	**AMMETER/ VOLTMETER/ POWER FACTOR**		AUTOMATIC ELECTRICAL, L&t, MECO, BHEL, ABB, SIEMENS, HAVELLS, HPL
5	**LT CIRCUIT BREAK, MCCB, RCCB,RCBOs, MCB, DB, ELCB ,ISOLATER.**	1.	LEGRAND / MDS
		2.	SCHNEIDER
		3	BCH Electric Limited
		4	POLYCAB WIRES PVT LTD
		5	L&T
		6	SIMENS
		7.	HAGER
		8	HAVELLS INDIA LTD
		9	ABB
6	**FLEXIBLE WIRES AND CABLES (PVC) WITH COPPER CONDUCTOR**	1	HAVELLS
		2	L&T
		3	FINOLEX
		4	SCI
		5.	NICCO
		6.	POLYCAB WIRES PVT LTD(POLYCAB)
		7	RR KABEL LTD
		8	KEI INDUSTRIES
		9	GLOSTER CABLES LTD
		10.	M/S GRANDLAY ELECTRICALS (INDIA)
		11.	M/S VINPOWER ELECTRO PRODUCTS

PARTICULAR SPECIFICATIONS (Contd..)

APPENDIX 'B' (CONTD...)

APPROVED LIST OF MAKES/MANUFACTURERS OF B/R ITEMS TO BE INCORPORATED OF ALL MES FMNS & ITS SUBORDINATE UNITS IN AOR OF SWC

Note: -

1. Makes of items for BOQ which are not covered here-in-above shall be any of the make approved by MES authorities, ISI marked with relevant IS (latest revision), sample of which should be got approved by the GE before bulk procurement.
2. In case of non availability of makes of above list, make approval list issued by HQ SWC Jaipur shall be preferred, similarly if any make provided in above list has been removed from approved list of HQ SWC shall not be used in the work.
3. Before placing the bulk supply order or any of the above listed firms/manufacturers copy of same shall be endorsed to GE for reference.

AGE (Contracts)
For Accepting Officer

(Signature of Contractor)

REGISTERED ACK DUE

Tele : 2352021

Garrison Engineer
Military Engineer Services
Khatipura Road
Jaipur – 302012

8393/ /E8 11 Aug 2025

M/S_____

_____

SPL REPAIRS OF 03 X LED DOUBLE DOMED SHADOW LESS CEILING HANGED OPERATING LIGHTS IN OT OF MH JAIPUR UNDER ZONE-II AREA AT JAIPUR MIL STN

Dear Sir(s),

1. Tender documents in respect of above work are uploaded on the site www.defproc.gov.in . The tender is based on single stage two cover/two stage three cover e-tendering system. The contents of Cover I & Cover II are specified in NOTICE OF TENDER.

2. Bids will be received online by ACCEPTING OFFICER upto the date and time mentioned in the **NOTICE INVITING TENDER (NIT)**. No tender/bid will be received in physical form and any tender/bid received in such manner will be treated as non bona fide .

3. Bid will be opened on line on a due date fixed for opening as per critical dates given in the portal. Cover 1 will be opened first. Tenderers may see the result of the opening of Cover 1 on the tender portal. Date of opening of Cover 2 shall be decided after technical evaluation of Cover 1 keeping in view the various eligibility criteria given in the NIT and the same will be intimated to the tenderers while uploading the technical evaluation on the tender portal.

4. Your attention is also drawn to instruction on filling and submission of tender attached herewith. You may forward your points on tender documents through e-mail and/or depute your technical representative for discussion on tender/drawings and to clarify doubts, if any, before the bid submission starts. You are requested not to write piece meal points and forward your points duly consolidated in one go. You may also attend the pre bid meeting on the date given in the tender.

5. Unenlisted contractors are required to submit the scanned copies (in pdf file) of documents required as per eligibility criteria mentioned in instructions for filling the tender documents and Appendix 'A' to NIT alongwith EARNEST MONEY DEPOSIT (EMD) and tender fee on procurement portal mentioned above and submit the physical documents in the office of **Garrison Engineer Jaipur-12** within time limit specified in NIT. Inadequacy /deficiency of documents shall make the bid liable for rejection resulting in disqualification for opening of finance bid.

6. Enlisted contractors of MES shall submit the scanned copies (pdf file) of enlistment letter, tender fee and such other documents as mentioned in Appx 'A' to NIT on e-procurement portal and submit physical documents in the office of Garrison Engineer, Jaipur-12 (Accepting Officer's office name) before date & time fixed for this purpose.

7. The contractor must ensure that the tender/bid is uploaded on the tender portal using the authorised DSC in time as the Accepting Officer will take no cognizance of any quotations/offer received in any other electronic or physical form like email/fax/by hand/through post from tenderer/bidder.

8. Keeping in view delays due to system failure or other communication related failures, it is suggested that tender/bid may be uploaded sufficiently in advance of the last due date and time fixed on the portal.

9. General Conditions of Contracts (IAFW-2249) (1989 Print) and errata and amendments thereto, Schedule of Minimum Fair Wages and MES SSR (Part-I and Part-II) are not enclosed with these documents. These are available for perusal in the Office of GE/AGE concerned and this office. Tenderer is also requested to keep the copy of these documents with him as same are available in the market.

10. **PERFORMANCE SECURITY DEPOSIT**

After acceptance of the Tender, the contractor will be required to lodge with the Accepting Officer PERFORMANCE SECURITY DEPOSIT @ 5% of contract amount. The amount is required to be lodged within 28 (Twenty eight) days of the receipt by the contractor of notification of acceptance of tender/bid, failing which action as stipulated in Condition 19 of GCC shall be taken**.**

11. ANY TENDERER, WHICH PROPOSES ALTERATIONS TO ANY OF THE CONDITIONS, SPECIFICATIONS LAID DOWN IN THE TENDER DOCUMENTS OR ANY NEW CONDITION, WHATSOEVER, IS LIABLE TO BE REJECTED.

Yours faithfully,

AGE (Contracts)
For Accepting Officer

(Signature of Contractor)

INSTRUCTIONS ON FILLING AND SUBMISSION OF TENDERS

1. EARNEST MONEY DEPOSIT (EMD)

Contractor(s) who are not enlisted with MES/who are enlisted but have not executed the Standing Security Bond shall submit Earnest Money Deposit as detailed in Notice of Tender in one of the following forms, along with their tender/bid:-

(a) Deposit at Call Receipt from a Scheduled Bank in favour of GE/AGE(I) concerned.

(b) Receipted Treasury Challan, the amount being credited to the Revenue Deposit of GE/AGE(I).

It is advisable that Earnest Money is deposited in the form of deposit call receipt from an approved Schedule Bank for easy refund. In case the tenderer/bidder wants to lodge 'Earnest Money Deposit' in any other form allowed by MES, a confirmation about its acceptability will be obtained from the Accepting Officer well in advance of the bid submission end date and time. Earnest Money Deposit shall be submitted in the name of concerned GE/AGE(I).

NOTES:- Earnest Money Deposit (EMD) in the form of cheque/Bank Guarantee etc will not be accepted. **Non-Submission of Earnest Money Deposit (EMD) (scanned copy alongwith Technical Bid & hard copy before the date & time fixed for opening of BOQ) will render the bid disqualified for opening of Cover -II (finance bid).**

2. GENERAL INSTRUCTIONS FOR COMPLIANCE

2.1 The bids received only in the electronic form will be considered. All bids shall be submitted on defproc.gov.in portal. Documents should be scanned and forwarded in 'pdf' format and 'xls' form as indicated. Bids shall be uploaded on 'defproc.gov.in' portal on or before the bid closing date mentioned in the tender. No tender/bid in any other electronic or physical form like date email/fax/by hand/through post will be considered.

2.2 The bid shall be DIGITALLY signed using authorised DSC. All pages of tender documents, drawings, corrections/alterations shall be signed/initialed by the lowest bidder after acceptance of tender for making original and CTC of the contract.

2.3 Digital signatory of the bid/tender shall ensure that he is competent to bind the contractor (through partnership deed, general power of attorney or Memorandum and Article of Association of the Company) in all the matters pertaining to the contract with Union of India including arbitration clause. A scanned copy of the documents in confirmation of such authority shall be attached with the tender/bid in 'pdf' form in Cover 1. It shall be ensured that power of attorney shall be executed in accordance with the constitution of the company as laid down in its Memorandum & Article of Association.

2.4 Drawings, if issued in physical form, must be returned duly initialled by the tenderer/bidder in separate envelope indicating his name and address.

2.5 The tender shall be signed, dated and witnessed at all places provided for in the documents after acceptance. All corrections shall be initialled. The Contractor shall initial every page of tender and shall sign all drawings forming part of the tender. Any tender/bid, which proposes alterations to any of the conditions whatsoever, is liable to be rejected.

3. BOQ : -

3.1 The tenderer shall quote his rates on the BOQ EXCEL FILE only as per guide line of e-procure web portal. No alteration to the format will be accepted and such bid will be disqualified.

INSTRUCTIONS ON FILLING AND SUBMISSION OF TENDERS (Contd..)

3.2 In case any tenderer wishes to revise/modify the rates quoted in the BOQ file, he can do so only in the BOQ files before uploading the tender through **https://defproc.gov.in** site only before closing date & time.

3.3 After the uploading of tender, Department may upload the errata/ amendment through corrigendum. The tenderer/bidder should submit their offer considering the errata/amendment carried out through corrigendum issued from time to time.

3.4 While uploading the bid, the tenderers/bidders should specifically check whether any **revised BOQ** has been uploaded by department through corrigendum prior to **Bid submission start date**. Tenderers/bidders attention is specifically drawn to the fact that they should submit their offer on revised BOQ only. In case any tenderer/bidder submits offer on pre-revised BOQ in lieu of Revised BOQ, **it will be considered as a willful negligence by the tenderer/ bidder and quotation shall be considered non-bonafide**.

4. Tenders/bidders who uploaded their priced tenders/bids and are desirous of being present at the time of opening of the tenders/bids, may do so at the appointed time.

5. Hard copies of all above documents shall be sent by the contractor to the Tender issuing authority well in advance to be received before the date & time fixed for the same.

6. The contractor shall employ Indian Nationals after verifying their antecedents and loyalty. Attention is also drawn to relevant provisions in Special Condition referred here-in-after and also Conditions 24 & 25 of IAFW-2249 (General Conditions of Contract).

(Signature of contractor) For Accepting Officer

ERRATA TO TENDER DOCUMENTS

Ser No	Srl Page No.	Location	Description of Errata
1.	6	**APPENDIX 'A' TO NOTICE INVITING TENDER (NIT) (Contd ------)** Notes, Srl Note No. 13	**Add Note No. 13A after existing Note No. 13 as under :** 13A. "Irrespective of whatever is mentioned in condition 19.3 of IAFW 2249 with regard to suspension of tenders on account of non-submission of Performance Security, issue of tenders to such tenderers shall remain suspended for a period of six months from the date of cancellation of contract under condition 19.3 of IAFW 2249 in case of unenlisted Contractors. In case of MES enlisted contractor, issue of tenders shall remain suspended till deposit of EMD or six months from date of cancellation whichever is later."