STANDARD BIDDING DOCUMENT

PROCUREMENT OF CIVIL WORKS

PART-II

COMPLETE BIDDING DOCUMENT

NAME OF WORK: **"Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."**

सत्यमेव जयते

GOVERNMENT OF INDIA

MINISTRY OF ROAD TRANSPORT &HIGHWAYS

DEPARTMENT OF ROAD TRANSPORT & HIGHWAYS

GOVERNMENT OF MAHARASHTRA

NATIONAL HIGHWAY PROJECT

AGREEMENT NO----------

NATIONAL COMPETITIVE BIDDING
(CIVIL WORKS)

MINISTRY OF ROAD TRANSPORT & HIGHWAYS
NATIONAL HIGHWAY PROJECT

Name of work	**:**	**"Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."**
Period of download of bidding document online	**:**	**FROM 06/12/2024 Time: 17.30 Hours** **To 21/01/2025 Time: 17.30 Hours**
Time and date of pre-bid conference	**:**	DATE **01/01/2025 TIME 15.00 HOURS.**
Last date and time for receipt of online bids (bid due date)	**:**	**DATE 21/01/2025 TIME 17.30 HOURS.**
Time, date of opening technical bids	**:**	**DATE 22/01/2024 TIME 11.00 HOURS.**
Time, date of opening financial bids	**:**	**Will be announced later**
Place of opening of technical bids		**Office of the Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614.**

MINISTRY OF ROAD TRANSPORT & HIGHWAYS
NATIONAL HIGHWAY PROJECT
INVITATIONS FOR BIDS (IFB)

NIT No. 08/EENH/Jalna/Tender/1918 **Date :- 06/12/2024**

The Executive Engineer, National Highway Division, Jalna invites online bids for the construction of work detailed in the table.

TABLE

Sr. No.	Name of Work	Approximate value of work (Excluding GST)	Bid Security	Cost of Document + GST (18%)	Period of completion
1.	**"Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."**	**Rs. 2,61,53,498/-**	**Rs.261535/-**	**Rs.10000/- + Rs.1800/- = Rs.11800/-**	**12 Months (Including Monsoon)**

PROCEDURE UNDER E-TENDERING INSTRUCTION TO BIDDERS

DEFIEFINITIONS

The e-Tendering Software and facilitate the process of e-tendering on Application CPP PORTAL OR NIC

MORTH e-Procurement Portal: An e-tendering portal of Ministry of Road Transport & Highways ("MORTH") introduced for the process of e-tendering which can be accessed on eprocure.gov.in OR NIC.

REGISTRATION:

1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify /(n)Code / eMudhra etc.), with their profile.
5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS:

1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
3) The bidder should make a note of the unique Tender ID assigned to each tender; in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS:

1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or ''Other Important Documents'' area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS:

1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
4) Bidder should prepare the EMD as per the instructions specified in the tender document. ~~The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.~~
5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format

with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

6) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

7) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

8) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

9) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

10) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

Accessing/Purchasing of Tender Documents

i) It is mandatory for all the bidders to have class-III digital Signature Certificate with signing & encryption facility (in the name of person who will sign the proposal) from any of the licensed Certifying Agency (Bidders can see the list of licensed CA"s from the link www.cca.gov.in) to participate in e-tendering of Ministry of Road Transport & Highways.

ii) Users may test the working condition of their class-II Digital Signature Certificate (Both DSC Components, i.e. Signing & Encryption) at under "Test Digital Signature Certificate" link.

iii) All profile activations will be done only during MORTH working days. In order to submit the bid response the activation of the vendor profile is mandatory.

iv) The Bid document can be viewed/downloaded free of cost from e-tender portal of MORTH https://eprocure.gov.in or CPP Portal from **06/12/2024 to 21/01/2025 (up to 17.30 Hrs. IST)**

v) A Bidder is required to submit, along with its BID, a BID Security of **Rs.261535/- (Rupees Two lakhs Sixty-one Thousand Five Hundred Thirty Five Only**) (the "**BID Security**"), refundable not later than 180 (One hundred & Eighty) days from the BID Due Date, except in the case of the Selected Bidder whose BID Security shall be retained till it has provided a Performance Security under the Agreement. The Bidders will have an option to provided Bid Security as per Clause No.16 acceptable to the Authority and in such event, the validity period of the Bid Security shall not be less than 180 (One hundred & eighty) days from the Bid Due Date, inclusive of a claim period of 60 (Sixty) days, and may be extended as may be mutually agreed

between the Authority & the Bidder from time to time. The bid shall be summarily rejected if it is not accompanied by the Bid Security. The Bid Security shall be in favour of the Executive Engineer NH Division Pen. The Bidders shall also submit Rs.1180/- (Rs. One Thousand One Hundred Eighty Only) towards the cost of Tender [Tender fee Rs.1000/- to be submitted online through the portal "bharatkosh.gov.in (receipt / document in support of online payment to be submitted online on eporcure.gov.in and to be submitted online on eprocure.gov.in) + 18% GST amounting to Rs.180/- GST @18% on tender document fee under head Reverse Charge Mechanism under GST act and Challan Receipt / Document in support of online payment to be submitted online on eprocure.gov.in)

Bid Security shall remitted through SFMS Gateway & Account details are as below :-

Bank Account No.50200066646464
Name of Bank Account :- Executive Engineer, National Highway Division, Jalna.
Account Type :- Current
Bank & Branch Name :- HDFC Bank,
Branch Jalna 431203.
IFSC Code :- HDFC0000735.
MICR Code :- 431240052.

vi) The Bids must be submitted online on https://eprocure.gov.in or CPP Portal or before 17.30 hours of 2**1/01/2025** and Technical Bid will be opened **22/01/2025 at 11.00** hours in the presence of bidders who wish to attend.

vii) The date of opening of financial bid will be notified later.

viii) **Following may be noted**

(a) Registration should be valid at least up to the date of submission of proposal.
(b) Proposals can be submitted only during the validity of their registration.
(c) The amendments/clarifications to the Bid document, if any, will be hosted on the MORTH website https://eprocure.gov.in or CPP Portal
(d) If the firm is already registered with e-tendering portal of MORTH at and validity of registration is not expired, the firm is eligible to apply without fresh registration.

Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.

Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

Not more than one tender shall be submitted by one contactor or contractors having business Relationship. Under no circumstance will father and his son(s) or other close relations who have Business relationship with one another (i.e when one or more partner(s)/director(s) are common) is allowed to tender for the same contract as separate competitors. A breach of this condition will render the tenders of both parities liable to rejection.

1. Tenderer who has downloaded the tender from the Central Public Procurement Portal (CPPP) website https://eprocure.gov.in/eprocure/app shall not tamper/modify the tender form including Downloaded price bid template in any manner. In case if the same is found to be Tempered/modified in any manner, tender will be completely rejected and EMD would be forfeited and tenderer is liable to be banned from doing business with Ministry of Road Transport and Highways.

2. Intending tenderers are advised to visit Ministry of Road Transport and Highways website www.morth.nic.in and CPPP website https://eprocure.gov.in/eprocure/app regularly till closing date of submission of tender for any corrigendum /addendum/ amendment.

G.S.T. :- Bidders are advised to quote their offers duly considering the impact of GST .No claim on account of GST will be considered after award of the contract. This may please be noted seriously by all the prospective bidders.

Guidelines for depositing tender fee online through Bharatkosh portal

1. Tender fee shall be deposited ONLY online through the NTRP portal (Non- tax receipt payment) of the Government of India (bharatkosh.gov.in)
2. Tender fee paid through any other mode shall not be accepted and any such bid shall be summarily rejected.
3. The GST amount on tender fee shall be paid through a demand draft in favour of the concerned Executive Engineer, National Highway Division, Jalna.
4. The steps to be followed for online payment of tender fee –

(i) Visit w ww.bharatkosh.gov.in
(ii) Click on Non-Registered Users
(iii) On the next page – fill the following details:
(a) Depositor's category – Individual / Corporates as applicable
(b) Click on the search icon in "PURPOSE"
(c) In the page that follows –
(i) Select – Road Transport & Highways for Ministry
(ii) Then click on "SEARCH" button in the bottom of the page
(iii) In the page that follows – for selecting "PURPOSE", look for and click on "Sale of Tender Documents" on page 2 of the list.
(iv) Fill of rest of the form as follows –
(a) Pay & Account Office (PAO) – 034650 – PAO(NH), Mumbai
(b) Drawing & Disbursing Office (DDO) – 234652 – S.E.
(c) Amount – Rs. 2000
(d) Remarks – Name of the Project & Name of NH Division
(v) Click on "ADD"
(vi) On the next page, after verifying details, click on "NEXT".
(vii) On the next page, fill up Bidder details, and mode of payment – Either "ONLINE" or "SWIFT/NEFT/RTGS" as applicable.
(viii) Click on "NEXT" to make payment & enter payment details.
(ix) Save a copy of the payment receipt to enclose with bid.

All the documents as mentioned which has to be submitted shall be prepared and scanned in different files (in PDF or ZIP format such that file size is not more than 10 MB) and uploaded during the on-line submission of proposal.

BID SECURITY AND COST OF TENDER FEE DOCUMENT IN ORIGINAL.

The Bidder shall submit on online portal the scan copies of the following documents alongwith the bid. However, the successful L-1 bidder shall submit the following documents in Original before issuance of LOA:

(a) Original Power of Attorney for signing the BID as per format at Appendix-III;
(b) if applicable, Original Power of Attorney for Lead Member of Joint Venture as per the format at Appendix-IV;
(c) if applicable, Original Joint Bidding Agreement for Joint Venture as per the format at Appendix-V;
(d) BID Security as per format at Section - 8 Securities & Other Forms of SBD;

Bid through any other mode shall not be entertained. The scanned copy of the original documents viz. Bid Security, copy of online receipt towards document fee, Power of Attorney and Joint Bidding Agreement (if any) other documents etc. alongwith the bid shall be submitted by the Bidder on online portal or before **16/08/2024 (at 17.30 hours IST).** Please note that the Ministry / PWD, Government of Maharashtra [Ministry/Authority/ Executing Agency] reserves the right to accept or reject all or any of the BIDs without assigning any reason whatsoever.

For any assistance on the use of Electronic Tendering System, the Users may call the below numbers:

Landline No. - 0120 - 4746889

~~Bidders should send their queries online by email on email id **nhmumbai.ee@mahapwd.com,nhmumbai.se@mahapwd.com,nhjalna.ee@mahapwd.com** before the deadline defined in the Tender Schedule. The minutes of meeting and Addendum shall be uploaded in "**edit attachment option"** of concern tender on e-tendering portal.~~

Executive Engineer,
National Highway Division,
Jalna.

Government of India
Ministry of Road Transport & Highways New Delhi
Office of the Executive Engineer,
National Highway Division Jalna, Dist. Jalna (Maharashtra)
Email :nhjalna.ee@mahapwd.com or eenhjalna@gmail.com
NOTICE INVITING TENDER (RFP)

NIT No. 08/EENH/Jalna/Tender/1918 **Date :- 06/12/2024**

Bid for the works detailed in the table given below is invited online (e-tender) on Government of India Ministry of Road, Transport & Highways (MoRT&H) through website https://eprocure.gov.in or CPP portal by the EXECUTIVE ENGINEER,NATIONAL HIGHYWAY DIVISION,JALNA on the item rate basis from the bidder meeting the basic eligibility criteria as stated in the bid document. The bidder is advised to examine carefully all instructions including addendum/ amendments to ITB, conditions of contract, contract data, forms, terms, technical specifications, bill of quantities etc. in the bid Document.

Sr. No.	Name of Work	Approximate value of work (Excluding GST)	Bid Security	Cost of Document + G.S.T. 18 %	Period of completion
2	**"Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."**	**Rs. 2,61,53,498/-**	**Rs.261535/-**	**Rs.10000/- + Rs.1800/- = Rs.11800/-**	**12 Months (Including Monsoon)**

1)	**Period of Downloading of bid documents**	:-	06/12/2024 to 21/01/2025 (From 10.00 Hrs to 17.30 Hrs)
2)	**Last Date of Online submission of bid documents**	:-	21/01/2025 Upto 17.30 Hrs
3)	**Last Date of Submission of quarries by email**	:-	01/01/2025 Upto 11.00 Hrs
4)	**Pre bid conference Date and Place**	:-	01/01/2025 at 15.00 Hrs In the office of the Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614.
5)	**Online opening of Technical bid Date and Place.**	:-	Probably on date 22/01/2025 at 11.00 Hrs. in the Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614. .
6)	**Online opening of Price bid Date and Place.**	:-	The date of opening of financial bid will be notified later. In the Office of Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai - 400614.

- Bid documents are available on https://eprocure.gov.in or CPP portal Bidders have to submit Technical bid as well as Price bid in electronic format only on https://eprocure.gov.in or CPP portal till the last date and time for submission.
- Submission of scan documents Bid fee, GST Challan, Bid Security and other documents etc. on https://eprocure.gov.in or CPP portal only.
- Right is reserved to reject any or all tenders at any stage without assigning any reason thereof by the authority.

Executive Engineer,
National Highway Division,
Jalna.

भारत सरकार

रस्ते परिवहन व राष्ट्रीय महामार्ग मंत्रालय नवी दिल्ली

कार्यकारी अभियंता, राष्ट्रीय महामार्ग विभाग , पेण - रायगड)

दुरध्वनी : 02482230405

Email : nhjalna.ee@mahapwd.com or eenhjalnagmail.com

निविदा मागविणारी सुचना (RFP)

एनआयटी ०८/रामवि/जालना/निविदा/१९१८ **दिनांक :- ०६/१२/२०२४**

कार्यकारी अभियंता, राष्ट्रीय महामार्ग विभाग जालना, महाराष्ट्र शासन यांनी रस्ते परिवहन व महामार्ग मंत्रालय, नवी दिल्ली यांच्या वतीने राष्ट्रीय महामार्ग सुधारणा अंतर्गत खालील तक्त्यामध्ये नमुद केलेल्या कामाची https://eprocure.gov.in or CPP portal या संकेत स्थळावर निविदा संचातील नमुद अर्हतेस पात्र ठरणाऱ्या या निविदाकारांकडून बाब निहाय दरांच्या ई-निविदा मागविण्यात येत आहेत. निविदाकरांनी निविदा संचातील अटी, निविदा तपशील, फॉर्म्स, शर्ती, तांत्रिक विनिर्देश, बाबींचे परिमाण तसेच त्यात केलेले बदल व पुरवणी माहिती इ. बाबीचा काळजीपुर्वक अभ्यास करुन निविदा सादर कराव्यात.

अ. क्र.	कामाचे नांव	कामाची अंदाजित किंमत(रुपये) जी.एस.टी. वगळून	निविदा सुरक्षा अनामत (रुपये)	निविदा संचाची किंमत (रुपये)+ जी.एस.टी. १८%	काम पूर्ण करण्याचा कालावधी
1.	महाराष्ट्र राज्यातील ईपीसी मोडवर NH-753H च्या विभागातील धनगरपिंपरी ते जालना आणि अंबड चौक ते मंठा चौक (कि.मी. 30+390 ते किमी. 50+264 आणि कि.मी. 0+000 ते किमी. 5+243) पक्क्या खांद्याच्या कॉन्फिगरेशनसह विद्यमान कॅरेजवेचे पुनर्वसन आणि 2 लेन/4 लेनमध्ये सुधारणा या कामाची देखभाल कंत्राटदाराच्या जोखीम आणि खर्चावर करणे (पॅकेज 2)	**Rs. 2,61,53,498/-**	**Rs.261535/-**	**Rs.10000/- + Rs.1800/- = Rs.11800/-**	**12 Months** (पावसाळ्यासह)

१.	**निविदासंच डाउनलोड करण्याचा दिनांक**	:-	दि. ०६/१२/२०२४ ते दि.२१/०१/२०२५ (१०:०० वाजेपासून १७:३० वाजेपर्यंत)
२.	**ऑनलाईन निविदा सादर करण्याचा शेवटचा दिनांक व वेळ**	:-	दि. २१/०१/२०२५ वेळ १७:३० वाजेपर्यंत
३.	**ई-मेल व्दारे मुद्दे सादर करण्याचा दिनांक**	:-	दि. ०१/०१/२०२५ दुपारी ११:०० वाजेपर्यंत
४.	**निविदा पुर्व बैठकीचे दिनांक व ठिकाण**	:-	दि. ०१/०१/२०२५ दुपारी १५:०० वाजता मुख्य अभियंता, राष्ट्रीय महामार्ग सी.बी.डी. बेलापुर, कोकण भवन, नवी मुंबइ पिन-४०० ६१४.
५.	**ऑनलाईनव्दारे तांत्रिक देकार उघडण्याचा दिनांक व ठिकाण**	:-	मुख्य अभियंता, राष्ट्रीय महामार्ग सी.बी.डी. बेलापुर, कोकण भवन, नवी मुंबइ पिन-४०० ६१४ येथे दि. २२/०१/२०२५ दुपारी ११.०० वाजता (शक्य असल्यास)
६.	**ऑनलाईनव्दारे आर्थिक देकार उघडण्याचा दिनांक व ठिकाण**	:-	दिनांक व वेळ नंतर कळविण्यात येईल. मुख्य अभियंता, राष्ट्रीय महामार्ग सी.बी.डी. बेलापुर, कोकण भवन, नवी मुंबइ पिन-४०० ६१४

टिप:-

- निविदा संच वेबसाईट **https://eprocure.gov.in or CPP portal** या संकेतस्थळावर उपलब्ध आहे.
- निविदाकारांनी तांत्रिक देकार तसेच आर्थिक देकार ई-प्रणालीव्दारे **https://eprocure.gov.in or CPP portal** या संकेतस्थळावर निविदा सादर करण्याच्या अंतिमदिनांक व वेळपूर्वी सादर करावा.
- **स्कॅन** निविदा संचाची फी, **जी.एस.टी. चलन** व निविदा सुरक्षा अनामत व इतर दस्तऐवज **ऑन लाईन** ई-प्रणालीव्दारे **https://eprocure.gov.in or CPP portal** या संकेतस्थळावर निविदा सादर करण्याच्या अंतिमदिनांक व वेळपूर्वी सादर करावा.

* कोणतेही कारणनदेता सर्व निविदा ना कारण्याचा अधिकार प्राधिकृत अधिकारी यांनी राखून ठेवला आहे.

कार्यकारी अभियंता
राष्ट्रीय महामार्ग विभाग ,
जालना.

भारत सरकार
सडक परिवहन एंव राजमार्ग मंत्रालय,नई दिल्ली
कार्यकारी अभियंता, राष्ट्रीय महामार्ग विभाग, जालना
Email : nhjalna.ee@mahapwd.com or eenhjalna@gmail.com
निविदा आमंत्रण सुचना (RFP)

एनआयटी ०८/रामवि/जालना/निविदा/१९१८ **दिनांक :- ०६/१२/२०२४**

निम्नलिखित तक्ते में दिए गये काम के लिए सडक परिवहन और राजमार्ग मंत्रालय, नई दिल्ली की ओर से महाराष्ट्र शासन के अंतर्गत कार्यकारी अभियंता, राष्ट्रीय महामार्ग विभाग जालना व्दारा ई निविदा संच मे नमुद पात्रता शर्तो की पुर्ती करने वाले ठेकेदारों से https://eprocure.gov.in or CPP portal इस ई-निविदा प्रणालीपर बाब निहाय दरों मे ई- निविदा आमंत्रित की जा रही है। निविदा में समाविष्ट संपुर्ण नियम व शर्थे काम का तपशील फॉर्म्स, तांत्रिक विनिर्देश, बाब निहाय परिमाण, उपरान्तनिविदा मे किए हुये बदलाव/ दुरुस्तीयों को ध्यान पुर्वक परिशिलन करनें के पश्चात ही निविदा पत्र प्रस्तुत करें।

अ. क्र.	काम का नाम	निविदेकी अंदाजित राशि (रुपये) जी.एस.टी. के बिना	बोली सुरक्षा राशि (रुपये)	निविदा संचकी राशि (रुपये) +जी.एस.टी. 18%	काम पुर्ण करने का कालावधी
1	महाराष्ट्र राज्य में ईपीसी मोड पर NH-753H का धांगरपिंपरी से जालना और अंबड चौक से मंठा चौक (किमी. 30+390 से किमी. 50+264 और किमी. 0+000 से किमी. 5+243) खंड को पक्के कंधों सहित मौजूदा कैरिजवे का सुधार और 2 लेन/4 लेन में सुधार कार्य का रखरखाव ठेकेदार के जोखिम और लागत पर। (पैकेज 2)	**Rs. 2,61,53,498/-**	**Rs.261535/-**	**Rs.10000/- + Rs.1800/- = Rs.11800/-**	**12 Months** (बारीश के साथ)

१. **ऑनलाईन बोलीदस्तावेज डाउनलोड करनें का तिथी** :- दि.०६/१२/२०२४ से दि.२१/०१/२०२५ (10:00 बजेसे 17:30 बजेतक)
२. **ऑनलाईन बोली प्रस्तुत करने की अंतिम तिथी और समय** :- दि.२१/०१/२०२५ समय १७.३० बजें
३. **ई-मेल व्दारा मुद्दे उपस्थित करनें की तिथी** :- दि. ०१/०१/२०२५ समय ११.०० बजेंतक
४. **बोली पूर्व बैठक का तिथी और जगह** :- दि. ०१/०१/२०२५ दोपहर १५.०० बजें मुख्य अभियंता, राष्ट्रीय महामार्ग सी.बी.डी. बेलापुर, कोकण भवन, नवी मुंबइ पिन-४०० ६१४।
५. **ऑलाईनव्दारे तकनिकी बोली खोलने की तिथी और जगह** :- दि. २२/०१/२०२५ दोपहर ११.०० बजें (समय के उपलब्धनुसार) मुख्य अभियंता, राष्ट्रीय महामार्ग सी.बी.डी. बेलापुर, कोकण भवन, नवी मुंबइ पिन-४०० ६१४।
६. **ऑलाईनव्दार वित्तीय बोली खोलने की तिथी और जगह** :- मुख्य अभियंता, राष्ट्रीय महामार्ग सी.बी.डी. बेलापुर, कोकण भवन, नवी मुंबइ पिन-४०० ६१४। तिथी और समय बाद में बताया जाएगा।

टिपः-

- बोली संच https://eprocure.gov.in or CPP portal इस सकेंतथल पर उपलब्ध है।
- बोलीधारकोने तकनिकी एवंम वित्तीय बोली ई-प्रणालीव्दारा https://eprocure.gov.in or CPP portal इस सकेंत थल पर अंतिम तिथी और समय के पुर्व प्रस्तुत करना जरुरी है ।
- **स्कॅन** बोली दस्ताऐवज फी, **जी.एस.टी. चलन** बोली सुरक्षा राशि एवंम इतर दस्ताऐवज ई-प्रणालीव्दारा https://eprocure.gov.in or CPP portal इस सकेंत थल पर नमुद बोलीधारको अंतिम तिथी और समय के पुर्व प्रस्तुत करना जरुरी है ।
- बिना बताये कोई या सभी निविदा रद्द करने का अधिकार सक्षम अधिकारी को है।

कार्यकारी अभियंता
राष्ट्रीय महामार्ग विभाग
जालना

SECTION 1 – INSTRUCTIONS TO BIDDERS (ITB)

Refer SECTION 1

Of

PART I

COMPLETE BIDDING DOCUMENT

APPENDIX TO ITB

		Clause Reference With respect to Section – I.
1.	Name of the Employer is **Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614** on behalf of Director **General (RD) & SS, Ministry of Road Transport and Highways, Transport Bhavan, 1, Parliament Street, New Delhi..**	[Cl. 1.1]
2.	The last five years 2019 – 2020 2020 – 2021 2021 - 2022 2022 - 2023 2023 - 2024	
3.	The Average annual financial turnover amount is **Rs. 1.05 Cr. (Rupees One Crore & Five lakh Only) over the last 5 years.**	[Cl. 4.5.3(a)]
4.	Value of proposed for contract work of similar nature is **Rs. 1.05 Cr. (Rupees One Crore & Five lakh Only) over the last 5 years.**	[Cl. 4.5.3(b)]
5.	Quantity of work are – DELETED	
6.	Liquid assets and/or availability of credit facilities is **Rs. 16,57,000/- (Rs. Sixteen lakhs Fifty seven Thousand only)**	[Cl.4.5B (c)]
7.	Price level of financial year **2023-24**	[Cl. 4.5]
8.	The Pre-bid meeting – 0**1/01/2025 at 15.00 Hrs In the office of Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614**	[Cl. 9.2.1]
9.	The technical bid will be opened online at the Office of the **19/08/2024 at 12.00 Hrs In the office of Chief Engineer, National Highway (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614**	
10.	Address of the Employer **Chief Engineer, National Highway Circle, (P.W.) 5th floor C.B.D. Belapur Konkan Bhavan, Navi Mumbai -400614.** On behalf at Director General (RD&SS), Ministry of Road Transport and Highway, Transport Bhavan,1, Parliament Street, New Delhi.	[Cl. .l9.2(a)]

11.	**Identification :** **Bid for -** Bid Reference : No. **08 For 2024-25** Do not open before **22/01/2025** upto 12.00 hours	[Cl. .19.2(b)]
12.	The bid should be submitted latest by 2**1/01/2025** on or before 17.30 hours.	[Cl. 20.1(a)]
13.	The Financial bid will be opened at **Office of the Executive Engineer, National Highway Division Jalna** the date to be notified later	[Cl.23.1]
14.	The Bank Guarantee of **Executive Engineer, National Highway Division, Jalna.**	[Cl.34.1]
15.	The name of Dispute Review Expert is **(to be notified later)**	[Cl.36.1]
16.	Escalation factors (for the cost of works executed and financial figure to a common base value for works completed) Year before — Multiply factor One — 1.10 Two — 1.21 Three — 1.33 Four — 1.46 Five — 1.61	

SECTION – 2

QUALIFICATION INFORMATION

The information to be filled in by the bidder in the following pages will be used for purposes of post qualification as provided for in clause 4 of the Instructions to bidders. This information will not be incorporated in the contract

1. For Individual Bidders

1.1 Constitution or legal status of Bidder

(Attach Copy)

Place of registration: ----------

Principal place of business: ----------

Power of attorney of signatory of bid

(Attach)

1.2 Total value of civil Engineering

1.3 Construction work performed in the last five years.

2019-2020 ----------

2020-2021----------

2021-2022 ----------

2022-2023 ----------

2023-2024----------

(Rupees in Million)

1.3.1 Work performed as prime contractor, work performed in the past as a nominated sub-contractor will also be considered provided the Sub-contract involved execution of all main items of work described in the bid document, provided further that all other qualification criteria are satisfied (in the same name) on works of a similar nature over the last five years.**

Project Name	Name of the Employer *	Description of work	Contract No.	Value of Contract (Rs. Crore)	Date of Issue of work order	Stipulated period of completion	Actual date of completion *	Remarks explaining reasons for delay & work completed

** Attach certificate(s) from the Engineer(s)-in-charge.*
*** Immediately preceding the financial year in which bid are received.*
β *Attach certificate(s) from Chartered Accountant.*

1.3.2 Quantities of work executed as prime contractor, work performed in the past as a nominated sub-contractor will also be considered provided in the bid document, provided further that other qualification criteria are satisfied (in the same name and style) in the last five years.**

Year	Name of the work	Name of the Employer*	Quantity of work performed (Cum) @ Remarks					Remarks* (indicate Ref.)
			Cement Concrete	Earth Work	Granular Sub Base	Wet Mix Macadam	Bituminous Work	
2019-20								
2020-21								
2021-22								
2022-23								
2023-24								

DELETED

1.4 Information on Bid capacity (works for which bids have been submitted and works which are yet to be completed) as on the date of this bid.

(A) Existing commitments and on-going works :

Description of work	place & State	Contract No.	Name & Address of employer	Value of Contract (Rs. Cr.)	stipulated period of completion	Value of works* remaining to be completed (Rs. Cr.)	Anticipated date of completion.
1	2	3	4	5	6	7	8

** Attach certificate(s) from the Engineer(s)-in-charge.*
@ The item of works for which data is requested should tally with that specified in ITB clause 4.5A(C).
*** Immediately preceding the financial year in which bid are received.*
 # Deleted.

(B) Works for which bids already submitted:

Description of work	Place & State	Name and Address of Employer	Estimated value of Works (Rs. Cr.)	Stipulated period of completion	Date when decision is expected	Remark, if any
1	2	3	4	5	6	7

1.5 Availability of key items of Contractor's Equipment essential for carrying out the Works [Ref. Clause 4.4.5]. The Bidder should list all the information requested below. Refer also to Sub-Clause 4.3(d) of the Instructions to Bidders.

Item of Equipment	Requirement		Availability Proposal			Remark (from whom to be purchased)
	No.	Capacity	Owned	Nos./ Capacity	Age / Condition	

1.6 Qualification and experience of key personnel required for administration and execution of the contract [Ref. 4.5.4]. Attach biographical data. Refer also to Sub-Clause 4.3 (e) of instructions to Bidders and Sub Clause 9.1 of the Conditions of Contract.

Position	Name	Qualification	Year of Experience (General)	Year of Experience in the proposed position.
Site Engineer				
Quantity Engineer				

1.7 Proposed Sub-Contracts and firms involved [Refer ITB Clause 4.3 (K)]

Sanctions of the works	Value of Sub-Contract	Sub-Contract (Name & Address)	Experience in similar work

1.8 Financial reports for the last five years: balance sheets, profit & loss statements, auditor's reports (in case of companies /corporation) etc. List them below and attach copies.

1.9 Evidence of access to financial resources to meet the qualification requirements: cash in hand. Lines of credit etc. List them below and attach copies of support documents.

1.10 Name, address and telephone, telex and fax numbers of the bidder's bankers who may provide reference if contacted by the Employer.

1.11 Information on litigation history in which the bidder is involved.

Other party (ies)	Employer	Cause of Dispute	Amount involved	Remarks showing present status

1.12 Statement compliance under the requirements of Sub Clause 3.2of the instructions to Bidders. (Name of Consultant engaged for project preparation is ** ----------

1.13 Proposed work method and schedule. The bidder should attach descriptions, drawings and charts as necessary to comply with the requirements of the bidding Documents. [Refer ITB Clause 4.1 & 4.3(1)]

1.14 Programme

1.15 Quality Assurance Programme

2 Deleted

3 Additional Requirements

3.1 Bidders should provide any additional information required to fulfil the requirements of clause 4 of the Instructions to the Bidders, if applicable.

(i) Affidavit
(ii) Undertaking.

SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR AVAILABILITY OF CREDIT FACILITIES

(CLAUSE 4.3 (g) OF ITB)

BANK CERTIFICATE

This is to certify that M/s. _____ is a reputed company with a good financial standing.

If the contract for the work, namely _____ is awarded to the above firm, we shall be able to provide overdraft/credit facilities to the extent of Rs _____ to meet their working capital requirements for executing the above contact during the contract period.

_____

(Signature)
Name of Bank
Senior Bank Manager
Address of the Bank

AFFIDAVIT

(On Rs .500/- Stamp Paper)

Name of Work: "Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."

I.....Age.....
Address.....
(Authorized Signatory to sign the contract), hereby submit, vide this affidavit in truth, that I am the owner of the contracting firm ...../authorized signatory and I am submitting the documents in envelope No 1 for the purpose of scrutiny of contract .I hereby agree to the conditions mentioned below:

1)I am liable for action under Indian Penal Code for submission of any False /Fraudulent paper /information submitted in envelope No.1

2) I am liable for action under Indian Penal Code if during contract period and defect liability period ,any false information ,false bill of purchases supporting proof of purchase, proof of testing submitted by my staff, subletting company or by myself, I will be liable for action under Indian Penal Code.

3)I am liable for action under Indian Penal Code if any paper are found false/fraudulent during contract period and even after the completion of contract (Finalisation of final bill)

Contractor's Signature

[The Bond of the above Affidavit should be submitted on a Rs 500/-Non Judicial Stamp Paper and it shall be notarized along with the Tender fee's DD/Pay Order &EMD]

AFFIDAVIT

1. I, the undersigned, do hereby certify that all the statements made in the required attachments are true and correct.

2. The undersigned also hereby certifies that neither our firm M/s. _____ _____ have not abandoned any work on National Highways in India nor any contract awarded to us for such works have not been rescinded, during last five years prior to the date of this bid.

3. The undersigned hereby authorise(s) and request(s) any bank, person, firm or corporation to furnish pertinent information deemed necessary and requested by the Department to verify this statement or regarding my (our) competence and general reputation.

4. The undersigned understand and agrees that further qualifying information may be requested and agrees to furnish any such information at the request of the Department / Project implementing agency.

_____(Signed by

Authorised Officer of the Firm)

_____

Title of Officer

_____

Name of Firm

_____

DATE

UNDERTAKING

I, the undersigned, do hereby undertake that our firm M/s. _____

would invest minimum cash up to 25 % of the value of work during implementation of the Contract.

_____

(Signed by Authorised Officer of the Firm)

_____

Title of Officer

_____

Name of Firm

_____

DATE

(On the letter head of the Machinery Supplier)

Undertaking

I, the undersigned do hereby undertake that our firm M/s……agree to provide and will deploy required equipment as mentioned in the Qualification Criteria of the work.

……
… further it is certified that the documents submitted as an evidence of availability of the key equipments for this work as stated in the Qualification Criteria, are genuine and correct. If anything contrary to the details as submitted is found at any stage PWD/MORTH would be at liberty to debar/blacklist my firm for an appropriate period as decided by PWD/MORTH.

(Signed by an Authorized Representative of the Firm)

Name of the Representative

(Seal of the company)
Name of Firm

Date

Bank Guarantee for BID Security

B.G. No. Dated:

1. In consideration of you, ****, having its office at ****, (hereinafter referred to as the "Authority", which expression shall unless it be repugnant to the subject or context thereof include its, successors and assigns) having agreed to receive the BID of …… and having its registered office at …… (and acting onbehalf of its JV) (hereinafter referred to as the "Bidder" which expression shall unless it be repugnant to the subject or context thereof include its/their executors, administrators, successors and assigns), for the*** ** Project on EPC basis (hereinafter referred to as "the Project") pursuant to the RFP Document dated …… issued in respect of the Project and other related documents including without limitation the draft contract Agreement (hereinafter collectively referred to as "Bidding Documents"), we (Name of the Bank) having our registered office at …… and one of its branches at …….. (hereinafter referred to as the "Bank"), at the request of the Bidder, do hereby in terms of Clause 1.2.4 read with Clause 2.20 of the RFP Document, irrevocably, unconditionally and without reservation guarantee the due and faithful fulfilment and compliance of the terms and conditions of the Bidding Documents (including the RFP Document) by the said Bidder and unconditionally and irrevocably undertake to pay forthwith to the Authority an amount of Rs. *** ** (Rupees *** ** only) (hereinafter referred to as the "Guarantee") as our primary obligation without any demur, reservation, recourse, contest or protest and without reference to the Bidder if the Bidder shall fail to fulfil or comply with all or any of the terms and conditions contained in the said Bidding Documents.

2. Any such written demand made by the Authority stating that the Bidder is in default of the due and faithful fulfilment and compliance with the terms and conditions contained in the Bidding Documents shall be final, conclusive and binding on the Bank.

3. We, the Bank, do hereby unconditionally undertake to pay the amounts due and payable under this Guarantee without any demur, reservation, recourse, contest or protest and without any reference to the Bidder or any other person and irrespective of whether the claim of the Authority is disputed by the Bidder or not, merely on the first demand from the Authority stating that the amount claimed is due to the Authority by reason of failure of the Bidder to fulfil and comply with the terms and conditions contained in the Bidding Documents including failure of the said Bidder to keep its BID open during the BID validity period as set forth in the said Bidding Documents for any reason whatsoever. Any such demand made on the Bank shall be conclusive as regards amount due and payable by the Bank under this Guarantee. However, our liability under this Guarantee shall be restricted to an amount not exceeding Rs. *** **(Rupees *** ** only).

4. This Guarantee shall be irrevocable and remain in full force for a period of 180 (one hundred and eighty) days from the BID Due Date inclusive of a claim period of 60 (sixty) days or for such extended period as may be mutually agreed between the Authority and the Bidder, and agreed to by the Bank, and shall continue to be enforceable till all amounts under this Guarantee have been paid.

5. We, the Bank, further agree that the Authority shall be the sole judge to decide as to whether the Bidder is in default of due and faithful fulfilment and compliance with the terms and conditions contained in the Bidding Documents including, inter alia, the failure of the Bidder to keep its BID open during the BID validity period set forth in the said Bidding Documents, and the decision of the Authority that the Bidder is in default

as aforesaid shall be final and binding on us, notwithstanding any differences between the Authority and the Bidder or any dispute pending before any Court, Tribunal, Arbitrator or any other Authority.

6. The Guarantee shall not be affected by any change in the constitution or winding up of the Bidder or the Bank or any absorption, merger or amalgamation of the Bidder or the Bank with any other person.

7. In order to give full effect to this Guarantee, the Authority shall be entitled to treat the Bank as the principal debtor. The Authority shall have the fullest liberty without affecting in any way the liability of the Bank under this Guarantee from time to time to vary any of the terms and conditions contained in the said Bidding Documents or to extend time for submission of the BIDs or the BID validity period or the period for conveying acceptance of Letter of Award by the Bidder or the period for fulfilment and compliance with all or any of the terms and conditions contained in the said Bidding Documents by the said Bidder or to postpone for any time and from time to time any of the powers exercisable by it against the said Bidder and either to enforce or forbear from enforcing any of the terms and conditions contained in the said Bidding Documents or the securities available to the Authority, and the Bank shall not be released from its liability under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the said Bidder or any other forbearance, act or omission on the part of the Authority or any indulgence by the Authority to the said Bidder or by any change in the constitution of the Authority or its absorption, merger or amalgamation with any other person or any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of releasing the Bank from its such liability.

8. Any notice by way of request, demand or otherwise hereunder shall be sufficiently given or made if addressed to the Bank and sent by courier or by registered mail to the Bank at the address set forth herein.

9. We undertake to make the payment on receipt of your notice of claim on us addressed to [name of Bank along with branch address] and delivered at our above branch which shall be deemed to have been duly authorised to receive the said notice of claim.

10. It shall not be necessary for the Authority to proceed against the said Bidder before proceeding against the Bank and the guarantee herein contained shall be enforceable against the Bank, notwithstanding any other security which the Authority may have obtained from the said Bidder or any other person and which shall, at the time when proceedings are taken against the Bank hereunder, be outstanding or unrealised.

11. We, the Bank, further undertake not to revoke this Guarantee during its currency except with the previous express consent of the Authority in writing.

12. The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorised and has full power to execute this Guarantee for and on behalf of the Bank.

13. For the avoidance of doubt, the Bank's liability under this Guarantee shall be restricted to Rs.-- (Rupees --).The Bank shall be liable to pay the said amount or any part thereof only if the Authority serves a written claim on the Bank in accordance with paragraph 9 hereof, on or before [*** (indicate date falling 180 days after the BID Due Date)].

14. This guarantee shall also be operatable at our…….. Branch at Mumbai, from whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and

payment there under claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.

15. The details of Bank Guarantee in favour of which is as under:

Sr. No.	**Particulars**	**Details**
1.	Name of Beneficiary	In favour of Executive Engineer, N.H. Division, Jalna on behalf of Chief Engineer (N.H) Konkan Bhavan Navi Mumbai
2.	Name of Bank	HDFC Bank,
3.	Account No.	50200066646464
4.	IFSC Code	HDFC0000735
5.	MICR Code	431240052

Signed and Delivered by ……. Bank

By the hand of Mr./Ms ……., its …….. and authorised official.

(Signature of the Authorised Signatory)
(Official-Seal)

~~APPENDIX-I~~

~~Bid Security Declaration~~

~~(Refer Clauses 16.1)~~

~~I hereby submit a declaration that the bid submitted by the undersigned , on behalf of the bidder , [Name of the bidder], either sole or in JV shall not be withdrawn or modified during the period of validity i.e not less than 120 (one hundred twenty) days from the bid due date.~~

~~I, on behalf of the bidder, [Name of the bidder] also I accept the fact that in case the bid is withdraw or modified during the period of its validity or if we fail to sign the contract in case the work is awarded to us or we fail to submit a performance security before the deadline define in clause 34 of Instructions to bidder (ITB, then [Name of the bidder] will be suspended for participation in the tendering process for the works of MORTH/NHAI/NHIDCL/ and works under other Centrally Sponsored Schemes, For a period of one years from the bid due of this Work.~~

~~(Signature of the Authorized Signatory)~~
~~Official seal)~~

SECTION – 3

CONDITIONS OF CONTRACT

Refer SECTION - 3

Of

PART I

COMPLETE BIDDING DOCUMENT

SECTION – 4

CONTRACT DATA

CONTRACT DATA

Items marked "N/A" do not apply in this Contract		Clause Reference with respect to Section - 3
1.	The Employer is Name : **The Chief Engineer, National Highway (P.W.),** (on behalf of Director General (RD) & S.S., Ministry of Road Transport and Highways, Transport Bhavan, 1, Parliament Street, New Delhi.) Address : **5th Floor, Room No.526 Konkan Bhavan, Navi Mumbai. Pin 400 614**	[Cl.1.1]
2.	The Engineer is **Executive Engineer, National Highway Division, Jalna.**	
3.	The Dispute Review Expert appointed jointly by the employer and Contractor is:	[Cl.1.1]
	* Name : (To be notified later)	
	*Address:	
4.	The Defects Liability Period is **01 Years** from the date of Completion.	[Cl.1.1 & 35]
5.	The Start Date shall be 05 days from the date of issue of the Notice to proceed with the work.	[Cl.1.1]
6.	The Intended Completion Date for the whole of the Works is 10 days after start of work with the following milestones:	[Cl.1.1, 17 & 28]
	Milestone dates:	[Cl.2.2, & 49.1]

	Physical Works to be completed	Period from the start date
i)	**Milestone 1: 30 % of the contract price**	**110 (One hundred ten)days**
ii)	**Milestone 2: 60 % of the contract price**	**220 (Two hundred twenty) days**
iii)	**Milestone 3: 100 % of the contract price**	**365 (three hundred sixty five day) days**

7.	**"Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."**	[Cl.1.1]
8.	The name and identification number of the Contract is : **08 For 2024-25**	[Cl.1.1]

9	The work consist of 1) Road Maintanances Work 2) Maintanances of Street Lights 3) Construction of Traffic Aid, Medical Aid Post Building 4) Gantry Work Wo **(A) Road Works.**	[Cl.1.1]	
	(B) Bridge Work -Nil- **(C) Other Items** Any other items as required to fulfil all contractual obligations as per the Bid documents.	[Cl. 1.1]	
10.	The following documents also form part of the Contract: **Addendum issued under clause 9.2.4. pursuant to clause 10 if any**	[Cl. 2.3(9)]	
11.	The law, which applies to the Contract, is the **law of Union of India.**	[Cl. 3.1]	
12.	The language of the Contract documents is **English**	[Cl. 3.1]	
13.	Limit of subcontracting – 49 % of the Initial Contract Price	[Cl. 7.1]	
14.	The Schedule of Other Contractors – NIL-	[Cl. 8]	
15.	The Schedule of Key personnel - As per Annex-II to section I	[Cl. 9]	
16.	The minimum insurance cover for physical property, injury and death is Rs.5 lakhs per occurrence with the number of occurrences limited to four. After each occurrence, Contractor will pay additional premium necessary to make insurance valid for four occurrences always.	[Cl. 13]	
17.	Site investigation report – To be assessed by the contractor	[Cl. 14]	
18.	The site possession Dates shall be within seven days from issue of notice to proceed with the work.	[Cl. 21]	
19.	Fees and types of reimbursable expenses to be paid to the Dispute Review Board (To be inserted later)	[Cl. 25]	
20.	Appointing Authority for the Dispute Review Board -council, Indian Roads Congress, New Delhi.	[Cl. 26]	
21.	The period for submission of the programme for approval of Engineer shall be **02 days** from the issue of letter of Acceptance	[Cl. 27.1]	
22.	The period between programme updates shall be **05 days.**	[Cl. 27.3]	

23.	The amount to be withheld for late submission of an update programme shall be **Rs. 1.00 lakhs.**		[Cl. 27.3]
24.	The following events shall also be Compensation Events:		[Cl. 44]
	Substantially adverse ground conditions encountered during the course of execution of work not provided for in the bidding document –		
	(i)	Removal of underground utilities detected subsequently	
	(ii)	Significant change in classification of soil requiring additional mobilisation by the contractor e.g. ordinary soil to rock excavation	
	(iii)	Removal of unsuitable material like marsh, debris dumps etc. not caused by the contractor	
	(iv)	Artesian conditions.	
	(v)	Seepage, erosion, landslide	
	(vi)	River training requiring protection of permanent work	
	(vii)	Presence of historical, archaeological or religious structures, monuments interfering with the works	
	(viii)	Restriction of access to ground imposed by civil. judicial, or military authority.	
25.	The currency of the Contract is Indian Rupees		[Cl. 46]
~~**26.**~~	~~The formula (e) for adjustment of prices are:~~		~~[Cl. 47]~~
	~~R = value of work as defined in Clause 47.1 of conditions of Contract~~		
~~**Adjustment For Labour Component :**~~			
~~**(i)**~~	~~Price adjustment for increase or decrease in the cost due to labour shall be paid in accordance with the following formula;~~		
	~~$V_L = \frac{0.85 \times P_L \times R \times [(L_i - L_o)/L_o]}{100}$~~		
	~~V_L = Increase or decrease in the cost of work during the month under consideration due to changes in rates for local labour.~~		
	~~L_o = The consumer price index for industrial workers for the state on 28 days preceding the date of opening of bids as published by Labour Bureau, Ministry of Labour, Government of India.~~		
	~~L_i = The Consumer Price Index for industrial workers for the state for the month under consideration as published by Labour Bureau, Ministry of Labour, Government of India.~~		
	~~P_l = Percentage of labour component of work.~~		
~~**Adjustment For Cement Component :**~~			
~~**(ii)**~~	~~Price adjustment for increase or decrease in the cost of Cement shall be paid in accordance with the following formula :~~		
	~~$V_c = \frac{0.85 \times P_c \times R \times [(C_i - C_o)/C_o]}{100}$~~		
	~~V_c = Increase or decrease in the cost of work during the month under consideration due to changes in rates for cement~~		

DELETED

	~~Co = The all India wholesale price index for cement on 28 days preceding the date of opening of Bids as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	
	~~C_i = The all India average wholesale price index for cement for the month under consideration as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	
	~~Pc = Percentage of cement component of the work.~~	

~~**Adjustment For Steel Component :**~~		
~~**(iii)**~~	~~Price adjustment for increase or decrease in the cost of steel shall be paid in accordance with the following formula :~~	
	~~Vs = 0.85 x PS x R x (Si – So) / So~~ ~~100~~	
	~~Vs = Increase or decrease in the cost of work during the month under consideration due to changes in rate for Steel.~~	
	~~So = The all India wholesale price index for Steel (Bars & Rods) on 28 days preceding the date of opening of Bids as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	
	~~Si = The all India wholesale price index for4 Steel (Bars & Rods) on 28 days preceding the date of opening of Bids as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	
	~~Pc = Percentage of cement component of the work.~~	
	~~***Note :-*** *For the application of this clause, index of Bars and Rods has been chosen to represent steel group.*~~	
~~**(iv)**~~	~~**Adjustment For Bitumen Component :**~~	
	~~Price adjustment for increase or decrease in the cost of bitumen shall be paid in accordance with the following formula;~~	
	~~V_b = 0.85 x P_b / 100 x R x (B_i – B_o) / B_o~~	
	~~V_b = Increase or decrease in the cost of work during the month under consideration due to changes in rates for bitumen.~~	
	~~B_o = The official retail price of bitumen at the IOC depot at nearest centre on the day 28 days prior to the date of opening of bids~~	
	~~B_i = The official retail price of bitumen at the IOC depot at nearest centre for the 15th day of the month under consideration~~	
	~~P_b = Percentage of bitumen component of the work.~~	
~~**(v)**~~	~~**Adjustment of POL (Fuel and Lubricant) Component :**~~	

DELETED

	~~Price adjustment for increase or decrease in the cost of POL (fuel and lubricant) shall be paid in accordance with the following formula;~~	
	~~$V_f = 0.85 \times P_f / 100 \times R \times (F_i - F_o) / F_o$~~	
	~~V_f = increase or decrease in the cost of work during the month under consideration due to changes in rates for fuel & lubricants.~~	
	~~F_o = The official retail price of High speed Diesel at the existing consumer pumps of IOC depot at nearest centre on the day 28 days prior to the date of opening of bids.~~	
	~~F_i = The official retail price of HSD at the existing consumer pumps of IOC at nearest centre for the 15th day of month of the under consideration..~~	
	~~P_f = Percentage of fuel & lubricants component of the work.~~	
	~~***Note*** *: For the application of this clause, the price of High Speed Diesel & Oil has been chosen to represent fuel & lubricants group.*~~	
~~**Adjustment of Plant and Machinery Spares Component :**~~		
~~**(vi)**~~	~~Price adjustment for increase or decrease in the cost of plant and machinery spares procured by the contractor shall be paid in accordance with the following formula ;~~	
	~~$Vp = 0.85 \times Pp / 100 \times (Pi - Po) / Po$~~	
	~~Vp = Increase or decrease in the cost of work during the month under consideration due to changes in rates for plant and machinery spares.~~	
	~~Po = The all India wholesale price index for Heavy Machinery and Parts on 28 days preceding the date of opening of Bids as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	
	~~Pi = The all India average wholesale price index for heavy machinery and parts for the month under consideration as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	
	~~PP = Percentage of plant and machinery spares component of the work~~	
	~~***Note :*** *For the application of this clause, index of Heavy Machinery and parts has been chosen to represent the plant and machinery spare group.*~~	
~~**Adjustment of Other Materials Component :**~~		
~~**(vii)**~~	~~Price adjustment for increase or decrease in the cost of local materials other than cement, Steel, bitumen, and POL procured by the contractor shall be paid in accordance with the following formula;~~	~~[Cl. 49]~~
	~~$V_m = 0.85 \times P_m / 100 \times R \times (M_i - M_o) / M_o$~~	

DELETED
DELETED
DELETED

DELETED

	~~V_m = Increase or decrease in the cost of work during the month under consideration due to changes in rates for local materials other than cement, Steel, bitumen, and POL.~~	~~[Cl. 50]~~
	~~M_o = The all India wholesale price index (all Commodities) on 28 days preceding the date of opening of Bids as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	~~[Cl. 50]~~
	~~M_i = The all India wholesale price index (all Commodities) on for the month under consideration as published by the Ministry of Industrial Development, Government of India, New Delhi.~~	~~[Cl. 51 & 52]~~
	~~P_m = Percentage of local materials component (other than cement, steel, bitumen and POL) of the work.~~	
	~~The following percentage will govern the price adjustment for the entire contract :~~	

	~~1~~	~~Labour~~	~~P_l =~~ ~~00 %~~	
	~~2~~	~~Cement~~	~~P_c =~~ ~~00 %~~	
	~~3~~	~~Steel~~	~~P_s =~~ ~~00 %~~	
	~~4~~	~~Bitumen~~	~~P_b =~~ ~~00 %~~	
	~~5~~	~~POL~~	~~P_f =~~ ~~00 %~~	
	~~6~~	~~Plant & Machinery Spares~~	~~P_p =~~ ~~00 %~~	
	~~7~~	~~Other Materials~~	~~P_m =~~ ~~00 %~~	
		~~Total~~	~~00 %~~	

27.	The Proportion of payments retained (retention money) shall be 6 % from each bill subject to a maximum of 5 % of final contract price.		[Cl. 48]
28.	Amount of liquidated damages for delay in completion of works	**(I) for Whole of work**	[Cl. 49]
		(1/2000)th of the initial contract price rounded off to the nearest thousand per day i.e. **Rs. 13,000/- (Rs. Sixteen thousand only)** per day	
		(II) for sectional completion	

		(Whatever specified in Item 6 of Contract Data) - (1/200)th of initial contract price for section of work under **(i) milestone I** rounded off to the nearest thousand per day i.e. **Rs. 49,000/- (Rs. Fourty Nine thousand only)** per day. **(ii) milestone** II rounded off to the nearest thousand per day i.e. **Rs. 99,000/- (Rs. Ninenty Nine Thousand only)** per day. **(iii) milestone III** rounded off to the nearest thousand per day i.e. **Rs. 1,65,000/- (Rs. One Hundred Sixty Five Thousand only)** per day.	
29	Maximum limit of liquidated damages for delay in completion of work.	10 percent of the Initial contract Price rounded off to the nearest thousand. i.e. **Rs. 32,97,000/- (Rs. Thirty Two Lakh Ninenty Seven thousand only)**	[Cl. 49]
30.	~~Amount of Bonus for early completion of whole of the works~~ **DELETED**	~~1 percent of the Initial contract Price (Part of a month to be excluded), rounded off to the nearest thousand. Per month.~~	[Cl. 50]
31.	~~Maximum limit of bonus for early completion of work~~ **DELETED**	~~6 percent of the contract price rounded off to the nearest thousand.~~	[Cl. 50]
~~**32.**~~	~~The amounts of the advance payment are.~~		~~[Cl. 51 & 52]~~

DELETED

~~**Nature of advance**~~			~~**Amount (Rs.) Conditions to be fulfilled**~~
i.	~~**Mobilization**~~ **DELETED**	~~10% of the Contract price~~	~~On submission of unconditional Bank Guarantee (to be drawn before the end of 20% of Contract Period).The Contractor may furnish four bank Guarantees of 2.5% each, Valid for full period.~~

ii.	***EQUIPMENT** **DELETED**	~~90% for new and 50% of depreciated value for old equipment. Total amount will be subject to a maximum of 5% of the Contract Price.~~	~~After equipment is brought to site (provided the Engineer is satisfied that the equipment is required for performance of the contract) and on submission of unconditional Bank Guarantee for amount of advance.~~
~~**iii.**~~	~~* Secured advance for non-perishable materials brought to site~~	~~75% of Invoice Value~~	~~a) The materials are in accordance with the specification for works.~~
			~~b) Such materials have been delivered to site, and are properly stored and protected against damage or deterioration to the satisfaction of the Engineer. The Contractor shall store the bulk material in measurable stacks;~~
			~~c) The Contractor's records of the requirements, orders, receipt and use of materials are kept in a form approved by the Engineer and such records shall be available for inspection by the Engineer.~~
			~~d) The contractor has submitted with his monthly statement the estimated value of the materials on site together with such documents as may be required by the Engineer for the purpose of valuation of the materials and providing evidence of ownership and payment thereof.~~
			~~e) Ownership of such materials shall be deemed to vest in the Employer for which the Contractor has submitted an Indemnity Bond in an acceptable format, and~~
			~~f) The quantities of materials are not excessive and shall be used within a reasonable time as determined by the Engineer.~~

~~(The advance payment will be paid to the Contractor no later than 28 days after fulfilment of the above conditions)~~

~~**33.**~~	~~Repayment of advance payment for mobilization and equipment:~~	[Cl. 51.3]
	~~The advance loan shall be repaid with percentage deductions from the interim payments certified by the Engineer under the Contract. Deductions shall commence in the next Interim Payment Certificate following that in which the total of all sum payments to the Contractor has reached not less than 20 percent of the Contract Price or 6 (Six) months from the date of payment of first installment of advance, whichever period concludes earlier, and shall be made at the rate of 20 percent of the amounts of all Interim Payment Certificates until such time as the loan has been repaid, always provided that the loan shall be completely repaid prior to the expiry of the original time for completion pursuant to Clause 17 and 28.~~	
~~**34.**~~	~~Repayment of Secured advance~~	[Cl. 51.4]

DELETED

	~~The advance shall be repaid from each monthly payments to the extent materials [for which advance was previously paid pursuant to Clause 51.4 of G. C. C.] have been incorporated into the works.~~	
35.	The Securities shall be for the following minimum amounts equivalent as a percentage of the Contract Price:	[Cl. 52]
	Performance Security for 3 percent of contract price plus Rs..... (to be decided after evaluation of the bid) as additional security in terms of ITB Clause 29.5	
	The Standard form of Performance Security acceptable to the Employer shall be an unconditional Bank Guarantee of the type as presented in Section 8 of the Bidding Documents.	
36.	The Schedule of Operating and Maintenance Manuals .....N/A	[Cl. 58]
37.	The date by which "as-built' drawings (in scale as directed) in 2 sets are required is within 28 days of issue of certificate of completion of whole or section of the work, as the case may be.	[Cl. 58]
38.	The amount to be withheld for failing to supply "as-built" drawings by the date required is **-Nil-**	[Cl. 58]
39.	The following events shall also be fundamental breach of contract: "The Contractor has contravened Sub-Clause 7.1 and Clause 9 of GCC."	[Cl. 59.2]
40.	The Percentage to apply to the value of the work not completed representing the Employer's additional cost for completing the Works shall be 20 percent.	[3, Cl. 60]

SECTION – 5

TECHNICAL SPECIFICATION

Refer SECTION - 5

Of

PART I

COMPLETE BIDDING DOCUMENT

SECTION – 6

FORM OF BID

FORM OF BID #

Name of Work- "Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."

Executive Engineer,
National Highway Division,
Jalna.
Behind Durga Mata Mandir Jalna.

1. We offer to execute the works described above and remedy any defects therein in conformity with the conditions of contract, specification, drawings, Bill of Quantities and Addenda for the sum(s) of ----------
2. We undertake, if our Bid is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Engineer's notice to commence and to complete the whole of the Works comprised in the Contract within the time stated in the document.
3. We agree to abide by this Bid for the period of 120 days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
4. Unless and until a format Agreement is prepare and executed this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.
6. We accept the appointment of Shri. ..... as the Dispute Review Expert.

(OR)

We do not accept the appointment of Shri. ..... as the Dispute Review Expert and propose instead that Shri. ..... be appointed as Dispute Review Expert, whose BIO-DATA is attached.

Dated this ..... day of ..... 20.....

Signature _____ in the capacity of _____duly authorised sign bids for and on behalf of ..... (in block capitals or typed)

Address

.....

Witness

.....

Address

.....

Occupation

.....

Note-The bidder will submit this form online without his financial offer. The bidder shall fill the rates online in the BOQ sheet provided in the e-tender portal only.

SECTION – 7

BILL OF QUANTITIES

BILL OF QUANTITIES
Preamble

1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, Conditions of Contract, Technical Specifications and Drawings.
2. The quantities given in the Bill of Quantities are estimated and provisional, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Engineer and valued at the rates and prices tendered in the priced Bill of Quantities, where applicable and otherwise at such rates and prices as the Engineer may fix within the terms of the Contract.
3. The rates and prices tendered in the priced Bill of Quantities shall, except in so far as it is otherwise provided under the Contract, include all constructional plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes and duties, together with all general risks, liabilities and obligations set out or implied in the Contract.
4. The rates and prices shall be quoted entirely in Indian Currency.
5. A rate or price shall be entered against each item in the Bill of Quantities, whether quantities are stated or not. The cost of items against which the Contractor has failed to enter a rate or price shall deemed to be covered by other rates and prices entered in the Bill of Quantities.
6. The whole cost of complying with the provisions of the Contract shall be included in the terms provided in the priced Bill of Quantities and where no items are provided the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
7. General directions and descriptions of work and materials are not necessarily repeated or summarized in the Bill of Quantities. References to the relevant sections of the contract documentation shall be made before entering rates or prices against each item in the Bill of Quantities.
8. The method of measurement of completed items of work for payment shall be in accordance with the specification for Road and Bridge Works published by the Ministry of Road Transport & Highways, (V^{th} Revision) April 2013.
9. Errors will be corrected by the Employer for any arithmetic errors pursuant to Clause 29 of the Instructions to Bidders.
10. Rock is defined as all materials which, in the opinion of the Engineer, require blasting or the use of metal wedges and sledge hammers or the use of compressed air drilling for its removal and which cannot be extracted by ripping with a tractor of at least 150 kw with a single rear mounted heavy duty ripper.

SCHEDULE OF MATERIALS

(To be Brought by the Contractor at his own cost)

NAME OF WORK :- "Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) package II on Risk and Cost of Contractor."

Sr. No.	Item of work	Approximate Quantity to be brought	Unit	Remarks

SCHEDULE 'A'

NAME OF WORK :- "Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."

Sr. No.	Item of Material	Approximate Quantity to be supplied	Unit	Rate at which the materials will be charged to the contractor		place of delivery
				In Figure	In Words	
		Nil				

Note: 1) The persons or firm submitting the tender should see that the rates in the above schedule are filled up by the Executive Engineer on the issue of the form prior to submission of the tender.

2) Contractors will have to make arrangement themselves for securing structural steel under the permit to be obtained by themselves. Department will however tender necessary help to contractor.

3) Empty Tar drums are the property of department. If the Contractor has not returned empty tar drums to department recovery at the rate of Rs. 50/- per drum will be made from the contractor.

4) 40% of the empty cement bags issued to the contractor are to be returned to the department. Otherwise recovery at the rate of Rs. 5/- per bag will be made from the contractor.

BILL OF QUANTITIES

Name of Work : "Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."

Sr. No.	Description of Item	Quantity may be more or less	Unit	Rate		Amount
				In Figure	In Words	
1	2	3	4	5	6	7
1	Charges for groove cutting of 15 mmx15 mm deep along crack and sealing and refilling the same with epoxy mortar including cost of material, labour etc. complete. (SSR Item No.51.143, Page No. 392)	1279.35	rmt.	459.00		587221.65
2	Providing and Laying hot applied thermoplastic road marking strip on Bituminous Surface of specified shade/colourof 2.5mm thick including 1.5 Refractive index reflectorizing glass beads @250gm/sqm. Thickness of 2.5mm is exclusive of surface applied glass bead s as per IRC35:2015. Initial Dry reflectivity RLshall be>250mcd/sqm/lux measured in the initial 7days and sustained reflectivity RL of 100mcd/sqm/luxandQd of 100mcd/sqm/lux measured at the end of 2 years by means of a S tandard Reflectometer of Zehntner, Easylux, Delta make capable of measuring RL &Q D both according to IRC35:2015 clause15.5. The finished surface to be level, uniform, and free from streaks and holes complete as per direction of Engineer-in-charge and in accordance with applicable specifications.(ReferMORTH Clause803 for technical Specification and Performance for IRC 35:2015). (SSR No.6.12a, MORTH 803.4, Page No.48)	16207.62	Sqm.	807.60		13089273.91

3	Replacement of existing damaged Expansion joints by providing and laying of Strip Seal Expansion Joint System, including removal of existing damaged exp joints by dismantling of deck slab, wearing coat etc. and back filling of the recess up to final finish level with conc of grade M-35, complete as per M.O.R. T&H specification. (Item No.51.152, Page No.393)	112.00	Rmt.	19016.00		2129792.00
4	Supplying and Fixing of Molded Shank Raised Pavement Markers / Cat's Eye made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97 DO III Dt 11.06. 1997. The height, width and length shall not exceed 50 mm, 100 mm and 102 +/- 2 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35 +/- 5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 500 Kg. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer.The contractor shall submit a two year warranty for satisfactory field performance including stipulated retro-reflectance of the reflecting panel, to the Engineer. (Item No.6.09, MORTH 804, Page No.47)	3000.00	Nos	366.00		1098000.00
5	Repair of localized failed areas of PQC by marking the area, removing the failed area using jack hammer,saw cutting to full depth of PQC,replacing membrane,clearing the area of from dust and debries,placing M40 grade PQC in a depth equivalent to the existing depth of PQC and installing existing expansion joint/other joint. (Item No.5.09, Page No.41)	304.95	Cum	13592.00		4144880.40
6	Stapling as per specifications and standards defined in IRC SP:83-2018	78.50	rmt.	1776.00		139416.00

1	Street Light fitting repair - A Testing of street light fitting, replacement of faulty accessories, doing fitting connections as before and testing and starting of fitting of fitting. Spares will be provided by PMC or removing of street light fitting safely & handling over all the accessories to PMC. (Region : PMC Electrical DSR YEAR : 2023-2024 Category : POLE MAINTENANCE)	361.00	Nos	150.00		54150.00
2	Making cement concrete foundation including excavation (60 x 60 x 150) cm deep in 1:3:6 cement concrete 20 x 25 mm stone metal, (45 x 45 x 45) cm /45 cm dia. x 45 cm height plinth duly plastered, with necessary curing and finishing complete. (above 6 m to 9 m poles) (SSR Item No.16-3-3, Page No.239)	10.00	Nos	2033.00		20330.00
3	Supplying and erecting steel tubular swaged pole 139.7 x 114.3 x 88.9 mm dia with 4.5 x 3.65 x 3.25 mm thickness (5+2+2 m) length respectively and total 9 m long with pole cap, base plate in provided foundation (weight 113 kg) as per specification no. OH-PL/STP. (SSR Item No 8-1-3, Page No.146)	10.00	Nos	10295.00		102950.00
4	Supplying and erecting Street light bracket for erection of Double fitting made from 40 mm. dia 'B' class G.I. pipe 1.0 m. in length along with pole cap of 300 mm length 100 mm dia duly welded as per specification no. FGBKT/BPC. (SSR Item No.2-7-6, Page No.32)	20.00	Nos	1452.00		29040.00
5	Supplying and erecting HPSV lamp 3 pin BC/Screwed cap head /pin type 230V, 150 W SON type . (SSR Item No.2-8-16, Page No.35)	20.00	Nos	388.00		7760.00
6	Supplying & erecting three phase, 415V, street light control panel up to the max load of 12kW, TPN MCB 63A, powder coated CRCA 14 SWG sheet, outdoor type, having IP54,IK10 protection, suitable rating contactor, 24 hrs.astronomical time switch with minimum 5 years battery back up, auto/manual selector switch, ON/OFF push buttons, indicator lamps, control	4.00	Nos	31461.00		125844.00

	wiring, metering device, etc. for automatic operation, with overcurrent, short circuit, earth fault protection on provided iron frame / CC foundation. (SSR Item No.5-2-6, Page No.89)					
7	Supplying, erecting & terminating FR XLPE insulated, galvanised steel formed wire armoured (strip) cable 1100 V, 3.1/2 core 35 sq. mm. copper conductor complete erected with glands & lugs, on wall/ trusses/ pole or laid in provided trench/ pipe as per specification no. CB-LT/CU (SSR Item No.7-2-21, Page No.131)	150.00	Rmt	1664.00		249600.00
1	Excavation for foundation in Hard murum including removing the excavated material up to a distance of 50 meters beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift from 00 to 1.5m.) By Manual Means (SSR Item No.21.01 Page No.153)	26.64	cum	239.00		6366.96
2	Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complete (SSR Item No.21.40 Page No.157)	6.75	Cum	1784.77		12047.20
3	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI grade) (SSR Item No.24.01 Page No.175)	6.18	Cum	6389.11		39467.06
4	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction	28.35	Cum	851.22		24132.09

	etc. complete (SSR Item No.21.37 Page No.157)					
5	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in plinth as backing in composite masonry including bailing out water manually, striking joints, raking out joints and watering etc Complete (SSR Item No.27.03 Page No.197)	4.96	Cum	8023.98		39791.18
6	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks incement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete (SSR Item No.27.05 Page No.197)	18.09	Cum	8503.98		153823.05
7	Providing second class Burnt Brick masonry with conventional/I.S.type bricks in cement mortar 1:4 in half brick thick wall including mild steel longitudinal reinforcement tof 2 bar so f 6 mm diameter/2hoopironstrips 25mm X1.6 mm placed at every third course, properly bent and bonded at end scaffolding, racking out joints and watering etc. complete .(SSR Item No.27.06 Page No.197)	1.76	Sqm	1179.16		2078.27
8	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations ,grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.25.11 Page No.178)	3.89	Cum	7528.23		29269.76
9	Providing and laying Cast in situ/Ready Mixcementconcrete M-20 of trap /granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing oras directed including steel centering,					

	formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete.(Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. mplete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.25.31 Page No.179)					
	For Ground Floor	2.33	cum	14207.23		33085.09
10	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs and drawings or as directed including steel centering, formwork, cover blocks, laying/pumping, compaction and roughening the surface if special finish is to be provided and curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No. 25.50 Page No.181)					
	For Ground Floor	6.71	cum	12693.23		85196.64
11	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap/ granite/quartzite/ gneiss metal for R.C.C. slabs and landings as per detailed designs and drawings including steel centering, formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete,(Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type					

	mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No. 25.70 Page No.182)					
	For Ground Floor	6.50	cum	14356.23		93254.483
12	Providing and laying Cast in situ/Ready Mix cement concrete in M-25 of trap/quartzite/granite/gneiss metal for R.C.C. Waist slab, and steps of stair cases etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.26.26 Page No.186)	1.31	Cum	12589.24		16472.01
13	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap/ granite/ quartzite/ gneiss metal for R.C.C. chajja as per detailed design and drawings including steel centering, formwork, cover blocks, laying/pumping, compacting and roughening the surface if special finish is to be provided and curing complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.26.05 Page No.184)	0.12	Cum	14356.23		1744.28
14	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. (SSR Item No.26.05 Page No.184)					
	Ground Floor	1.804	MT	89938.34		162265.61
15	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1Kilogramper cement bag curing the same for not less than 2 days and keeping the surface of the base coat					

	rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete (SSR Item No.32.11 Page No.209)					
	Ground Floor	100.92	Sqm	655.49		66152.04
16	Providing internal cement plaster 12mm thick in single coat in cement mortar 1:4 without neeru finish to concrete or brick surfaces, in all positions including scaffolding and curing etc. complet (SSR Item No.32.04 Page No.209)					
	Ground Floor	157.66	Sqm	285.45		45003.746
17	Providing neeru finish to plastered surfaces in all positions including scaffolding and curing etc. Complete (SSR Item No.32.15 Page No.210)	146.07	Sqm	65.00		9494.55
18	Providing fine cement finish 1.5 mm thick over green plaster surface including scaffolding curing etc. complete. (SSR Item No.32.21 Page No.210)	11.59	Sqm	72.00		834.3
19	Providing and laying vitrified mirror / glossy finish tiles decorative type having size 590 mm to 605 mm x 590 mm to 605 mm of 8 to 10 mm thickness and confirming to IS. 15622-2006 (group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and clearing etc. complete. (SSR Item No.33.40 Page No.217)	31.50	Sqm	1300.45		40964.09
20	Providing and laying matt finish ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry cleaning curing etc. complete (SSR Item No.33.24 Page No.215)	4.00	Sqm	1305.45		5221.79
21	Providing and laying ceramic tiles of having size 30 cm. x 30 cm. and confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ colour cement slurry cleaning curing etc. complete.(SSR	6.00	Sqm	1378.45		8270.68

	Item No.33.25 Page No.215)					
22	Providing and laying telephone black / Amba White / Cadbury brown / Ruby red /Ocean Brown granite stone of 18 to 20 mm thick for door frame/ dado/ window boxing etc. On C.M. 1:6 including filling joints with polymer base filler nosing/moulding the sharp edges wherever necessary, curing, etc. complete. (SSR Item No.33.68 Page No.220)	8.64	Sqm	4386.00		37895.04
23	Providing and fixing mild steel grill work for windows, ventilators etc. 20 Kilogram/ One Square Meter as per drawing including fixtures, necessary welding and painting with one coats of anticorrosive paint and two coats of oil painting complete (SSR Item No.40.01 Page No.264)	4.50	Sqm	2097.00		9436.50
24	Providing and fixing in position (as per 1868 / 1982) Aluminium sliding window of three tracks with rectangular pipe 95 x 38.10 x 0.90 mm at weight 0.637 Kilogram/One Running Meter. with window frame bottom track section 92 x 31.75 x 1.30 mm at weight 1.070 Kilogram/One Running Metre.. Top and side track section 92 x 31.75 x 1.30 mm at eight 0.933 Kilogram/Running metre. With powder coating with box (SSR Item No. 39.43 Page No.254)	3.60	Sqm	5367.00		19321.20
25	Providing and Fixing 30 MM thick BOTH SIDE PRELAMINATED SOLID PANEL PVC DOOR SHUTTER consisting of frame made out of M.S tubes of 19 guage thickness and, size 19 x 19 mm for styles and 15 x15 mm for the top and bottom rails, M.S frame shall have a coat of metel primer of approved make and manufacture. M.S frame shall be covered with heat mouled PVC 'C' channel made from 5 mm (+/0.25) thick Other hardwares (SSR Item No.39.47 Page No.255)	6.60	Sqm	6548.00		43216.80
26	Providing and applying plastic emulsion paint of approved quality, colour and shade to new surface in three coats including scaffolding, preparing the surface. (excluding primer coat) etc. complete (SSR Item No.36.14 Page No.228)	146.07	Sqm	135.00		19719.45

27	Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to new plastered surfaces including scaffolding if necessary, cleaning and preparing the surface, watering for two days etc. complete (SSR Item No.35.15 Page No.224)	100.92	Sqm	104.00		10495.68
28	Providing and applying two coats of lead/zinc base oil paint/ bituminious paint of approved colour to new structural steel work and iron work in buildings including scaffolding if necessary, cleaning and preparing the surface etc. complete. (excluding primer coat). (SSR Item No.35.04 Page No.223)	4.5	Sqm	89.00		400.50
29	Providing and fixing Orissa type white glazed earthenware water closet pan of size 260mm x440 mm x580 mm with approved make Slim wall hung cistern with installation kit including Sor P trap with cast iron soil and vent pipe up to outside face of the wall 1:2:4 brick bat lime concrete bedding without flushing tank and its accessories etc .complete. (SSR Item No.48.42 Page No.316)	2.00	No.	3368.33		6736.66
30	Providing and fixing white glazed earthenware Wash Hand Basin of 55cm. x 40 cm. size including cold water pillar tap/cold and hot water pillar tap brackets, rubber plugs and brass chain, stop tap and necessary pipe connections including P.V.C. waste pipe and trapup to the out side fac eof the wall.Making good the damaged surface, testingetc. complete (SSR Item No.41.63 Page No.272)	2.00	No.	5599.00		11198.00
31	Providing and fixing push cock (Self closing tap) symet type of 15 mm dia. including necessary socket, testing etc. complete (SSR Item No.41.54 Page No.271)	4.00	No.	454.00		1816.00
32	Providing, laying and fixing P.V.C. pipe of 15 mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.21 Page No.276)	20.00	Rmt.	82.00		1640.00

33	Providing, laying and fixingP.V.C. pipe of 20 mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Includingremoving existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.22 Page No.276)	20.00	Rmt.	126.00		2520.00
34	Providing, laying and fixing P.V.C. pipe of 25 mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete (SSR Item No.42.23 Page No.276)	15.00	Rmt.	157.00		2355.00
35	Providing and fixing H.D.P container one piece moulded water tank made out of high density polythyler and built corrugated inclusive of delivery upto destination hoisting and fixing of accessories such as inlet,outlet overflow pipe inclusive of all tanks capacity between 200 to 1000 liters (SSR Item No.42.53 Page No.280)	500.00	Ltr.	14.00		7000.00
36	Providing and fixing on walls/ ceiling/ floor 15 mm dia. uPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.89 Page No.284)	20.00	Rmt.	245.00		4900.00
37	Providing and fixing on walls/ceiling/floor 20 mm dia. uPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipeline if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.90 Page No.284)	20.00	Rmt.	289.00		5780.00
38	Providing, laying and fixing P.V.C. pipe of 110 mm .dia .with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or	6.00	Rmt.	594.00		3564.00

	as directed etc. complete. (SSR Item No.42.28 Page No.277)					
39	Providing and constructing Brick Masonry Inspection Chamber 60cm x 45cm x 90cm including 1:4:8 cement concrete foundation 1:2:4 cement concrete channels half round G.S.W. pipes, Brick Masonry, plastering from inside and with frame fixed in cement concrete with R.C.C. Cover medium duty 140 Kilogram with frame etc complete. (SSR Item No.42.12 Page No.275)	2.00	No.	9160.00		18320.00
40	Providing and fixing push cock (Self closing tap) symet type of 20 mm dia. including necessary socket, testing etc. complete. (SSR Item No.41.55 Page No.271)	2.00	No.	466.00		932.00
41	Providing and fixing C.P.Two way BIB cock of approved make continental including necessary sockets/union nut etc. complete. (SSR Item No.42.80 Page No.282)	2.00	No.	1459.00		2918.00
42	Executive's Table @ 1800Lx900Dx750HT Providing & Fixing of Table @ 1800Lx900Dx750HT - TOP & GABLE END to be made of Membrane finish with soft water fall edges & curved panel & Decorated Anodized section MODESTY PANEL to be made of 18 mm thick Prelaminated particle board with PVC edge band as per drawing (SSR Item No.51.21 Page No.355)	2.00	No.	17231.00		34462.00
43	Single Bed @ 2025LX 1000DX 650H Providing and fixing Single Bed of Size 2025Lx1000Dx650H with matress and pillow. Understructure: - The legs are made of Square tube of size 25 x 25mm made out of MS with a thickness of 1.2 mm. The legs should have corner brackets welded to it at two levels. The corner brackets are made of 2mm thick CRCA having a L shaped structure to join the side panels and headboard to the leg. Three nos. of Horizontal stiffeners are provided at equal int 1000 x 650mm. Foot Board :- The foot board is made up of 18mm thick Prelam Particle Board with both side decorative laminate. All exposed edges are sealed with 2mm thick PVC edge Banding. The head board size to be considered as 1000 x 450mm. Bed Base: - The Bed	1.00	No.	19367.00		19367.00

	Base is made up of 12mm thick Prelam Particle Board with both side White laminate.(SSR Item No.51.55 Page No.366)					
44	Providing a folding wheelchair of Pioneer Surgicals Brand, model One Number PS 809/ equivalent make as per the directions of the engineer in charge. (SSR Item No.51.82 Page No.372)	1.00	No.	8950.00		8950.00
45	Public Seating Chair. - 3 Seater Providing and Fixing 3 seater Public seating chair made of complete metal with Legs in Crome finish and seates in silver powder coating finish (SSR Item No.51.44 Page No.359)	2.00	No.	18056.00		36112.00
46	Providing & Arrangemnt of High Back Chair - TILT MECHANISM WITH MULTILOCKING, HIGH DENSITY CUSHION ON SEAT COMPOSITE LEATHER WITH METALLIC SILVER FINISH BASE AND ARMS WITH P.U.CASTORS GASLIFT FOR HEIGHT ADJUSTMENT (SSR Item No.51.41 Page No.359)	1.00	No.	15474.00		15474.00
47	Providing & Arrangemnt of Mid Back, ECOCTS Mechanism, Fixed Armrest ,Gas lift for Seat height adjustment, Standard 5-prong P/Nylon Base with Fabric Upholstery (SSR Item No.51.43 Page No.359)	3.00	No.	6520.00		19560.00
1	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering includings horing and strutting etc. complete. (Lift upto 0.00 to 1.50 m.) By Manual Means (SSR Item No.21.01 Page No.153)	6.57	Cum	239.00		3250.00
2	Excavation for foundation in earth, soils of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50metres beyond the building are and stacking and spreading as directed, dewatering, preparing the bed for the	13.6	Cum	314.00		2064.00

	foundation and necessary backfilling, ramming, watering including shoring and strutting etc. complete. (Lift from 1.5m to 3.0m) By Manual Means (SSR Item No.21.03 Page No.153)					
3	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for foundation and bedding / steps including steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing unevend honey combed surface and curingetc. complete. The Cement Mortar 1:3plaster is considered or endering unevenand honey combed surface, only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.),with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item NO.24.04 Page NO.175)	0.68	Cum	6871.41		4672.00
4	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.25.11 Page No.178)	9.55	Cum	7516.01		71770.00

5	Providing and fixing board displaying information, such as "Name of work, Tender cost, Name of Contractor, Work completion and liability period etc", having rectangular shape of 1.20m x 0.90m size made up of 4 mm aluminum composite pannel sheet with 0.5 mm skin thickness on either side bonded with white retro reflective sheeting of Class C (Type XI Micro prismatic grade sheeting) having pressure sensitive adhesive. Retro reflective sheeting with specified background, border and back side reto reflective symbols, letters, numerals, arrow as per IRC: 67-2012 Table No 8.3, on M.S.angle of size 35 x 35 x 3 mm frame with properly cross braced M.S. angles of size 35mmx35mmx3mm duly painted including Two M.S. angle iron posts of size 65 mm x 65 mm x 6 mm, 3.65 m long painted with alternate black and white bands of 25 cm width including all fixtures etc.and fixing the boards in 1:4:8 concrete block of size 60 cm x 60 cm x 75 cm including, excavation, refilling, transportation, and labour etc complete. Class _C_ (Type XI Micro prismatic grade sheeting) shall have 10 years written warranty from the manufacturer including the Digitally Printed areas with approved printing technology with sheeting manufacturer approved inks and laminated with UV overlay film and this warranty certificate in original should be submitted to the Engineer in charge by the contractor/supplier. (SSR Item No. 53.83 Page No.511)	70.5	Sqm	14972.00		1055526
6	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. (SSR Item No.26.05 Page No.184)	0.762	Mt	89703		68335.75

7	Gantry Structural Steel Work	4.335	Mt	76863		333178.0692

1. Item for which no rate or price has been entered in will not be paid for by the Employer when executed and shall be deemed covered by the other rates and prices in the bill of quantities (Refer: ITB Clause 13.2 and GCC Clause 43.3)
2. Unit rates and prices shall be quoted by the bidder in Indian rupee [ITB Clause 14.1]
3. Where there is a discrepancy between the rate in figure and words, the rates in word will govern [ITB Clause 27.1(a)]
4. Where there is a discrepancy between the unit rate and the line-item total resulting from multiplying the unit rate by quantity, the unit rate quoted shall govern [ITB Clause 27.1(b)]
5. GST as applicable to be borne by the Contractor.
6. The Organo silane nanotechnology zycotherm in bituminous work for antistripping and water resistance benefits to MoRTH specification of IS14982.
7. All the Taxes like Royalty, Labour Insurance etc. and others applicable taxes are included in the Tender value of work.

Sub Divisional Engineer
National Highway Sub Division No.2
Jalna.

Executive Engineer,
National Highway Division,
Jalna.

SPECIFICATIONS

Name of Work : **"Maintenance of Rehabilitation and Upgradation of existing Highway to 2 lane/4 lane with paved shoulder configuration from Dhangarpimpri to Jalna and Ambad chowk to Mantha Chowk (Km. 30+390 to Km. 50+264 and 0+000 to 5+243 two lane with paved shoulder configuration) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 2) on Risk and Cost of Contractor."**

Sr. No.	Item of work	Reference to MORT & H Specification for Road & Bridge Work (Fifth Revision) 2013 & P.W.D. Standard Specification		Additional specification
		Specification	Page No.	
1	2	3	4	5
1	Charges for groove cutting of 15 mmx15 mm deep along crack and sealing and refilling the same with epoxy mortar including cost of material, labour etc. complete. (SSR Item No.51.143, Page No. 392)	BR		As directed by Engineer in-charge.
2	Providing and Laying hot applied thermoplastic road marking strip on Bituminous Surface of specified shade/colour of 2.5mm thick including 1.5 Refractive index reflectorizing glass beads @250gm/sqm. Thickness of 2.5mm is exclusive of surface applied glass bead s as per IRC35:2015. Initial Dry reflectivity RL shall be>250mcd/sqm/lux measured in the initial 7days and sustained reflectivity RL of 100mcd/sqm/luxandQd of 100mcd/sqm/lux measured at the end of 2 years by means of a Standard Reflectometer of Zehntner, Easylux, Delta make capable of measuring RL &Q D both according to IRC35:2015 clause15.5. The finished surface to be level, uniform, and free from streaks and holes complete as per direction of Engineer-in-charge and in accordance with applicable specifications. (Refer MORTH Clause803 for technical Specification and Performance for IRC 35:2015). (SSR No.6.12a, MORTH 803.4, Page No.48)	MORTH 803.4 IRC35:2015		MORTH 803.4
3	Replacement of existing damaged Expansion joints by providing and laying of Strip Seal Expansion Joint System, including removal of existing damaged exp joints by dismantling of deck slab, wearing coat etc. and back filling of the recess up to final finish level with conc of grade M-35, complete as per M.O.R. T&H specification. (Item No.51.152, Page No.393)	BR		As directed by Engineer in-charge

4	Supplying and Fixing of Molded Shank Raised Pavement Markers / Cat's Eye made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97 DO III Dt 11.06. 1997. The height, width and length shall not exceed 50 mm, 100 mm and 102 +/- 2 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35 +/- 5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 500 Kg. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer.The contractor shall submit a two year warranty for satisfactory field performance including stipulated retro-reflectance of the reflecting panel, to the Engineer. (Item No.6.09, MORTH 804, Page No.47)	MORTH 804		MORTH 804
5	Repair of localized failed areas of PQC by marking the area, removing the failed area using jack hammer,saw cutting to full depth of PQC,replacing membrane,clearing the area of from dust and debries,placing M40 grade PQC in a depth equivalent to the existing depth of PQC and installing existing expansion joint/other joint. (Item No.5.09, Page No.41)	MORTH 602		MORTH 602
6	Stapling as per specifications and standards defined in IRC SP:83-2018	IRC SP:83-2018		As Directed by Engineer In Charge
1	Street Light fitting repair - A Testing of street light fitting, replacement of faulty accessories, doing fitting connections as before and testing and starting of fitting of fitting. Spares will be provided by PMC or removing of street light fitting safely & handling over all the accessories to PMC. (Region : PMC Electrical DSR YEAR : 2023-			As Directed by Engineer In Charge

	2024 Category : POLE MAINTENANCE)			
2	Making cement concrete foundation including excavation (60 x 60 x 150) cm deep in 1:3:6 cement concrete 20 x 25 mm stone metal, (45 x 45 x 45) cm /45 cm dia. x 45 cm height plinth duly plastered, with necessary curing and finishing complete. (above 6 m to 9 m poles) (SSR Item No.16-3-3, Page No.239)			As Directed by Engineer In Charge
3	Supplying and erecting steel tubular swaged pole 139.7 x 114.3 x 88.9 mm dia with 4.5 x 3.65 x 3.25 mm thickness (5+2+2 m) length respectively and total 9 m long with pole cap, base plate in provided foundation (weight 113 kg) as per specification no. OH-PL/STP. (SSR Item No 8-1-3, Page No.146)			As Directed by Engineer In Charge
4	Supplying and erecting Street light bracket for erection of Double fitting made from 40 mm. dia 'B' class G.I. pipe 1.0 m. in length along with pole cap of 300 mm length 100 mm dia duly welded as per specification no. FGBKT/BPC. (SSR Item No.2-7-6, Page No.32)			As Directed by Engineer In Charge
5	Supplying and erecting HPSV lamp 3 pin BC/Screwed cap head /pin type 230V, 150 W SON type . (SSR Item No.2-8-16, Page No.35)			As Directed by Engineer In Charge
6	Supplying & erecting three phase, 415V, street light control panel up to the max load of 12kW, TPN MCB 63A, powder coated CRCA 14 SWG sheet, outdoor type, having IP54,IK10 protection, suitable rating contactor, 24 hrs.astronomical time switch with minimum 5 years battery back up, auto/manual selector switch, ON/OFF push buttons, indicator lamps, controlwiring, metering device, etc. for automatic operation, with overcurrent, short circuit, earth fault protection on provided iron frame / CC foundation. (SSR Item No.5-2-6, Page No.89)			As Directed by Engineer In Charge
7	Supplying, erecting & terminating FR XLPE insulated, galvanised steel formed wire armoured (strip) cable 1100 V, 3.1/2 core 35 sq. mm. copper conductor complete erected with glands & lugs, on wall/ trusses/ pole or laid in provided trench/ pipe as per specification no. CB-LT/CU (SSR Item No.7-2-21, Page No.131)			As Directed by Engineer In Charge
1	Excavation for foundation in Hard murum including removing the excavated material upto a distance of 50 metres beyond the building area and stacking and spreading as	BDA 1		Bd.A.1 Page One Number 259

	directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift from 00 to 1.5m.) By Manual Means (SSR Item No.21.01 Page No.153)			
2	Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complet (SSR Item No.21.40 Page No.157)	BDA		As directed by Engineer in charge
3	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them ifspecial finish is to be provided, finishing if required and curing complete, with fullyautomatic micro processor based PLC with SCADA enabled reversible Drum Typemixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI grade) (SSR Item No.24.01 Page No.175)	BDE 1		Bd. E. 1 Page One Number 287
4	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete (SSR Item No.21.37 Page No.157)	BDA 11		Bd.A.11 Page One Number 263
5	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in plinth as backing in composite masonry including bailing out water manually, striking joints, raking out joints and watering etc Complete (SSR Item No.27.03 Page No.197)	BDG 3		Bd.G.3 Page One Number 314
6	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete (SSR Item No.27.05 Page No.197)	BDG 5		Bd.G.5 Page One Number 315
7	Providing second class Burnt Brick masonry with conventional/I.S.type bricks in cement mortar 1:4 in half brick thick wall including mild steel longitudinal reinforcement of 2 bar so f 6 mm diameter/2hoopironstrips 25mm X1.6 mm placed at every third course, properly bent and bonded at end scaffolding, racking out joints and watering etc. complete .(SSR Item No.27.06 Page No.197)	BDG 7		Bd.G.7 Page One Number 316
8	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip	BDF 3		Bd.F.3 Page One Number 298 and B.7, Page One Number38

	foundations,grillage and footings of R.C.C. columns and steel stanchions etc. including bailingout water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcementand structural steel) etc. complete, with fully automatic micro processor based PLC withSCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc.complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.25.11 Page No.178)			
9	Providing and laying Cast in situ/Ready Mixcementconcrete M-20 of trap /granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing oras directed including steel centering, formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete.(Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. mplete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.25.31 Page No.179)	BDF 5		Bd.F.5 Page One Number 300 and B.7, Page.One Number 38
	For Ground Floor			
10	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs and drawings or as directed including steel centering, formwork, cover blocks, laying/pumping, compactionand roughening the surface if special finish is to be provided and curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No. 25.50 Page No.181)	BDF 6		Bd.F.6 Page One Number 300 and B.7, Page One Number38
	For Ground Floor			
11	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap/ granite/quartzite/ gneiss metal for R.C.C. slabs and landings as per detailed designs and drawings including steel centering, formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement	BDF 8		Bd.F.8 Page One Number 302 and B.7, Page One Number38

	mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete,(Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled reversibleDrumTypemixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No. 25.70 Page No.182)			
	For Ground Floor			
12	Providing and laying Cast in situ/Ready Mix cement concrete in M-25 of trap/quartzite/granite/gneiss metal for R.C.C. Waistslab, and steps of stair cases etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.26.26 Page No.186)	BDF 13A		Bd. F. 13 Page One Number 305 /I.S. 456 (2000
13	Providing and laying Cast in situ/Ready Mixcement concrete M-20 of trap/ granite/ quartzite/ gneiss metal for R.C.C. chajja as per detailed design and drawings including steel centering, formwork, cover blocks, laying/pumping, compacting and roughening the surface if special finish is to be provided and curing complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.26.05 Page No.184)	BDF 9		Bd.F.9 Page One Number 303 and B.7, Page One Number38
14	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. (SSR Item No.26.33 Page No.184)	BDF 17		Bd.F.17, Page One Number 306
	Ground Floor			
15	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1Kilogramper cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete (SSR Item	BDL 7		Bd.L.7 Page One Number 369

	No.32.11 Page No.209)			
	Ground Floor			
16	Providing internal cement plaster 12mm thick in single coat in cement mortar 1:4 without neeru finish to concrete or brick surfaces, in all positions including scaffolding and curing etc. complet (SSR Item No.32.04 Page No.209)	BDL 2A		Bd. L.2 Page One Number 368
	Ground Floor			
17	Providing neeru finish to plastered surfaces in all positions including scaffolding and curing etc. Complete (SSR Item No.32.15 Page No.210)	BDL 10		Bd. L.10, Page One Number370
18	Providing fine cement finish 1.5 mm thick over green plaster surface including scaffolding curing etc. complete. (SSR Item No.32.21 Page No.210)	BDL		As directed by Engineer in charge.
19	Providing and laying vitrified mirror / glossy finish tiles decorative type having size 590 mm to 605 mm x 590 mm to 605 mm of 8 to 10 mm thickness and confirming to IS. 15622-2006 (group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and clearing etc. complete. (SSR Item No.33.40 Page No.217)	BDM 12		Bd.M. 12 Page One Number385
20	Providing and laying matt finish ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry cleaning curing etc. complete(SSR Item No.33.24 Page No.215)	BDM 12		Bd.M.12 Page One Number 385.
21	Providing and laying ceramic tiles of having size 30 cm. x 30 cm. and confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ colour cement slurry cleaning curing etc. complete.(SSR Item No.33.25 Page No.215)	BDM 13		Bd.M.13 Page One Number 386.
22	Providing and laying telephone black / Amba White / Cadburybrown / Ruby red /Ocean Brown granite stone of 18 to 20 mm thick for door frame/ dado/ window boxing etc. On C.M. 1:6 including filling joints with polymer base filler nosing/moulding the sharp edges wherever necessary, curing, etc. complete. (SSR Item No.33.68 Page No.220)	BDM		As directed by Engineer-In-Charge
23	Providing and fixing mild steel grill work for windows, ventilators etc. 20 Kilogram/ One Square Metre as per drawing including	BDU 1		Bd.U.1 Page One Number 537

	fixtures, necessary welding and painting with one coats of anticorrosive paint and two coats of oil painting complete (SSR Item No.40.01 Page No.264)			
24	Providing and fixing in position (as per 1868 / 1982) Aluminium sliding window of three tracks with rectangular pipe 95 x 38.10 x 0.90 mm at weight 0.637 Kilogram/One Running Meter. with window frame bottom track section 92 x 31.75 x 1.30 mm at weight 1.070 Kilogram/One Running Meter.. Top and side track section 92 x 31.75 x 1.30 mm at eight 0.933 Kilogram/Running meter. With powder coating with box (SSR Item No. 39.43 Page No.254)	BDT		As directed by Engineer in charge
25	Providing and Fixing 30 MM thick BOTH SIDE PRELAMINATED SOLID PANEL PVC DOOR SHUTTER consisting of frame made out of M.S tubes of 19 guage thickness and, size 19 x 19 mm for styles and 15 x15 mm for the top and bottom rails, M.S frame shall have a coat of metel primer of approved make and manufacture. M.S frame shall be covered with heat mouled PVC 'C' channel made from 5 mm (+/0.25) thick Other hardwares (SSR Item No.39.47 Page No.255)	BDT		As directed by Engineer in charge.
26	Providing and applying plastic emulsion paint of approved quality, colour and shade to new surface in three coats including scaffolding, preparing the surface. (excluding primer coat) etc. complete (SSR Item No.36.14 Page No.228)	BDP 6A		Bd.P.6 Page One Number 414 and Pre approval of Superintending Engineer
27	Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to new plastered surfaces including scaffolding if necessary, cleaning and preparing the surface, watering for two days etc. complete (SSR Item No.35.15 Page No.224)	BDO		Spec.One Number: Bd.O.8/Page One Number406
28	Providing and applying two coats of lead/zinc base oil paint/ bituminious paint of approved colour to new structural steel work and iron work in buildings including scaffolding if necessary, cleaning and preparing the surface etc. complete. (excluding primer coat). (SSR Item No.35.04 Page No.223)	BDO 4		Bd.O.4 Page One Number 405
29	Providing and fixing Orissa type white glazed arthenware water closet pan of size 260mm x440 mm x580 mm with approved make Slimwall hung cistern with installation kit including Sor P trap with cast iron soil and vent pipe upto outside face of the wall 1:2:4 brick bat lime concrete bedding without flushing tank and its accessories etc.complete. (SSR Item No.48.42 Page No.316)	As directed by Engineer in charge		As directed by Engineer in charge

30	Providing and fixing white glazed earthenware Wash Hand Basin of 55cm. x 40 cm. size including cold water pillartap/cold and hot water pillar tap brackets, rubber plugs and brass chain,stop tap and necessary pipe connections including P.V.C.waste pipe and trapup totheoutside faceof thewall.Makinggood the damaged surface, testingetc. complete (SSR Item No.41.63 Page No.272)	BDV 30		Bd.V.30 Page One Number 565
31	Providing and fixing push cock (Self closing tap) symet type of 15 mm dia. including necessary socket, testing etc. complete (SSR Item No.41.54 Page No.271)	BDV		As directed by Engineer- in-charge.
32	Providing, laying and fixing P.V.C. pipe of 15 mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Includingremoving existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.21 Page No.276)	BDV 60		As directed by Engineer in charge.
33	Providing, laying and fixingP.V.C. pipe of 20 mm dia. with fittings such as bends, tees, reducers, clamps, etc. includingnecessaryexcavation, trenchfillingetc. complete. Includingremoving existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.22 Page No.276)	BDV 60		As directed by Engineer in charge.
34	Providing, laying and fixing P.V.C. pipe of 25 mm dia. with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Includingremoving existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete (SSR Item No.42.23 Page No.276)	BDV 60		As directed by Engineer in charge.
35	Providing and fixing H.D.P container one piece moulded water tankmadeout of high density polythyler and built corrugate dinclusive of delivery upto destination hoisting and fixing of accessories such as inlet,outlet overflow pipe inclusive of all tanks capacity between 200 to 1000 liters (SSR Item No.42.53 Page No.280)	BDV		As directed by engineer-in-charge.
36	Providing and fixingonwalls/ ceiling/ floor 15 mm dia. uPVC pipe with necessary fittings, remaking good the demolished portionetc.complete. Includingr emoving existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.89 Page No.284)	BDV		BD.V 5 page 551 and as directed by Engineer

37	Providing and fixingon walls/ceiling/floor 20 mmdia. uPVCpipe with necessary fittings, remaking good the demolished portion etc.complete. Including removing existing pipeline if necessary and conveying and stacking thes ame in PWD chowkyor as directed etc. complete. (SSR Item No.42.90 Page No.284)	BDV 5		BD.V 5 page 551 and as directed by Engineer in charge
38	Providing, layingand fixing P.V.C.pipeof 110 mm.dia.with fittings such as bends, tees, reducers, clamps, etc. including necessary excavation, trench filling etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete. (SSR Item No.42.28 Page No.277)	BDV 60		As directed by Engineer in charge.
39	Providing and constructing Brick Masonry Inspection Chamber 60cm x 45cm x 90cm including 1:4:8 cement concrete foundation 1:2:4 cement concrete channels half roundG.S.W.pipes,Brick Masonry,plastering from inside and with frame fixedin cement concrete with R.C.C. Cover medium duty 140 Kilogram with frame etc complete. (SSR Item No.42.12 Page No.275)	BDV 43		Bd.V.43, Page One Number 574
40	Providing and fixing push cock (Self closing tap) symet type of 20 mm dia. including necessary socket, testing etc. complete. (SSR Item No.41.55 Page No.271)	BDV		As directed by Engineer-in charge.
41	Providing and fixing C.P.Two way BIB cock of approved make continental including necessary sockets/union nut etc. complete. (SSR Item No.42.80 Page No.282)	BDV		As directed by Engineer in charge
42	Executive's Table @ 1800Lx900Dx750HT Providing & Fixing of Table @ 1800Lx900Dx750HT - TOP & GABLE END to be made of Membrane finish with soft water fall edges & curved panel & Decorated Anodized section MODESTY PANEL to be made of 18 mm thick Prelaminated particle board with PVC edge band as per drawing (SSR Item No.51.21 Page No.355)			As directed by Engineer-in-charge
43	Single Bed @ 2025LX 1000DX 650H Providing and fixing Single Bed of Size 2025Lx1000Dx650H with matress and pillow. Understructure: - The legs are made of Square tube of size 25 x 25mm made out of MS with a thickness of 1.2 mm. The legs should have corner brackets welded to it at two levels. The corner brackets are made of 2mm thick CRCA having a L shaped structure to join the side panels and headboard to the leg. Three nos. of Horizontal stiffeners are provided at equal int 1000 x 650mm. Foot Board :- The foot board is made up of 18mm thick Prelam Particle Board with both side			As directed by Engineer-in-charge

	decorative laminate. All exposed edges are sealed with 2mm thick PVC edge Banding. The head board size to be considered as 1000 x 450mm. Bed Base: - The Bed Base is made up of 12mm thick Prelam Particle Board with both side White laminate.(SSR Item No.51.55 Page No.366)			
44	Providing a folding wheelchair of Pioneer Surgicals Brand, model One Number PS 809/ equivalent make as per the directions of the engineer in charge. (SSR Item No.51.82 Page No.372)			As directed by Engineer-in-charge
45	Public Seating Chair. - 3 Seater Providing and Fixing 3 seater Public seating chair made of complete metal with Legs in Crome finish and seates in silver powder coating finish (SSR Item No.51.44 Page No.359)			As directed by Engineer-in-charge
46	Providing & Arrangemnt of High Back Chair - TILT MECHANISM WITH MULTILOCKING, HIGH DENSITY CUSHION ON SEAT COMPOSITE LEATHER WITH METALLIC SILVER FINISH BASE AND ARMS WITH P.U.CASTORS GASLIFT FOR HEIGHT ADJUSTMENT (SSR Item No.51.41 Page No.359)			As directed by Engineer-in-charge
47	Providing & Arrangement of Mid Back, ECOCTS Mechanism, Fixed Armrest ,Gas lift for Seat height adjustment, Standard 5-prong P/Nylon Base with Fabric Upholstery (SSR Item No.51.43 Page No.359)			As directed by Engineer-in-charge
1	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary backfilling, ramming, watering including shoring and strutting etc. complete. (Lift up to 0.00 to 1.50 m.) By Manual Means (SSR Item No.21.01 Page No.153)	BDA 1		Bd.A.1 Page One Number 259
2	Excavation for foundation in earth, soils of all types, sand, gravel and soft murum, including removing the excavated material upto a distance of 50metres beyond the building are and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary backfilling, ramming, watering including shoring and strutting etc. complete. (Lift from 1.5m to 3.0m) By Manual Means (SSR Item No.21.03 Page No.153)	BDA 1		Bd.A.1 Page One Number 259

3	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for foundation and bedding / steps including steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing uneven dhoney combed surface and curing etc. complete. The Cement Mortar 1:3plaster is considered or endering uneven and honey combed surface, only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.),with fully automatic micro processor based PLC with SCADA enabled reversible Drum Typemixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item NO.24.04 Page NO.175)	BDE 2		Bd.E.2 Page One Number 288 and B.7 Page No 38
4	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) (SSR Item No.25.11 Page No.178)	BDF 3		Bd.F.3 Page One Number 298 and B.7, Page One Number38
5	Providing and fixing board displaying information, such as "Name of work, Tender cost, Name of Contractor, Work completion and liability period etc", having rectangular shape of 1.20m x 0.90m size made up of 4 mm aluminum composite pannel sheet with 0.5 mm skin thickness on either side bonded with white retro reflective sheeting of Class C (Type XI Micro prismatic grade sheeting) having pressure sensitive adhesive. Retro reflective sheeting with specified background, border and back side reto reflective symbols, letters, numerals, arrow as per IRC: 67-2012 Table No 8.3, on M.S.angle of size 35 x 35 x 3 mm frame with properly cross braced M.S. angles of size 35mmx35mmx3mm	MORTH 801		MORTH 801

	duly painted including Two M.S. angle iron posts of size 65 mm x 65 mm x 6 mm, 3.65 m long painted with alternate black and white bands of 25 cm width including all fixtures etc.and fixing the boards in 1:4:8 concrete block of size 60 cm x 60 cm x 75 cm including, excavation, refilling, transportation, and labour etc complete. Class _C_ (Type XI Micro prismatic grade sheeting) shall have 10 years written warranty from the manufacturer including the Digitally Printed areas with approved printing technology with sheeting manufacturer approved inks and laminated with UV overlay film and this warranty certificate in original should be submitted to the Engineer in charge by the contractor/supplier. (SSR Item No. 53.83 Page No.511)			
6	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete. (SSR Item No.26.33 Page No.184)	BDF 17		Bd.F.17, Page One Number 306
7	Gantry Structural Steel Work			

Sub Divisional Engineer
National Highway Sub Division No.2
Jalna.

Executive Engineer
National Highway Division,
Jalna.

SECTION – 8

SECURITIES AND OTHER FORMS

BID SECURITY (BANK GUARANTEE)

WHEREAS, _____ [Name of bidder] (hereinafter called "the Bidder") has submitted his Bid dated _____ (date) for the construction of _____ [name of Contract hereinafter called "the Bid"]

KNOW ALL PEOPLE by these presents that We _____ [name of Bank] of _____ [name of Country] having our registered office at _____ (hereinafter called "the Bank") are bound unto _____ [name of Employer] (hereinafter called "the Employer") in the sum of _____ * for which payment well and truly to be made to the said Employer the Bank itself, his successors and assigns by these presents.

SEALED with the Common Seal of the Said Bank this _____ day of _____, 20 __

THE CONDITIONS of this obligation are :

1. If after Bid opening the Bidder withdraws his bid during the period of Bid validity specified in the Form of bid.

OR

2. If the Bidder having been notified to the acceptance of his bid by the Employer during the period of bid validity:
   (a) Fails or refuses to execute the Form of Agreement in accordance with Instructions to Bidders, if required; or
   (b) fails or refuses to furnish the performance Security, in accordance with the Instructions to Bidders; or
   (c) does not accept the correction of the Bid Price pursuant to Clause 27

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date _____ ** days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extensions(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Bank not later than the above date.

DATE _____ SIGNATURE _____

WITHNESS _____ SEAL _____

[Signature, name and address]

- The Bidder should insert the amount of the guarantee in words and figures denominated in Indian Rupees. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.

** 45 days after the end of the validity period of the bid Date should be inserted by the Employer before the Bidding documents are issued.

PERFORMANCE BANK GUARANTEE

To,

_____ [name of Employer]

_____ [address of Employer]

WHEREAS _____ [name and address of Contractor] (hereafter called "The Contractor") has undertaken, in pursuance of Contract No. _____ dated _____ to execute _____ [name of Contract and brief description of Works] (hereinafter called "the Contractor")

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee.

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of _____ [amount of guarantee]* _____(in words), such sums being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____ [amount of guarantee] as aforesaid without your needing to prove or to show ground or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between your and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid 28 days from the date of expiry of the Defect Liability Period.

Signature and Seal of the Guarantor _____

Name of Bank _____

Address _____

Date _____

- An Amount shall be inserted by the Guarantor, representing the percentage the contract price specified in the Contract including additional security for unbalanced Bids, if any and denominated in Indian Rupees.

~~BANK GUARANTEE FOR ADVANCE PAYMENT~~

~~To,~~

~~_____ [name of Employer]~~

~~_____ [address of Employer]~~

~~_____ [name of Employer]~~

~~Gentlemen :~~

~~In accordance with the provisions of the Conditions of Contract, Sub-clause 51.1 ("Advance payment") of the above mentioned Contract, _____ [name and address of Contractor] (hereafter called "The Contractor") shall deposit with _____ [name of Employer] a bank guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of _____ [amount of Guarantee]* _____ (in words)~~

~~We, the _____ [bank of financial institution], as interested by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to _____ [name of Employer] on his first demand without whatsoever right of obligation on our part and without his first claim to the Contractor, in the amount not exceeding _____ [amount of Guarantee]* _____ [in words]~~

~~We further agree that no change or addition to or other modification of the terms of the Contractor or Works to be performed there under or of any of the Contract documents which may be made between _____ [name of Employer] and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.~~

~~This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until _____ [name of Employer] receives full repayment of the same amount from the Contractor.~~

~~Yours truly,~~

~~Signature and Seal _____~~

~~Name of Bank/Financial Institution _____~~

~~Address _____~~

~~Date _____~~

~~* An Amount shall be inserted by the Bank or Financial Institution, representing the amount of the advance payment and denominated in Indian Rupees.~~

DELETED

INDENTURE FOR SECURED ADVANCES

FROM 31

~~(For use in cases in which the contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time.)~~

~~This indenture made the _____ day of _____, 20 _____ BETWEEN _____ (hereinafter called the contractor which expression shall where the context so admits or implies be deemed to include his executors, administrators and assigns) or the one part and the employer of the Other Part.~~

~~Whereas by an agreement dated _____ (hereinafter called the said agreement) the contractor has agreed.~~

~~AND WHEREAS the contractor has applied to the Employer that he may be allowed advanced on the security of materials absolutely belonging to him and brought by him to the site of the works the subject of the said agreement for use in the construction of such of the works as he has undertaken to executive at rates fixed for the finished works (inclusive of the cost of materials and labour and other charges)~~

~~AND WHEREAS the Employer has agreed to advance to the Contractor the sum of Rupees _____ on the security of materials the quantities and other particulars of which are detailed in Accounts of Secured Advances attached to the Running Account bill for the said works signed by the Contractor on _____ and the Employer has reserved to himself the option of making any further advance or advance on the security of other materials brought by the Contractor to the site of the said works.~~

~~Now THIS INDENTURE WITNNESSE that in pursuance of the said agreement and in consideration of the sum of Rupees _____ on or before the execution of these presents paid to the Contractor by the Employer (the receipt where of the Contractor doth hereby acknowledge) and of such further advance (if any) as may be made to him as a for said the Contractor doth hereby covenant and agree with the President and declare as follows :~~

~~(1) That the said sum of Rupees _____ so advanced by the Employer to the Contractor as aforesaid and all or any further sum or sums advanced as aforesaid shall be employed by the Contractor in or towards expending the execution of the said works and for no other purpose whatsoever.~~

~~(2) That the materials details in the said Account of Secured Advances which have been offered to and accepted by the Employer as security are absolutely the Contractor's own propriety and free from encumbrances of any kind the contractor will not make any application for or receive a further advance of the security of materials which are not absolutely his own property and free from encumbrances of any kind and the contractor indemnified the Employer against all claims to any materials in respect of which an advance has be made to him as aforesaid.~~

DELETED

~~(3) That the materials detailed in the said account of Secured Advance and all other materials on the security of which any further advance or advance may hereafter be made as aforesaid (hereafter called the said materials) shall be used by the Contractor solely in the execution of the said works in accordance with the directions of the Engineer.~~

~~(4) That the Contractor shall make at his own cost all necessary and adequate arrangements for the proper watch, safe custody and protection against all risks of the said materials and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and on his own responsibility and shall at all times be open to inspection by the Engineer or any officer authorised by him. In the event of the said materials or any part thereof being stolen, destroyed or damaged or becoming deteriorated in a grater degree than is due to reasonable use and wear thereof the Contractor will forthwith replace the same with other materials of like quality or repair and make good the same required by the Engineer.~~

~~(5) That the said materials shall not be any account be removed from the site of the said works except with the written permission of the Engineer or an officer authorized by him on that behalf~~

~~(6) That the advance shall the Employer of the price payable in full when or before the Contractor receives payment from the Employer of the price payable to him for the said works under the terms and provisions of the said agreement. Provided that if any intermediate payment are made to the Contractor on account of work done than on the occasion of each such payment the Employer will be at liberty to make a recovery from the contractor's bill for such payment by deducting here from the value of the said materials than actually used in the construction and in respect of which recovery has not been made previously, the value for this purpose being determined in respect of each description of materials at the rates are which the amounts of the advances made under these presents were calculated.~~

~~(7) That if the Contractor shall at any time make any default in the performance or observance in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing of the Employer shall immediately on the happening of such default be repayable by the Contractor to be the Employer together with interest thereon at twelve percent per annum from the date or respective dates of such advance or advances to the date of repayment and with all costs, charges, damages and expenses incurred by the **Employer** in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the Contractor and the Contractor hereby covenants and agrees with the **Employer** to reply and pay the same respectively to him accordingly.~~

~~(8) That the contractor hereby charges all the said materials with the repayment to the Employer of the said sum of Rupees _____ and any further sum or sums advanced as aforesaid and all costs, charges, damages and expenses payable under these presents PROVIDED ALWAYS and it is hereby agreed and declared that notwithstanding anything in the said agreement and without prejudice to the power contained therein if and whenever the covenant for payment and repayment here-in-before contained shall become enforceable and the money owing shall not be paid in accordance there with the **Employer** may at any time thereafter adopt all or any of the following courses as he may deem best :~~

DELETED DELETED DELETED

~~(a) Seize and utilise the said materials or any part thereof in the completion of the said works on behalf of the contractor in accordance with the provisions in that behalf contained in the said agreement debiting the contractor with the total cost of effecting such completion and the amount due to the contractor with the value of work done as if he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the contractor, he is to pay same to the **Employer** on demand.~~

~~(b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable or payable to the **Employer** under these presents and pay over the surplus (if any) to the Contractor.~~

~~(c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said advance shall not be payable.~~

~~(9) That except in the event of such default on the part of the contractor as aforesaid interest on the said advance shall not be payable.~~

~~(10) That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and in the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been here-in-before expressly provided for the same shall be referred to the Employer whose decision shall be final and the provision of the Indian Arbitration Act for the time being in force shall apply to any such reference.~~

DELETED

DELETED

Letter of Acceptance

(Letterhead paper of the Employer)

To,

_____ [name and address of the Contractor]

Dear Sirs,

This is to notify you that your online bid dated _____ for execution of the _____ (name of he contracts and identification number, as given in the Instructions to Bidders) for the Contract Price of Rupees _____ (_____) (amount in words and figures), as corrected and modified in accordance with the Instructions to Bidders[1] is hereby accepted by our agency.

We accept / do not accept that _____ be appointed as the Adjudicator[2]. You are hereby requested to furnish Performance Security, in the form detailed in Para 34.1 of ITB for an amount equivalent to Rs. _____ within 07 days of the receipt of the letter of acceptance valid up to 28 days from the date of expiry of defects Liability

Period i.e. up to _____and sign the contract, failing which action as stated in Para 34.2 of ITB will be taken.

Yours faithfully,

Authorised Signature
Name and title of Signatory
Name of Agency

[1] Delete "Corrected and" or "and modified" if only one of these actions applies. Delete as corrected and modified in accordance with the Instructions to Bidders, if corrections or modifications have not been affected.

[2] To be used only if the contractor disagrees in his Bid with the Adjudicator proposed by the Employer in the "Instructions to Bidders".

Issue of Notice to proceed with the work

(Letter head paper of the Employer)

_____(Date)

To,

_____ [name and address of the Contractor]

Dear Sirs,

Pursuant to your furnishing the requisite security as stipulated in ITB Clause 34.1 and signing of the Contract for the **work "Maintenance of Rehabilitation and upgradation of existing carriageway to 2 lane/4 lane with paved shoulder configuration from Wadigodri to Dhangripimpri (Km.0+000 to Km.30+390) Section of NH-753H on EPC Mode in the state of Maharashtra (Package 1) on Risk and Cost of Contractor."**

Bid Price of Rs._____ .

You are hereby instructed to proceed with the execution of the said works in accordance with the documents.

Yours faithfully,

(Signature, name and title of Signatory
Authorised to sign on behalf of Employer)

AGREEMENT FORM

Agreement

This agreement, made the _____ day of _____between _____(name and address of the Employer) [hereinafter called "the Employer] and _____ (name and address of contractor) hereinafter called "the Contractor" of the other part.

Whereas the employer is desirous that the Contractor execute _____(name and identification number of Contractor) (hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a

cost of Rs_____

NOW THIS AGREEMENT WITNESSTH as follows :

(1) In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be read and construed as part of this Agreement.

(2) In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to all aspects with the provisions of the contract.

(3) The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

(4) The following documents shall be deemed to form and be ready construed as part of this agreement viz.

i) Letter of Acceptance
ii) Notice to proceed with the works
iii) Contractor's Bid
iv) Condition of contract: General and Special
v) Contract Date
vi) Additional condition
vii) Drawings
viii) Bill of Quantities and
ix) Any other documents listed in the Contract Data as forming part of the Contract.

In witnessed whereof the parties there to have caused this Agreement to be executed the day and year first before written.

The Common Seal of _____ was hereunto affixed in the presence of :

Signed, Sealed and Delivered by the said _____

in the presence of :

Binding Signature of Employer _____

Binding Signature of Contractor _____

Bank Guarantee for BID Security

B.G. No. Dated:

1. In consideration of you, ****, having its office at ****, (hereinafter referred to as the "Authority", which expression shall unless it be repugnant to the subject or context thereof include its, successors and assigns) having agreed to receive the BID of …… and having its registered office at …… (and acting onbehalf of its JV) (hereinafter referred to as the "Bidder" which expression shall unless it be repugnant to the subject or context thereof include its/their executors, administrators, successors and assigns), for the*** ** Project on EPC basis (hereinafter referred to as "the Project") pursuant to the RFP Document dated …… issued in respect of the Project and other related documents including without limitation the draft contract Agreement (hereinafter collectively referred to as "Bidding Documents"), we (Name of the Bank) having our registered office at …… and one of its branches at …….. (hereinafter referred to as the "Bank"), at the request of the Bidder, do hereby in terms of Clause 1.2.4 read with Clause 2.20 of the RFP Document, irrevocably, unconditionally and without reservation guarantee the due and faithful fulfilment and compliance of the terms and conditions of the Bidding Documents (including the RFP Document) by the said Bidder and unconditionally and irrevocably undertake to pay forthwith to the Authority an amount of Rs. *** ** (Rupees *** ** only) (hereinafter referred to as the "Guarantee") as our primary obligation without any demur, reservation, recourse, contest or protest and without reference to the Bidder if the Bidder shall fail to fulfil or comply with all or any of the terms and conditions contained in the said Bidding Documents.

2. Any such written demand made by the Authority stating that the Bidder is in default of the due and faithful fulfilment and compliance with the terms and conditions contained in the Bidding Documents shall be final, conclusive and binding on the Bank.

3. We, the Bank, do hereby unconditionally undertake to pay the amounts due and payable under this Guarantee without any demur, reservation, recourse, contest or protest and without any reference to the Bidder or any other person and irrespective of whether the claim of the Authority is disputed by the Bidder or not, merely on the first demand from the Authority stating that the amount claimed is due to the Authority by reason of failure of the Bidder to fulfil and comply with the terms and conditions contained in the Bidding Documents including failure of the said Bidder to keep its BID open during the BID validity period as set forth in the said Bidding Documents for any reason whatsoever. Any such demand made on the Bank shall be conclusive as regards amount due and payable by the Bank under this Guarantee. However, our liability under this Guarantee shall be restricted to an amount not exceeding Rs. *** **(Rupees *** ** only).

4. This Guarantee shall be irrevocable and remain in full force for a period of 180 (one hundred and Eighty) days from the BID Due Date inclusive of a claim period of 60 (sixty) days or for such extended period as may be mutually agreed between the Authority and the Bidder, and agreed to by the Bank, and shall continue to be enforceable till all amounts under this Guarantee have been paid.

5. We, the Bank, further agree that the Authority shall be the sole judge to decide as to whether the Bidder is in default of due and faithful fulfilment and compliance with the terms and conditions contained in the Bidding Documents including, inter alia, the failure of the Bidder to keep its BID open during the BID validity period set forth

in the said Bidding Documents, and the decision of the Authority that the Bidder is in default as aforesaid shall be final and binding on us, notwithstanding any differences between the Authority and the Bidder or any dispute pending before any Court, Tribunal, Arbitrator or any other Authority.

6. The Guarantee shall not be affected by any change in the constitution or winding up of the Bidder or the Bank or any absorption, merger or amalgamation of the Bidder or the Bank with any other person.

7. In order to give full effect to this Guarantee, the Authority shall be entitled to treat the Bank as the principal debtor. The Authority shall have the fullest liberty without affecting in any way the liability of the Bank under this Guarantee from time to time to vary any of the terms and conditions contained in the said Bidding Documents or to extend time for submission of the BIDs or the BID validity period or the period for conveying acceptance of Letter of Award by the Bidder or the period for fulfilment and compliance with all or any of the terms and conditions contained in the said Bidding Documents by the said Bidder or to postpone for any time and from time to time any of the powers exercisable by it against the said Bidder and either to enforce or forbear from enforcing any of the terms and conditions contained in the said Bidding Documents or the securities available to the Authority, and the Bank shall not be released from its liability under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the said Bidder or any other forbearance, act or omission on the part of the Authority or any indulgence by the Authority to the said Bidder or by any change in the constitution of the Authority or its absorption, merger or amalgamation with any other person or any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of releasing the Bank from its such liability.

8. Any notice by way of request, demand or otherwise hereunder shall be sufficiently given or made if addressed to the Bank and sent by courier or by registered mail to the Bank at the address set forth herein.

9. We undertake to make the payment on receipt of your notice of claim on us addressed to [name of Bank along with branch address] and delivered at our above branch which shall be deemed to have been duly authorised to receive the said notice of claim.

10. It shall not be necessary for the Authority to proceed against the said Bidder before proceeding against the Bank and the guarantee herein contained shall be enforceable against the Bank, notwithstanding any other security which the Authority may have obtained from the said Bidder or any other person and which shall, at the time when proceedings are taken against the Bank hereunder, be outstanding or unrealised.

11. We, the Bank, further undertake not to revoke this Guarantee during its currency except with the previous express consent of the Authority in writing.

12. The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorised and has full power to execute this Guarantee for and on behalf of the Bank.

13. For the avoidance of doubt, the Bank's liability under this Guarantee shall be restricted to Rs.-- (Rupees --). The Bank shall be liable to pay the said amount or any part thereof only if the Authority serves a written claim on the Bank in accordance with paragraph 9 hereof, on or before [*** (indicate date falling 180 days after the BID Due Date)].

16. This guarantee shall also be operatable at our…….. Branch at Mumbai, from whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall

be made available on demand. In the contingency of this guarantee being invoked and payment there under claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.

17. The details of Bank Guarantee in favour of which is as under:

Sr. No.	**Particulars**	**Details**
6.	Name of Beneficiary	In favour of Executive Engineer, N.H. Division, Jalna on behalf of Chief Engineer (N.H) Konkan Bhavan Navi Mumbai
7.	Name of Bank	HDFC Bank,
8.	Account No.	50200066646464
9.	IFSC Code	HDFC0000735
10.	MICR Code	431240052

Signed and Delivered by ……. Bank

By the hand of Mr./Ms ……., its …….. and authorised official.

(Signature of the Authorised Signatory)
(Official-Seal)

PERFORMANCE BANK GUARANTEE

To,

_____ [name of Employer]

_____ [address of Employer]

_____

WHEREAS _____ [name and address of Contractor] (hereafter called "The Contractor") has undertaken, in pursuance of Contract No. _____ dated _____ to execute _____ [name of Contract and brief description of Works] (hereinafter called "the Contractor")

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee.

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of _____ [amount of guarantee]* _____(in words), such sums being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____ [amount of guarantee] as aforesaid without your needing to prove or to show ground or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between your and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid 28 days from the date of expiry of the Defect Liability Period.

Signature and Seal of the Guarantor _____

Name of Bank _____

Address _____

Date _____

---

* An Amount shall be inserted by the Guarantor, representing the percentage the contract price specified in the Contract including additional security for unbalanced Bids, if any and denominated in Indian Rupees.

UNDERTAKING

[Bid Validity Form]

I, the undersigned do hereby undertake that our firm M/s. _____ _____ agree to abide by this bid for a period _____ days for the date fixed for receiving the same and it shall be binding on us and may be accepted at any time before the expiration of that period.

_____

(Signed by an Authorized Officer of the Firm)

_____

Title of Officer

_____

Name of Firm

_____

DATE

SECTION – 9



DRAWINGS

Drawings for Work are attached in Annexure – E 1,2,3

DOCUMENTS TO BE FURNISHED BY THE BIDDER
(Attached)