Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/1.1	NII-2.6.1	exvation work with 05KM Extra lead	01				90.000	M3	151.00	13590.00	
1/2.1	NII-4.1.4	CEMENT CONCRETE GRADE M-10 (NOMINAL MIX) WITH 20 MM MAXIMUM SIZE OF STONE AGGREGATE- PROVIDING AND LAYING IN POSITION CEMENT CONCRETE OF SPECIFIED GRADE EXCLUDING THE COST OF CENTERING AND SHUTTERING ALL WORK UP TO PLINTH LEVEL	01				4.600	M3	4219.00	19407.40	
1/3.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				1700.000	KG	57.00	96900.00	
1/4.1	NII-5.1.1	CEMENT CONCRETE GRADE M-20 (NOMINAL MIX) WITH 20 MM MAXIMUM SIZE OF STONE AGGREGATE.- "PROVIDING AND LAYING IN POSITION SPECIFIED GRA DE OF REINFORCED CEMENT CONCRETE EXCLUDING THE COST OF CENTERING, SHUTTERING, FINISHING AND REINFORCEMENT - ALL WORK UP TO PLINTH LE	01				19.528	M3	5435.00	106134.68	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/5.1	NII-19.1.6	"COLUMNS, PILLARS, PIERS, ABUTMENTS, POSTS AND STRUTS."-"CENTERING AND SHUTTERING INCLUDING STRUTTING, PROPPING STRETCHING ETC. COMP LETE FOR AND REMOVAL OF FORM WORK BY SHEET PLATE OR PLY WOOD SHUTTERING FOR -"	01				55.000	M2	362.00	19910.00	
1/6.1	NII-5.1.1	CEMENT CONCRETE GRADE M-20 (NOMINAL MIX) WITH 20 MM MAXIMUM SIZE OF STONE AGGREGATE.-"PROVIDING AND LAYING IN POSITION SPECIFIED GRA DE OF REINFORCED CEMENT CONCRETE EXCLUDING THE COST OF CENTERING, SHUTTERING, FINISHING AND REINFORCEMENT - ALL WORK UP TO PLINTH LE	01				3.000	M3	5435.00	16305.00	
1/7.1	NII-2.18.1	MOORUM/HARD COPRA-"SUPPLYING AND FILLING IN PLINTH UNDER FLOORS INCLUDING, WATERING, RAMMING CONSOLIDATING AND DRESSING COMPLETE "	01				45.500	M3	478.00	21749.00	
1/8.1	NII-6.8	BRICK WORK WILL WELL BURNT OPEN BHATTA BRICKS CRUSHING STRENGTH NOT LESS THAN 25KG/CM² AND WATER ABSOPTION NOT MORE THAN 20% IN FOUN DATION AND PLINTH IN CM 1:6	01				1.000	M3	3868.00	3868.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/9.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				300.000	KG	57.00	17100.00	
1/10.1	NII-6.9	BRICK WORK WILL WELL BURNT OPEN BHATTA BRICKS CRUSHING STRENGTH NOT LESS THAN 25KG/CM² AND WATER ABSOPTION NOT MORE THAN 20% IN ABOV E PLINTH LEVEL UPTO FLOOR TWO LEVEL IN CM 1:6 INCLUDING THE COST OF SCAFFOLDING ETC	01				8.000	M3	4155.00	33240.00	
1/11.1	NII-2.18.1	MOORUM/HARD COPRA- "SUPPLYING AND FILLING IN PLINTH UNDER FLOORS INCLUDING, WATERING, RAMMING CONSOLIDATING AND DRESSING COMPLETE "	01				112.000	M3	478.00	53536.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/12.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				809.000	KG	57.00	46113.00	
1/13.1	NII-5.1.1	CEMENT CONCRETE GRADE M-20 (NOMINAL MIX) WITH 20 MM MAXIMUM SIZE OF STONE AGGREGATE.- "PROVIDING AND LAYING IN POSITION SPECIFIED GRA DE OF REINFORCED CEMENT CONCRETE EXCLUDING THE COST OF CENTERING, SHUTTERING, FINISHING AND REINFORCEMENT - ALL WORK UP TO PLINTH LE	01				18.500	M3	5435.00	100547.50	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/14.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				544.000	KG	57.00	31008.00	
1/15.1	NII-6.9	BRICK WORK WILL WELL BURNT OPEN BHATTA BRICKS CRUSHING STRENGTH NOT LESS THAN 25KG/CM² AND WATER ABSOPTION NOT MORE THAN 20% IN ABOV E PLINTH LEVEL UPTO FLOOR TWO LEVEL IN CM 1:6 INCLUDING THE COST OF SCAFFOLDING ETC	01				12.500	M3	4155.00	51937.50	
1/16.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				177.600	KG	57.00	10123.20	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/17.1	NII-19.1.5	"LINTELS, BEAMS, PLINTH BEAMS, GIRDERS, BRESSUMERS AND CANTILEVERS."- "CENTERING AND SHUTTERING INCLUDING STRUTTING, PROPPING STRETCH ING ETC. COMPLETE FOR AND REMOVAL OF FORM WORK BY SHEET PLATE OR PLY	01				30.000	M2	270.00	8100.00	
1/18.1	NII-5.2.1	CEMENT CONCRETE GRADE M-20 (NOMINAL MIX) WITH 20 MM MAXIMUM SIZE OF STONE AGGREGATE.	01				2.880	M3	5656.00	16289.28	
1/19.1	NII-6.9	BRICK WORK WILL WELL BURNT OPEN BHATTA BRICKS CRUSHING STRENGTH NOT LESS THAN 25KG/CM² AND WATER ABSOPTION NOT MORE THAN 20% IN ABOV E PLINTH LEVEL UPTO FLOOR TWO LEVEL IN CM 1:6 INCLUDING THE COST OF SCAFFOLDING ETC	01				24.276	M3	4155.00	100866.78	
1/20.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				384.782	KG	57.00	21932.57	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/21.1	NII-19.1.3	"SUSPENDED FLOORS, ROOFS, LANDINGS, BALCONIES AND ACCESS PLATFORM."-"CENTERING AND SHUTTERING INCLUDING STRUTTING, PROPPING STRETCHI NG ETC. COMPLETE FOR AND REMOVAL OF FORM WORK BY SHEET PLATE OR PLY WOOD SHUTTERING FOR :"	01				140.000	M2	305.00	42700.00	
1/22.1	NII-5.11.1	MILD STEEL AND MEDIUM TENSILE STEEL BARS.- "REINFORCEMENT FOR R.C.C. WORK INCLUDING STRAIGHTENING, CUTTING, BENDING, PLACING IN POSIT ION AND BINDING UPTO FLOOR LEVEL INCLUDING COST OF BINDING WIRE, WASTAGE AND OVER LAPS UPTO 12MM HORIZONTAL/ INCLINED POSITION OF RE INFORCEMENT BARS IN SLAB AND BEAMS, PLINTH, CHAJJAS, LINTELS, UPTO 4.5M VERTICAL LENGTH OF REINFORCEMENT IN WALL COLUMNS (OVER LAPS SHALL BE PROVIDED AS PER REQUIREMENT OF IS : 13920; IS 456 & SP : 34) ETC. COMPLETE."	01				2600.000	KG	57.00	148200.00	
1/23.1	NII-5.3	"REINFORCED CEMENT CONCRETE WORK IN BEAMS, SUSPENDED FLOORS, ROOFS HAVING SLOPE UP TO 15° LANDINGS, BALCONIES, SHELVES, CHAJJAS, LIN TELS, BANDS, PLAIN WINDOW SILLS, STAIRCASES AND SPIRAL STAIR CASES UP TO FLOOR TWO LEVEL EXCLUDING THE COST OF CENTERING, SHUTTERING AND REINFORCEMENT WITH CEMENT CONCRETE GRADE M-20 (NOMINAL MIX) WITH 20 MM MAXIMUM SIZE	01				20.904	M3	5932.00	124002.53	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/24.1	NII-6.9	BRICK WORK WILL WELL BURNT OPEN BHATTA BRICKS CRUSHING STRENGTH NOT LESS THAN 25KG/CM² AND WATER ABSOPTION NOT MORE THAN 20% IN ABOV E PLINTH LEVEL UPTO FLOOR TWO LEVEL IN CM 1:6 INCLUDING THE COST OF SCAFFOLDING ETC	01				12.000	M3	4155.00	49860.00	
1/25.1	NII-13.1.1	1:4 (1 CEMENT: 4 SAND)-12 MM CEMENT PLASTER OF MIX :	01				399.000	M2	149.00	59451.00	
1/26.1	NII-13.12.1	1:3 (1 CEMENT: 3 FINE SAND)-6 MM CEMENT PLASTER OF MIX :	01				560.000	M2	111.00	62160.00	
1/27.1	NII-11.35	"PROVIDING AND LAYING VITRIFIED FLOOR TILES (WITHOUT SOLUBLE SALT) OR PRINTED (WITH SOLUBLE SALT) NANO POLISHED (GLOSSY FINISH) IN D IFFERENT SIZES WITH WATER ABSORPTION LESS THAN 0.05% AND CONFORMING TO IS : 15622 OF APPROVED MAKE IN ALL COLOURS & SHADES, IST QUAL ITY/ PREMIUM QUALITY IN FLOORING LAID ON 20MM THICK CEMENT MORTAR 1:4 (1 CEMENT : 4 SAND) INCLUDING GROUTING THE JOINTS WITH WHITE C EMENT AND MATCHING PIGMENTS ETC. COMPLETE. SIZE 600X600MM AS PER MANUFACTURER	01				141.500	M2	1116.00	157914.00	
1/28.1	NII-11.18.1	LIGHT SHADE USING WHITE CEMENT.- CHEQUERED TERRAZO TILES 18-20MM THICK WITH GRADED MARBLE CHIPS OF SIZE UP TO 6 MM IN FLOORS JOINTED WITH NEAT CEMENT SLURRY MIXED WITH PIGMENT TO MATCH THE SHADE OF THE TILES INCLUDING RUBBING AND POLISHING COMPLETE ON 20 MM THICK B ED OF CEMENT MORTAR 1:4 (1	01				120.000	M2	797.00	95640.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department: PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/29.1	NII-10.14.1.2	"IN GRATINGS, FRAMES, GUARD BAR, LADDER, RAILINGS, BRACKETS, GATES AND SIMILAR WORKS."- "PROVIDING AND FIXING M.S. TUBULAR FRAMES FOR DOORS, WINDOWS, VENTILATORS AND CUPBOARD WITH ANY SECTION MADE OF 1.60MM OR 1.25MM THICK M.S. SHEET, JOINTS MITRED AND WELDED AND G RINDED FINISH WITH PROFILES REQUIRED SIZE WITH 15X3MM LUGS 10CM LONG EMBEDDED IN CEMENT CONCRETE M-10 (NOMINAL MIX WITH 20MM MAXIMUM SIZE OF STONE AGGREGATE) BLOCKS 15X10X10CM OR WITH WOODEN PLUGS AND SCREWS OR RAWL PLUGS AND SCREWS OR WITH FIXING CLIPS OR WITH BO LTS AND NUTS AS REQUIRED INCLUDING FIXING OF NECESSARY BUTT HINGES AND SCREWS AND APPLYING A PRIMING COAT OF APPROVED STEEL PRIMERS. 1. STEEL WORK WELDED IN BUILT UP SECTIONS/ FRAMED WORK INCLUDING CUTTING, HOISTING, FIXING IN POSITION AND APPLYING A PRIMING COAT OF APPROVED STEEL PRIMER	01				3000.000	KG	92.00	276000.00	
1/30.1	NII-13.23	PROVIDING AND APPLYING PLASTER OF PARIS PUTTY OF 2 MM THICKNESS OVER PLASTERED SURFACE TO PREPARE THE SURFACE EVEN AND SMOOTH COMPLE TE	01				584.360	M2	87.00	50839.32	
1/31.1	NII-13.41	APPLYING ONE COAT OF CEMENT PRIMER OF APPROVED BRAND AND MANUFACTURE ON WALL SURFACE : CEMENT PRIMER	01				584.360	M2	32.00	18699.52	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/32.1	NII-13.39	TWO OR MORE COATS ON NEW WORK-WALL PAINTING WITH PLASTIC EMULSION PAINT OF APPROVED BRAND AND MANUFACTURE TO GIVE AN EVEN SHADE:	01				584.360	M2	58.00	33892.88	
1/33.1	NII-13.46.3	PAINTING STEEL WORK WITH DELUXE MULTI SURFACE PAINT TO GIVE AN EVEN SHADE. TWO OR MORE COAT APPLIED @0.90 LTR/-FINISHING WITH DELUXE MULTI SURFACE PAINT SYSTEM FOR INTERIORS AND EXTERIORS USING PRIMER AS PER MANUFACTURERS SPECIFICATIONS :	01				110.000	M2	68.00	7480.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/34.1	NII-17.1.1.2	POWDER COATED ALUMINIUM (MINIMUM THICKNESS OF POWDER COATING 50 MICRON)- "PROVIDING AND FIXING ALUMINIUM WORK FOR DOORS, WINDOWS, VEN TILATORS AND PARTITIONS WITH EXTRUDED BUILT UP STANDARD TUBULAR SECTIONS/ APPROPRIATE Z SECTIONS AND OTHER SECTIONS OF APPROVED MAKE CONFORMING TO IS: 733 AND IS : 1285, FIXED WITH RAWL PLUGS AND SCREWS OR WITH FIXING CLIPS, OR WITH EXPANSION HOLD FASTENERS INCLUD ING NECESSARY FILLING UP OF GAPS AT JUNCTIONS, AT TOP, BOTTOM AND SIDES WITH REQUIRED PVC/ NEOPRENE FELT ETC. ALUMINIUM SECTIONS SHAL L BE SMOOTH, RUST FREE, STRAIGHT, MITRED AND JOINTED MECHANICALLY WHEREVER REQUIRED INCLUDING CLEAT ANGLE, ALUMINIUM SNAP BEADING FO R GLAZING / PANELING, C.P. BRASS / STAINLESS STEEL SCREWS, ALL COMPLETE AS PER ARCHITECTURAL DRAWINGS AND THE DIRECTIONS OF ENGINEER -IN-CHARGE. (GLAZING AND PANELING TO BE PAID FOR SEPARATELY) : 1 FOR	01				270.000	KG	342.00	92340.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/35.1	NII-17.3.1	WITH FLOAT GLASS PANES OF 4.0 MM THICKNESS-"PROVIDING AND FIXING GLAZING IN ALUMINIUM DOOR, WINDOW, VENTILATOR SHUTTERS AND PARTITIO NS ETC. WITH EPDM RUBBER NEOPRENE GASKET ETC. COMPLETE AS PER THE ARCHITECTURAL DRAWINGS AND THE DIRECTIONS OF ENGINEER-IN- CHARGE (COST OF ALUMINIUM SNAP BEADING SHALL BE PAID IN BASIC ITEM):"	01				60.000	M2	648.00	38880.00	
1/36.1	NII-21.25	"PROVIDING AND PLACING ON TERRACE AT ALL FLOOR POLYETHYLENE WATER STORAGE TANK ISI : 12701 MARKED WITH COVER AND SUITABLE LOCKING AR RANGEMENT AND MAKING NECESSARY HOLES FOR INLET, OUTLET AND OVERFLOW PIPES BUT WITHOUT FITTINGS AND THE BASE SUPPORT FOR TANK"	01				2000.000	L	8.00	16000.00	
1/37.1	NII-23.1.1	LONG PATTERN W.C. PAN OF SIZE 580 MM-"PROVIDING AND FIXING WHITE VITREOUS CHINA WATER CLOSET SQUATTING PAN (INDIAN TYPE) P OR S TRAP , COMPLETE INCLUDING CUTTING AND MAKING GOOD THE WALLS AND FLOORS WHEREVER REQUIRED."	2.00				2.000	EA	841.00	1682.00	
1/38.1	NII-23.5.1	10 LITRE CAPACITY - WHITE-"PROVIDING AND FIXING P.V.C. LOW LEVEL FLUSHING CISTERN WITH MANUALLY CONTROLLED DEVICE (HANDLE LEVER) CON FORMING TO IS : 7231, WITH ALL FITTINGS AND FIXTURES COMPLETE."	2.00				2.000	EA	664.00	1328.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/39.1	NII-23.65.1	"WHITE VITREOUS CHINA DUAL PURPOSE WC PAN WITH WHITE SOLID PLASTIC SEAT AND LID WITH WHITE VITREOUS CHINA FLUSHING CISTE- "PROVIDING AND FIXING VITREOUS CHINA DUAL PURPOSE CLOSET SUITABLE FOR USE AS SQUATTING PAN OR EUROPEAN TYPE WATER CLOSET (ANGLO INDIAN W.C PAN) WITH SEAT LID WITH C.P. BRASS HINGES AND RUBBER BUFFERS, 10 LITRE LOW LEVEL FLUSHING CISTERN WITH FITTING AND BRACKETS, 40MM FLUSH BEND 20MM OVER FLOW PIPE WITH SPECIALS OF STANDARD MAKE AND MOSQUITO PROOF COUPLING OF APPROVED MUNICIPAL DESIGN COMPLETE, INCLUDING PAINTING OF FITTINGS AND BRACKETS, CUTTING AND MAKING GOOD THE WALLS AND	1.00				1.000	EA	4102.00	4102.00	
1/40.1	NII-11.31	"PROVIDING AND FIXING IST QUALITY CERAMIC GLAZED WALL TILES CONFORMING TO IS : 15622 (6 TO 7MM THICK) OF APPROVED MAKE IN ALL COLOUR S, SHADES OF ANY SIZE AS APPROVED BY ENGINEER-IN-CHARGE IN SKIRTING, RISERS OF STEPS AND DADOS OVER 12 MM THICK BED OF CEMENT MORTAR 1:3 (1 CEMENT : 3 COARSE SAND) AND JOINTING WITH GREY CEMENT SLURRY INCLUDING POINTING IN WHITE CEMENT MIXED WITH PIGMENT OF MATCHI	01				55.000	M2	693.00	38115.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/41.1	NII-8.2.6.1	AREA OF SLAB UPTO 0.50 SQM-"PROVIDING AND FIXING 16MM THICK GANG SAW CUT MIRROR POLISHED PREMOULDED AND PREPOLISHED) MACHINE CUT FOR KITCHEN PLATFORMS, VANITY COUNTERS, WINDOW SILLS , FACIAS AND SIMILAR LOCATIONS OF REQUIRED SIZE OF APPROVED SHADE, COLOUR AND TEXT URE LAID OVER 20MM THICK BASE CEMENT MORTAR 1:4 (1 CEMENT : 4 COARSE SAND) WITH JOINTS TREATED WITH WHITE CEMENT, MIXED WITH MATCHIN G PIGMENT, EPOXY TOUCH UPS, INCLUDING RUBBING, CURING, MOULDING AND POLISHING TO EDGE TO GIVE HIGH GLOSS FINISH ETC. COMPLETE AT ALL LEVELS. 6 GRANITE OF ANY	01				12.000	M2	2591.00	31092.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/42.1	NII-10.26	"PROVIDING AND FIXING STAINLESS STEEL (GRADE 304) RAILING MADE OF HOLLOW TUBES, CHANNELS, PLATES ETC. INCLUDING WELDING, GRINDING, BUFFING, POLISHING AND MAKING CURVATURE (WHEREVER REQUIRED) AND FITTING THE SAME WITH NECESSARY STAINLESS STEEL NUTS AND BOLTS COMPL ETE I/C FIXING THE RAILING WITH NECESSARY ACCESSORIES AND STAINLESS STEEL DASH FASTENERS , STAINLESS STEEL BOLTS ETC., OF REQUIRED S IZE, ON THE TOP OF THE FLOOR OR THE SIDE OF WAIST SLAB WITH SUITABLE ARRANGEMENT AS PER APPROVAL OF ENGINEER-IN-CHARGE. (FOR PAYMEN T PURPOSE ONLY WEIGHT OF STAINLESS STEEL MEMBERS SHALL BE CONSIDERED EXCLUDING FIXING ACCESSORIES	01				300.000	KG	407.00	122100.00	
1/43.1	NII-10.3	"PROVIDING AND FIXING IN POSITION COLLAPSIBLE STEEL SHUTTERS (CHANNEL GATE) WITH VERTICAL CHANNELS 20X10X2 MM AND BRACED WITH FLAT I RON DIAGONALS 20X5MM SIZE WITH TOP AND BOTTOM RAIL OF T-IRON 40X40X6 MM WITH 40MM DIA, STEEL PULLEYS COMPLETE WITH BOLTS, NUTS, LOCK ING ARRANGEMENT, STOPPERS, HANDLES, INCLUDING APPLYING A PRIMING COAT OF APPROVED STEEL PRIMER. RATES INCLUDES RECESS CUTTING IN FLO OR AND MAKING GOOD THE SAME	01				9.000	M2	4641.00	41769.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/44.1	NII-9.1.1	SECOND CLASS TEAK WOOD-"PROVIDING WOOD WORK IN FRAMES OF DOORS, WINDOWS, CLERESTORY WINDOWS AND OTHER FRAMES, WROUGHT FRAMED AND FIX ED IN POSITION :"	01				1.000	M3	93005.00	93005.00	
1/45.1	NII-10.15.1	HOT FINISHED WELDED TYPE TUBES.-"STEEL WORK IN BUILT UP M.S. TUBULAR SECTION (ROUND, SQUARE OR RECTANGULAR HOLLOW TUBE ETC.) TRUSSES /FRAME WORK ETC./ RAILING WORK ETC. INCLUDING CUTTING, HOISTING FIXING IN POSITION AND APPLYING A PRIMING COAT OF APPROVED STEEL PRI MER, WELDED AND BOLTED INCLUDING SPECIAL SHAPED WASHERS ETC.	01				1670.000	KG	99.00	165330.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/46.1	NII-12.8	"SUPPLY & INSTALLATION OF PRECOATED GALVANISED IRON PROFILE SHEETS (SIZE, SHAPE AND PITCH OF CORRUGATION AS APPROVED BY ENGINEER-IN- CHARGE) 0.50 MM ±5% TOTAL COATED THICKNESS (TCT) THICK ZINC COATING 120GSM AS PER IS: 277 IN 240MPA STEEL GRADE, 5-7 MICRONS EPOXY PRIMER ON BOTH SIDE OF THE SHEET AND POLYESTER TOP COAT 15- 18 MICRONS. SHEET SHOULD HAVE PROTECTIVE GUARD FILM OF 25 MICRONS MINIMU M TO AVOID SCRATCHES WHILE TRANSPORTATION AND SHOULD BE SUPPLIED IN SINGLE LENGTH UPTO 12 METER OR AS DESIRED BY ENGINEER-IN CHARGE. THE SHEET SHALL BE FIXED USING SELF DRILLING/SELF TAPPING SCREWS OF SIZE (5.5X 55MM) WITH EPDM SEAL OR WITH POLYMER COATED J OR L H OOKS, BOLTS AND NUTS 8MM DIAMETER WITH BITUMEN AND G.I. LIMPET WASHERS OR WITH G.I. LIMPET WASHERS FILLED WITH WHITE LEAD COMPLETE U PTO ANY PITCH IN HORIZONTAL/ VERTICAL OR CURVED SURFACES EXCLUDING THE COST OF PURLINS, RAFTERS AND TRUSSES AND INCLUDING CUTTING	01				350.000	M2	422.00	147700.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department:

PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

WBSNO/SNO	Activity Number	Description	Count	L	B	H	Quantity	Unit	Price / Unit	Amount	Remarks
1/47.1	NII-11.43	"PROVIDING AND LAYING 60 MM THICK FACTORY MADE CEMENT CONCRETE INTERLOCKING PAVER BLOCK OF M -30 GRADE MADE BY BLOCK MAKING MACHINE ITH STRONG VIBRATORY COMPACTION AND OF APPROVED SIZE AND DESIGN/SHAPE LAID IN REQUIRED COLOUR AND PATTERN OVER AND INCLUDING 50 MM T HICK COMPACTED BED OF STONE DUST SAND, FILLING THE JOINTS WITH COARSE SAND ETC. ALL COMPLETE AS PER THE DIRECTION OF ENGINEER-	01				175.101	M2	612.00	107161.81	
1/48.1	PW120324059NSR01	For Electric Item	1.00				1.000	EA	150000.00	150000.00	

Project Estimate

Project Details

Project Number:

Work :

ULB:

G/L Code :

Department: PAC

Total Submitted PAC(ULb):

Activity / SOR / NON SOR and WBS Details

SNO	WBS NO	WBS Text	Amount
1	PW1-203-24-059.001	W-36 Construction Of Community Hall At J	2966101.97
		Total PAC	2966101.97

Created by (Sub eng / A.E) and digitally signed by IST : 12:00:00 AM

Forwarded by (CMO / Comm) and digitally signed by IST: 12:00:00 AM

GST **533,898.35**

Gross **3,500,000.3**

TECHNICAL SANCTION AS PER CONDITIONS,VIDE, Notification -
Dated : 2024-02-20
For Construction of : W-36 Construction Of Community Hall At J

At ward No : 1 **Gross Granted for RS** : 3500000.32
In Words : THIRTY FIVE LAKH Rupees THIRTY TWO Paise

GST 18% applicable on this Project,GST = 533898.35
Checked by :Sub.Eng. / A.E(optional**)**

Checked by (Sub eng and digitally signed IST:-12:00:00 AM

Checked by A.E and digitally signed IST: - 12:00:00 AM

Note:

Assistant / Executive / Superintendent Engineer
Urban Administration
&
Development, Ujjain Division

A.E/ E.E/ S.E

S.E

Scan to Verify TS

Important Note: Valid only after digital signature of CMO/Commissioner and EE