

```

<!doctype html>
<html
lang="en"><head><script>>window[ "__codeletBootstrap__"]=JSON.parse({'A':"A","B":"2026070
7-03-b8b85bc"});</script><script src="/_sdk/f432b76fb310b513.telemetry_sdk.js"
integrity="sha512-9FJQ55EKmmqhyik8BhrMVfm0+iYYfb8uOIRsjtkxJMEI97qOVEI4PnHohDjQ
AtvAep0IOEpdQ64eki0sz62ug=="></script>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Tutorama Hero Visuals</title>
<script src="https://cdn.tailwindcss.com/3.4.17"></script>
<script src="https://cdn.jsdelivr.net/npm/lucide@0.263.0/dist/umd/lucide.min.js"></script>
<link rel="preconnect" href="https://fonts.googleapis.com">
<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@500;600;700&family=Manr
ope:wght@400;500;600;700&display=swap" rel="stylesheet">
<style>
:root{
  --navy:#12233f;
  --cream:#f6efe1;
  --cream-deep:#eaddc7;
  --cyan:#bfe8ef;
  --cyan-strong:#7fc9d6;
  --yellow:#f6d976;
  --green:#bfe3c4;
  --peach:#f7d5bd;
  --ink:#2b3a52;
  --line:#d8e0ea;
}
body{ font-family:'Manrope', system-ui, sans-serif; }
.head{ font-family:'Poppins', system-ui, sans-serif; }

.sparkle{ animation:twinkle 2.8s ease-in-out infinite; transform-origin:center; }
.sparkle.d1{ animation-delay:.6s } .sparkle.d2{ animation-delay:1.2s } .sparkle.d3{
animation-delay:1.8s }
@keyframes twinkle{ 0%,100%{ opacity:.4; transform:scale(.9) } 50%{ opacity:1;
transform:scale(1.12) } }

.reveal{ opacity:0; transform:translateY(16px); animation:rise .6s ease forwards; }
@keyframes rise{ to{ opacity:1; transform:none } }

.hero-card{ transition:transform .25s ease, box-shadow .25s ease; }
.hero-card:hover{ transform:translateY(-4px); box-shadow:0 24px 44px -24px
rgba(18,35,63,.45); }

```

```

.tab{ border-radius:9px 9px 0 0; }
.branch{ stroke:var(--cyan-strong); stroke-width:2.6; fill:none; stroke-linecap:round; }
.node{ fill:#fff; stroke:var(--navy); stroke-width:1.8; }

/* checkerboard for transparent asset preview */
.checker{
  background-image:
    linear-gradient(45deg,#e4e9f0 25%, transparent 25%),
    linear-gradient(-45deg,#e4e9f0 25%, transparent 25%),
    linear-gradient(45deg, transparent 75%, #e4e9f0 75%),
    linear-gradient(-45deg, transparent 75%, #e4e9f0 75%);
  background-size:22px 22px;
  background-position:0 0,0 11px,11px -11px,-11px 0;
  background-color:#f2f5f9;
}

.lightbox{ backdrop-filter:blur(3px); }
.lb-panel{ animation:pop .3s ease; }
@keyframes pop{ from{ opacity:0; transform:scale(.96) } to{ opacity:1; transform:none } }

button:focus-visible, a:focus-visible{ outline:3px solid var(--cyan-strong); outline-offset:3px;
border-radius:12px; }
</style>
<script src="/_sdk/0b3af1c300e720aa.resizing_sdk.js" type="text/javascript"
integrity="sha512-nX1P6oXZmEY5wCI2lUVg3BwKu1cr0yi+ZpXgZ0Yn90vkSwvpmYzBMvOyD6
VLJUtbWFI2dSrW1b6OvORxSggw3w=="></script>
<script src="/_sdk/0179d719c431a79e.data_sdk.js" type="text/javascript"
integrity="sha512-OsRvJkI5GkC3MJQcgotQYotpzrMSX415GiKKgvYdxQEEkzD/fdchShO2FMS
y0PJr/tiINMXOk5VI2zAgg6bUiA=="></script>
</head>
<body data-template-id="__page-root" class="min-h-screen w-full text-[color:var(--ink)]"
style="background: linear-gradient(rgb(246, 239, 225), rgb(240, 230, 211));">
  <header data-template-id="header-section" class="canva-header w-full px-6 pt-10 pb-6"
style="background: transparent;">
    <div class="max-w-6xl mx-auto flex flex-col gap-4">
      <div class="flex items-center gap-3">
        <span class="inline-flex items-center justify-center w-11 h-11 rounded-2xl"
style="background:var(--navy)"> <i data-lucide="notebook-pen"
style="width:22px;height:22px;color:var(--yellow)"></i> </span>
        <h1 data-template-id="brand-wordmark" class="canva-text head leading-none" style="color:
rgb(18, 35, 63); font-weight: 700; font-style: normal; font-size: 44px; letter-spacing:
-0.02rem;">Tutorama</h1>
      </div>

```

```

    <p data-template-id="brand-tagline" class="canva-text max-w-2xl" style="color: rgb(43, 58, 82); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 18px;">Managed offline home tutoring for Classes 6–10, thoughtfully organised around your child.</p>
    <div class="mt-2 inline-flex items-start gap-3 rounded-2xl px-4 py-3 self-start" style="background:#ffffff;border:1px solid var(--line)">
      <i data-lucide="quote" style="width:18px;height:18px;color:var(--cyan-strong);margin-top:4px"></i>
      <p data-template-id="ref-headline" class="canva-text head max-w-xl" style="color: rgb(18, 35, 63); font-weight: 600; font-style: normal; font-size: 18px;">Offline home tutoring in HSR, managed end-to-end for your child.</p>
    </div>
  </div>
</header>
<main class="w-full px-6 pb-16">
  <div class="max-w-6xl mx-auto grid grid-cols-1 lg:grid-cols-3 gap-7">
    <!-- VARIANT 1 — DESKTOP LANDSCAPE -->
    <article class="hero-card reveal canva-card rounded-3xl overflow-hidden bg-white shadow-sm lg:col-span-2" style="border:1px solid var(--line);animation-delay:.05s">
      <div class="visual-scene p-6" data-scene="desktop">
        <svg viewBox="0 0 460 260" class="w-full h-auto rounded-2xl" role="img" aria-label="Warm home study desk: ruled notebook, weekly class plan card with subject tabs, a small concept map of topic nodes, and a resting pencil" style="background:var(--cream)">
          <!-- desk band --> <rect x="0" y="212" width="460" height="48" fill="var(--cream-deep)"></rect> <!-- ruled notebook --> <g transform="rotate(-4 120 150)">
            <rect x="30" y="72" width="168" height="150" rx="14" fill="#fff" stroke="#e2e8f0"></rect>
            <rect x="50" y="72" width="2.5" height="150" fill="var(--peach)"></rect>
            <g stroke="#e8eef4" stroke-width="1.6">
              <line x1="64" y1="108" x2="182" y2="108"></line>
              <line x1="64" y1="134" x2="182" y2="134"></line>
              <line x1="64" y1="160" x2="182" y2="160"></line>
              <line x1="64" y1="186" x2="182" y2="186"></line>
            </g>
            <rect x="64" y="90" width="82" height="11" rx="5.5" fill="var(--navy)"></rect>
            <rect x="64" y="200" width="56" height="7" rx="3.5" fill="var(--yellow)"></rect>
          </g> <!-- concept map with topic nodes --> <g>
            <path class="branch" d="M300 60 C 268 60 268 44 246 44"></path>
            <path class="branch" d="M300 60 C 268 60 270 60 246 60"></path>
            <path class="branch" d="M300 60 C 268 60 268 78 246 78"></path>
            <circle class="node" cx="300" cy="60" r="15"></circle>
            <circle class="node" cx="238" cy="44" r="10" fill="var(--cyan)"></circle>
            <circle class="node" cx="238" cy="60" r="10" fill="var(--green)"></circle>
            <circle class="node" cx="238" cy="78" r="10" fill="var(--peach)"></circle>
          </g> <!-- plan card with subject tabs --> <g transform="rotate(3 330 150)">
            <rect x="256" y="96" width="48" height="18" rx="7" fill="var(--cyan)" class="tab"></rect>

```

```

    <rect x="306" y="100" width="48" height="14" rx="6" fill="#fff" stroke="#e2e8f0"
class="tab"></rect>
    <rect x="356" y="100" width="48" height="14" rx="6" fill="#fff" stroke="#e2e8f0"
class="tab"></rect>
    <rect x="256" y="114" width="164" height="120" rx="14" fill="#fff" stroke="#e2e8f0"></rect>
    <rect x="274" y="134" width="78" height="9" rx="4.5" fill="var(--navy)"></rect>
    <rect x="274" y="156" width="128" height="22" rx="9" fill="var(--cream)"></rect>
    <circle cx="288" cy="167" r="5.5" fill="var(--green)"></circle>
    <rect x="304" y="163" width="80" height="8" rx="4" fill="#cbd5e1"></rect>
    <rect x="274" y="186" width="128" height="22" rx="9" fill="var(--cream)"></rect>
    <circle cx="288" cy="197" r="5.5" fill="var(--peach)"></circle>
    <rect x="304" y="193" width="60" height="8" rx="4" fill="#cbd5e1"></rect>
</g> <!-- resting pencil --> <g transform="rotate(-10 230 236)">
    <rect x="176" y="232" width="98" height="9" rx="3.5" fill="var(--yellow)"></rect>
    <rect x="174" y="232" width="10" height="9" fill="var(--peach)"></rect>
    <polygon points="274,232 288,236.5 274,241" fill="#e8b04a"></polygon>
    <polygon points="288,234 294,236.5 288,239" fill="var(--navy)"></polygon>
</g> <!-- sparkles --> <path class="sparkle d1" d="M210 54 l3.2 8.6 8.6 3.2 -8.6 3.2 -3.2 8.6
-3.2 -8.6 -8.6 -3.2 8.6 -3.2z" fill="var(--yellow)"></path> <path class="sparkle d3" d="M420 66
l2.6 7 7 2.6 -2.6 7 -2.6 -7 -7 -2.6 7 -2.6z" fill="var(--cyan-strong)"></path>
</svg>
</div>
<div class="px-6 pb-6 pt-1 flex items-start justify-between gap-4">
<div>
    <span data-template-id="desktop-label" class="canva-tag inline-block rounded-full px-3
py-1" style="background: rgb(191, 232, 239); color: rgb(18, 35, 63); font-family: Manrope;
font-weight: 600; font-style: normal; font-size: 13px;">Desktop hero — landscape</span>
    <p data-template-id="desktop-desc" class="canva-text mt-2 text-sm" style="color: rgb(43,
58, 82); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 14px;">The full
study-desk scene in a wide crop, sized to sit to the right of your landing-page headline.</p>
</div><button type="button" class="preview-btn canva-button shrink-0 rounded-xl px-3 py-2"
data-open="desktop" style="background:var(--navy);color:#fff" aria-label="Enlarge desktop hero
visual"><i data-lucide="maximize-2" style="width:16px;height:16px"></i></button>
</div>
</article><!-- VARIANT 2 — MOBILE VERTICAL CROP -->
<article class="hero-card reveal canva-card rounded-3xl overflow-hidden bg-white
shadow-sm" style="border:1px solid var(--line);animation-delay:.14s">
    <div class="visual-scene p-6 flex justify-center" data-scene="mobile">
        <svg viewBox="0 0 260 330" class="h-auto rounded-2xl"
style="max-width:220px;background:var(--cream)" role="img" aria-label="Compact vertical
home study scene: class plan card with subject tabs above a ruled notebook, small topic nodes
and a resting pencil">
            <rect x="0" y="286" width="260" height="44" fill="var(--cream-deep)"></rect> <!-- plan card
top --> <g transform="rotate(2 130 90)">

```

```

    <rect x="58" y="34" width="46" height="17" rx="7" fill="var(--cyan)" class="tab"></rect>
    <rect x="106" y="38" width="46" height="13" rx="6" fill="#fff" stroke="#e2e8f0"
class="tab"></rect>
    <rect x="154" y="38" width="46" height="13" rx="6" fill="#fff" stroke="#e2e8f0"
class="tab"></rect>
    <rect x="58" y="51" width="146" height="98" rx="13" fill="#fff" stroke="#e2e8f0"></rect>
    <rect x="74" y="70" width="72" height="9" rx="4.5" fill="var(--navy)"></rect>
    <rect x="74" y="90" width="114" height="20" rx="8" fill="var(--cream)"></rect>
    <circle cx="87" cy="100" r="5" fill="var(--green)"></circle>
    <rect x="74" y="116" width="114" height="20" rx="8" fill="var(--cream)"></rect>
    <circle cx="87" cy="126" r="5" fill="var(--peach)"></circle>
</g> <!-- concept nodes --> <g>
    <path class="branch" d="M206 190 C 182 190 182 174 162 174"></path>
    <path class="branch" d="M206 190 C 182 190 182 206 162 206"></path>
    <circle class="node" cx="206" cy="190" r="13"></circle>
    <circle class="node" cx="154" cy="174" r="9" fill="var(--cyan)"></circle>
    <circle class="node" cx="154" cy="206" r="9" fill="var(--green)"></circle>
</g> <!-- notebook lower --> <g transform="rotate(-4 100 240)">
    <rect x="34" y="176" width="126" height="118" rx="13" fill="#fff" stroke="#e2e8f0"></rect>
    <rect x="52" y="176" width="2.5" height="118" fill="var(--peach)"></rect>
    <g stroke="#e8eef4" stroke-width="1.6">
        <line x1="66" y1="208" x2="146" y2="208"></line>
        <line x1="66" y1="232" x2="146" y2="232"></line>
        <line x1="66" y1="256" x2="146" y2="256"></line>
    </g>
    <rect x="66" y="192" width="66" height="10" rx="5" fill="var(--navy)"></rect>
    <rect x="66" y="272" width="48" height="7" rx="3.5" fill="var(--yellow)"></rect>
</g> <!-- pencil --> <g transform="rotate(-10 150 306)">
    <rect x="112" y="302" width="80" height="8" rx="3.5" fill="var(--yellow)"></rect>
    <polygon points="192,302 204,306 192,310" fill="#e8b04a"></polygon>
    <polygon points="204,304 210,306 204,308" fill="var(--navy)"></polygon>
</g> <path class="sparkle d1" d="M40 60 l2.8 7.6 7.6 2.8 -7.6 2.8 -2.8 7.6 -2.8 -7.6 -7.6 -2.8
7.6 -2.8z" fill="var(--yellow)"></path> <path class="sparkle d3" d="M218 138 l2.4 6.4 6.4 2.4
-6.4 2.4 -2.4 6.4 -2.4 -6.4 -6.4 -2.4 6.4 -2.4z" fill="var(--cyan-strong)"></path>
</svg>
</div>
<div class="px-6 pb-6 pt-1 flex items-start justify-between gap-4">
    <div>
        <span data-template-id="mobile-label" class="canva-tag inline-block rounded-full px-3 py-1"
style="background: rgb(191, 227, 196); color: rgb(18, 35, 63); font-family: Manrope; font-weight:
600; font-style: normal; font-size: 13px;">Mobile crop — vertical</span>
        <p data-template-id="mobile-desc" class="canva-text mt-2 text-sm" style="color: rgb(43, 58,
82); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 14px;">A compact,
taller framing of the same scene for stacked mobile hero sections.</p>

```

```

</div><button type="button" class="preview-btn canva-button shrink-0 rounded-xl px-3 py-2"
data-open="mobile" style="background:var(--navy);color:#fff" aria-label="Enlarge mobile hero
visual"><i data-lucide="maximize-2" style="width:16px;height:16px"></i></button>
</div>
</article><!-- VARIANT 3 — TRANSPARENT ASSET -->
<article class="hero-card reveal canva-card rounded-3xl overflow-hidden bg-white
shadow-sm lg:col-span-3" style="border:1px solid var(--line);animation-delay:.22s">
<div class="visual-scene p-6" data-scene="transparent">
<div class="checker rounded-2xl p-4">
<svg viewBox="0 0 460 240" class="w-full h-auto" role="img"
aria-label="Transparent-background version of the home study scene: ruled notebook, plan card
with subject tabs, concept-map topic nodes and a resting pencil, with no card behind it">
<!-- notebook --> <g transform="rotate(-4 120 130)">
<rect x="30" y="52" width="168" height="150" rx="14" fill="#fff" stroke="#e2e8f0"></rect>
<rect x="50" y="52" width="2.5" height="150" fill="var(--peach)"></rect>
<g stroke="#e8eef4" stroke-width="1.6">
<line x1="64" y1="88" x2="182" y2="88"></line>
<line x1="64" y1="114" x2="182" y2="114"></line>
<line x1="64" y1="140" x2="182" y2="140"></line>
<line x1="64" y1="166" x2="182" y2="166"></line>
</g>
<rect x="64" y="70" width="82" height="11" rx="5.5" fill="var(--navy)"></rect>
<rect x="64" y="180" width="56" height="7" rx="3.5" fill="var(--yellow)"></rect>
</g> <!-- concept nodes --> <g>
<path class="branch" d="M300 44 C 268 44 268 28 246 28"></path>
<path class="branch" d="M300 44 C 268 44 270 44 246 44"></path>
<path class="branch" d="M300 44 C 268 44 268 60 246 60"></path>
<circle class="node" cx="300" cy="44" r="15"></circle>
<circle class="node" cx="238" cy="28" r="10" fill="var(--cyan)"></circle>
<circle class="node" cx="238" cy="44" r="10" fill="var(--green)"></circle>
<circle class="node" cx="238" cy="60" r="10" fill="var(--peach)"></circle>
</g> <!-- plan card --> <g transform="rotate(3 330 130)">
<rect x="256" y="76" width="48" height="18" rx="7" fill="var(--cyan)" class="tab"></rect>
<rect x="306" y="80" width="48" height="14" rx="6" fill="#fff" stroke="#e2e8f0"
class="tab"></rect>
<rect x="356" y="80" width="48" height="14" rx="6" fill="#fff" stroke="#e2e8f0"
class="tab"></rect>
<rect x="256" y="94" width="164" height="120" rx="14" fill="#fff" stroke="#e2e8f0"></rect>
<rect x="274" y="114" width="78" height="9" rx="4.5" fill="var(--navy)"></rect>
<rect x="274" y="136" width="128" height="22" rx="9" fill="var(--cream)"></rect>
<circle cx="288" cy="147" r="5.5" fill="var(--green)"></circle>
<rect x="304" y="143" width="80" height="8" rx="4" fill="#cbd5e1"></rect>
<rect x="274" y="166" width="128" height="22" rx="9" fill="var(--cream)"></rect>
<circle cx="288" cy="177" r="5.5" fill="var(--peach)"></circle>

```

```

    <rect x="304" y="173" width="60" height="8" rx="4" fill="#cbd5e1"></rect>
  </g> <!-- pencil --> <g transform="rotate(-10 230 214)">
    <rect x="176" y="210" width="98" height="9" rx="3.5" fill="var(--yellow)"></rect>
    <rect x="174" y="210" width="10" height="9" fill="var(--peach)"></rect>
    <polygon points="274,210 288,214.5 274,219" fill="#e8b04a"></polygon>
    <polygon points="288,212 294,214.5 288,217" fill="var(--navy)"></polygon>
  </g> <path class="sparkle d1" d="M210 34 l3.2 8.6 8.6 3.2 -8.6 3.2 -3.2 8.6 -3.2 -8.6 -8.6
-3.2 8.6 -3.2z" fill="var(--yellow)"></path> <path class="sparkle d3" d="M420 46 l2.6 7 7 2.6 -7
2.6 -2.6 7 -2.6 -7 -7 -2.6 7 -2.6z" fill="var(--cyan-strong)"></path>
</svg>
</div>
</div>
<div class="px-6 pb-6 pt-1 flex items-start justify-between gap-4">
  <div>
    <span data-template-id="transparent-label" class="canva-tag inline-block rounded-full px-3
py-1" style="background: rgb(247, 213, 189); color: rgb(18, 35, 63); font-family: Manrope;
font-weight: 600; font-style: normal; font-size: 13px;">Transparent asset</span>
    <p data-template-id="transparent-desc" class="canva-text mt-2 text-sm" style="color:
rgb(43, 58, 82); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 14px;">The
scene with no card behind it — shown on a checkerboard — ready to drop onto any website
section.</p>
  </div> <button type="button" class="preview-btn canva-button shrink-0 rounded-xl px-3 py-2"
data-open="transparent" style="background: var(--navy); color: #fff" aria-label="Enlarge
transparent hero visual"><i data-lucide="maximize-2"
style="width: 16px; height: 16px;"></i></button>
</div>
</article>
</div>
<p data-template-id="footer-note" class="canva-text max-w-6xl mx-auto mt-10 text-center
text-sm" style="color: rgb(91, 107, 131); font-family: Manrope; font-weight: 400; font-style:
normal; font-size: 14px;">Three reusable study-desk hero assets: wide desktop, compact
mobile, and a transparent version. Each keeps generous empty space for your headline.</p>
</main> <!-- LIGHTBOX -->
<div id="lightbox" class="lightbox fixed inset-0 z-50 hidden items-center justify-center px-4"
style="background: rgba(18,35,63,.55)" role="dialog" aria-modal="true"
aria-labelledby="preview-title">
  <div class="lb-panel w-full max-w-5xl rounded-3xl overflow-hidden bg-white shadow-2xl"
style="border: 1px solid var(--line)">
    <div class="flex items-center justify-between px-5 py-3" style="background: var(--cream)">
      <h2 data-template-id="preview-title" id="preview-title" class="canva-text head" style="color:
rgb(18, 35, 63); font-weight: 600; font-style: normal; font-size: 24px;">Hero preview</h2> <button
id="close-lb" type="button" class="rounded-full p-2" style="background: #fff; border: 1px solid
var(--line)" aria-label="Close preview"><i data-lucide="x"
style="width: 18px; height: 18px; color: var(--navy)"></i></button>

```

```

</div>
<div class="grid md:grid-cols-2 gap-6 items-center p-8" style="background:var(--cream)">
  <div class="flex flex-col gap-4">
    <span class="inline-flex items-center gap-2 self-start rounded-full px-3 py-1 text-xs"
style="background:var(--cyan);color:var(--navy)"><i data-lucide="map-pin"
style="width:14px;height:14px"></i> HSR, Bengaluru</span>
    <p data-template-id="preview-hero-headline" class="canva-text head" style="line-height:
1.15; color: rgb(18, 35, 63); font-weight: 600; font-style: normal; font-size: 30px;">Offline home
tutoring in HSR, managed end-to-end for your child.</p>
    <p data-template-id="preview-hint" class="canva-text text-sm" style="color: rgb(91, 107,
131); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 14px;">This is how the
selected visual sits beside your headline in a real hero section.</p>
  </div>
<div id="lb-slot" class="w-full"></div>
</div>
</div>
</div>
<div>
<div class="w-full sr-only">
  Tutorama hero visual asset library
</div>
<script src="/_sdk/e063511df281944a.editing_sdk.js"
integrity="sha512-Xa8p4aPfoMxVnzxQE2WAG0FfoaPLxdjOJMfUZGm1yZosJTYmnNDvgLkJ2E
oN0i3zxjeQVAzUMSXNvTKQVqbXyQ=="></script>
<script>
  lucide.createIcons();

const lb = document.getElementById('lightbox');
const slot = document.getElementById('lb-slot');
const closeBtn = document.getElementById('close-lb');
let lastFocused = null;

function openPreview(scenelId){
  const source = document.querySelector('.visual-scene[data-scene="'+scenelId+""] svg');
  if(!source) return;
  slot.innerHTML = "";
  const wrap = document.createElement('div');
  // Transparent variant reads best on a checkerboard when enlarged too
  if(scenelId === 'transparent'){ wrap.className = 'checker rounded-2xl p-4'; }
  const clone = source.cloneNode(true);
  clone.classList.add('w-full','h-auto','rounded-2xl');
  clone.style.maxWidth = "";
  wrap.appendChild(clone);
  slot.appendChild(wrap);
  lb.classList.remove('hidden');

```

```

lb.classList.add('flex');
lastFocused = document.activeElement;
closeBtn.focus();
}

```

```

function closePreview(){
  lb.classList.add('hidden');
  lb.classList.remove('flex');
  slot.innerHTML = "";
  if(lastFocused) lastFocused.focus();
}

```

```

document.querySelectorAll('.preview-btn').forEach(btn=>{
  btn.addEventListener('click', ()=> openPreview(btn.getAttribute('data-open')));
});
closeBtn.addEventListener('click', closePreview);
lb.addEventListener('click', e=>{ if(e.target === lb) closePreview(); });
document.addEventListener('keydown', e=>{ if(e.key === 'Escape' &&
!lb.classList.contains('hidden')) closePreview(); });
</script>
<script>(function(){function c(){var b=a.contentDocument||a.contentWindow.document;if(b){var
d=b.createElement('script');d.innerHTML="window.__CF$cv$params={r:'a1740836430747bc',t:'
MTc4MzM5Nzc2OS4wMDAwMDA='};var
a=document.createElement('script');a.nonce='';a.src='/cdn-cgi/challenge-platform/scripts/jsd/mai
n.js';document.getElementsByTagName('head')[0].appendChild(a);";b.getElementsByTagName('
head')[0].appendChild(d)}}if(document.body){var
a=document.createElement('iframe');a.height=1;a.width=1;a.style.position='absolute';a.style.top
=0;a.style.left=0;a.style.border='none';a.style.visibility='hidden';document.body.appendChild(a);if
('loading'!==document.readyState)c();else
if(window.addEventListener)document.addEventListener('DOMContentLoaded',c);else{var
e=document.onreadystatechange||function(){};document.onreadystatechange=function(b){e(b);'l
oading'!==document.readyState&&(document.onreadystatechange=e,c())}}})();</script>
</body></html>

```