

```

<!doctype html>
<html
lang="en"><head><script>>window['__codeletBootstrap__']=JSON.parse({'A':"A","B":"2026070
7-03-b8b85bc"});</script><script src="/_sdk/f432b76fb310b513.telemetry_sdk.js"
integrity="sha512-9FJQ55EKmmqhyik8BhrMVfm0+iYYfb8uOIRsjtkxJMEI97qOVEI4PnHohDjQ
AtvAep0IOEpdQ64eki0sz62ug=="></script>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Tutorama Tutor Pairing Cards</title>
  <script src="https://cdn.tailwindcss.com/3.4.17"></script>
  <script src="https://cdn.jsdelivr.net/npm/lucide@0.263.0/dist/umd/lucide.min.js"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@500;600;700&family=Manr
ope:wght@400;500;600&display=swap" rel="stylesheet">
  <style>
body { font-family: 'Manrope', sans-serif; }
h1, h2, h3, .heading-font { font-family: 'Poppins', sans-serif; }

/* subtle notebook ruled line motif at the top of each card */
.note-card {
  position: relative;
  border: 1px solid #ece4d3;
  box-shadow: 0 8px 22px -14px rgba(23, 42, 76, 0.22);
  transition: transform 0.25s ease, box-shadow 0.25s ease;
  overflow: hidden;
}
.note-card:hover {
  transform: translateY(-4px);
  box-shadow: 0 16px 30px -16px rgba(23, 42, 76, 0.30);
}
/* accent tab strip along the top edge */
.accent-tab { height: 5px; width: 100%; }

/* dotted "margin" line reminiscent of a notebook page */
.note-card::after {
  content: "";
  position: absolute;
  top: 22px; bottom: 22px; left: 62px;
  width: 1px;
  background: repeating-linear-gradient(to bottom, #eadfca 0 3px, transparent 3px 8px);
  opacity: 0.5;
  pointer-events: none;
}

```

```

.icon-badge {
  display: inline-flex; align-items: center; justify-content: center;
  width: 44px; height: 44px; border-radius: 14px;
  border: 1.5px solid #1f3a5f;
}
.icon-badge svg { width: 22px; height: 22px; stroke: #1f3a5f; stroke-width: 1.8; }

.step-num {
  font-family: 'Poppins', sans-serif;
  font-weight: 600;
  display: inline-flex; align-items: center; justify-content: center;
  width: 30px; height: 30px; border-radius: 9px;
  border: 1.5px solid #1f3a5f; color: #1f3a5f;
  font-size: 14px;
}

.eyebrow-tag {
  display: inline-flex; align-items: center; gap: 6px;
  padding: 5px 12px; border-radius: 999px;
}
.eyebrow-tag svg { width: 15px; height: 15px; }

/* staggered entrance */
@keyframes rise {
  from { opacity: 0; transform: translateY(14px); }
  to { opacity: 1; transform: translateY(0); }
}
.rise { opacity: 0; animation: rise 0.6s ease forwards; }
</style>
<script src="/_sdk/0179d719c431a79e.data_sdk.js" type="text/javascript"
integrity="sha512-OsRvJkI5GkC3MJQcgotQYotpzrMSX415GiKKgvYdxQEEkzD/fdchShO2FMS
y0PJr/tiINMXOk5VI2zAgg6bUiA=="></script>
<script src="/_sdk/0b3af1c300e720aa.resizing_sdk.js" type="text/javascript"
integrity="sha512-nX1P6oXZmEY5wCI2IUvg3BwKu1cr0yi+ZpXgZ0Yn90vkSwvpmyzBMvOyD6
VLJUtbWFI2dSrw1b6OvORxSggw3w=="></script>
</head>
<body data-template-id="__page-root" class="min-h-screen w-full text-slate-700"
style="background: rgb(247, 241, 227);">
  <div class="w-full max-w-6xl mx-auto px-5 sm:px-8 py-12 sm:py-16 space-y-16"><!--
===== SECTION 1: Tutor pairing philosophy ===== -->
  <section aria-labelledby="s1-heading">

```

```
<header class="max-w-3xl mb-9"><span data-template-id="s1-eyebrow" class="canva-tag eyebrow-tag" style="background: rgb(227, 244, 246); color: rgb(15, 109, 120); font-weight: 600; font-style: normal; font-size: 13px;">Tutor pairing</span>
```

```
<h2 data-template-id="s1-heading" id="s1-heading" class="canva-text mt-4 leading-tight" style="color: rgb(23, 38, 63); font-weight: 700; font-style: normal; font-size: 24px;">Managed tutor pairing, not tutor browsing</h2>
```

```
<p data-template-id="s1-copy" class="canva-text mt-4 leading-relaxed" style="color: rgb(95, 107, 122); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 17px;">Tutorama does not ask parents to browse tutor profiles and guess. We understand the child's class, subject, topic needs, learning style, continuity needs, and then help pair a suitable tutor.</p>
```

```
</header>
```

```
<div class="grid gap-5 sm:gap-6 grid-cols-1 sm:grid-cols-2 lg:grid-cols-4"><!-- Card 1 -->
```

```
<article data-template-id="pair-card-1" class="note-card rise bg-white rounded-2xl" style="animation-delay: 0.05s; background: rgb(255, 255, 255);">
```

```
<div class="accent-tab" style="background:#7ecec7"></div>
```

```
<div class="p-6">
```

```
<div class="icon-badge mb-4">
```

```
<i data-lucide="clipboard-list"></i>
```

```
</div>
```

```
<h3 data-template-id="pair-card-1-title" class="canva-text leading-snug" style="color: rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Understand the need</h3>
```

```
<p data-template-id="pair-card-1-body" class="canva-text mt-2 leading-relaxed" style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 15px;">Class, subject, topic gaps, goals, and preferred schedule.</p>
```

```
</div>
```

```
</article><!-- Card 2 -->
```

```
<article data-template-id="pair-card-2" class="note-card rise bg-white rounded-2xl" style="animation-delay: 0.12s; background: rgb(255, 255, 255);">
```

```
<div class="accent-tab" style="background:#f4d06f"></div>
```

```
<div class="p-6">
```

```
<div class="icon-badge mb-4">
```

```
<i data-lucide="user-check"></i>
```

```
</div>
```

```
<h3 data-template-id="pair-card-2-title" class="canva-text leading-snug" style="color: rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Review tutor fit</h3>
```

```
<p data-template-id="pair-card-2-body" class="canva-text mt-2 leading-relaxed" style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 15px;">Subject fit, explanation style, problem-solving ability, and availability.</p>
```

```
</div>
```

```
</article><!-- Card 3 -->
```

```
<article data-template-id="pair-card-3" class="note-card rise bg-white rounded-2xl" style="animation-delay: 0.19s; background: rgb(255, 255, 255);">
```

```
<div class="accent-tab" style="background:#9dd6a4"></div>
```

```

<div class="p-6">
  <div class="icon-badge mb-4">
    <i data-lucide="link"></i>
  </div>
  <h3 data-template-id="pair-card-3-title" class="canva-text leading-snug" style="color:
rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Pair with continuity</h3>
  <p data-template-id="pair-card-3-body" class="canva-text mt-2 leading-relaxed"
style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal;
font-size: 15px;">We aim for a consistent tutor relationship, not random one-off classes.</p>
</div>
</article><!-- Card 4 -->
<article data-template-id="pair-card-4" class="note-card rise bg-white rounded-2xl"
style="animation-delay: 0.26s; background: rgb(255, 255, 255);">
  <div class="accent-tab" style="background:#f6c3a4"></div>
  <div class="p-6">
    <div class="icon-badge mb-4">
      <i data-lucide="refresh-cw"></i>
    </div>
    <h3 data-template-id="pair-card-4-title" class="canva-text leading-snug" style="color:
rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Support if fit
changes</h3>
    <p data-template-id="pair-card-4-body" class="canva-text mt-2 leading-relaxed"
style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal;
font-size: 15px;">If the fit is not right, Tutorama helps review and resolve it.</p>
  </div>
</article>
</div>
</section><!-- soft divider -->
<div data-template-id="section-divider" class="canva-divider h-px w-full" style="background:
rgb(230, 220, 198);"></div><!-- ===== SECTION 2: Tutor quality process
===== -->
<section aria-labelledby="s2-heading">
  <header class="max-w-3xl mb-9"><span data-template-id="s2-eyebrow" class="canva-tag
eyebrow-tag" style="background: rgb(238, 243, 233); color: rgb(63, 107, 70); font-weight: 600;
font-style: normal; font-size: 13px;">Tutor quality process</span>
  <h2 data-template-id="s2-heading" id="s2-heading" class="canva-text mt-4 leading-tight"
style="color: rgb(23, 38, 63); font-weight: 700; font-style: normal; font-size: 24px;">How we
review tutor fit</h2>
  <p data-template-id="s2-copy" class="canva-text mt-4 leading-relaxed" style="color: rgb(95,
107, 122); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 17px;">Before we
pair a tutor with your child, we look closely at how clearly they teach, solve, and structure a
topic.</p>
</header>
  <div class="grid gap-5 sm:gap-6 grid-cols-1 sm:grid-cols-2 lg:grid-cols-4"><!-- Process 1 -->

```

```

<article data-template-id="proc-card-1" class="note-card rise bg-white rounded-2xl"
style="animation-delay: 0.05s; background: rgb(255, 255, 255);">
  <div class="accent-tab" style="background:#7ecec7"></div>
  <div class="p-6">
    <div class="flex items-center justify-between mb-4">
      <div class="icon-badge">
        <i data-lucide="book-open"></i>
      </div><span class="step-num">1</span>
    </div>
    <h3 data-template-id="proc-card-1-title" class="canva-text leading-snug" style="color:
rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Subject knowledge
check</h3>
    <p data-template-id="proc-card-1-body" class="canva-text mt-2 leading-relaxed"
style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal;
font-size: 15px;">Can the tutor handle the class, subject, and topic clearly?</p>
  </div>
</article><!-- Process 2 -->
<article data-template-id="proc-card-2" class="note-card rise bg-white rounded-2xl"
style="animation-delay: 0.12s; background: rgb(255, 255, 255);">
  <div class="accent-tab" style="background:#f4d06f"></div>
  <div class="p-6">
    <div class="flex items-center justify-between mb-4">
      <div class="icon-badge">
        <i data-lucide="puzzle"></i>
      </div><span class="step-num">2</span>
    </div>
    <h3 data-template-id="proc-card-2-title" class="canva-text leading-snug" style="color:
rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Problem-solving
check</h3>
    <p data-template-id="proc-card-2-body" class="canva-text mt-2 leading-relaxed"
style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal;
font-size: 15px;">Can the tutor solve and explain step-by-step?</p>
  </div>
</article><!-- Process 3 -->
<article data-template-id="proc-card-3" class="note-card rise bg-white rounded-2xl"
style="animation-delay: 0.19s; background: rgb(255, 255, 255);">
  <div class="accent-tab" style="background:#9dd6a4"></div>
  <div class="p-6">
    <div class="flex items-center justify-between mb-4">
      <div class="icon-badge">
        <i data-lucide="git-branch"></i>
      </div><span class="step-num">3</span>
    </div>

```

<h3 data-template-id="proc-card-3-title" class="canva-text leading-snug" style="color: rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Concept-map building check</h3>

<p data-template-id="proc-card-3-body" class="canva-text mt-2 leading-relaxed" style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 15px;">Can the tutor structure a topic beyond only finishing questions?</p>
</div>

</article><!-- Process 4 -->

<article data-template-id="proc-card-4" class="note-card rise bg-white rounded-2xl" style="animation-delay: 0.26s; background: rgb(255, 255, 255);">

<div class="accent-tab" style="background:#f6c3a4"></div>

<div class="p-6">

<div class="flex items-center justify-between mb-4">

<div class="icon-badge">

<i data-lucide="check-check"></i>

</div>4

</div>

<h3 data-template-id="proc-card-4-title" class="canva-text leading-snug" style="color: rgb(23, 38, 63); font-weight: 600; font-style: normal; font-size: 18px;">Fit review before pairing</h3>

<p data-template-id="proc-card-4-body" class="canva-text mt-2 leading-relaxed" style="color: rgb(107, 118, 134); font-family: Manrope; font-weight: 400; font-style: normal; font-size: 15px;">We review fit before pairing the tutor with a student.</p>
</div>

</article>

</div>

</section>

</div>

<script src="/_sdk/e063511df281944a.editing_sdk.js" integrity="sha512-Xa8p4aPfoMxVnzxQE2WAG0FfoaPLxdjOJmFUZGm1yZosJTYmnNDvgLkJ2EoN0i3zxjeQVAzUMSXNvTKQVqbXyQ=="></script>

<script>

lucide.createIcons();

</script>

<script>(function(){function c(){var b=a.contentDocument||a.contentWindow.document;if(b){var d=b.createElement('script');d.innerHTML="window.__CF\$cv\$params={r:'a17412f0f7fb3a37',t:'MTc4MzM5ODIwOC4wMDAwMDA='};var a=document.createElement('script');a.nonce='';a.src='/cdn-cgi/challenge-platform/scripts/jsd/main.js';document.getElementsByTagName('head')[0].appendChild(a);";b.getElementsByTagName('head')[0].appendChild(d)}}if(document.body){var a=document.createElement('iframe');a.height=1;a.width=1;a.style.position='absolute';a.style.top=0;a.style.left=0;a.style.border='none';a.style.visibility='hidden';document.body.appendChild(a);if('loading'!==document.readyState)c();else if(window.addEventListener)document.addEventListener('DOMContentLoaded',c);else{var

```
e=document.onreadystatechange||function(){};document.onreadystatechange=function(b){e(b);'l  
oading'!=document.readyState&&(document.onreadystatechange=e,c()))}}})();</script>  
</body></html>
```