

MediAssist Project Bundle

Generated from workspace files.

MediAssist Project Bundle

.gitignore

```
# Dependencies
node_modules/
__pycache__/
*.pyc
*.pyo
*.pyd
.Python
env/
venv/
.venv/
pip-log.txt
pip-delete-this-directory.txt

# Environment variables
.env
.env.local
.env.development.local
.env.test.local
.env.production.local

# IDE
.vscode/
.idea/
*.swp
*.swo

# OS
.DS_Store
Thumbs.db

# Logs
*.log
logs/

# Build outputs
dist/
build/
*.egg-info/

# Temporary files
*.tmp
*.temp
```

MediAssist Project Bundle

create_docx_bundle.py

```
from pathlib import Path
from docx import Document
import re

root = Path(r"c:\Users\MANASWINI\Downloads\mediassist_ai (1)")
output = root / 'mediassist_all_files.docx'

def sanitize_text(text: str) -> str:
    return re.sub(r'[\x00-\x08\x0B\x0C\x0E-\x1F\x7F]', '', text)

if output.exists():
    output.unlink()

print(f"Scanning files under {root}")
doc = Document()
doc.add_heading('MediAssist Project Files', level=1)
doc.add_paragraph('Generated from workspace files.')

count = 0
ignored_dirs = {'.git', '.venv', '.venv-1', '.gitignore', 'workspaceStorage'}
for path in sorted(root.rglob('*')):
    if not path.is_file():
        continue
    if any(part in ignored_dirs for part in path.parts):
        continue
    if path.suffix.lower() in {'.png', '.jpg', '.jpeg', '.gif', '.ico', '.bmp', '.pdf'}:
        continue
    try:
        raw = path.read_bytes()
        if b'\x00' in raw:
            print(f"Skipping binary-like file: {path}")
            continue
        try:
            text = raw.decode('utf-8')
        except UnicodeDecodeError:
            text = raw.decode('latin-1')
    except Exception as e:
        print(f"Could not read {path}: {e}")
        continue
    text = sanitize_text(text)
    rel = path.relative_to(root)
    doc.add_page_break()
    doc.add_heading(str(rel), level=2)
    for line in text.splitlines():
        doc.add_paragraph(line)
    count += 1

print(f"Added {count} files")
doc.save(output)
print(f"Saved {output}")
```

MediAssist Project Bundle

create_text_bundle.py

```
from pathlib import Path
import re

root = Path(r"c:\Users\MANASWINI\Downloads\mediassist_ai (1)")
output = root / 'mediassist_project_all_files.txt'
ignored_dirs = {'.git', '.venv', '.venv-1', '__pycache__', 'workspaceStorage'}

if output.exists():
    output.unlink()

with output.open('w', encoding='utf-8', errors='replace') as out:
    out.write('MediAssist Project Files\n')
    out.write('Generated from workspace files.\n\n')

    for path in sorted(root.rglob('*')):
        if not path.is_file():
            continue
        if any(part in ignored_dirs for part in path.parts):
            continue
        if path.suffix.lower() in {'.png', '.jpg', '.jpeg', '.gif', '.ico', '.bmp', '.pdf'}:
            continue
        rel = path.relative_to(root)
        out.write('=' * 80 + '\n')
        out.write(f'File: {rel}\n')
        out.write('=' * 80 + '\n\n')
        try:
            text = path.read_text(encoding='utf-8')
        except UnicodeDecodeError:
            text = path.read_text(encoding='latin-1', errors='replace')
        text = re.sub(r'[\x00-\x08\x0B\x0C\x0E-\x1F\x7F]', '', text)
        out.write(text)
        out.write('\n\n')
    print('Created', output.name)
```

MediAssist Project Bundle

generate_pdf_bundle.py

```
from pathlib import Path
import re
from fpdf import FPDF

ROOT = Path(r"c:\Users\MANASWINI\Downloads\mediassist_ai (1)")
OUTPUT = ROOT / "mediassist_project_bundle.pdf"
IGNORED_DIRS = {
    '.git', '.venv', '.venv-1', '__pycache__', 'workspaceStorage', 'node_modules',
    'mediassist_project_all_files.txt', 'mediassist_bundle.md', 'mediassist_full_bundle.md'
}
SKIP_EXT = {'.png', '.jpg', '.jpeg', '.gif', '.ico', '.bmp', '.pdf', '.zip'}

PAGE_WIDTH = 210
PAGE_HEIGHT = 297
MARGIN = 10
LINE_HEIGHT = 5
FONT_SIZE = 8

def sanitize_text(text: str) -> str:
    return re.sub(r'[\x00-\x08\x0B\x0C\x0E-\x1F\x7F]', '', text)

def collect_files(root: Path):
    files = []
    for path in sorted(root.rglob('*')):
        if not path.is_file():
            continue
        if any(part in IGNORED_DIRS for part in path.parts):
            continue
        if path.suffix.lower() in SKIP_EXT:
            files.append((path, 'binary'))
            continue
        files.append((path, 'text'))
    return files

def read_text(path: Path) -> str:
    try:
        return path.read_text(encoding='utf-8')
    except Exception:
        try:
            return path.read_text(encoding='latin-1', errors='replace')
        except Exception:
            return ''

class BundlePDF(FPDF):
    def header(self):
        self.set_font('Courier', 'B', 12)
```

MediAssist Project Bundle

```
        self.set_text_color(0, 0, 0)
        self.cell(0, 8, 'MediAssist Project Bundle', ln=True, align='L')
        self.ln(2)

def footer(self):
    self.set_y(-12)
    self.set_font('Courier', '', 8)
    self.set_text_color(100, 100, 100)
    self.cell(0, 6, f'Page {self.page_no()}', align='R')

def safe_text(text: str) -> str:
    return text.encode('latin-1', errors='replace').decode('latin-1')

def add_heading(pdf: BundlePDF, text: str):
    pdf.set_font('Courier', 'B', 10)
    pdf.set_text_color(0, 53, 102)
    pdf.multi_cell(0, LINE_HEIGHT + 1, safe_text(text))
    pdf.ln(1)
    pdf.set_font('Courier', '', FONT_SIZE)
    pdf.set_text_color(0, 0, 0)

def add_content(pdf: BundlePDF, text: str):
    pdf.set_font('Courier', '', FONT_SIZE)
    pdf.set_text_color(0, 0, 0)
    for line in text.splitlines() or ['']:
        pdf.multi_cell(0, LINE_HEIGHT, safe_text(line.replace('\t', '    ')), align='L')

def build_pdf():
    files = collect_files(ROOT)
    pdf = BundlePDF(format='A4')
    pdf.set_auto_page_break(auto=True, margin=15)
    pdf.add_page()
    pdf.set_font('Courier', '', FONT_SIZE)

    pdf.multi_cell(0, LINE_HEIGHT + 2, safe_text('Generated from workspace files.))
    pdf.ln(4)

    for path, ftype in files:
        rel = path.relative_to(ROOT)
        pdf.add_page()
        add_heading(pdf, str(rel))
        if ftype == 'binary':
            pdf.multi_cell(0, LINE_HEIGHT, safe_text(f'[Binary file skipped: {path.suffix}]'))
            continue

        text = read_text(path)
        text = sanitize_text(text)
        if not text:
```

MediAssist Project Bundle

```
        pdf.multi_cell(0, LINE_HEIGHT, safe_text('[Empty or unreadable file]'))
        continue

    add_content(pdf, text)

pdf.output(str(OUTPUT))
print('Saved', OUTPUT)

if __name__ == '__main__':
    build_pdf()
```

MediAssist Project Bundle

mediassist\backend\.env

```
# MediAssist AI - Environment Variables
# Copy this file to .env and fill in your values

# OpenAI API Key (optional - app works without it in context-based mode)
OPENAI_API_KEY=

# Server settings
HOST=0.0.0.0
PORT=8000
```


MediAssist Project Bundle

mediassist\backend\.env.example

```
# MediAssist AI - Environment Variables
# Copy this file to .env and fill in your values

# OpenAI API Key (optional - app works without it in context-based mode)
OPENAI_API_KEY=your-openai-api-key-here

# Server settings
HOST=0.0.0.0
PORT=8000
```

MediAssist Project Bundle

mediassist\backend\data\medical_kb.json

```
[
  {
    "id": "fever_001",
    "title": "Fever - Overview and Management",
    "content": "Fever is a temporary increase in body temperature, often caused by infection. A temperature above 38°C (100.4°F) is generally considered a fever. Common causes include viral infections (flu, cold), bacterial infections (strep throat, urinary tract infection), inflammation, and certain medications. Symptoms accompanying fever may include sweating, chills, headache, muscle aches, loss of appetite, dehydration, and general weakness. Management includes rest, adequate fluid intake, over-the-counter fever reducers like acetaminophen or ibuprofen, and cool compresses. Seek immediate medical attention if fever exceeds 39.4°C (103°F), lasts more than 3 days, or is accompanied by severe symptoms.",
    "category": "general",
    "keywords": ["fever", "temperature", "high temperature", "chills", "sweating", "hot", "thermometer"]
  },
  {
    "id": "cold_001",
    "title": "Common Cold - Symptoms and Treatment",
    "content": "The common cold is a viral infection of the upper respiratory tract caused by rhinoviruses in most cases. Symptoms typically include runny or stuffy nose, sneezing, sore throat, mild cough, mild headache, slight body aches, and low-grade fever. Colds usually resolve within 7-10 days. Treatment is mainly symptomatic: rest, staying hydrated, saline nasal drops, throat lozenges, and over-the-counter cold medications. Antibiotics are NOT effective against viral infections like the common cold. Preventive measures include frequent handwashing, avoiding close contact with infected individuals, and not touching your face.",
    "category": "respiratory",
    "keywords": ["cold", "runny nose", "sneezing", "sore throat", "nasal congestion", "stuffy nose", "rhinovirus"]
  },
  {
    "id": "headache_001",
    "title": "Headache - Types and Treatments",
    "content": "Headaches are one of the most common medical complaints. Tension headaches are the most common type, causing a dull, aching sensation around the head. Migraine headaches cause severe throbbing pain, usually on one side, often with nausea, vomiting, and light/sound sensitivity. Cluster headaches are severe, one-sided headaches occurring in cyclical patterns. Secondary headaches are caused by underlying conditions like sinus infections, hypertension, or dehydration. Treatment varies by type: tension headaches respond to over-the-counter pain relievers; migraines may require triptans or preventive medications; all headaches benefit from rest, hydration, and stress management. Red flags requiring immediate care: sudden severe headache, headache with fever/stiff neck, headache after head injury.",
    "category": "neurological",
    "keywords": ["headache", "migraine", "head pain", "tension headache", "throbbing", "cluster headache"]
  },
  {
    "id": "flu_001",
    "title": "Influenza (Flu) - Symptoms and Care",
    "content": "Influenza (flu) is a contagious respiratory illness caused by influenza viruses. Unlike the common cold, flu symptoms appear suddenly and are more severe. Symptoms include high fever (38-41°C), severe body aches and chills, intense fatigue, dry cough, headache, and sometimes vomiting and diarrhea. The flu is spread through respiratory droplets. Treatment includes antiviral medications (oseltamivir/Tamiflu) if started within 48 hours of symptom onset, rest, fluids, and fever-reducing medications. Complications can include pneumonia, especially in high-risk groups (elderly, young children, immunocompromised, pregnant women). Annual
```

MediAssist Project Bundle

```
flu vaccination is the best prevention. Recovery typically takes 1-2 weeks.",
  "category": "respiratory",
  "keywords": ["flu", "influenza", "body aches", "fever", "fatigue", "chills", "respiratory", "antiviral"]
},
{
  "id": "diabetes_001",
  "title": "Diabetes Mellitus - Types and Management",
  "content": "Diabetes is a chronic condition where the body cannot properly regulate blood glucose levels. Type 1 diabetes is an autoimmune condition where the pancreas produces little or no insulin; it requires insulin therapy. Type 2 diabetes occurs when cells resist insulin or the pancreas doesn't produce enough; it's often linked to lifestyle factors. Gestational diabetes occurs during pregnancy. Common symptoms: increased thirst (polydipsia), frequent urination (polyuria), blurred vision, fatigue, slow-healing wounds, and unexplained weight loss. Management includes blood sugar monitoring, healthy diet (low-glycemic foods), regular exercise, medications (metformin, insulin), and regular medical checkups. Complications of uncontrolled diabetes include neuropathy, retinopathy, kidney disease, and cardiovascular disease.",
  "category": "endocrine",
  "keywords": ["diabetes", "blood sugar", "glucose", "insulin", "type 1", "type 2", "thirst", "urination", "hyperglycemia"]
},
{
  "id": "hypertension_001",
  "title": "High Blood Pressure (Hypertension)",
  "content": "Hypertension is consistently elevated blood pressure in arteries. Normal blood pressure is below 120/80 mmHg. Stage 1 hypertension is 130-139/80-89 mmHg. Stage 2 is 140/90 mmHg or higher. Hypertension is often called the 'silent killer' as it has no obvious symptoms until damage occurs. Risk factors include age, family history, obesity, sedentary lifestyle, high-sodium diet, smoking, excessive alcohol, and stress. Long-term complications include heart disease, stroke, kidney damage, and vision problems. Treatment: lifestyle changes (DASH diet, exercise, weight loss, smoking cessation, alcohol limitation) and medications (ACE inhibitors, ARBs, calcium channel blockers, diuretics). Regular blood pressure monitoring is essential.",
  "category": "cardiovascular",
  "keywords": ["hypertension", "high blood pressure", "BP", "blood pressure", "cardiovascular", "heart", "stroke risk"]
},
{
  "id": "allergy_001",
  "title": "Allergies - Types and Management",
  "content": "Allergies occur when the immune system reacts to a foreign substance (allergen). Common types include seasonal allergies (hay fever/allergic rhinitis), food allergies, skin allergies (eczema, hives), insect sting allergies, and drug allergies. Symptoms vary by type: nasal allergies cause sneezing, runny nose, itchy eyes; food allergies cause hives, swelling, digestive issues, or anaphylaxis; skin allergies cause rashes and itching. Anaphylaxis is a life-threatening emergency requiring immediate epinephrine injection. Diagnosis is through allergy testing. Treatment: antihistamines, decongestants, nasal corticosteroids, immunotherapy (allergy shots). Avoidance of known triggers is key. Individuals with known severe allergies should always carry an epinephrine auto-injector (EpiPen).",
  "category": "immunology",
  "keywords": ["allergy", "allergic", "hay fever", "sneezing", "itchy eyes", "hives", "anaphylaxis", "antihistamine"]
},
{
  "id": "asthma_001",
  "title": "Asthma - Symptoms and Treatment",
  "content": "Asthma is a chronic inflammatory disease of the airways that causes recurring episodes of
```

MediAssist Project Bundle

wheezing, breathlessness, chest tightness, and coughing. Triggers include allergens (pollen, dust mites, pet dander), respiratory infections, exercise, cold air, smoke, and stress. Asthma severity ranges from intermittent to severe persistent. Diagnosis is confirmed through spirometry and bronchodilator response testing. Treatment involves quick-relief medications (short-acting beta-agonists like albuterol) for acute symptoms and long-term control medications (inhaled corticosteroids, long-acting beta-agonists, leukotriene modifiers). An asthma action plan helps manage symptoms and recognize worsening. Seek emergency care for severe attacks not responding to reliever medication.",

```
"category": "respiratory",
"keywords": ["asthma", "wheezing", "breathlessness", "chest tightness", "inhaler", "bronchospasm",
"breathing difficulty"]
},
{
  "id": "anxiety_001",
  "title": "Anxiety Disorders - Overview",
  "content": "Anxiety disorders are the most common mental health condition. They include generalized anxiety disorder (GAD), panic disorder, social anxiety disorder, and specific phobias. Symptoms include excessive worry, restlessness, fatigue, difficulty concentrating, irritability, muscle tension, and sleep disturbances. Physical symptoms may include rapid heart rate, sweating, trembling, and shortness of breath. Anxiety is caused by a combination of genetic, environmental, psychological, and developmental factors. Treatment includes cognitive-behavioral therapy (CBT), medication (SSRIs, SNRIs, benzodiazepines for short-term), lifestyle changes (regular exercise, sleep hygiene, stress management, limiting caffeine and alcohol), and mindfulness practices. Anxiety disorders are highly treatable with proper care.",
  "category": "mental_health",
  "keywords": ["anxiety", "worry", "panic", "stress", "mental health", "nervousness", "panic attack",
"restlessness"]
},
{
  "id": "back_pain_001",
  "title": "Back Pain - Causes and Relief",
  "content": "Back pain is one of the most common reasons people seek medical care. It can be acute (lasting less than 6 weeks), subacute (6-12 weeks), or chronic (more than 12 weeks). Common causes: muscle or ligament strain, bulging/herniated discs, arthritis, osteoporosis, and poor posture. Symptoms range from dull aching to sharp stabbing pain, sometimes radiating down the leg (sciatica). Risk factors include age, lack of exercise, excess weight, improper lifting, and psychological conditions. Treatment: over-the-counter pain relievers (NSAIDs), heat/ice application, gentle stretching, physical therapy, and in severe cases, injections or surgery. Red flags requiring urgent care: back pain with bladder/bowel dysfunction, numbness, or after trauma.",
  "category": "musculoskeletal",
  "keywords": ["back pain", "lower back", "spine", "sciatica", "herniated disc", "lumbar", "back ache"]
},
{
  "id": "covid_001",
  "title": "COVID-19 - Symptoms and Care",
  "content": "COVID-19 is caused by the SARS-CoV-2 coronavirus. Symptoms range from mild to severe and typically appear 2-14 days after exposure. Common symptoms: fever, dry cough, fatigue, loss of taste or smell (anosmia), sore throat, headache, body aches, shortness of breath, diarrhea, and runny nose. Severe symptoms include difficulty breathing, persistent chest pain, confusion, and bluish lips. High-risk groups include elderly individuals and those with underlying conditions. Prevention: vaccination, masking, hand hygiene, and ventilation. Treatment is largely supportive; antiviral medications (Paxlovid) are available for high-risk individuals. Long COVID can cause persistent symptoms weeks or months after recovery.",
  "category": "infectious",
  "keywords": ["covid", "coronavirus", "COVID-19", "loss of smell", "loss of taste", "SARS-CoV-2",
```

MediAssist Project Bundle

```
"pandemic"]
  },
  {
    "id": "dehydration_001",
    "title": "Dehydration - Signs and Treatment",
    "content": "Dehydration occurs when the body loses more fluid than it takes in. It can be mild, moderate, or severe. Symptoms of mild to moderate dehydration: increased thirst, dry mouth, decreased urine output, dark yellow urine, fatigue, dizziness, and headache. Severe dehydration is a medical emergency with symptoms including extreme thirst, very dry skin, rapid heartbeat, rapid breathing, sunken eyes, and confusion. Causes include vomiting, diarrhea, excessive sweating, insufficient fluid intake, and certain medications. Treatment: oral rehydration with water or electrolyte solutions for mild cases; intravenous fluids for severe cases. Prevention involves drinking adequate fluids (8 glasses/day for most adults) and increasing intake during hot weather, exercise, or illness.",
    "category": "general",
    "keywords": ["dehydration", "thirst", "dry mouth", "dark urine", "water", "electrolytes", "fluid intake"]
  }
]
```

MediAssist Project Bundle

mediassist\backend\logs\mediassist.log

```
2026-05-02 21:22:46 | INFO | Received question: What are the symptoms of fever?
2026-05-02 21:22:46 | INFO | Response generated in 17ms using Context-Based (Simple) mode.
2026-05-02 21:25:35 | INFO | Received question: What causes fever?
2026-05-02 21:25:35 | INFO | Response generated in 6ms using Context-Based (Simple) mode.
2026-05-02 21:26:51 | INFO | Received question: Symptoms of flu?
2026-05-02 21:26:51 | INFO | Response generated in 2ms using Context-Based (Simple) mode.
2026-05-02 21:27:27 | INFO | Received question: How to manage diabetes?
2026-05-02 21:27:27 | INFO | Response generated in 1ms using Context-Based (Simple) mode.
```

mediassist\backend\main.py

Page 15

MediAssist Project Bundle

```
# ?? Pydantic models ??????????????????????????????
```

```
class QuestionRequest(BaseModel):
    question: str
    session_id: Optional[str] = None
```

```
class Source(BaseModel):
    title: str
    category: str
    score: float
```

```
class AnswerResponse(BaseModel):
    id: str
    question: str
    answer: str
    sources: List[Source]
    mode: str
    ai_powered: bool
    timestamp: str
    response_time_ms: int
```

```
class HealthResponse(BaseModel):
    status: str
    version: str
    ai_enabled: bool
    timestamp: str
    knowledge_base_size: int
```

```
# ?? Routes ??????????????????????????????????????
```

```
@app.get("/health", response_model=HealthResponse)
async def health_check():
    from rag import KNOWLEDGE_BASE
    openai_key = os.getenv("OPENAI_API_KEY", "").strip()
    ai_enabled = bool(openai_key and openai_key not in ("", "your-openai-api-key-here"))

    return HealthResponse(
        status="healthy",
        version="1.0.0",
        ai_enabled=ai_enabled,
        timestamp=datetime.utcnow().isoformat(),
        knowledge_base_size=len(KNOWLEDGE_BASE),
    )
```

```
@app.post("/ask", response_model=AnswerResponse)
```


MediAssist Project Bundle

```
async def ask_question(request: QuestionRequest):
    if not request.question or not request.question.strip():
        raise HTTPException(status_code=400, detail="Question cannot be empty.")

    question = request.question.strip()
    if len(question) > 1000:
        raise HTTPException(status_code=400, detail="Question too long (max 1000 characters).")

    logger.info(f"Received question: {question[:80]}")

    start_time = time.time()
    try:
        result = answer_medical_question(question)
    except Exception as e:
        logger.error(f"Error processing question: {e}")
        raise HTTPException(status_code=500, detail="An error occurred while processing your question.")

    elapsed_ms = int((time.time() - start_time) * 1000)

    response = AnswerResponse(
        id=str(uuid.uuid4()),
        question=question,
        answer=result["answer"],
        sources=[Source(**s) for s in result["sources"]],
        mode=result["mode"],
        ai_powered=result["ai_powered"],
        timestamp=datetime.utcnow().isoformat(),
        response_time_ms=elapsed_ms,
    )

    # Store in chat history
    chat_history.append(response.dict())
    if len(chat_history) > 100:
        chat_history.pop(0)

    logger.info(f"Response generated in {elapsed_ms}ms using {result['mode']} mode.")
    return response


@app.get("/history")
async def get_history(limit: int = 20):
    return {
        "history": chat_history[-limit:],
        "total": len(chat_history),
    }


@app.delete("/history")
async def clear_history():
    chat_history.clear()
    return {"message": "Chat history cleared."}
```

MediAssist Project Bundle

```
@app.get("/")
async def root():
    return {
        "app": "MediAssist AI",
        "version": "1.0.0",
        "docs": "/docs",
        "health": "/health",
    }
```

MediAssist Project Bundle

mediassist\backend\rag.py

```
"""
MediAssist AI - Simple RAG Pipeline
Uses basic keyword matching for lightweight retrieval.
"""

import json
import os
import re
from pathlib import Path
from typing import List, Dict, Tuple

# ?????????????????????????????????????????????????????????????
# Load medical knowledge base
# ?????????????????????????????????????????????????????????????

DATA_PATH = Path(__file__).parent / "data" / "medical_kb.json"

def load_knowledge_base() -> List[Dict]:
    with open(DATA_PATH, "r") as f:
        return json.load(f)

KNOWLEDGE_BASE = load_knowledge_base()
print(f"Loaded {len(KNOWLEDGE_BASE)} medical documents into knowledge base.")

# ?????????????????????????????????????????????????????????????
# Simple keyword-based retriever
# ?????????????????????????????????????????????????????????????

class SimpleRetriever:
    def __init__(self):
        self.docs = KNOWLEDGE_BASE

    def retrieve(self, query: str, top_k: int = 3) -> List[Dict]:
        query_lower = query.lower()
        query_words = set(re.findall(r'\b\w+\b', query_lower))

        scored_docs = []
        for doc in self.docs:
            title_lower = doc['title'].lower()
            content_lower = doc['content'].lower()
            keywords_lower = ' '.join(doc['keywords']).lower()

            # Count matching words
            title_matches = len(query_words.intersection(set(re.findall(r'\b\w+\b', title_lower))))
            content_matches = len(query_words.intersection(set(re.findall(r'\b\w+\b', content_lower))))
            keyword_matches = len(query_words.intersection(set(re.findall(r'\b\w+\b', keywords_lower))))
```

MediAssist Project Bundle

```
# Calculate score
score = title_matches * 3 + content_matches * 2 + keyword_matches * 4

if score > 0:
    doc_copy = doc.copy()
    doc_copy["score"] = float(score)
    scored_docs.append(doc_copy)

# Sort by score and return top_k
scored_docs.sort(key=lambda x: x["score"], reverse=True)
return scored_docs[:top_k]

retriever = SimpleRetriever()

# ?????????????????????????????????????????????????????????????
# Fallback answer generator
# ?????????????????????????????????????????????????????????????

def _build_fallback_answer(question: str, contexts: List[Dict]) -> str:
    if not contexts:
        return (
            "I wasn't able to find specific information about your query in my current knowledge base. "
            "Please consult a qualified healthcare professional for accurate medical advice."
        )

    primary = contexts[0]
    answer_parts = []

    answer_parts.append(f"***{primary['title']}**\n")
    answer_parts.append(primary["content"])

    if len(contexts) > 1:
        answer_parts.append("\n\n**Related Information:**")
        for ctx in contexts[1:]:
            # First 200 chars as a teaser
            snippet = ctx["content"][:220].rsplit(" ", 1)[0] + "?"
            answer_parts.append(f"? **{ctx['title']}**: {snippet}")

    answer_parts.append(
        "\n\n?? *This information is for educational purposes only. "
        "Please consult a licensed healthcare professional for personalized medical advice.*"
    )

    return "\n".join(answer_parts)

# ?????????????????????????????????????????????????????????????
# Public API
# ?????????????????????????????????????????????????????????????
```

MediAssist Project Bundle

```
def answer_medical_question(question: str) -> Dict:
    print(f"Processing question: {question[:80]}?")

    contexts = retriever.retrieve(question, top_k=3)
    sources = [
        {"title": c["title"], "category": c["category"], "score": round(c["score"], 3)}
        for c in contexts
    ]

    answer = _build_fallback_answer(question, contexts)
    mode = "Context-Based (Simple)"
    ai_powered = False

    print(f"Response generated in {mode} mode. Sources: {[s['title'] for s in sources]}")

    return {
        "answer": answer,
        "sources": sources,
        "mode": mode,
        "ai_powered": ai_powered,
    }
```

MediAssist Project Bundle

mediassist\backend\requirements.txt

```
fastapi==0.95.2
uvicorn==0.22.0
python-dotenv==1.0.0
pydantic==1.10.13
numpy
scikit-learn
loguru==0.7.2
```

MediAssist Project Bundle

[mediassist\backend\runtime.txt](#)

python-3.10.13

MediAssist Project Bundle

[mediassist\frontend\.env](#)

VITE_API_URL=https://mediassist-9ibf.onrender.com

MediAssist Project Bundle

[mediassist\frontend\.env.example](#)

MediAssist AI Frontend

VITE_API_URL=https://mediassist-9ibf.onrender.com

MediAssist Project Bundle

mediassist\frontend\index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="MediAssist AI - AI-powered healthcare assistant providing instant,
reliable medical insights." />
    <title>MediAssist AI</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
href="https://fonts.googleapis.com/css2?family=DM+Sans:ital,opsz,wght@0,9..40,300;0,9..40,400;0,9..40,500;0,9..
40,600;0,9..40,700;1,9..40,400&family=JetBrains+Mono:wght@400;500&display=swap" rel="stylesheet" />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
```

MediAssist Project Bundle

mediassist\frontend\package-lock.json

```
{
  "name": "mediassist-ai",
  "version": "1.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "mediassist-ai",
      "version": "1.0.0",
      "dependencies": {
        "axios": "^1.6.2",
        "framer-motion": "^10.16.5",
        "lucide-react": "^0.294.0",
        "react": "^18.2.0",
        "react-dom": "^18.2.0",
        "react-hot-toast": "^2.4.1",
        "react-markdown": "^9.0.1",
        "react-router-dom": "^6.20.0"
      },
      "devDependencies": {
        "@types/react": "^18.2.37",
        "@types/react-dom": "^18.2.15",
        "@vitejs/plugin-react": "^4.2.0",
        "autoprefixer": "^10.4.16",
        "postcss": "^8.4.31",
        "tailwindcss": "^3.3.5",
        "vite": "^5.0.0"
      }
    },
    "node_modules/@alloc/quick-lru": {
      "version": "5.2.0",
      "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
      "integrity": "sha512-UrgPfXALQDIHcWwpXR9+VsHJ6nI4u6QndJupPj3MJZCqr/scIdhUw137Q96Bx/QZV6eFzT2u3/ZFg19U0L7W1w==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.29.0",
      "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
      "integrity": "sha512-3H1hVfm8lRQy9Kp83d3oWIEU9xT1hmN8UH4HOo2Fz8Vzn4iG+49Kw48JHdusn5D+b1zFrHEzrdpTz4ZlTHWx+A==",
      "dev": true,
      "license": "MIT",

```

MediAssist Project Bundle

```
"dependencies": {
  "@babel/helper-validator-identifier": "^7.28.5",
  "js-tokens": "^4.0.0",
  "picocolors": "^1.1.1"
},
"engines": {
  "node": ">=6.9.0"
}
},
"node_modules/@babel/compat-data": {
  "version": "7.29.3",
  "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.3.tgz",
  "integrity":
"sha512-LIVqM46zQWZhj17qA8wb4nW/ixr2y1Nw+r1etiAWgRM6U1IqP+LNhL1yg440jYZR72jCwCwBLWzIosH+uP1fqg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/core": {
  "version": "7.29.0",
  "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
  "integrity":
"sha512-CG0f0JqWjg2qW/Mb6zNsDm+u5VFQ8DXfbM09z69p5Z6+mE1kP2jUXw+j42Pf1XTYED2Rni5f95npYeuwMDQA==",
  "dev": true,
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "@babel/code-frame": "^7.29.0",
    "@babel/generator": "^7.29.0",
    "@babel/helper-compilation-targets": "^7.28.6",
    "@babel/helper-module-transforms": "^7.28.6",
    "@babel/helpers": "^7.28.6",
    "@babel/parser": "^7.29.0",
    "@babel/template": "^7.28.6",
    "@babel/traverse": "^7.29.0",
    "@babel/types": "^7.29.0",
    "@jridgewell/remapping": "^2.3.5",
    "convert-source-map": "^2.0.0",
    "debug": "^4.1.0",
    "gensync": "^1.0.0-beta.2",
    "json5": "^2.2.3",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/babel"
  }
}
```

MediAssist Project Bundle

```
,
"node_modules/@babel/generator": {
  "version": "7.29.1",
  "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
  "integrity":
"sha512-qsaf+9Qcm2Qv8SRIMScAvG403LJ0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs4ls/oPz9v+Bsmzbkbe+0dUw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.29.0",
    "@babel/types": "^7.29.0",
    "@jridgewell/gen-mapping": "^0.3.12",
    "@jridgewell/trace-mapping": "^0.3.28",
    "jsesc": "^3.0.2"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helper-compilation-targets": {
  "version": "7.28.6",
  "resolved":
"https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.28.6.tgz",
  "integrity":
"sha512-JYtIs3hqi15fcx5GaSNL7SCTJ2MnmjrKHXg4FSp0A/grxK8KwyZ5bubHsCq8FXCkua6xhuuaBit+3b7+VZRfcA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/compat-data": "^7.28.6",
    "@babel/helper-validator-option": "^7.27.1",
    "browserslist": "^4.24.0",
    "lru-cache": "^5.1.1",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helper-globals": {
  "version": "7.28.0",
  "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz",
  "integrity":
"sha512-W6cISkxFaijXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuYfSwopkLQ4hw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helper-module-imports": {
  "version": "7.28.6",
  "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.28.6.tgz",
```

MediAssist Project Bundle

```
"integrity":
"sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEcK25jmvubfpw2dnAMdbw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/traverse": "^7.28.6",
    "@babel/types": "^7.28.6"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helper-module-transforms": {
  "version": "7.28.6",
  "resolved":
"https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.28.6.tgz",
  "integrity":
"sha512-67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3pLG9SAGEF6y7zbha/wOzUByWWTJVEDVNIUGcA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/helper-module-imports": "^7.28.6",
    "@babel/helper-validator-identifier": "^7.28.5",
    "@babel/traverse": "^7.28.6"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"peerDependencies": {
  "@babel/core": "^7.0.0"
}
},
"node_modules/@babel/helper-plugin-utils": {
  "version": "7.28.6",
  "resolved": "https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-utils-7.28.6.tgz",
  "integrity":
"sha512-S9gzZ/bz83GRysI7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJIZ1W8PZkg2cqyt3RN0BM8ejcXhV6y80g7ly/Dug==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helper-string-parser": {
  "version": "7.27.1",
  "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz",
  "integrity":
"sha512-qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0i0GxmQjyqhMIihI9+zv4LPyZdRje2cavWPbCbWm3eA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
```

MediAssist Project Bundle

```
    }
  },
  "node_modules/@babel/helper-validator-identifier": {
    "version": "7.28.5",
    "resolved":
      "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
    "integrity":
      "sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03s0h20cHF9UHfVPqWWALUSNUVzhSBiItjRZoLHx7nIarVjqKVusUZ1Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-option": {
    "version": "7.27.1",
    "resolved":
      "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz",
    "integrity":
      "sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEu8IrZVlda6N0uHwzZrUM1il7NC9Mlp4MaJYbYd9JSg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helpers": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
    "integrity":
      "sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+XUo4NGjNl3V0tSjEKNzqfFgKw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/parser": {
    "version": "7.29.3",
    "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.3.tgz",
    "integrity":
      "sha512-b3ctpQwp+PROvU/cttc40Yl4MzfJUWy6FZg+PMXfzmt/+39iHVF0sDfqay8TQM3JA2EU0yKcFZt75jWriQijsA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.29.0"
    },
    "bin": {

```

MediAssist Project Bundle

```
    "parser": "bin/babel-parser.js"
  },
  "engines": {
    "node": ">=6.0.0"
  }
},
"node_modules/@babel/plugin-transform-react-jsx-self": {
  "version": "7.27.1",
  "resolved":
"https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plugin-transform-react-jsx-self-7.27.1.tgz",
  "integrity":
"sha512-6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjA0BK1BK2jXD10+BPSfX8X2qjJ75fZBMSnQn3Rq2mrBJK2mw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/helper-plugin-utils": "^7.27.1"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "peerDependencies": {
    "@babel/core": "^7.0.0-0"
  }
},
"node_modules/@babel/plugin-transform-react-jsx-source": {
  "version": "7.27.1",
  "resolved":
"https://registry.npmjs.org/@babel/plugin-transform-react-jsx-source/-/plugin-transform-react-jsx-source-7.27.1.tgz",
  "integrity":
"sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbwvqElnygoNbj/jHRsSeokowZFN3CZ64IvEqcmmkVe890PXc7ldAw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/helper-plugin-utils": "^7.27.1"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "peerDependencies": {
    "@babel/core": "^7.0.0-0"
  }
},
"node_modules/@babel/template": {
  "version": "7.28.6",
  "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
  "integrity":
"sha512-YA6Ma2KsCdGb+Wc6UpBVfJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXxyU84/IhRw/2D10s1B/giz+BQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
```


MediAssist Project Bundle

```
    "@babel/code-frame": "^7.28.6",
    "@babel/parser": "^7.28.6",
    "@babel/types": "^7.28.6"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/traverse": {
  "version": "7.29.0",
  "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
  "integrity":
"sha512-4HPiQr0X7+waHfyXPZpPFWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMS8tCxN7oHddJE9fhNE7+LxdnlyemKfJRuA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/code-frame": "^7.29.0",
    "@babel/generator": "^7.29.0",
    "@babel/helper-globals": "^7.28.0",
    "@babel/parser": "^7.29.0",
    "@babel/template": "^7.28.6",
    "@babel/types": "^7.29.0",
    "debug": "^4.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/types": {
  "version": "7.29.0",
  "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
  "integrity":
"sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUu06BGrbyQ2mYV11W0U8j5mBhd14dd3B0A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/helper-string-parser": "^7.27.1",
    "@babel/helper-validator-identifier": "^7.28.5"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@emotion/is-prop-valid": {
  "version": "0.8.8",
  "resolved": "https://registry.npmjs.org/@emotion/is-prop-valid/-/is-prop-valid-0.8.8.tgz",
  "integrity":
"sha512-u5WtneEAR5IDG2Wv65yhunPSMLIpuKsbu0ktRojfrEiEvRyC85LgPMZI63cr7NUqT8ZIGdSVg8ZKGxIug4lXcA==",
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "@emotion/memoize": "0.7.4"
  }
}
```

MediAssist Project Bundle

```
    }
  },
  "node_modules/@emotion/memoize": {
    "version": "0.7.4",
    "resolved": "https://registry.npmjs.org/@emotion/memoize/-/memoize-0.7.4.tgz",
    "integrity":
"sha512-Ja/Vfqe3HpuzRsG1oBtWTHk2PGZ7GR+2Vz5iYGelAw8dx32K0y7PjVuxK6z1nMpZ0qAFsRUPCkK1YjJ56qJlgw==",
    "license": "MIT",
    "optional": true
  },
  "node_modules/@esbuild/aix-ppc64": {
    "version": "0.21.5",
    "resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.21.5.tgz",
    "integrity":
"sha512-1SDgH6ZSPTlggy1yI6+Dbkiz8xzpHJEVALF/AM1tHPLsf5STom9rwtjE4hKAF20FfXXNTFqEYXyJNWh1GiZedQ==",
    "cpu": [
      "ppc64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "aix"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/android-arm": {
    "version": "0.21.5",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.21.5.tgz",
    "integrity":
"sha512-vCPvzSjppPHEi1siZdlvAlsPxXl7Wb0VUBBAowWug4rJHb680x8KualB+1ocNvt5fjv6wpkX6o/iEpbDrf68zcg==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/android-arm64": {
    "version": "0.21.5",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.21.5.tgz",
    "integrity":
"sha512-c0uX9VAUBQ7dTDCjq+wdyGLowMdtR/GoC2U5IYk/7D1H1JYC0qseD7+11iMP2mRLN9RcCMRcjC4YMc1CzGwS/A==",
    "cpu": [
```

MediAssist Project Bundle

```
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/android-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.21.5.tgz",
  "integrity":
"sha512-D7aPRUUNHRBwHxzRvp856rjUHRFW1SdQATKXH2hqA0kAZb1hKmi020pYRac l0TxIGz/ZmXWlbZgjwWYaCakTA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/darwin-arm64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.21.5.tgz",
  "integrity":
"sha512-DwqXqZyuk5AiWwf3UfLiRDJ5EDd49zg609wc LZ7kUMv2WRFr4HKjXp/5t8JZ11QbQfUS6/cRCKGwYhtNAY88kQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/darwin-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.21.5.tgz",
  "integrity":
```

MediAssist Project Bundle

```
"sha512-se/JjF8NlmgVG4kNIuyWMV/22ZaerB+qaSi5MdrXtd6R08kvs2qCN4C09miupktDitvh8jRFflwGFBQcxZRjbw==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/freebsd-arm64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.21.5.tgz",
  "integrity":
"sha512-5JcRxRDUJLX8JXp/wcBCy3pENnCgBR9bN6JsY40mhfUtIHe3ZW0mawA7+RDACMLrMIZaf03NlQix9DGyB8h4g==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "freebsd"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/freebsd-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.21.5.tgz",
  "integrity":
"sha512-J95kNBj1zkbmXtHVH29bBriQygmXqoVQ0QYA+ISs0/2l3T9/kj42ow2mpqerRBxDJnmkUDCaQT/dfNXWX/ZZCQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "freebsd"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-arm": {
  "version": "0.21.5",
```

MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.21.5.tgz",
"integrity":
"sha512-bPb5AHZtbeNgjCKVZ9UGqGwo8EUu4cLq68E95A53KlxAPRmUyYv2D6F0uUI65XisGOL1hBP5mTronbgo+0bFcA==",
"cpu": [
  "arm"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
  "linux"
],
"engines": {
  "node": ">=12"
}
},
"node_modules/@esbuild/linux-arm64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.21.5.tgz",
  "integrity":
"sha512-ibKvmyYzKsBeX8d8I7MH/TMfWDXBF3db4qM6sy+7re0YXYa+K1cem3on9XgdT2EQGMu4hQyZhan7TeQ8XkGp4Q==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-ia32": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.21.5.tgz",
  "integrity":
"sha512-YvjXDqLRqPDl2dvRODymmhZ4rPeVKYvppfGYKSNgdyZkA01046pLWyrKKI3ax8fbJoK5QbxbLURkwK/MWY18Tg==",
  "cpu": [
    "ia32"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
```

MediAssist Project Bundle

```
"node_modules/@esbuild/linux-loong64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.21.5.tgz",
  "integrity":
"sha512-uHf1BmMG8qEvzdrzAqg2SIG/02+4/DHB6a9Kbya0XDvwDEKCoC8ZRWI5JJvNdUjtcIBGFQ5PuBlpEOXQj+JQSg==",
  "cpu": [
    "loong64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-mips64el": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.21.5.tgz",
  "integrity":
"sha512-Iaj0m0+KJK23bj52dFSNCMSz1QP1DqM6cwLUV3W1QwyxyIWecfafnI555fvSGqEKwjMXVLokcV5ygHW5b3Jbg==",
  "cpu": [
    "mips64el"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-ppc64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.21.5.tgz",
  "integrity":
"sha512-1hHV/Z40EfMwpL08rp7CvLhBDnjsC3CttJXIhBi+5Aj5r+MBvy4egg7wCbe//hSsT+RvDAG7s81tAvpL2XAE4w==",
  "cpu": [
    "ppc64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
}
```

MediAssist Project Bundle

```
    }
  },
  "node_modules/@esbuild/linux-riscv64": {
    "version": "0.21.5",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.21.5.tgz",
    "integrity":
"sha512-2HdXDMd9GMgTGrPwnJzP2ALSokE/005HhTUvWIbd3YdjME8JwvScnNGBnTThKGEB910ZhZrJ4qIIxk/SBmyDDA==",
    "cpu": [
      "riscv64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-s390x": {
    "version": "0.21.5",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.21.5.tgz",
    "integrity":
"sha512-zus5sxzqBJD3eXxwvjN1yQkRepANGxE9lgOW2qLnmr8ikMTphkjgXu1HR01K4FJg8h1kEEDAqDcZQtbrRnB41A==",
    "cpu": [
      "s390x"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-x64": {
    "version": "0.21.5",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.21.5.tgz",
    "integrity":
"sha512-1rYdTpyv03iycF1+BhzrzQJCd0uA0taqHTWJZCWvijKD2N5Xu0TtVC8/+1fawqcP9iBCW0mjmhohH94dH82BxPQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
  },
```

MediAssist Project Bundle

```
"engines": {
  "node": ">=12"
},
"node_modules/@esbuild/netbsd-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.21.5.tgz",
  "integrity":
"sha512-Woi2MXzXjMULccIwMnLciyZH4nCIMPwQAs049KEeMv0cNADVxo0UBIQPfSmxB3CWKedngg7sWZdLvLczpe0tLg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "netbsd"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/openbsd-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.21.5.tgz",
  "integrity":
"sha512-HLNNw99xsvx12lFBUwOT8EVCsSvRNDVxNpjZ7bPn947b8gJPzeHWyNVhFsaerc0n3Tsb0INvRP2byTZ5LKezow==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openbsd"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/sunos-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.21.5.tgz",
  "integrity":
"sha512-6+gjmFpfy0BHU5Tpptkuh8+uw3mnrvgs+dSPQXQ0v3ekbordwnzTVEb4qnIvQcYXq6gzkyTnoZ9dZG+D4garKg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
```


MediAssist Project Bundle

```
    "sunos"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/win32-arm64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.21.5.tgz",
  "integrity":
"sha512-Z0g0Td75VvXyq7nsl93zwahcTR0gqvAcYDUR+v0v8uHhNSKR0yU961kgtCD1e95IqPKSQKH7tBTslN3tA8A==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/win32-ia32": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.21.5.tgz",
  "integrity":
"sha512-SWXFF1CL2RVNMAvs+BBClwtfZSvDgtL//G/smwAc5oVK/UPu2Gu9tIaRgFmYFFKrmg3SyAjSrElf0TiJ1v8fYA==",
  "cpu": [
    "ia32"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/win32-x64": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.21.5.tgz",
  "integrity":
"sha512-tQd/1efJuzPC6rCFwEvLtcI/xNFcTZknmXs98FYDfGE4wP9C1FV98nyKrzJKVPMhdDnjzLhdUyMX4PsQAPjwIw==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
```

MediAssist Project Bundle

```
"optional": true,
"os": [
  "win32"
],
"engines": {
  "node": ">=12"
}
},
"node_modules/@jridgewell/gen-mapping": {
  "version": "0.3.13",
  "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
  "integrity":
"sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQ0zaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyFCg6UKCBbA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/sourcemap-codec": "^1.5.0",
    "@jridgewell/trace-mapping": "^0.3.24"
  }
},
"node_modules/@jridgewell/remapping": {
  "version": "2.3.5",
  "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
  "integrity":
"sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVY0wi2fUC6xB43lueCjgxV4lff0CZCtYFiH6TNOX+tQKxx97T4IKHbhyHEQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/gen-mapping": "^0.3.5",
    "@jridgewell/trace-mapping": "^0.3.24"
  }
},
"node_modules/@jridgewell/resolve-uri": {
  "version": "3.1.2",
  "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
  "integrity":
"sha512-bRISgcIJp20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFxo1CBTNZ/5hpC9QvmKWdopKw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.0.0"
  }
},
"node_modules/@jridgewell/sourcemap-codec": {
  "version": "1.5.5",
  "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
  "integrity":
"sha512-cYQ9310grqxuewbl+WuIUaiUaDcj7W0q5fVhEljNVgRf0UyH9fy2zTvfoqWsnbh8Sl70VScFbICvJnLKB00g==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@jridgewell/trace-mapping": {
```

MediAssist Project Bundle

```
"version": "0.3.31",
"resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
"integrity":
"sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TwCMtmfV8Nu1twOLA==",
"dev": true,
"license": "MIT",
"dependencies": {
  "@jridgewell/resolve-uri": "^3.1.0",
  "@jridgewell/sourcemap-codec": "^1.4.14"
}
},
"node_modules/@nodelib/fs.scandir": {
  "version": "2.1.5",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
  "integrity":
"sha512-vq24Bq3ym5HEQm2NKCrc3yXDWjc7vTsethRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.stat": "2.0.5",
    "run-parallel": "^1.1.9"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@nodelib/fs.stat": {
  "version": "2.0.5",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
  "integrity":
"sha512-RkhPPp2ZrQAQ/2jNhnztcPA1v64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@nodelib/fs.walk": {
  "version": "1.2.8",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
  "integrity":
"sha512-oGB+UxlgWcgQkgwo8GcEGwemoTft3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.scandir": "2.1.5",
    "fastq": "^1.6.0"
  },
  "engines": {
    "node": ">= 8"
  }
},

```

MediAssist Project Bundle

```
"node_modules/@remix-run/router": {
  "version": "1.23.2",
  "resolved": "https://registry.npmjs.org/@remix-run/router/-/router-1.23.2.tgz",
  "integrity":
"sha512-Ic6m2U/rMjTkhERia/0ZtXJP17Qui2CbWE7cqX4J58M8aA3QTfW+2UlQ4psvTX9I01RfNVhK3pcpdjej7L+t2w==",
  "license": "MIT",
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/@rolldown/pluginutils": {
  "version": "1.0.0-beta.27",
  "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-beta.27.tgz",
  "integrity":
"sha512-+d0F4MKMCbeVUJwG96uQ4SgAznZNSq93I3V+9NHA40pvqG8mRCpGdKmk8L/dl02h2CCDHw2FqilnTyDcAnqjA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@rollup/rollup-android-arm-eabi": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-android-arm-eabi/-/rollup-android-arm-eabi-4.60.2.tgz",
  "integrity":
"sha512-dnlP69efPPg6Uaw2dVqzWRfAWRnYVb1XJ8CyyhIbZeaq4CA5/mLeZ1IEt9QqQxmbdvagjLIm2ZL8BxXv5lH4Yw==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@rollup/rollup-android-arm64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-android-arm64-4.60.2.tgz",
  "integrity":
"sha512-OqZTWDRDchGRHm/hwLOL7uVPB9aUvI0am/eQuWMNyFHf5PSEQmyEeYYheA0EPPKU0/l0uigCp+iaTjoLjVoHg==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@rollup/rollup-darwin-arm64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-arm64-4.60.2.tgz",
```

MediAssist Project Bundle

```
"integrity":
"sha512-UwRE7CGpvSVEQS8gUMBe1uADWjNnVgP3Iusyda1nSRwNDCsRjnGc7w6El6WLQsXmZTbLZx9cecegumcitNfpmA==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ]
},
"node_modules/@rollup/rollup-darwin-x64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x64-4.60.2.tgz",
  "integrity":
"sha512-gjEtURKLCC5VXm1I+2i1u90hxFsKAQJKTVB8WvDAHf+oZlq0GTVF0lTl01q3AlCTE/DF32c16ESvfgqR7343/g==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ]
},
"node_modules/@rollup/rollup-freebsd-arm64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebsd-arm64-4.60.2.tgz",
  "integrity":
"sha512-Bcl6CYDeAgE70cqZaMoj0i/eK63h5Me97ZqAQoh77VPjMysA/40RQBGRGo3rRy45x4MzVlU9uZxs8Uwy7ZaKnBw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "freebsd"
  ]
},
"node_modules/@rollup/rollup-freebsd-x64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-x64-4.60.2.tgz",
  "integrity":
"sha512-LU+TPda3MAE2QB0/Hp5VyeKJivpC6+tl0Xd1VMoXV/YFMvk/MNk5iXeBfB4MQGRwy0YVJ01625vjkr0Az980JQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
```

MediAssist Project Bundle

```
"optional": true,
"os": [
  "freebsd"
],
},
"node_modules/@rollup/rollup-linux-arm-gnueabihf": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-linux-arm-gnueabihf-4.60.2.tgz",
  "integrity":
"sha512-2QxQrM+KQ7DAW4o22j+XZ6RKdxjLD7BOWTP0Bv0tmjdyhXSsr2U1oJDQqh9ZF5q0wTuTc7Ek83m0FaKnodPjg==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-arm-musleabihf": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-linux-arm-musleabihf-4.60.2.tgz",
  "integrity":
"sha512-TbziEu2DVstEOPif2mKwKMeDMLoYjx95oESa9fkQQK7r/Orta0gnkcDpzwufEca02BLBSd7mZkXGFqEdMRRwfw==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-arm64-gnu": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-arm64-gnu-4.60.2.tgz",
  "integrity":
"sha512-b0/rVdiDUuM2YfuCUwZ1t1cP+/yqjqz+Xf2Vtkdppefu0FS20SeAfgafaHNkFn0t02hEyXngZkxtGqXcXw08Rg==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
}
```

MediAssist Project Bundle

```
,
  "node_modules/@rollup/rollup-linux-arm64-musl": {
    "version": "4.60.2",
    "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-arm64-musl-4.60.2.tgz",
    "integrity":
"sha512-hr26p7e93Rl0Za+JwW7EAnwAvKkeh12BU1LlM9Ykiibg4uIr2rbpxG9WCf56GuvidlTG9KiiQT/TXT1yAwXTA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-loong64-gnu": {
    "version": "4.60.2",
    "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-linux-loong64-gnu-4.60.2.tgz",
    "integrity":
"sha512-p0JB/uSIyDt+ow3k/RcLvUA0GpysT2phDn7TTUB3n75SlIgZzM6NKAqlErPhoFU+npgY3/n+2HYIQVbF70P9/A==",
    "cpu": [
      "loong64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-loong64-musl": {
    "version": "4.60.2",
    "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-loong64-musl/-/rollup-linux-loong64-musl-4.60.2.tgz",
    "integrity":
"sha512-2/w+q8jszv9Ww1c+6uJT30wqhdmGP2/4T17cu8WuwYUuaCDDJ2ojdyYwZzCxx0GcsZBhzi3HmH+J5pZNXnd+Q==",
    "cpu": [
      "loong64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-ppc64-gnu": {
    "version": "4.60.2",
    "resolved":
```

MediAssist Project Bundle

```
"https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-ppc64-gnu-4.60.2.tgz",
  "integrity":
"sha512-11+aL5vKheYgcxztPVVRhdptAM2H7fcDR5Gw4/bTcteuZBLH4oP9f5s9zY09aGZvoGeBpqXI/9TZZihZ609wKw==",
  "cpu": [
    "ppc64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-ppc64-musl": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-ppc64-musl/-/rollup-linux-ppc64-musl-4.60.2.tgz",
  "integrity":
"sha512-i16fokAGK46IVZuV8LIIwMdtqhin9hfYkCh8pf8iC3QU3LpWL+1FSFGej+07l3E/AoknL6DcLh2oTdnRMpTzFQ==",
  "cpu": [
    "ppc64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-riscv64-gnu": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-linux-riscv64-gnu-4.60.2.tgz",
  "integrity":
"sha512-49FKS6RGQoriDSK/6E2GkAsAuU5kETFCh7pG4yD/ylj9rKhTm03eIsnmBvRD4PgJPds5W2PkhC82aVwmUcJ7A==",
  "cpu": [
    "riscv64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-riscv64-musl": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-riscv64-musl/-/rollup-linux-riscv64-musl-4.60.2.tgz",
  "integrity":
"sha512-mjYNkHPfGpUR00DuM1ZZIgs64Hp4bWcz9Z41+4Q+pgDx73UwWdAYyf6EG/lRFldmdHHzgrYyge5akFUW0D3mQ==",
  "cpu": [
```


MediAssist Project Bundle

```
    "riscv64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-s390x-gnu": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-linux-s390x-gnu-4.60.2.tgz",
  "integrity":
"sha512-ALyvJz965BQk8E9Al/JDKKDLH2kfKFLTGmIlgkAbbYtZuJt9LU8DW3ZoDMCtQpXAltZxwBHevXz5u+gf0yA0YoA==",
  "cpu": [
    "s390x"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-x64-gnu": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-linux-x64-gnu-4.60.2.tgz",
  "integrity":
"sha512-UQjrkIdWrKI626Du8lCQ6Mjp/6V1LAo2b0K90Tu4mSn8GGXIkPXk/Vsp4bLHCd9Z9Iz20TEaokUE90VweJgIYQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-x64-musl": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-linux-x64-musl-4.60.2.tgz",
  "integrity":
"sha512-bTsRGj6VlSdn/XD4CGyzMnzaBs9bsRxy79eTqTCBsA8TMIEky7qg48aPkvJvFe1HyzQ5oMZdg7AnVlWQSKLTnw==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
```

MediAssist Project Bundle

```
"os": [
  "linux"
],
"node_modules/@rollup/rollup-openbsd-x64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-openbsd-x64/-/rollup-openbsd-x64-4.60.2.tgz",
  "integrity":
"sha512-6d4Z3534xitaA1FcMWP7mQPq5zGwBmGbhphh2DwaA1aNIXUu3KTOfwrWpbwI4/Gr0uANo7NTtaykFy02hPuFLg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openbsd"
  ]
},
"node_modules/@rollup/rollup-openharmony-arm64": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-openharmony-arm64-4.60.2.tgz",
  "integrity":
"sha512-NetAg5i02uN7eB8zE5qrZ3CSil+7IJt4WDFLcC75Ymywq1VZVD6qJ6EvNLjZ3rEm6gB7XW5JdT60c6MN35Z85Q==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openharmony"
  ]
},
"node_modules/@rollup/rollup-win32-arm64-msvc": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win32-arm64-msvc-4.60.2.tgz",
  "integrity":
"sha512-NCYh0otpgWZ5kdxCZsv6Iudx0wX8980Q/ow4pNFNihpBKsDBEA1zpkfxJGC0yugsUuyDZ7gL37dbzwhR0VI7pQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ]
},
"node_modules/@rollup/rollup-win32-ia32-msvc": {
```

MediAssist Project Bundle

```
"version": "4.60.2",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-win32-ia32-msvc-4.60.2.tgz",
"integrity":
"sha512-RXsa0qXxfoUBQo0gymmijVxJnW2IGB0eoM07F8FAjaj0UTywU0/LuSqimWBjN04WNgUkeNhh7fs7pESXajWmkg==",
"cpu": [
  "ia32"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
  "win32"
]
},
"node_modules/@rollup/rollup-win32-x64-gnu": {
"version": "4.60.2",
"resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-gnu/-/rollup-win32-x64-gnu-4.60.2.tgz",
"integrity":
"sha512-qdAzEULD+/hz0bedtmV6iBpdL5TIbKVztGiK703/KYSf+HIzU257+MX1EXJcyIiDbMAqmbwauafcYPvyRryeZtA==",
"cpu": [
  "x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
  "win32"
]
},
"node_modules/@rollup/rollup-win32-x64-msvc": {
"version": "4.60.2",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-win32-x64-msvc-4.60.2.tgz",
"integrity":
"sha512-Nd/SgG27WoA9e+/TdK74KnHz852TLa94ov0YySo/yMPuTmPckK/jIF2jSwS3g7ELSKXK13/cVdmg1Z/DaCWKxA==",
"cpu": [
  "x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
  "win32"
]
},
"node_modules/@types/babel__core": {
"version": "7.20.5",
"resolved": "https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz",
"integrity":
"sha512-qQoprZvz5wQJfWMDqeserXWv3rqMvhgpbXFfVYwhbx9X47P0IA6i/+dXefEmZKoAg0aTdaIgNSMqMIU61yRyzA==",
"dev": true,
```

MediAssist Project Bundle

```
"license": "MIT",
"dependencies": {
  "@babel/parser": "^7.20.7",
  "@babel/types": "^7.20.7",
  "@types/babel__generator": "*",
  "@types/babel__template": "*",
  "@types/babel__traverse": "*"
}
},
"node_modules/@types/babel__generator": {
  "version": "7.27.0",
  "resolved": "https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz",
  "integrity":
"sha512-uffFd2Xi920AVPysy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CwiQ4sdxktvdl0b0PupXtVJPY19zk6EwWqUQ8lg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/types": "^7.0.0"
  }
},
"node_modules/@types/babel__template": {
  "version": "7.4.4",
  "resolved": "https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz",
  "integrity":
"sha512-h/NUaSyG5EyxBiP8YRxo4RMe2/qQgvyowRwVMzhYhBCONbw8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.1.0",
    "@babel/types": "^7.0.0"
  }
},
"node_modules/@types/babel__traverse": {
  "version": "7.28.0",
  "resolved": "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
  "integrity":
"sha512-8PvcXf70gTDZBgt9ptxJ8e1BeBjcLOAcOto0/mPJjtji1+CdGbHgM77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/types": "^7.28.2"
  }
},
"node_modules/@types/debug": {
  "version": "4.1.13",
  "resolved": "https://registry.npmjs.org/@types/debug/-/debug-4.1.13.tgz",
  "integrity":
"sha512-KSVgmQmzMwPlmtljOomayorR89W4FynCAi3E8PPs7vmDVPe84hT+vGPKkJfThkmXs0x0jAaa9U8uW8bbfyS2fWw==",
  "license": "MIT",
  "dependencies": {
    "@types/ms": "*"
  }
}
```

MediAssist Project Bundle

```
,
"node_modules/@types/estree": {
  "version": "1.0.8",
  "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
  "integrity":
"sha512-dWHzHa2WqEXI/01E90jrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIN0skIQJQ/L1rIex4X6w==",
  "license": "MIT"
},
"node_modules/@types/estree-jsx": {
  "version": "1.0.5",
  "resolved": "https://registry.npmjs.org/@types/estree-jsx/-/estree-jsx-1.0.5.tgz",
  "integrity":
"sha512-52CcUVNFyfb1A2ALocQw/Dd1BQFNmSdKuC3BkZ6iqhdMfQz7JW0FRuJFflo0zjk+6WijU56m9oKXFAXc7o3Towg==",
  "license": "MIT",
  "dependencies": {
    "@types/estree": "*"
  }
},
"node_modules/@types/hast": {
  "version": "3.0.4",
  "resolved": "https://registry.npmjs.org/@types/hast/-/hast-3.0.4.tgz",
  "integrity":
"sha512-WPs+bbQw5aCj+x6laNGWLH3wviHtoCv/P3+otBhb0hJgG8qtpdAMlTCxLtsTWA7LH10h/bFCHsBn0TPS5m30EQ==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "*"
  }
},
"node_modules/@types/mdast": {
  "version": "4.0.4",
  "resolved": "https://registry.npmjs.org/@types/mdast/-/mdast-4.0.4.tgz",
  "integrity":
"sha512-kGaNbPh1k7AFzgpud/gMdvIm5xuECykRR+JnWKQno9TAXVa6WIVCGTPvYGekIDL4uwcZQSYbUXNBSb1aUo79oA==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "*"
  }
},
"node_modules/@types/ms": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/@types/ms/-/ms-2.1.0.tgz",
  "integrity":
"sha512-GsCCIZDE/p3i96vtEqx+7dBUGXrc7zeSK3wwPHIaRThS+90hWIXRqzs4d6k1SVU8g91DrNRwxWUGhp5KXQb2VA==",
  "license": "MIT"
},
"node_modules/@types/prop-types": {
  "version": "15.7.15",
  "resolved": "https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.15.tgz",
  "integrity":
"sha512-F6bEyamV9jKGAFBEmlQnesRPG0QqS2+Uwi0Em15xen0xHaf2hv6L8YCVn3rPdPJ0iJfPiCnLIRyvwVaqMY3MIw==",
  "license": "MIT"
},
```

MediAssist Project Bundle

```
"node_modules/@types/react": {
  "version": "18.3.28",
  "resolved": "https://registry.npmjs.org/@types/react/-/react-18.3.28.tgz",
  "integrity":
"sha512-z9VXpc7MwrfWipitjNdGCauoMLRdIILQsAEV+ZesIzBq/oUlxk0m3ApZuMFCXdnS4U7KrI+l3WRUEGQ8K1QKw==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "@types/prop-types": "*",
    "csstype": "^3.2.2"
  }
},
"node_modules/@types/react-dom": {
  "version": "18.3.7",
  "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-18.3.7.tgz",
  "integrity":
"sha512-MEe3UeoENYVFXzoXEwsvcpg6ZvlrFNlOQ7E0svhI3CfAXwzPf08Qwuxd40nepsYKqyyVQnTdEfv68q91yLcKrQ==",
  "dev": true,
  "license": "MIT",
  "peerDependencies": {
    "@types/react": "^18.0.0"
  }
},
"node_modules/@types/unist": {
  "version": "3.0.3",
  "resolved": "https://registry.npmjs.org/@types/unist/-/unist-3.0.3.tgz",
  "integrity":
"sha512-ko/gIFJRv177XgZsZcBwnqJN5x/Gien8qN0n0D5bQU/zAzVf9Zt3B1cUiLqhV9y4ARk0GbT3tnUiPNgnTXzc/Q==",
  "license": "MIT"
},
"node_modules/@ungap/structured-clone": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/@ungap/structured-clone/-/structured-clone-1.3.0.tgz",
  "integrity":
"sha512-WmoN8qaIAo7WTYWbAZuG8PYEhn5fkz7dZrqtTBZ7dt//LL2Gwms1IcnQ5yHqjDfX8Ft5j4YzDM23f87zBfDe9g==",
  "license": "ISC"
},
"node_modules/@vitejs/plugin-react": {
  "version": "4.7.0",
  "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-4.7.0.tgz",
  "integrity":
"sha512-gUu9hwfWvvEDBBmgtAowQCojwZmJ5mcLn3aufeCsitijs3+f2NsrPtLAWIR60PiqLjL96GVCubLe0HyqIpVaoA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/core": "^7.28.0",
    "@babel/plugin-transform-react-jsx-self": "^7.27.1",
    "@babel/plugin-transform-react-jsx-source": "^7.27.1",
    "@rollup/pluginutils": "1.0.0-beta.27",
    "@types/babel__core": "^7.20.5",
    "react-refresh": "^0.17.0"
  }
},
```

MediAssist Project Bundle

```
"engines": {
  "node": "^14.18.0 || >=16.0.0"
},
"peerDependencies": {
  "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
}
},
"node_modules/any-promise": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
  "integrity":
"sha512-7UvmKAlWRt1wgjL1RrGxoSJW/0QZFIEgpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX90B4MZR1b2A==",
  "dev": true,
  "license": "MIT"
},
"node_modules/anymatch": {
  "version": "3.1.3",
  "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
  "integrity":
"sha512-KRr/nTl0Rk85DdTcUoFfh4DZKVfbUq2YKVjUqnqvn5yf7Q6bX5TqB1IteZQC4+kXdp6hE8sC00nOlr/H5vA==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "normalize-path": "^3.0.0",
    "picomatch": "^2.0.4"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/arg": {
  "version": "5.0.2",
  "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
  "integrity":
"sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswH8M1RMJYdQduT6xbwSgK36P/Z/v+p888pM69jMMfS8Xd8F6I1kQ/I9HUGg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/asynckit": {
  "version": "0.4.0",
  "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
  "integrity":
"sha512-Oei90H4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==",
  "license": "MIT"
},
"node_modules/autoprefixer": {
  "version": "10.5.0",
  "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.5.0.tgz",
  "integrity":
"sha512-FMh0oZV4+qR6aTUALKX2rEqGG+oyATvwBt9IIzVR5rMa2HRWPkxf+P+PAJLD1I/H5/II+HuZcBJYEFBpq39ong==",
  "dev": true,
  "funding": [
```

MediAssist Project Bundle

```
{
  "type": "opencollective",
  "url": "https://opencollective.com/postcss/"
},
{
  "type": "tidelift",
  "url": "https://tidelift.com/funding/github/npm/autoprefixer"
},
{
  "type": "github",
  "url": "https://github.com/sponsors/ai"
}
],
"license": "MIT",
"dependencies": {
  "browserslist": "^4.28.2",
  "caniuse-lite": "^1.0.30001787",
  "fraction.js": "^5.3.4",
  "picocolors": "^1.1.1",
  "postcss-value-parser": "^4.2.0"
},
"bin": {
  "autoprefixer": "bin/autoprefixer"
},
"engines": {
  "node": "^10 || ^12 || >=14"
},
"peerDependencies": {
  "postcss": "^8.1.0"
}
},
"node_modules/axios": {
  "version": "1.15.2",
  "resolved": "https://registry.npmjs.org/axios/-/axios-1.15.2.tgz",
  "integrity":
"sha512-wLrXxPtcRPTsNlJmKjkPnNPK2Ihe0hn0wGSaTEiHRPxbjvJwT3hKmXF4dpqxmP09SoNb2FsYXj/xEO0gHN+D5A==",
  "license": "MIT",
  "dependencies": {
    "follow-redirects": "^1.15.11",
    "form-data": "^4.0.5",
    "proxy-from-env": "^2.1.0"
  }
},
"node_modules/bail": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/bail/-/bail-2.0.2.tgz",
  "integrity":
"sha512-0x06mYd7JB2YesxDKplafRpsi0zPt9V02ddPCLbY1xYGPOX24NTyN50qnUxgCPcSoYMhKpAuBTjQoRZCAkUDRw==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
}
```


MediAssist Project Bundle

```
    }
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.25",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.25.tgz",
    "integrity":
"sha512-Q0/VHSXCQdnzADMfmkeOPvHdIAkoB7i0/rGjINPJEEtLx75hNttVWGQ/jychUDP9zZ9rupbm60WRxcwViB0MiA==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
    "integrity":
"sha512-Ceh+70x5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+80cg0a3UuSoYzavmylwuLWQ0f3hl0jjMMIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/braces": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
    "integrity":
"sha512-yQbXg0/0SZVD2Isillro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLc0QdIzGupr5Fj+EDe8g0/lxc1BzfMpxvA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fill-range": "^7.1.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/browserslist": {
    "version": "4.28.2",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
    "integrity":
"sha512-48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTr0LvD89Jqk20r5ogxz0NUMfIjhh2lIUx/LyX9B4oIg==",
    "dev": true,
    "funding": [

```

MediAssist Project Bundle

```
    "type": "opencollective",
    "url": "https://opencollective.com/browserslist"
  },
  {
    "type": "tidelift",
    "url": "https://tidelift.com/funding/github/npm/browserslist"
  },
  {
    "type": "github",
    "url": "https://github.com/sponsors/ai"
  }
],
"license": "MIT",
"peer": true,
"dependencies": {
  "baseline-browser-mapping": "^2.10.12",
  "caniuse-lite": "^1.0.30001782",
  "electron-to-chromium": "^1.5.328",
  "node-releases": "^2.0.36",
  "update-browserslist-db": "^1.2.3"
},
"bin": {
  "browserslist": "cli.js"
},
"engines": {
  "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
}
},
"node_modules/call-bind-apply-helpers": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
  "integrity":
"sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuT0bmuMQ==",
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "function-bind": "^1.1.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/camelcase-css": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
  "integrity":
"sha512-QQvJYJlWkxv88P185Cqe8tr3oR0P6DJW6Ytq8m9oKsR6o1gB8Q18Nymn9S8DEP0vz9BZmlvYokj3i84ng==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
}
```

MediAssist Project Bundle

```
,
"node_modules/caniuse-lite": {
  "version": "1.0.30001791",
  "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001791.tgz",
  "integrity":
"sha512-yk0l/YSrOnFZk3UR0pDLQD9+kC1l4meK/wed583AXrzoarMGJcbRi2Q4RaUYbKxYAsZ8sWmaSa/DsLmdBeI1vQ==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "CC-BY-4.0"
},
"node_modules/ccount": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/ccount/-/ccount-2.0.1.tgz",
  "integrity":
"sha512-eyrF0jiFpY+3drT6383f1qhkbGsLSifNAjA61IUjZjmlCWjItY6LB9ft9YhoDgwfmcLB2zhu51Lc7+95b8NRAg==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/woorm"
  }
},
"node_modules/character-entities": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/character-entities/-/character-entities-2.0.2.tgz",
  "integrity":
"sha512-shx7oQ0Awen/BRIDkjkvz54PnEEI/EjwXDSIZp86/KKdbafHh1Df/RyGBhn4hbe2+uKC9FnT5UCEdyPz3ai9hQ==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/woorm"
  }
},
"node_modules/character-entities-html4": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/character-entities-html4/-/character-entities-html4-2.1.0.tgz",
  "integrity":
"sha512-1v7fgQRj6hnSwFpq1Eu0ynr/CDEw0rXo2B61qXrLNdHZmPKgb7fqS1a2JwF0rISo9q77jDI8VMEHoApn8qDoZA==",
  "license": "MIT",
  "funding": {
```

MediAssist Project Bundle

```
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  },
  "node_modules/character-entities-legacy": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/character-entities-legacy/-/character-entities-legacy-3.0.0.tgz",
    "integrity":
"sha512-RpP0asT/6uFRm//AJVwpViZbGM/MkjQFxFjccQRHmISF/22NBtsHqAwML+/pmkPWoIUJdWyeVleTl1wydHATVQ==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/character-reference-invalid": {
    "version": "2.0.1",
    "resolved":
"https://registry.npmjs.org/character-reference-invalid/-/character-reference-invalid-2.0.1.tgz",
    "integrity":
"sha512-iBZ4F4wRby0RVsu0jPV7gXk0sGYjGHPmAyv+HiHG8gi5PtC9KI2j1+v8/tlibRvjowX027ypmG/n0Ht05t7unw==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  },
  "node_modules/chokidar": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
    "integrity":
"sha512-7VT13fmjotKpGipCW9JEQAuseEPE+Ei8nl6/g4FBAmIm0G00LMua9NDDo/DWp0ZAxCr3cPq5ZpBqmPAQgDda2Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",
      "is-glob": "~4.0.1",
      "normalize-path": "~3.0.0",
      "readdirp": "~3.6.0"
    },
    "engines": {
      "node": ">= 8.10.0"
    },
    "funding": {
      "url": "https://paulmillr.com/funding/"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    }
  }
```

MediAssist Project Bundle

```
,
"node_modules/chokidar/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity":
"sha512-A0IgSQCePiJYwP3ARnGx+5VnTu2HBYdzbgP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/combined-stream": {
  "version": "1.0.8",
  "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
  "integrity":
"sha512-FQ4NRfFuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9z0Ywxh8lDdnvmM0e/+5cdoEdg==",
  "license": "MIT",
  "dependencies": {
    "delayed-stream": "~1.0.0"
  },
  "engines": {
    "node": ">= 0.8"
  }
},
"node_modules/comma-separated-tokens": {
  "version": "2.0.3",
  "resolved": "https://registry.npmjs.org/comma-separated-tokens/-/comma-separated-tokens-2.0.3.tgz",
  "integrity":
"sha512-Fu4hJdvzeylCfQPP9SGWidpzM7tTrlu6Vb8XGaRGck8QSNZJJp538Wrb60Lax4fPwR64ViY4680IUTbRlGZg==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/commander": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
  "integrity":
"sha512-NOKm8XhkzAjzFx8B2v50AHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbMULvShKj26WA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/convert-source-map": {
  "version": "2.0.0",
```

MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
"integrity":
"sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
"dev": true,
"license": "MIT"
},
"node_modules/cssesc": {
"version": "3.0.0",
"resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
"integrity":
"sha512-/Tb/JcjK111nNscGob5MNTsntNM1aCNUdipB/TkwZFhyDrrE47S0x/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==",
"dev": true,
"license": "MIT",
"bin": {
"cssesc": "bin/cssesc"
},
"engines": {
"node": ">=4"
}
},
"node_modules/csstype": {
"version": "3.2.3",
"resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
"integrity":
"sha512-z1HGKcYy2xA8AGQfwrn0PAY+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLC8KusUX8T/0kCi0YpAIQ==",
"license": "MIT",
"peer": true
},
"node_modules/debug": {
"version": "4.4.3",
"resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
"integrity":
"sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTlLpuvGI9GiiJltAjNbcqA==",
"license": "MIT",
"dependencies": {
"ms": "^2.1.3"
},
"engines": {
"node": ">=6.0"
},
"peerDependenciesMeta": {
"supports-color": {
"optional": true
}
}
},
"node_modules/decode-named-character-reference": {
"version": "1.3.0",
"resolved":
"https://registry.npmjs.org/decode-named-character-reference/-/decode-named-character-reference-1.3.0.tgz",
"integrity":
"sha512-GtpQYB283KrPp6nRw50q3U9/Vf0utZ0e103qL7N7BPP6Ad27xYn0Iwv4lPzo8HCAL+mMZofJ9KEY30fq6MfaK6Q==",
```

MediAssist Project Bundle

```
"license": "MIT",
"dependencies": {
  "character-entities": "^2.0.0"
},
"funding": {
  "type": "github",
  "url": "https://github.com/sponsors/wooorm"
}
},
"node_modules/delayed-stream": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
  "integrity":
"sha512-ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
  "license": "MIT",
  "engines": {
    "node": ">=0.4.0"
  }
},
"node_modules/dequal": {
  "version": "2.0.3",
  "resolved": "https://registry.npmjs.org/dequal/-/dequal-2.0.3.tgz",
  "integrity":
"sha512-0je+qPKHEMohvFRTCEo3CrPG6cAZAYgmzKyxRiYSSDkS6eGJdyVJm7WaYA5ECaAD9wLB2T4EEeymA5aFVcYXCA==",
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/devlop": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/devlop/-/devlop-1.1.0.tgz",
  "integrity":
"sha512-RwmIqhcFf1lRYBvNmr7qTNuyCt/7/ns2jbpp1+PalgE/rDQcBT0fioSMUpJ93irLUhC5hrg4cYqe6U+0ImW0rA==",
  "license": "MIT",
  "dependencies": {
    "dequal": "^2.0.0"
  },
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/didyoumean": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
  "integrity":
"sha512-0x285r40D8xT6xwVtqK01X0oZqdXW74+UwZt0jJF81n/8Gf4H1TjZsXmVpW9z2Q0taohK61QR0sLWU==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/dlv": {
```

MediAssist Project Bundle

```
"version": "1.1.3",
"resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
"integrity":
"sha512-HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePwrQ5JBpE6aoVqfZfJUQkjXwA==",
"dev": true,
"license": "MIT"
},
"node_modules/dunder-proto": {
"version": "1.0.1",
"resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
"integrity":
"sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZu0e0t0zdeRe4UY7ct+A==",
"license": "MIT",
"dependencies": {
"call-bind-apply-helpers": "^1.0.1",
"es-errors": "^1.3.0",
"gopd": "^1.2.0"
},
"engines": {
"node": ">= 0.4"
}
},
"node_modules/electron-to-chromium": {
"version": "1.5.349",
"resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.349.tgz",
"integrity":
"sha512-QswVGyRuY07Aqb234QytTfwd5d9AJlfnIQ5wI0l1L+PZDzI9d9+Fn0FRale/QYlFxt/bUnB0/nLd1jFPGxGK1A==",
"dev": true,
"license": "ISC"
},
"node_modules/es-define-property": {
"version": "1.0.1",
"resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
"integrity":
"sha512-e3z7fl68150kMsS9kqAysW/sVd215fBlut5PcXqdz0WXHsV2QmJl7I8qtegeuF0ZdYwGcOdlZMj6GdZh1A==",
"license": "MIT",
"engines": {
"node": ">= 0.4"
}
},
"node_modules/es-errors": {
"version": "1.3.0",
"resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
"integrity":
"sha512-U79F0Lpge+Uj4+7t7gSdM3lPhUaKYMdXyHDDcH47l0I4P10ryjyqZF552U4KP9WtSQKy/25x9Ll6r5FA==",
"license": "MIT",
"engines": {
"node": ">= 0.4"
}
},
"node_modules/es-object-atoms": {
"version": "1.1.1",
```


MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
"integrity":
"sha512-FGgH2h8zKNim9lj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrL0DihIorn+Pe6FGJzWhXQotPv73jTalDXA==",
"license": "MIT",
"dependencies": {
  "es-errors": "^1.3.0"
},
"engines": {
  "node": ">= 0.4"
}
},
"node_modules/es-set-tostringtag": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
  "integrity":
"sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08c0DMNwbVRdVlmGZQL2YS3yR8bIUA==",
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "get-intrinsic": "^1.2.6",
    "has-tostringtag": "^1.0.2",
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/esbuild": {
  "version": "0.21.5",
  "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.21.5.tgz",
  "integrity":
"sha512-mg30PMV4hXywwpoDXu3Qda5xCKQi+vCTZq8S9J/EpkhB2HzKXq4SNFZE3+NK93JYxc8VMSep+10USC/RVKaBqw==",
  "dev": true,
  "hasInstallScript": true,
  "license": "MIT",
  "bin": {
    "esbuild": "bin/esbuild"
  },
  "engines": {
    "node": ">=12"
  },
  "optionalDependencies": {
    "@esbuild/aix-ppc64": "0.21.5",
    "@esbuild/android-arm": "0.21.5",
    "@esbuild/android-arm64": "0.21.5",
    "@esbuild/android-x64": "0.21.5",
    "@esbuild/darwin-arm64": "0.21.5",
    "@esbuild/darwin-x64": "0.21.5",
    "@esbuild/freebsd-arm64": "0.21.5",
    "@esbuild/freebsd-x64": "0.21.5",
    "@esbuild/linux-arm": "0.21.5",
    "@esbuild/linux-arm64": "0.21.5",
```

MediAssist Project Bundle

```
"@esbuild/linux-ia32": "0.21.5",
"@esbuild/linux-loong64": "0.21.5",
"@esbuild/linux-mips64el": "0.21.5",
"@esbuild/linux-ppc64": "0.21.5",
"@esbuild/linux-riscv64": "0.21.5",
"@esbuild/linux-s390x": "0.21.5",
"@esbuild/linux-x64": "0.21.5",
"@esbuild/netbsd-x64": "0.21.5",
"@esbuild/openbsd-x64": "0.21.5",
"@esbuild/sunos-x64": "0.21.5",
"@esbuild/win32-arm64": "0.21.5",
"@esbuild/win32-ia32": "0.21.5",
"@esbuild/win32-x64": "0.21.5"
},
},
"node_modules/escalade": {
  "version": "3.2.0",
  "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
  "integrity":
"sha512-WUj2qlxaQt04g6Pq5c29GTcWGDYd8itL8zTlripECz3JesAii0Kotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/estree-util-is-identifier-name": {
  "version": "3.0.0",
  "resolved":
"https://registry.npmjs.org/estree-util-is-identifier-name/-/estree-util-is-identifier-name-3.0.0.tgz",
  "integrity":
"sha512-hFtqIDZTIUZ9BXLb8y4pYGyk6+wekIivNVTcmvk8No0h+VeRn5y6cEHzbURRwbfp1fIqdVipilzj+lfaadNZmg==",
  "license": "MIT",
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/extend": {
  "version": "3.0.2",
  "resolved": "https://registry.npmjs.org/extend/-/extend-3.0.2.tgz",
  "integrity":
"sha512-fjquC59cD7CyW6urNXK0FBufkZcoiGG80wTuPujX590cB5Ttln20E2UB4S/WARVqhXffZl2LNgs+gQdPIIim/g==",
  "license": "MIT"
},
"node_modules/fast-glob": {
  "version": "3.3.3",
  "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
  "integrity":
"sha512-7VovgeTahE8MYX1WtToBgZnWw2dHTdyWzBzv4iQ3u4Hxw9QX3wq7wpU0t4Er7jBvFKV9KMXblU5LqOGYg==",
  "dev": true,
  "license": "MIT",
```

MediAssist Project Bundle

```
"dependencies": {
  "@nodelib/fs.stat": "^2.0.2",
  "@nodelib/fs.walk": "^1.2.3",
  "glob-parent": "^5.1.2",
  "merge2": "^1.3.0",
  "micromatch": "^4.0.8"
},
"engines": {
  "node": ">=8.6.0"
}
},
"node_modules/fast-glob/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity":
"sha512-A0IgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fastq": {
  "version": "1.20.1",
  "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
  "integrity":
"sha512-GGToxJ/W1x32s/D2EKND7kTil4n80VvK/9mycTc4VDza13l0vpUZTGX3mFSctV9ksdGBVzvvsyAVLM6mHFThxXxw==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "reusify": "^1.0.4"
  }
},
"node_modules/fill-range": {
  "version": "7.1.1",
  "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
  "integrity":
"sha512-YsgE8YU1oPb7OQ1K8oAV049my72UVI9ELpArqOn8I5R7jrBuTJg+9tuJcm6CcXsn3EocOI2wQ8MVG68iSs2g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "to-regex-range": "^5.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/follow-redirects": {
  "version": "1.16.0",
```

MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.16.0.tgz",
"integrity":
"sha512-y5rN/u0sadFT/JfYwhxRS5R7Qce+g3zG97+JrtFZLC9klX/W5hD7iiLzScI4nZqUS7DNUdhPgW4xI8W2LuXlUw==",
"funding": [
  {
    "type": "individual",
    "url": "https://github.com/sponsors/RubenVerborgh"
  }
],
"license": "MIT",
"engines": {
  "node": ">=4.0"
},
"peerDependenciesMeta": {
  "debug": {
    "optional": true
  }
}
},
"node_modules/form-data": {
  "version": "4.0.5",
  "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
  "integrity":
"sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUyCFTiy3+wuuOnUog2QBHCZWXRijWQfAkhBj2Uf5UnVaiWwA5vdd82w==",
  "license": "MIT",
  "dependencies": {
    "asynckit": "^0.4.0",
    "combined-stream": "^1.0.8",
    "es-set-tostringtag": "^2.1.0",
    "hasown": "^2.0.2",
    "mime-types": "^2.1.12"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fraction.js": {
  "version": "5.3.4",
  "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
  "integrity":
"sha512-1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzveAW4Qi5RyWDQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": "*"
  }
},
"funding": {
  "type": "github",
  "url": "https://github.com/sponsors/rawify"
}
},
"node_modules/framer-motion": {
```

MediAssist Project Bundle

```
"version": "10.18.0",
"resolved": "https://registry.npmjs.org/framer-motion/-/framer-motion-10.18.0.tgz",
"integrity":
"sha512-oGlDh1Q1XqYPksuTD/usb0I70hq950UzmL9+6Zd+Hs4XV0oaISBa/UUMSjYiq6m8EUF32132m0J8xVZS+I0S6w==",
"license": "MIT",
"dependencies": {
  "tslib": "^2.4.0"
},
"optionalDependencies": {
  "@emotion/is-prop-valid": "^0.8.2"
},
"peerDependencies": {
  "react": "^18.0.0",
  "react-dom": "^18.0.0"
},
"peerDependenciesMeta": {
  "react": {
    "optional": true
  },
  "react-dom": {
    "optional": true
  }
}
},
"node_modules/fsevents": {
  "version": "2.3.3",
  "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
  "integrity":
"sha512-5x0DfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
  "dev": true,
  "hasInstallScript": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
  }
},
"node_modules/function-bind": {
  "version": "1.1.2",
  "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
  "integrity":
"sha512-7P80P9M22tHHfBW0WqWRSRerIMXCFRFTDtJcJbXSWpRI2cBpIO6UfW9PJk+P4tEO6mu6PR+DsrIfbmY6xz6Rw==",
  "license": "MIT",
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/gensync": {
  "version": "1.0.0-beta.2",
```

MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
"integrity":
"sha512-3hN7NaskyYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYeqFo/TLYz6eQiFcp1HcsCZO+nGgS8zg==",
"dev": true,
"license": "MIT",
"engines": {
  "node": ">=6.9.0"
}
},
"node_modules/get-intrinsic": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
  "integrity":
"sha512-9fs512-9fSjSaos/fRIVIp+XSJlE6lfwhES7LntKaCBiamHsjr2na1BiABJPo0m0jjz8GJDURarmCPGqaiVg5mfjb98CQ==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.2",
    "es-define-property": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "function-bind": "^1.1.2",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "has-symbols": "^1.1.0",
    "hasown": "^2.0.2",
    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/get-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
  "integrity":
"sha512-sTSfBjoXBp89JvIKIefqw7U2CCebSc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFpNc9Ico0C40DfKHfxFmp0g==",
  "license": "MIT",
  "dependencies": {
    "dunder-proto": "^1.0.1",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/glob-parent": {
  "version": "6.0.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
  "integrity":
```

MediAssist Project Bundle

```
"sha512-XxwI8E0hVQgwp6iDL+3b0r86f4d6AX6zSU55HfB4ydcEuXLXc5FcYe0u+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.3"
  },
  "engines": {
    "node": ">=10.13.0"
  }
},
"node_modules/goober": {
  "version": "2.1.18",
  "resolved": "https://registry.npmjs.org/goober/-/goober-2.1.18.tgz",
  "integrity":
"sha512-2vFqsaDVIT9Gz7N6kAL++pLpp41l3PfDuusHcjnGLfR6+huZkl6ziX+zgVC3ZxpqWhzH6pyDdGrCeDhMIvwaxw==",
  "license": "MIT",
  "peerDependencies": {
    "csstype": "^3.0.10"
  }
},
"node_modules/gopd": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
  "integrity":
"sha512-ZUKRh6/kUFoAiAtTYPZJ3hw9wNxx+BIB0ijnlg9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3006Rfa93xsRg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-symbols": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
  "integrity":
"sha512-1cDNDwJ2Jaohmb3sg40mKaMBwuC48sYni5HUW2DvSC8LjGTLK9h+eb1X6Ryu0He4hT0ULCW68iomhjUoKUq1PQ==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-tostringtag": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
  "integrity":
"sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBAIdgo+ieHtk3hasLz4qeCRjYcqfB6AQRBgRKppKF8L52/VqdVs047Dlw==",
  "license": "MIT",
```

MediAssist Project Bundle

```
"dependencies": {
  "has-symbols": "^1.0.3"
},
"engines": {
  "node": ">= 0.4"
},
"funding": {
  "url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/hasown": {
  "version": "2.0.3",
  "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.3.tgz",
  "integrity":
"sha512-ej4AhfhfL2Q2zpMmLo7U1Uv9+PyhIZpgQLGT1F9miIGmiCJIocGSmczFdrc97mWT4kVY72KA+WnnhJ5pghSvSg==",
  "license": "MIT",
  "dependencies": {
    "function-bind": "^1.1.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/hast-util-to-jsx-runtime": {
  "version": "2.3.6",
  "resolved": "https://registry.npmjs.org/hast-util-to-jsx-runtime/-/hast-util-to-jsx-runtime-2.3.6.tgz",
  "integrity":
"sha512-zl6sLwNyo1P9uw+XJGvZtdFF1GdAk0g8uj0w+4Pyb76874fLps4ueHxDhXWdk6YHQ60gUtinliG7RsYvCbbBg==",
  "license": "MIT",
  "dependencies": {
    "@types/estree": "^1.0.0",
    "@types/hast": "^3.0.0",
    "@types/unist": "^3.0.0",
    "comma-separated-tokens": "^2.0.0",
    "devlop": "^1.0.0",
    "estree-util-is-identifier-name": "^3.0.0",
    "hast-util-whitespace": "^3.0.0",
    "mdast-util-mdx-expression": "^2.0.0",
    "mdast-util-mdx-jsx": "^3.0.0",
    "mdast-util-mdxjs-esm": "^2.0.0",
    "property-information": "^7.0.0",
    "space-separated-tokens": "^2.0.0",
    "style-to-js": "^1.0.0",
    "unist-util-position": "^5.0.0",
    "vfile-message": "^4.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/hast-util-whitespace": {
```


MediAssist Project Bundle

```
"version": "3.0.0",
"resolved": "https://registry.npmjs.org/hast-util-whitespace/-/hast-util-whitespace-3.0.0.tgz",
"integrity":
"sha512-88JUN06ipLwsnv+dVn+OIY0vAuvBMy/Qoi607mQHxdPXpjy+Cd6xRkwwux7DK0+4sYILtLBRIKgsdpS2gQc7qw==",
"license": "MIT",
"dependencies": {
  "@types/hast": "^3.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/unified"
}
},
"node_modules/html-url-attributes": {
  "version": "3.0.1",
  "resolved": "https://registry.npmjs.org/html-url-attributes/-/html-url-attributes-3.0.1.tgz",
  "integrity":
"sha512-o16UPyBWqsR06EJySPz207ZSr856WDrEzM5zMqp+FJJLGMW35cLYmmZnl0vztAZxRUoNZJFTCohfjuIJ8I4QBQ==",
  "license": "MIT",
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/inline-style-parser": {
  "version": "0.2.7",
  "resolved": "https://registry.npmjs.org/inline-style-parser/-/inline-style-parser-0.2.7.tgz",
  "integrity":
"sha512-Nb2ct0yNR8DQ0R0OwRG95uNWIC0C1lCgf5Naz5H6Ji72KZ80cFZLz2P5sNgwlyoJ8Yif11oMuYs5pBQa86csA==",
  "license": "MIT"
},
"node_modules/is-alphabetical": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/is-alphabetical/-/is-alphabetical-2.0.1.tgz",
  "integrity":
"sha512-Fwyla0E1MtYQW2F7pUxHnH4gOgkPMW3266n1eUSJkXt4I849u4I2YVz9px3+s4EY1H0R8FF2V2UGz1A==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/is-alphanumeric": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/is-alphanumeric/-/is-alphanumeric-2.0.1.tgz",
  "integrity":
"sha512-Fwyla0E1MtYQW2F7pUxHnH4gOgkPMW3266n1eUSJkXt4I849u4I2YVz9px3+s4EY1H0R8FF2V2UGz1A==",
  "license": "MIT",
  "dependencies": {
    "is-alphabetical": "^2.0.0",
    "is-decimal": "^2.0.0"
  }
},
```

MediAssist Project Bundle

```
"funding": {
  "type": "github",
  "url": "https://github.com/sponsors/wooorm"
},
"node_modules/is-binary-path": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
  "integrity":
"sha512-ZMERYes6pDyduGidse70sHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725IfelLeVcEM97mmtRGXw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "binary-extensions": "^2.0.0"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/is-core-module": {
  "version": "2.16.1",
  "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
  "integrity":
"sha512-UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEVQuIGA99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-decimal": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/is-decimal/-/is-decimal-2.0.1.tgz",
  "integrity":
"sha512-003158nV6FQeQZqQkUxJFw8Rl6uWqWq3XGqFw8Oj4LxZt9wQp/BQ7/w8y7t5YqzA0X0Ec1qOZzR79Q==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/is-extglob": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
  "integrity":
"sha512-SbKbANKN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdb036zfhGJ6QEDp0ZIFkDtnq5JRxmvl3jsoQ==",
```

MediAssist Project Bundle

```
"dev": true,
"license": "MIT",
"engines": {
  "node": ">=0.10.0"
},
"node_modules/is-glob": {
  "version": "4.0.3",
  "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
  "integrity":
"sha512-xelSayHH36ZgE7ZWhli7pw34hNbNl80jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwRr4eLSSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-extglob": "^2.1.1"
  },
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/is-hexadecimal": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/is-hexadecimal/-/is-hexadecimal-2.0.1.tgz",
  "integrity":
"sha512-DgZQp241c8o06cA1SbTEWiXeoXv42vJcXgH+B3hi1AiqqKruZR3ZGF8In3fj4+/y/7rHvL0ZLZtgJ/4ttYGZg==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/is-number": {
  "version": "7.0.0",
  "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
  "integrity":
"sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlk9cGvNp6NZWZUBlbGXYxxng==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.12.0"
  }
},
"node_modules/is-plain-obj": {
  "version": "4.1.0",
  "resolved": "https://registry.npmjs.org/is-plain-obj/-/is-plain-obj-4.1.0.tgz",
  "integrity":
"sha512-+Pgi+vMuUNKJyExiMBt5iLFoMyKnr5zhJ4Uspz58W0hBF5QoIZkFyNHibBAtHwzVAgk5RtndVNsDRN61/mmDqg==",
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
```

MediAssist Project Bundle

```
    "url": "https://github.com/sponsors/sindresorhus"
  },
  "node_modules/jiti": {
    "version": "1.21.7",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
    "integrity":
"sha512-/imKNG4EbWNRvJvONC/1H5/9GFy+tqjGBHCaSSn+P2RnPgjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+OEatnTR3A==",
    "dev": true,
    "license": "MIT",
    "peer": true,
    "bin": {
      "jiti": "bin/jiti.js"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity":
"sha512-RdJlORoOb7m+oEhmf4lscqG1wy6U0szOpkFLuT9Ypnj3ofX0pbKXlJyZ+G06iBAZlSjqxzmRPFofC89Y7Kw==",
    "license": "MIT"
  },
  "node_modules/jstest": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/jstest/-/jstest-3.1.0.tgz",
    "integrity":
"sha512-/sM3d02F0zXjKqHJuo0Q173wf2K0o8t4I8vHy6lF9pUp7bKT0/NHE8fPX23PwfhnkyfqnC2xRxOnVw5XuGIaA==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jstest": "bin/jstest"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/json5": {
    "version": "2.2.3",
    "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
    "integrity":
"sha512-LkT0IaDnd4k3iMnH6j7YFSqKVATwHDUuWqNVucdJlWxzZAHUXl5498UW4Nz3ZKqzOTsUcGN7CZyIAvWQnA==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "json5": "lib/cli.js"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/lilconfig": {
    "version": "3.1.3",
```

MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
"integrity":
"sha512-vlFKAoH5Cgt3Ie+JLhRbw0sCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsBeItPt3oSVXapn+m4nQDvpzw==",
"dev": true,
"license": "MIT",
"engines": {
  "node": ">=14"
},
"funding": {
  "url": "https://github.com/sponsors/antonk52"
},
"node_modules/lines-and-columns": {
  "version": "1.2.4",
  "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
  "integrity":
"sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/longest-streak": {
  "version": "3.1.0",
  "resolved": "https://registry.npmjs.org/longest-streak/-/longest-streak-3.1.0.tgz",
  "integrity":
"sha512-9Ri+o0JYgehTaVBBDoMqIL8GXtbWg71103srftcHhZ0dqneTqLaoIK0x17fUw9rFSlK/0NlsKe0Ahhy15pXE2g==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/loose-envify": {
  "version": "1.4.0",
  "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
  "integrity":
"sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQindko6+fRLev1wHgMySw7f611UIY408EtxRSok3Q==",
  "license": "MIT",
  "dependencies": {
    "js-tokens": "^3.0.0 || ^4.0.0"
  },
  "bin": {
    "loose-envify": "cli.js"
  }
},
"node_modules/lru-cache": {
  "version": "5.1.1",
  "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
  "integrity":
"sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAF0XN7dk/FviaDW8LHMk52DlCh4WP2n6gI8vN1aesBFgo9w==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
```

MediAssist Project Bundle

```
    "yallist": "^3.0.2"
  },
},
"node_modules/lucide-react": {
  "version": "0.294.0",
  "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-0.294.0.tgz",
  "integrity":
"sha512-V7o0/VECSGbLHn3/1067FugBwWB+hmzshrgDVRJQhMh8uj5D3HBuIvhuAmQTt lupILSpIwIZg5FTc4tTKMA2SA==",
  "license": "ISC",
  "peerDependencies": {
    "react": "^16.5.1 || ^17.0.0 || ^18.0.0"
  }
},
"node_modules/math-intrinsics": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
  "integrity":
"sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6XL9LHu1g==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/mdast-util-from-markdown": {
  "version": "2.0.3",
  "resolved": "https://registry.npmjs.org/mdast-util-from-markdown/-/mdast-util-from-markdown-2.0.3.tgz",
  "integrity":
"sha512-W4mAwtVslKvf8L6J+VN9yLSqQ9A0AAVHuoDAmPkz4dHf553m5gVj2ejadHJhoJmcmxEn0v6Pa8XJhpxE93kb8Q==",
  "license": "MIT",
  "dependencies": {
    "@types/mdast": "^4.0.0",
    "@types/unist": "^3.0.0",
    "decode-named-character-reference": "^1.0.0",
    "devlop": "^1.0.0",
    "mdast-util-to-string": "^4.0.0",
    "micromark": "^4.0.0",
    "micromark-util-decode-numeric-character-reference": "^2.0.0",
    "micromark-util-decode-string": "^2.0.0",
    "micromark-util-normalize-identifier": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0",
    "unist-util-stringify-position": "^4.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/mdast-util-mdx-expression": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/mdast-util-mdx-expression/-/mdast-util-mdx-expression-2.0.1.tgz",
  "integrity":
```

MediAssist Project Bundle

```
"sha512-J6f+9hUp+ldTZqKRSg7Vw5V6MqjATc+3E4gf3CFNcuZNWD8XdyI6zQ8GqH7f8169MM6P7hMBRDVGnn7oHB9kXQ==",
  "license": "MIT",
  "dependencies": {
    "@types/estree-jsx": "^1.0.0",
    "@types/hast": "^3.0.0",
    "@types/mdast": "^4.0.0",
    "devlop": "^1.0.0",
    "mdast-util-from-markdown": "^2.0.0",
    "mdast-util-to-markdown": "^2.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/mdast-util-mdx-jsx": {
  "version": "3.2.0",
  "resolved": "https://registry.npmjs.org/mdast-util-mdx-jsx/-/mdast-util-mdx-jsx-3.2.0.tgz",
  "integrity":
"sha512-lj/z8v0r6ZtsN/cGNNtemmmfoLAFZnjMbNyLzBafjzikOM+glrjNHPlf6lQD0Tccj9n5b0PPihEBbhneMyGs1Q==",
  "license": "MIT",
  "dependencies": {
    "@types/estree-jsx": "^1.0.0",
    "@types/hast": "^3.0.0",
    "@types/mdast": "^4.0.0",
    "@types/unist": "^3.0.0",
    "ccount": "^2.0.0",
    "devlop": "^1.1.0",
    "mdast-util-from-markdown": "^2.0.0",
    "mdast-util-to-markdown": "^2.0.0",
    "parse-entities": "^4.0.0",
    "stringify-entities": "^4.0.0",
    "unist-util-stringify-position": "^4.0.0",
    "vfile-message": "^4.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/mdast-util-mdxjs-esm": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/mdast-util-mdxjs-esm/-/mdast-util-mdxjs-esm-2.0.1.tgz",
  "integrity":
"sha512-Ecm0pxsZ96Cvlp03Nghth1EsLtr0n9Tm4lPUJUBccV9RwU0neqSycg19n5HGzCf+10LozMRS0btVr3ee1WoHtg==",
  "license": "MIT",
  "dependencies": {
    "@types/estree-jsx": "^1.0.0",
    "@types/hast": "^3.0.0",
    "@types/mdast": "^4.0.0",
    "devlop": "^1.0.0",
    "mdast-util-from-markdown": "^2.0.0",
```

MediAssist Project Bundle

```
"mdast-util-to-markdown": "^2.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/unified"
}
},
"node_modules/mdast-util-phrasing": {
  "version": "4.1.0",
  "resolved": "https://registry.npmjs.org/mdast-util-phrasing/-/mdast-util-phrasing-4.1.0.tgz",
  "integrity":
"sha512-TqICwyVJJpBwvGAMZjj4J2n0X8QWp21b9l0o7eXyVJ25YNWYbJDVIyD1bZXE6WtV6RmKJVYmQAKWa0zW0ABz2w==",
  "license": "MIT",
  "dependencies": {
    "@types/mdast": "^4.0.0",
    "unist-util-is": "^6.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/mdast-util-to-hast": {
  "version": "13.2.1",
  "resolved": "https://registry.npmjs.org/mdast-util-to-hast/-/mdast-util-to-hast-13.2.1.tgz",
  "integrity":
"sha512-cctsQ2wp5vTSLIcaymblUriiTCzd0CwWtCbLvr0zYCDZowYMNv8sZ7krj09FSnsiJi3WVshLM4k6Dq/yaPyCXA==",
  "license": "MIT",
  "dependencies": {
    "@types/hast": "^3.0.0",
    "@types/mdast": "^4.0.0",
    "@ungap/structured-clone": "^1.0.0",
    "devlop": "^1.0.0",
    "micromark-util-sanitize-uri": "^2.0.0",
    "trim-lines": "^3.0.0",
    "unist-util-position": "^5.0.0",
    "unist-util-visit": "^5.0.0",
    "vfile": "^6.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/mdast-util-to-markdown": {
  "version": "2.1.2",
  "resolved": "https://registry.npmjs.org/mdast-util-to-markdown/-/mdast-util-to-markdown-2.1.2.tgz",
  "integrity":
"sha512-xj68wMTvGXV0Konmog6LwyJKrYXZPvLwabaryTjLh9LuvovB/KAH+kvi8Gjj+7rJjsFi23nkUxRQv1KqSroMqA==",
  "license": "MIT",
  "dependencies": {
    "@types/mdast": "^4.0.0",
```


MediAssist Project Bundle

```
"@types/unist": "^3.0.0",
"longest-streak": "^3.0.0",
"mdast-util-phrasing": "^4.0.0",
"mdast-util-to-string": "^4.0.0",
"micromark-util-classify-character": "^2.0.0",
"micromark-util-decode-string": "^2.0.0",
"unist-util-visit": "^5.0.0",
"zwitch": "^2.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/unified"
}
},
"node_modules/mdast-util-to-string": {
  "version": "4.0.0",
  "resolved": "https://registry.npmjs.org/mdast-util-to-string/-/mdast-util-to-string-4.0.0.tgz",
  "integrity":
"sha512-0H44vDimn51F0YwvxSJSm0eCD0JTRlmN0R1yBh4HLj9wiV1Dn0QoXGbvFAWj2hSitVTlCmBF1hqKlIyUBVFLPg==",
  "license": "MIT",
  "dependencies": {
    "@types/mdast": "^4.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/merge2": {
  "version": "1.4.1",
  "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
  "integrity":
"sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA308tPzpczCCDgv+P2P5y00ZJ00g==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/micromark": {
  "version": "4.0.2",
  "resolved": "https://registry.npmjs.org/micromark/-/micromark-4.0.2.tgz",
  "integrity":
"sha512-zpe98Q6kvavpCr1NPVSCMeBCKfD7CA2NqZ+rykeNh0NIJBpc1tFKt9hucLGwha3jNTNI8lHpctWJWoimVF4PfA==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ]
}
```

MediAssist Project Bundle

```
    }
  ],
  "license": "MIT",
  "dependencies": {
    "@types/debug": "^4.0.0",
    "debug": "^4.0.0",
    "decode-named-character-reference": "^1.0.0",
    "devlop": "^1.0.0",
    "micromark-core-commonmark": "^2.0.0",
    "micromark-factory-space": "^2.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-chunked": "^2.0.0",
    "micromark-util-combine-extensions": "^2.0.0",
    "micromark-util-decode-numeric-character-reference": "^2.0.0",
    "micromark-util-encode": "^2.0.0",
    "micromark-util-normalize-identifier": "^2.0.0",
    "micromark-util-resolve-all": "^2.0.0",
    "micromark-util-sanitize-uri": "^2.0.0",
    "micromark-util-subtokenize": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
},
"node_modules/micromark-core-commonmark": {
  "version": "2.0.3",
  "resolved": "https://registry.npmjs.org/micromark-core-commonmark/-/micromark-core-commonmark-2.0.3.tgz",
  "integrity":
"sha512-RDBrHEMSxVFLg6xvnXmb1Ayr2WzLAWjeSATAoxwKYJV94TeNavgoIdA0a9ytzDSVzBy2YKFK+emCPOEibLeCrg==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "decode-named-character-reference": "^1.0.0",
    "devlop": "^1.0.0",
    "micromark-factory-destination": "^2.0.0",
    "micromark-factory-label": "^2.0.0",
    "micromark-factory-space": "^2.0.0",
    "micromark-factory-title": "^2.0.0",
    "micromark-factory-whitespace": "^2.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-chunked": "^2.0.0",
    "micromark-util-classify-character": "^2.0.0",
    "micromark-util-html-tag-name": "^2.0.0",
    "micromark-util-normalize-identifier": "^2.0.0",
```

MediAssist Project Bundle

```
"micromark-util-resolve-all": "^2.0.0",
"micromark-util-subtokenize": "^2.0.0",
"micromark-util-symbol": "^2.0.0",
"micromark-util-types": "^2.0.0"
}
},
"node_modules/micromark-factory-destination": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-factory-destination/-/micromark-factory-destination-2.0.1.tgz",
  "integrity":
"sha512-Xe6rDdJlkmbFRExpT0mRj9N3MaWmbAgdpSrbQvCFqhezUn4AHqJHbaEnfbVYYiexVSs//tqOdY/DxhjdCiJnIA==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-character": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
},
"node_modules/micromark-factory-label": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-factory-label/-/micromark-factory-label-2.0.1.tgz",
  "integrity":
"sha512-VFMekyQExqIW7xIChcXn4ok29YE3rnuyvew3wZQWwqF4Nv9Wk5rgJ99KzPvHjkmPXF93FXIbBp6Ydw3t71/7Vg==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "devlop": "^1.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
},
},
```

MediAssist Project Bundle

```
"node_modules/micromark-factory-space": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-factory-space/-/micromark-factory-space-2.0.1.tgz",
  "integrity":
"sha512-zRkxjtBxxLd2Sc0d+fbnEunsTj46SWXgXciZmHq0kDYGnck/ZSGj9/wULTV95uoeYiK5hRXP2mJ98Uo4cq/LQg==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-character": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
},
"node_modules/micromark-factory-title": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-factory-title/-/micromark-factory-title-2.0.1.tgz",
  "integrity":
"sha512-5bZ+3CjhAd9eChYTHsjy6TGxp0FSKgKKJPJxr293jTbfry2KDoWkhBb6TcPVB4NmzaPhMs1Frm9AZH70D4Cjzw==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-factory-space": "^2.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
},
"node_modules/micromark-factory-whitespace": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-factory-whitespace/-/micromark-factory-whitespace-2.0.1.tgz",
  "integrity":
"sha512-0b0nuZ3PKt/n0h0RHYvoD9uZhr+Za8sFoP+OnMcnWK5lngSzALgQYKMr9RJVOwLqQYuyun6ulqGWSXdwf6F80lQ==",
  "funding": [
    {
```

MediAssist Project Bundle

```
    "type": "GitHub Sponsors",
    "url": "https://github.com/sponsors/unifiedjs"
  },
  {
    "type": "OpenCollective",
    "url": "https://opencollective.com/unified"
  }
],
"license": "MIT",
"dependencies": {
  "micromark-factory-space": "^2.0.0",
  "micromark-util-character": "^2.0.0",
  "micromark-util-symbol": "^2.0.0",
  "micromark-util-types": "^2.0.0"
}
},
"node_modules/micromark-util-character": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/micromark-util-character/-/micromark-util-character-2.1.1.tgz",
  "integrity":
"sha512-wv8tdtUJ3thSFFFJKtpYK0YiGP2+v96Hvk4Tu8KpCAsTMs6yi+nVmGh1syvSCsaxz45J6Jbw+9DD6g97+NV67Q==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
},
"node_modules/micromark-util-chunked": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-util-chunked/-/micromark-util-chunked-2.0.1.tgz",
  "integrity":
"sha512-QUNFE0PELfmvv+4xiNg2sRYeS/P84pTW0TCgP5zc9FpXetHY0ab7SxKyAQCNCc1eK0459uoLI1y5o05Vc1dbhA==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
},
```

MediAssist Project Bundle

```
"license": "MIT",
"dependencies": {
  "micromark-util-symbol": "^2.0.0"
},
"node_modules/micromark-util-classify-character": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-util-classify-character/-/micromark-util-classify-character-2.0.1.tgz",
  "integrity":
"sha512-K0kH2M6afW/MbeWYWLjohQv1sgg2Q9EccHEDzSkxiP/EaagNzCm7T/WMKZ3rjMbvIpbvBiZgwR3dKMygtA4mG1Q==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-character": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  },
"node_modules/micromark-util-combine-extensions": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-util-combine-extensions/-/micromark-util-combine-extensions-2.0.1.tgz",
  "integrity":
"sha512-OnAnH8Ujmy59JcyZw8JSbk9cGpdVY44NKgSM7E9Eh7DiLS2E9RNQf0d0NaGDzEG9yjEl5hcqeIsj4hfRkLH/Bg==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-chunked": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  },
"node_modules/micromark-util-decode-numeric-character-reference": {
  "version": "2.0.2",
```

MediAssist Project Bundle

```
"resolved":
"https://registry.npmjs.org/micromark-util-decode-numeric-character-reference/-/micromark-util-decode-numeric-c
haracter-reference-2.0.2.tgz",
"integrity":
"sha512-ccUbYk6CwVdKmqMyr64dXz42EfHGkPQlBj5p7YVGzq8I7CtjXZJrubAYezf7Rp+bjPseiR0qe7G6foFd+lEuW==",
"funding": [
  {
    "type": "GitHub Sponsors",
    "url": "https://github.com/sponsors/unifiedjs"
  },
  {
    "type": "OpenCollective",
    "url": "https://opencollective.com/unified"
  }
],
"license": "MIT",
"dependencies": {
  "micromark-util-symbol": "^2.0.0"
}
},
"node_modules/micromark-util-decode-string": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-util-decode-string/-/micromark-util-decode-string-2.0.1.tgz",
  "integrity":
"sha512-nDV/77Fj6eH1ynwscYT0sbK7rR//Uj0bZXBwJZRfaLEJ1iGBR6kIfNmlNqaqJf649EP0F3NWNdeJi03elllNUQ==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "decode-named-character-reference": "^1.0.0",
    "micromark-util-character": "^2.0.0",
    "micromark-util-decode-numeric-character-reference": "^2.0.0",
    "micromark-util-symbol": "^2.0.0"
  }
},
"node_modules/micromark-util-encode": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-util-encode/-/micromark-util-encode-2.0.1.tgz",
  "integrity":
"sha512-c3cVx2y4KqUnwopc09b/Scdo2067LwJJ/UyqGfbigahfegL9myoEFoDYZgkT7f36T0bLrM9hZTAaAyH+PCAXjw==",
  "funding": [
    {
      "type": "GitHub Sponsors",
```

MediAssist Project Bundle

```
    "url": "https://github.com/sponsors/unifiedjs"
  },
  {
    "type": "OpenCollective",
    "url": "https://opencollective.com/unified"
  }
],
"license": "MIT"
},
"node_modules/micromark-util-html-tag-name": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-util-html-tag-name/-/micromark-util-html-tag-name-2.0.1.tgz",
  "integrity":
"sha512-2cNEiYDhCWKI+Gs9T0Tiysk136SnR13hh08yw6BGNyh0C4qYFnwF1nKfD3HFAIXA5c45RrIG1ub11GiXeYd1xA==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT"
},
"node_modules/micromark-util-normalize-identifier": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-util-normalize-identifier/-/micromark-util-normalize-identifier-2.0.1.tgz",
  "integrity":
"sha512-sxPqmo70LyARJs0w2UcLACPUUEqItCkKJ6PhKdMIDuJ3gSf/Q+/GIe3Wkl0Ijb/GyH9l0pUkRA02wp0GVkLvS9Q==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-symbol": "^2.0.0"
  }
},
"node_modules/micromark-util-resolve-all": {
```


MediAssist Project Bundle

```
"https://registry.npmjs.org/micromark-util-resolve-all/-/micromark-util-resolve-all-2.0.1.tgz",
  "integrity":
"sha512-VdQyxFWFT2/FGJgwQnJYbe1jjQoNTS4RjgJlmSjTUlPUMA95Htx9NHeYW4rGDJzbjvCsL9eLjMQwGeElsqmzcHg==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-types": "^2.0.0"
  }
},
"node_modules/micromark-util-sanitize-uri": {
  "version": "2.0.1",
  "resolved":
"https://registry.npmjs.org/micromark-util-sanitize-uri/-/micromark-util-sanitize-uri-2.0.1.tgz",
  "integrity":
"sha512-9N9IomZ/YuGGZMqec1MbgxtlgougxTodVwDzzEouPKo3qFwvymFHWcnDi2vzV1ff6kas9ucW+o3yzJK9YB1AQ==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-character": "^2.0.0",
    "micromark-util-encode": "^2.0.0",
    "micromark-util-symbol": "^2.0.0"
  }
},
"node_modules/micromark-util-subtokenize": {
  "version": "2.1.0",
  "resolved":
"https://registry.npmjs.org/micromark-util-subtokenize/-/micromark-util-subtokenize-2.1.0.tgz",
  "integrity":
"sha512-XQLu552iSctvnEcGXw6+Sx75GfLAPNEd1qx7eBJ+wydBb2KCbRZe+NwvIEEMM83uml1+2WSXpBAcp9IUCgCYWA==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "micromark-util-character": "^2.0.0",
    "micromark-util-encode": "^2.0.0",
    "micromark-util-symbol": "^2.0.0",
    "micromark-util-types": "^2.0.0"
  }
}
```

MediAssist Project Bundle

```
{
  "type": "OpenCollective",
  "url": "https://opencollective.com/unified"
},
"license": "MIT",
"dependencies": {
  "devlop": "^1.0.0",
  "micromark-util-chunked": "^2.0.0",
  "micromark-util-symbol": "^2.0.0",
  "micromark-util-types": "^2.0.0"
},
"node_modules/micromark-util-symbol": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/micromark-util-symbol/-/micromark-util-symbol-2.0.1.tgz",
  "integrity":
"sha512-vs5t8Apaud9N28kgCrRUdEed4UJ+wwNvicHLPxCa9ENlYuAY31M0ETy5y1vA33YoNPdFTghEbnh6efaE8h4x0Q==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT"
},
"node_modules/micromark-util-types": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/micromark-util-types/-/micromark-util-types-2.0.2.tgz",
  "integrity":
"sha512-Yw0ECSPJJoViF1qTU4DC6NwtC4awGt1EkzaQB8KPPyCRR8z9TWeV0HbEFGT0+ZY1wB22zmxnJqhPyTpOVCpeHTA==",
  "funding": [
    {
      "type": "GitHub Sponsors",
      "url": "https://github.com/sponsors/unifiedjs"
    },
    {
      "type": "OpenCollective",
      "url": "https://opencollective.com/unified"
    }
  ],
  "license": "MIT"
},
"node_modules/micromatch": {
  "version": "4.0.8",
  "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
  "integrity":
"sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGV84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
```

MediAssist Project Bundle

```
"dev": true,
"license": "MIT",
"dependencies": {
  "braces": "^3.0.3",
  "picomatch": "^2.3.1"
},
"engines": {
  "node": ">=8.6"
}
},
"node_modules/mime-db": {
  "version": "1.52.0",
  "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
  "integrity":
"sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYvOgroQOwYQQOKPJ8CIbE+1ETVl0oK1UC2nU3gYvg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.6"
  }
},
"node_modules/mime-types": {
  "version": "2.1.35",
  "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
  "integrity":
"sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWfV4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zXuWl50hzaeXiW==",
  "license": "MIT",
  "dependencies": {
    "mime-db": "1.52.0"
  },
  "engines": {
    "node": ">= 0.6"
  }
},
"node_modules/ms": {
  "version": "2.1.3",
  "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
  "integrity":
"sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnS0/tXtF3WRTL A==",
  "license": "MIT"
},
"node_modules/mz": {
  "version": "2.7.0",
  "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
  "integrity":
"sha512-z81GN07nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQC1+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fN62Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "any-promise": "^1.0.0",
    "object-assign": "^4.0.1",
    "thenify-all": "^1.0.0"
  }
}
```

MediAssist Project Bundle

```
,
"node_modules/nanoid": {
  "version": "3.3.12",
  "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.12.tgz",
  "integrity":
"sha512-ZB9RH/39ppq5Vu6Y+NmUaFhQR6pp+M2Xt76XBnEwDaGcVAqhlvxr13B2bKS5D3NH3QR76v3aSrKaF/Kiy7lEtQ==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "bin": {
    "nanoid": "bin/nanoid.cjs"
  },
  "engines": {
    "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
  }
},
"node_modules/node-releases": {
  "version": "2.0.38",
  "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.38.tgz",
  "integrity":
"sha512-3qT/88Y3FbH/Kx4szpQQ4HzUbVrHPKTLVpVocKiLfoYvw9XSG0X2FmD2d6DrXbVYyAQTF2HeF6My8jmx7/CRw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/normalize-path": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
  "integrity":
"sha512-6eZs5Ls3WtCisHwp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/mD4WYojCRwcwLA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/object-assign": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
  "integrity":
"sha512-rJgTQnKUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoxfkLElLJSnc3FUQHVe4cU5hj+BcUg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/object-hash": {
```

```

"version": "3.0.0",
"resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
"integrity":
"sha512-RS9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffBZFpWYr2aWrklAw==",
"dev": true,
"license": "MIT",
"engines": {
  "node": ">= 6"
}
},
"node_modules/parse-entities": {
"version": "4.0.2",
"resolved": "https://registry.npmjs.org/parse-entities/-/parse-entities-4.0.2.tgz",
"integrity":
"sha512-GG2AQYWoLgLG877gQIKeRPG01xF9+eG1ujIb5soS5gPvLQ1y2o8FL90w2QWNdf9I361Mpp7726c+lJ3U0qK1uGw==",
"license": "MIT",
"dependencies": {
"@types/unist": "^2.0.0",
"character-entities-legacy": "^3.0.0",
"character-reference-invalid": "^2.0.0",
"decode-named-character-reference": "^1.0.0",
"is-alphanumeric": "^2.0.0",
"is-decimal": "^2.0.0",
"is-hexadecimal": "^2.0.0"
},
"funding": {
"type": "github",
"url": "https://github.com/sponsors/wooorm"
}
},
"node_modules/parse-entities/node_modules/@types/unist": {
"version": "2.0.11",
"resolved": "https://registry.npmjs.org/@types/unist/-/unist-2.0.11.tgz",
"integrity":
"sha512-CmBKil6NNo/OqgmMn95Fk9Whlp2mtvIv+KNpQKN2F4SjvrEesubTRWGYSG+BnWZOnlCaSTU1sMpsB0zgbYhnsA==",
"license": "MIT"
},
"node_modules/path-parse": {
"version": "1.0.7",
"resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
"integrity":
"sha512-LDJZPVEEPR+y48z93A0Ed0yXb8pABYgWo/k5YYdYgpY2/2Es0sksJrq7lOHxryrV0n1ejG6oAp8ahv0IQD8sw==",
"dev": true,
"license": "MIT"
},
"node_modules/picocolors": {
"version": "1.1.1",
"resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
"integrity":
"sha512-xceH2snhtb5M9liqDsmEw56le376mTZKEX/jEb/RxNFyegNul7eNsLCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
"dev": true,
"license": "ISC"
}

```

MediAssist Project Bundle

```
,
"node_modules/picomatch": {
  "version": "2.3.2",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
  "integrity":
"sha512-V7+vQEJ06Z+c5tSye8S+nHufI51xoXIXjHQ99cQtKukQqq01k0/KCJUfZXuB47h/YBlDhah2H3hdUGXn8ie0oA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8.6"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/pify": {
  "version": "2.3.0",
  "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
  "integrity":
"sha512-udgsAY+fTnvv7kI7aaxbqwwNb0AHib0qB089PZKPkoTmG0gdbrHDKD+0B2X4uTfJ/FT1R09r9gTsJujNJotuog==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/pirates": {
  "version": "4.0.7",
  "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
  "integrity":
"sha512-TfySrs/5nm8fQJDCBDuUng3V0UKsd7S+zqvb0TiGXHfxX4wK31ard+hoNuvkicM/2YFzlpDgAB0evKSsB4G/FA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/postcss": {
  "version": "8.5.13",
  "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.13.tgz",
  "integrity":
"sha512-qif0+jGGZoLWdHey3UFHHWP0H7Gbmsk8T5VEqyYFbWqPr1XqvLGBbk/sl8V5exGmcYJklJ0h0Qq1pV9IcsiFag==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/postcss"
    }
  ],

```

MediAssist Project Bundle

```
{
  "type": "github",
  "url": "https://github.com/sponsors/ai"
},
{
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "nanoid": "^3.3.11",
    "picocolors": "^1.1.1",
    "source-map-js": "^1.2.1"
  },
  "engines": {
    "node": "^10 || ^12 || >=14"
  }
},
{
  "node_modules/postcss-import": {
    "version": "15.1.0",
    "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
    "integrity":
"sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8FALEw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "postcss-value-parser": "^4.0.0",
      "read-cache": "^1.0.0",
      "resolve": "^1.1.7"
    },
    "engines": {
      "node": ">=14.0.0"
    },
    "peerDependencies": {
      "postcss": "^8.0.0"
    }
  },
  "node_modules/postcss-js": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
    "integrity":
"sha512-oIAOTqgIo7q2E0wbhb8UalYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH90Ks/qAkfoj5oB3le/7mINW1LCfw==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
  },
}
```

MediAssist Project Bundle

```
"dependencies": {
  "camelcase-css": "^2.0.1"
},
"engines": {
  "node": "^12 || ^14 || >= 16"
},
"peerDependencies": {
  "postcss": "^8.4.21"
}
},
"node_modules/postcss-load-config": {
  "version": "6.0.1",
  "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.0.1.tgz",
  "integrity":
"sha512-oPtTM4oerL+UXmx+93ytZVN82RrLY/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKHT2HC20xXsCAH2Z+CKV60z/g==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "lilconfig": "^3.1.1"
  },
  "engines": {
    "node": ">= 18"
  },
  "peerDependencies": {
    "jiti": ">=1.21.0",
    "postcss": ">=8.0.9",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  },
  "peerDependenciesMeta": {
    "jiti": {
      "optional": true
    },
    "postcss": {
      "optional": true
    },
    "tsx": {
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  }
}
```


MediAssist Project Bundle

```
    }
  },
  "node_modules/postcss-nested": {
    "version": "6.2.0",
    "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
    "integrity":
"sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPglBstkpTEZfK5+AN9hfJocyBFCNiQyS48bpgzQ==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "postcss-selector-parser": "^6.1.1"
    },
    "engines": {
      "node": ">=12.0"
    },
    "peerDependencies": {
      "postcss": "^8.2.14"
    }
  },
  "node_modules/postcss-selector-parser": {
    "version": "6.1.2",
    "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.2.tgz",
    "integrity":
"sha512-Q8Z55UJqLUlVjD+t8uZ8QJ5ZnW6jdiXqZKZVRKRhUDaPDMHISwZAsd6CuH1YHcYjS+MnVqj8ZD6rjUwE6g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "cssesc": "^3.0.0",
      "util-deprecate": "^1.0.2"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/postcss-value-parser": {
    "version": "4.2.0",
    "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz",
    "integrity":
"sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLD5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==",
    "dev": true,
    "license": "MIT"
  },
}
```

MediAssist Project Bundle

```
"node_modules/property-information": {
  "version": "7.1.0",
  "resolved": "https://registry.npmjs.org/property-information/-/property-information-7.1.0.tgz",
  "integrity":
"sha512-TwEZ+X+yCJmYfL7TPU0cvBZ4QfoT5YenQiJuX//0th53DE6w0xxLEtfK3iyryQFddXuvkIk51EEgrJQ0WJkOmQ==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/proxy-from-env": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
  "integrity":
"sha512-cJ+oHTW1VAEa8cJsIgmUZrc+sJRKgAKl3Zyse6+PV38hZe/V6Z14TbCuXcan9F9ghlz4QrFr2c92TNF82UkYHA==",
  "license": "MIT",
  "engines": {
    "node": ">=10"
  }
},
"node_modules/queue-microtask": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
  "integrity":
"sha512-NuaNSa6f1KT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "MIT"
},
"node_modules/react": {
  "version": "18.3.1",
  "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
  "integrity":
"sha512-wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WIcV+i7F2pTVj+2iQ==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "loose-envify": "^1.1.0"
  }
}
```

MediAssist Project Bundle

```
{,
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/react-dom": {
  "version": "18.3.1",
  "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
  "integrity":
"sha512-5m4nQKp+rZRB09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==",
  "license": "MIT",
  "peer": true,
  "dependencies": {
    "loose-envify": "^1.1.0",
    "scheduler": "^0.23.2"
  },
  "peerDependencies": {
    "react": "^18.3.1"
  }
},
"node_modules/react-hot-toast": {
  "version": "2.6.0",
  "resolved": "https://registry.npmjs.org/react-hot-toast/-/react-hot-toast-2.6.0.tgz",
  "integrity":
"sha512-bH+2EBMZ4sdyou/DPrfgIouFpcRLCJ+HoCA32UoAYHn6T3Ur5yfcDCeSr5mwldl6pF0siocmrXMuoCJ1vV8bwg==",
  "license": "MIT",
  "dependencies": {
    "csstype": "^3.1.3",
    "goober": "^2.1.16"
  },
  "engines": {
    "node": ">=10"
  },
  "peerDependencies": {
    "react": ">=16",
    "react-dom": ">=16"
  }
},
"node_modules/react-markdown": {
  "version": "9.1.0",
  "resolved": "https://registry.npmjs.org/react-markdown/-/react-markdown-9.1.0.tgz",
  "integrity":
"sha512-xaijuJB0kzGiUdG7nc2MOMDUDBWPyGAjZtUrow9XxUeua8IqeP+VlIfAZ3bphpcLTnSZXz6z9jcVC/TCwbfgdw==",
  "license": "MIT",
  "dependencies": {
    "@types/hast": "^3.0.0",
    "@types/mdast": "^4.0.0",
    "devlop": "^1.0.0",
    "hast-util-to-jsx-runtime": "^2.0.0",
    "html-url-attributes": "^3.0.0",
    "mdast-util-to-hast": "^13.0.0",
    "remark-parse": "^11.0.0",

```

MediAssist Project Bundle

```
    "remark-rehype": "^11.0.0",
    "unified": "^11.0.0",
    "unist-util-visit": "^5.0.0",
    "vfile": "^6.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  },
  "peerDependencies": {
    "@types/react": ">=18",
    "react": ">=18"
  }
},
"node_modules/react-refresh": {
  "version": "0.17.0",
  "resolved": "https://registry.npmjs.org/react-refresh/-/react-refresh-0.17.0.tgz",
  "integrity":
"sha512-z6F7K9bV85EfseRCp2bzrpyQ0Gkw1uLoCel9XBVPg/TjRj94SkJzUTGf0a4bs7iJvBwtQG0Wq7wnI0syw3EBQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/react-router": {
  "version": "6.30.3",
  "resolved": "https://registry.npmjs.org/react-router/-/react-router-6.30.3.tgz",
  "integrity":
"sha512-XRnlbKMTmktBkjCLE8/XcZFlnHvr2Ltdr1eJX4idL55/9Bb0RzyZEaIkBFDhFGCEWBBItsVrDxwx3gnisMitdw==",
  "license": "MIT",
  "dependencies": {
    "@remix-run/router": "1.23.2"
  },
  "engines": {
    "node": ">=14.0.0"
  },
  "peerDependencies": {
    "react": ">=16.8"
  }
},
"node_modules/react-router-dom": {
  "version": "6.30.3",
  "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-6.30.3.tgz",
  "integrity":
"sha512-pxPcv1Aczd4vs07G4Z3TKcvlXK7g7Tnt3/FNGMhfqyntocvYKj+GCatfig6DjbLozC4baguJ0ReCigoDJXb0ag==",
  "license": "MIT",
  "dependencies": {
    "@remix-run/router": "1.23.2",
    "react-router": "6.30.3"
  },
  "engines": {
```

MediAssist Project Bundle

```
    "node": ">=14.0.0"
  },
  "peerDependencies": {
    "react": ">=16.8",
    "react-dom": ">=16.8"
  }
},
"node_modules/read-cache": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
  "integrity":
"sha512-Owdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF30WMQLxLfu3bS8FVhCsrSCMK4LR56Y9ya+ATh0TpDCTxCmpRA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "pify": "^2.3.0"
  }
},
"node_modules/readdirp": {
  "version": "3.6.0",
  "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
  "integrity":
"sha512-h0S089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To9VRlMzA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "picomatch": "^2.2.1"
  },
  "engines": {
    "node": ">=8.10.0"
  }
},
"node_modules/remark-parse": {
  "version": "11.0.0",
  "resolved": "https://registry.npmjs.org/remark-parse/-/remark-parse-11.0.0.tgz",
  "integrity":
"sha512-FCxLKLNGknS5ba/1lmpYijMUzX2esxW5xQqjWxw2eHFFS2MSdaHVINFMhjo+qN1WhZhNimq0dZATN9pH0IDrpA==",
  "license": "MIT",
  "dependencies": {
    "@types/mdast": "^4.0.0",
    "mdast-util-from-markdown": "^2.0.0",
    "micromark-util-types": "^2.0.0",
    "unified": "^11.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/remark-rehype": {
  "version": "11.1.2",
  "resolved": "https://registry.npmjs.org/remark-rehype/-/remark-rehype-11.1.2.tgz",
```

MediAssist Project Bundle

```
"integrity":
"sha512-Dh7l57ianaEoIpzbp0PC9UKAdCSVklD8E5Rpw7ETfbTl3Fqc00gq5q2LVDhgGCKaBv7p24JXikPdvhhmHvKMsw==",
"license": "MIT",
"dependencies": {
  "@types/hast": "^3.0.0",
  "@types/mdast": "^4.0.0",
  "mdast-util-to-hast": "^13.0.0",
  "unified": "^11.0.0",
  "vfile": "^6.0.0"
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/unified"
}
},
"node_modules/resolve": {
  "version": "1.22.12",
  "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.12.tgz",
  "integrity":
"sha512-TyeJ1zif53BPfHootBGWPRYT1Rut6oGWSaQr8UyZW/eAm9bKoijtvrusDEmZHM92CwsS9nj7/fWttqPCgzep8CA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "is-core-module": "^2.16.1",
    "path-parse": "^1.0.7",
    "supports-preserve-symlinks-flag": "^1.0.0"
  },
  "bin": {
    "resolve": "bin/resolve"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/reusify": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
  "integrity":
"sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWwspMh55TZfVQDPaN3NQJfbVRaxdIw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "iojs": ">=1.0.0",
    "node": ">=0.10.0"
  }
},
"node_modules/rollup": {
  "version": "4.60.2",
```

MediAssist Project Bundle

```
"resolved": "https://registry.npmjs.org/rollup/-/rollup-4.60.2.tgz",
"integrity":
"sha512-J9qZyW++QK/09NyN/ze00dG/1GdGfyp9lV8ajHnRVLfo/uFsbji5mHnDgn/qYdUHyCkM2N+8VyspgZclFh0eQ==",
"dev": true,
"license": "MIT",
"dependencies": {
  "@types/estree": "1.0.8"
},
"bin": {
  "rollup": "dist/bin/rollup"
},
"engines": {
  "node": ">=18.0.0",
  "npm": ">=8.0.0"
},
"optionalDependencies": {
  "@rollup/rollup-android-arm-eabi": "4.60.2",
  "@rollup/rollup-android-arm64": "4.60.2",
  "@rollup/rollup-darwin-arm64": "4.60.2",
  "@rollup/rollup-darwin-x64": "4.60.2",
  "@rollup/rollup-freebsd-arm64": "4.60.2",
  "@rollup/rollup-freebsd-x64": "4.60.2",
  "@rollup/rollup-linux-arm-gnueabihf": "4.60.2",
  "@rollup/rollup-linux-arm-musleabihf": "4.60.2",
  "@rollup/rollup-linux-arm64-gnu": "4.60.2",
  "@rollup/rollup-linux-arm64-musl": "4.60.2",
  "@rollup/rollup-linux-loong64-gnu": "4.60.2",
  "@rollup/rollup-linux-loong64-musl": "4.60.2",
  "@rollup/rollup-linux-ppc64-gnu": "4.60.2",
  "@rollup/rollup-linux-ppc64-musl": "4.60.2",
  "@rollup/rollup-linux-riscv64-gnu": "4.60.2",
  "@rollup/rollup-linux-riscv64-musl": "4.60.2",
  "@rollup/rollup-linux-s390x-gnu": "4.60.2",
  "@rollup/rollup-linux-x64-gnu": "4.60.2",
  "@rollup/rollup-linux-x64-musl": "4.60.2",
  "@rollup/rollup-openbsd-x64": "4.60.2",
  "@rollup/rollup-openharmony-arm64": "4.60.2",
  "@rollup/rollup-win32-arm64-msvc": "4.60.2",
  "@rollup/rollup-win32-ia32-msvc": "4.60.2",
  "@rollup/rollup-win32-x64-gnu": "4.60.2",
  "@rollup/rollup-win32-x64-msvc": "4.60.2",
  "fsevents": "~2.3.2"
}
},
"node_modules/run-parallel": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
  "integrity":
"sha512-J9qZyW++QK/09NyN/ze00dG/1GdGfyp9lV8ajHnRVLfo/uFsbji5mHnDgn/qYdUHyCkM2N+8VyspgZclFh0eQ==",
  "dev": true,
  "funding": [
    {

```

MediAssist Project Bundle

```
    "type": "github",
    "url": "https://github.com/sponsors/feross"
  },
  {
    "type": "patreon",
    "url": "https://www.patreon.com/feross"
  },
  {
    "type": "consulting",
    "url": "https://feross.org/support"
  }
],
"license": "MIT",
"dependencies": {
  "queue-microtask": "^1.2.2"
},
"node_modules/scheduler": {
  "version": "0.23.2",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
  "integrity":
"sha512-U0ShsPwz7NrMUqhR6t0hwjFduvOzbtv7toDH1/hIrfRNIDBnnBwd0CwJTGvTpngVlmwGCdP9/Zl/tVrDqcuYzQ==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.1.0"
  }
},
"node_modules/semver": {
  "version": "6.3.1",
  "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
  "integrity":
"sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxT06XjMZA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  }
},
"node_modules/source-map-js": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
  "integrity":
"sha512-Ux9yV8Tq8VfwhUXv0i4JwDQFvIj+XtIcbJwB27a3jIjJX+Xozv8Kp5tYj3uQv/sU1f2IWzXgTgh3d5rItA==",
  "dev": true,
  "license": "BSD-3-Clause",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/space-separated-tokens": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/space-separated-tokens/-/space-separated-tokens-2.0.2.tgz",
```


MediAssist Project Bundle

```
"integrity":
"sha512-PEGlAwRG8yXGXRjW32fGbg66JA10AwB0buqVoJpv/mRgoWDQfgH1wDPvtzWyUSNAXBGSk8h755YDbbcEy3SH2Q==",
"license": "MIT",
"funding": {
  "type": "github",
  "url": "https://github.com/sponsors/wooorm"
}
},
"node_modules/stringify-entities": {
  "version": "4.0.4",
  "resolved": "https://registry.npmjs.org/stringify-entities/-/stringify-entities-4.0.4.tgz",
  "integrity":
"sha512-IwfBptatl0+QCJUo19AqvrPNqlVMpw9YEL2LIVY+Rpv2qsjCGxaDLNRgeGsQWJhfItebuJhsGSLjaBbNSQ+ieg==",
  "license": "MIT",
  "dependencies": {
    "character-entities-html4": "^2.0.0",
    "character-entities-legacy": "^3.0.0"
  },
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/style-to-js": {
  "version": "1.1.21",
  "resolved": "https://registry.npmjs.org/style-to-js/-/style-to-js-1.1.21.tgz",
  "integrity":
"sha512-RjqetxJrrUJLQPHbLku6U/ocGtzyjbJMP9lCNK7Ag0CNh690nSH8woqWH9u16nMjYBAok+i7J01NP2p0y8IsPQ==",
  "license": "MIT",
  "dependencies": {
    "style-to-object": "1.0.14"
  }
},
"node_modules/style-to-object": {
  "version": "1.0.14",
  "resolved": "https://registry.npmjs.org/style-to-object/-/style-to-object-1.0.14.tgz",
  "integrity":
"sha512-LIN7rULI0jBscwQYasSswptyderlarFkjQ+t79nzty8tcIAceVomEVlLzH5VP4Cmsv6MtKhs7qaAiwlcp+Mgaxw==",
  "license": "MIT",
  "dependencies": {
    "inline-style-parser": "0.2.7"
  }
},
"node_modules/sucrase": {
  "version": "3.35.1",
  "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
  "integrity":
"sha512-DhuTmvZWux4H1U0nWMB3sk0sbaCV0oQZjv8u1rDoTV0HTdGem9hkAZtL4JZy8P2z4Bg0nT+YMe0FyVr4zcG5Tw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/gen-mapping": "^0.3.2",
```

MediAssist Project Bundle

```
"commander": "^4.0.0",
"lines-and-columns": "^1.1.6",
"mz": "^2.7.0",
"pirates": "^4.0.1",
"tinyglobby": "^0.2.11",
"ts-interface-checker": "^0.1.9"
},
"bin": {
  "sucrase": "bin/sucrase",
  "sucrase-node": "bin/sucrase-node"
},
"engines": {
  "node": ">=16 || 14 >=14.17"
}
},
"node_modules/supports-preserve-symlinks-flag": {
  "version": "1.0.0",
  "resolved":
"https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
  "integrity":
"sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MA0w==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/tailwindcss": {
  "version": "3.4.19",
  "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
  "integrity":
"sha512-3ofp+LL8E+pK/JuPLPgqVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBlUUVaF8PyCHcm48cKLWQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@alloc/quick-lru": "^5.2.0",
    "arg": "^5.0.2",
    "chokidar": "^3.6.0",
    "didyoumean": "^1.2.2",
    "dlv": "^1.1.3",
    "fast-glob": "^3.3.2",
    "glob-parent": "^6.0.2",
    "is-glob": "^4.0.3",
    "jiti": "^1.21.7",
    "lilconfig": "^3.1.3",
    "micromatch": "^4.0.8",
    "normalize-path": "^3.0.0",
    "object-hash": "^3.0.0",
    "picocolors": "^1.1.1",
```

MediAssist Project Bundle

```
    "postcss": "^8.4.47",
    "postcss-import": "^15.1.0",
    "postcss-js": "^4.0.1",
    "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
    "postcss-nested": "^6.2.0",
    "postcss-selector-parser": "^6.1.2",
    "resolve": "^1.22.8",
    "sucrase": "^3.35.0"
  },
  "bin": {
    "tailwind": "lib/cli.js",
    "tailwindcss": "lib/cli.js"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/thenify": {
  "version": "3.3.1",
  "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
  "integrity":
"sha512-RVZSIV5IG10HK3enotrhrvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmNllzWPwak+bheSw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "any-promise": "^1.0.0"
  }
},
"node_modules/thenify-all": {
  "version": "1.6.0",
  "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
  "integrity":
"sha512-RNxQH/qI8/t3thXJDwcstU04zeqo64+Uy/+sNVRBx4Xn20X+OZ9oP+iJnNFqplFra2ZUVEKCSa2oVwi3T4uVmA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "thenify": ">= 3.1.0 < 4"
  },
  "engines": {
    "node": ">=0.8"
  }
},
"node_modules/tinyglobby": {
  "version": "0.2.16",
  "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.16.tgz",
  "integrity":
"sha512-pn99VhoACYR8nFHxhqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52UxWRLy8pu+kRMniEi6Eq9Zg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.4"
  }
}
```

MediAssist Project Bundle

```
{,
  "engines": {
    "node": ">=12.0.0"
  },
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
},
"node_modules/tinyglobby/node_modules/fdir": {
  "version": "6.5.0",
  "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
  "integrity":
"sha512-tIbYtZbuc0s0BRGqPJkshJUYdL+SDH7dVM8ggy+ERp3WAUjLEFJE+02kanyHtwjW0nwrKYBiwAmM0p4kLJAnXg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12.0.0"
  },
  "peerDependencies": {
    "picomatch": "^3 || ^4"
  },
  "peerDependenciesMeta": {
    "picomatch": {
      "optional": true
    }
  }
},
"node_modules/tinyglobby/node_modules/picomatch": {
  "version": "4.0.4",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
  "integrity":
"sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHXGYIzFhg6fUQ+5th6P4dv4ew9jX3DSIj7A==",
  "dev": true,
  "license": "MIT",
  "peer": true,
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/to-regexp-range": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/to-regexp-range/-/to-regexp-range-5.0.1.tgz",
  "integrity":
"sha512-6SP7iz6X5yEr1cwcgvQxbbIw7Uk3g0y5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-number": "^7.0.0"
  },
},
```

MediAssist Project Bundle

```
"engines": {
  "node": ">=8.0"
},
"node_modules/trim-lines": {
  "version": "3.0.1",
  "resolved": "https://registry.npmjs.org/trim-lines/-/trim-lines-3.0.1.tgz",
  "integrity":
"sha512-kRj8B+YHZCc9kQYdWfJB2/oUl9rA99qbowYYBtr4ui4mZyAQ2JpvVBd/6U2YloATfqBhBTSMhTpgBHTU0Mf3Rg==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/trough": {
  "version": "2.2.0",
  "resolved": "https://registry.npmjs.org/trough/-/trough-2.2.0.tgz",
  "integrity":
"sha512-tmMpK00BjZiUyVyvrBK7knerNgmgvcV/KLVyuma/SC+TQN167GrMRciANTz09+k3zW8L8t60jW01GpfkZdjTaw==",
  "license": "MIT",
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/wooorm"
  }
},
"node_modules/ts-interface-checker": {
  "version": "0.1.13",
  "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz",
  "integrity":
"sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52j0090PnPSc3Ur3bTQw0gA==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/tslib": {
  "version": "2.8.1",
  "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
  "integrity":
"sha512-oJFu94HQb+KVduSUQL7wnpmqnfmls0A/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83Mk0uHPRHtSXKKU99IBazS/2w==",
  "license": "0BSD"
},
"node_modules/unified": {
  "version": "11.0.5",
  "resolved": "https://registry.npmjs.org/unified/-/unified-11.0.5.tgz",
  "integrity":
"sha512-xKvGhPww3k84Qjh8bI3ZeJjqnyadK+GEFtazSfZv/rKeTkTj0Jho6mFqh2SM96iIcZokxi0pg78GazTSg8+KHA==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0",
    "bail": "^2.0.0",
    "devlop": "^1.0.0",
    "extend": "^3.0.0",

```

MediAssist Project Bundle

```
    "is-plain-obj": "^4.0.0",
    "trough": "^2.0.0",
    "vfile": "^6.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/unist-util-is": {
  "version": "6.0.1",
  "resolved": "https://registry.npmjs.org/unist-util-is/-/unist-util-is-6.0.1.tgz",
  "integrity":
"sha512-LsiILbtBETkDz8I9p1dQ0uyRUWuaQzd/cuEeS1hoRSyW5E5XGmTzlwY10rNzzakGowI9Dr/I8HVaw4hTtnxy8g==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/unist-util-position": {
  "version": "5.0.0",
  "resolved": "https://registry.npmjs.org/unist-util-position/-/unist-util-position-5.0.0.tgz",
  "integrity":
"sha512-fucsC7HjXvkB5R3kTC07kUjRdrS0BJt3M/FPxmHMB0m8JQi2B5SHAHSy27E0EoLP8rp0NzXsJ+jNPYDwV0JZPA==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/unist-util-stringify-position": {
  "version": "4.0.0",
  "resolved":
"https://registry.npmjs.org/unist-util-stringify-position/-/unist-util-stringify-position-4.0.0.tgz",
  "integrity":
"sha512-0ASV06AAoKCDks2+wx5RXJywrurpbC4JZSm7nr7M0t1ojAzvyya0+UxZf18j8FCF6kmzCZKcAgN/yu2gm2XgQ==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
},
```

MediAssist Project Bundle

```
"node_modules/unist-util-visit": {
  "version": "5.1.0",
  "resolved": "https://registry.npmjs.org/unist-util-visit/-/unist-util-visit-5.1.0.tgz",
  "integrity":
"sha512-m+vIdyeC0pdr/QeQCu2Ezxx/ohgS8KbnPDgFni4dQsfSCTpz8UqDyY5GjRru8PDKuYn7Fq19j1CQ+nJSsGKOzg==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0",
    "unist-util-is": "^6.0.0",
    "unist-util-visit-parents": "^6.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/unist-util-visit-parents": {
  "version": "6.0.2",
  "resolved": "https://registry.npmjs.org/unist-util-visit-parents/-/unist-util-visit-parents-6.0.2.tgz",
  "integrity":
"sha512-goh1s1TBrqSqskSc8wrjwWhL0hiJxgA8m4kFxGlQ+8FYQ3C/m11FcTs4YYem7V664AhHVvgoQLk890Ssdsr2IQ==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0",
    "unist-util-is": "^6.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/update-browserslist-db": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
  "integrity":
"sha512-Js0m9cx+q0gDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/browserslist"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",

```

MediAssist Project Bundle

```
"dependencies": {
  "escalade": "^3.2.0",
  "picocolors": "^1.1.1"
},
"bin": {
  "update-browserslist-db": "cli.js"
},
"peerDependencies": {
  "browserslist": ">= 4.21.0"
}
},
"node_modules/util-deprecate": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
  "integrity":
"sha512-EPD5q1uXyFxJpCrLnCc1nHnq3g0a6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/vfile": {
  "version": "6.0.3",
  "resolved": "https://registry.npmjs.org/vfile/-/vfile-6.0.3.tgz",
  "integrity":
"sha512-KzIbH/9tXat2u30jf+smMwFCsno4wHVdNmzFyL+T/L3UGqqk6JKfVq0F0ZEpZSHADH1k40ab6NUIXZq422ov3Q==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0",
    "vfile-message": "^4.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/vfile-message": {
  "version": "4.0.3",
  "resolved": "https://registry.npmjs.org/vfile-message/-/vfile-message-4.0.3.tgz",
  "integrity":
"sha512-QTHzsGd1EhbZs4AsQ20JX1rC3c0lt/IWJruk893DfLRr57lcn0eMawG4K0JrRta4mIJZKth2Au3mM3u03/JWKw==",
  "license": "MIT",
  "dependencies": {
    "@types/unist": "^3.0.0",
    "unist-util-stringify-position": "^4.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/unified"
  }
},
"node_modules/vite": {
  "version": "5.4.21",
  "resolved": "https://registry.npmjs.org/vite/-/vite-5.4.21.tgz",
```


MediAssist Project Bundle

```
"integrity":
"sha512-o5a9xKjbtuhY6Bi5S3+HvbRERmouabWbyUcpXXUA1u+GNUKoR0i9byOJ8M0nHbHYHkYICiMlqxkg1KkYmm25Sw==",
"dev": true,
"license": "MIT",
"peer": true,
"dependencies": {
  "esbuild": "^0.21.3",
  "postcss": "^8.4.43",
  "rollup": "^4.20.0"
},
"bin": {
  "vite": "bin/vite.js"
},
"engines": {
  "node": "^18.0.0 || >=20.0.0"
},
"funding": {
  "url": "https://github.com/vitejs/vite?sponsor=1"
},
"optionalDependencies": {
  "fsevents": "~2.3.3"
},
"peerDependencies": {
  "@types/node": "^18.0.0 || >=20.0.0",
  "less": "*",
  "lightningcss": "^1.21.0",
  "sass": "*",
  "sass-embedded": "*",
  "stylus": "*",
  "sugarss": "*",
  "terser": "^5.4.0"
},
"peerDependenciesMeta": {
  "@types/node": {
    "optional": true
  },
  "less": {
    "optional": true
  },
  "lightningcss": {
    "optional": true
  },
  "sass": {
    "optional": true
  },
  "sass-embedded": {
    "optional": true
  },
  "stylus": {
    "optional": true
  },
  "sugarss": {
```

MediAssist Project Bundle

```
      "optional": true
    },
    "terser": {
      "optional": true
    }
  },
  "node_modules/yallist": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
    "integrity":
"sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPkFT7h3K6T0oUNn2pb7RoXx4g==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/zwitch": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/zwitch/-/zwitch-2.0.4.tgz",
    "integrity":
"sha512-bXE4cR/kVZhKZX/RjPEflHakVhUVl85noU3v6b8apfQEc1x4A+zBxjZ4lN8LqGd6WZ3dl98pY4o717VFmoPp+A==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/wooorm"
    }
  }
}
```

MediAssist Project Bundle

mediassist\frontend\package.json

```
{
  "name": "mediassist-ai",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "react": "^18.2.0",
    "react-dom": "^18.2.0",
    "react-router-dom": "^6.20.0",
    "framer-motion": "^10.16.5",
    "axios": "^1.6.2",
    "react-markdown": "^9.0.1",
    "lucide-react": "^0.294.0",
    "react-hot-toast": "^2.4.1"
  },
  "devDependencies": {
    "@types/react": "^18.2.37",
    "@types/react-dom": "^18.2.15",
    "@vitejs/plugin-react": "^4.2.0",
    "autoprefixer": "^10.4.16",
    "postcss": "^8.4.31",
    "tailwindcss": "^3.3.5",
    "vite": "^5.0.0"
  }
}
```

MediAssist Project Bundle

`mediassist\frontend\postcss.config.js`

```
export default {  
  plugins: {  
    tailwindcss: {},  
    autoprefixer: {},  
  },  
}
```

MediAssist Project Bundle

mediassist\frontend\src\App.jsx

```
import { Routes, Route } from 'react-router-dom'
import { Toaster } from 'react-hot-toast'
import LandingPage from '../pages/LandingPage'
import ChatPage from '../pages/ChatPage'

export default function App() {
  return (
    <>
      <Toaster
        position="top-right"
        toastOptions={{
          style: {
            background: '#0a1628',
            color: '#e2e8f0',
            border: '1px solid rgba(255,255,255,0.08)',
            fontSize: '13px',
          },
        }}
      />
      <Routes>
        <Route path="/" element={<LandingPage />} />
        <Route path="/chat" element={<ChatPage />} />
      </Routes>
    </>
  )
}
```

MediAssist Project Bundle

mediassist\frontend\src\components\ChatInput.jsx

```
import { useState, useRef } from 'react'
import { motion } from 'framer-motion'

const QUICK_QUESTIONS = [
  'What causes fever?',
  'Symptoms of flu?',
  'How to manage diabetes?',
  'What is hypertension?',
  'Headache remedies?',
]

export default function ChatInput({ onSend, isLoading }) {
  const [value, setValue] = useState('')
  const textareaRef = useRef(null)

  const handleSubmit = () => {
    const q = value.trim()
    if (!q || isLoading) return
    onSend(q)
    setValue('')
    if (textareaRef.current) {
      textareaRef.current.style.height = 'auto'
    }
  }

  const handleKeyDown = (e) => {
    if (e.key === 'Enter' && !e.shiftKey) {
      e.preventDefault()
      handleSubmit()
    }
  }

  const handleInput = (e) => {
    setValue(e.target.value)
    const ta = textareaRef.current
    if (ta) {
      ta.style.height = 'auto'
      ta.style.height = Math.min(ta.scrollHeight, 140) + 'px'
    }
  }

  return (
    <div className="border-t border-[var(--glass-border)] bg-[var(--midnight)] p-4 space-y-3">
      <div className="flex gap-2 overflow-x-auto pb-1 scrollbar-hide">
        {QUICK_QUESTIONS.map((q) => (
          <button
            key={q}
            onClick={() => { setValue(q); textareaRef.current?.focus() }}
            className="flex-shrink-0 text-xs px-3 py-1.5 rounded-full glass-card glass-card-hover"
          />
        ))}
      </div>
    </div>
  )
}
```

MediAssist Project Bundle

```
text-[var(--text-secondary)] hover:text-teal-300 transition-colors whitespace-nowrap"
    >
      {q}
    </button>
  )}}
</div>

{/* Input row */}
<div className="flex items-end gap-3">
  <div className="flex-1 glass-card rounded-2xl px-4 py-3 flex items-end gap-3
focus-within:border-teal-500/40 transition-colors">
    <textarea
      ref={textareaRef}
      value={value}
      onChange={handleInput}
      onKeyDown={handleKeyDown}
      placeholder="Describe your symptoms or ask a medical question?"
      rows={1}
      disabled={isLoading}
      className="flex-1 bg-transparent resize-none outline-none text-sm text-[var(--text-primary)]
placeholder-[var(--text-muted)] leading-relaxed max-h-[140px] disabled:opacity-50"
    />
    <span className="text-xs text-[var(--text-muted)] self-center flex-shrink-0 hidden sm:block">
      {value.length}/1000
    </span>
  </div>

  {/* Send button */}
  <motion.button
    whileHover={{ scale: 1.05 }}
    whileTap={{ scale: 0.95 }}
    onClick={handleSubmit}
    disabled={!value.trim() || isLoading}
    className="w-12 h-12 rounded-xl btn-primary flex items-center justify-center flex-shrink-0
disabled:opacity-40 disabled:cursor-not-allowed disabled:transform-none transition-all"
  >
    {isLoading ? (
      <svg className="w-5 h-5 text-white animate-spin" fill="none" viewBox="0 0 24 24">
        <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
        <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8v0C5.373 0 0 5.373 0 12h4z"
      />
      </svg>
    ) : (
      <svg className="w-5 h-5 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 19l9 2-9-18-9 18z"
      />
      </svg>
    )}
  </motion.button>
</div>

{/* Disclaimer */}
```

MediAssist Project Bundle

```
<p className="text-center text-xs text-[var(--text-muted)]">
  ?? MediAssist AI is for informational purposes only. Always consult a licensed healthcare professional.
</p>
</div>
)
}
```


MediAssist Project Bundle

mediassist\frontend\src\components\ChatMessage.jsx

```
import { motion } from 'framer-motion'
import { useEffect, useState, useRef } from 'react'
import { highlightKeywords } from '../utils/highlight'

function TypewriterText({ text, onComplete }) {
  const [displayed, setDisplayed] = useState('')
  const [done, setDone] = useState(false)
  const indexRef = useRef(0)

  useEffect(() => {
    indexRef.current = 0
    setDisplayed('')
    setDone(false)

    const interval = setInterval(() => {
      if (indexRef.current < text.length) {
        setDisplayed(text.slice(0, indexRef.current + 1))
        indexRef.current++
      } else {
        clearInterval(interval)
        setDone(true)
        onComplete?.()
      }
    }, 8)

    return () => clearInterval(interval)
  }, [text])

  const highlighted = highlightKeywords(displayed)

  return (
    <div
      className="prose-medical text-sm leading-relaxed"
      dangerouslySetInnerHTML={{ __html: highlighted }}
    />
  )
}

function SourceBadge({ source }) {
  const categoryColors = {
    general: 'bg-blue-500/10 text-blue-300 border-blue-500/20',
    respiratory: 'bg-cyan-500/10 text-cyan-300 border-cyan-500/20',
    neurological: 'bg-purple-500/10 text-purple-300 border-purple-500/20',
    endocrine: 'bg-amber-500/10 text-amber-300 border-amber-500/20',
    cardiovascular: 'bg-red-500/10 text-red-300 border-red-500/20',
    immunology: 'bg-green-500/10 text-green-300 border-green-500/20',
    musculoskeletal: 'bg-orange-500/10 text-orange-300 border-orange-500/20',
    mental_health: 'bg-pink-500/10 text-pink-300 border-pink-500/20',
    infectious: 'bg-teal-500/10 text-teal-300 border-teal-500/20',
  }
}
```

MediAssist Project Bundle

```
const color = categoryColors[source.category] || 'bg-gray-500/10 text-gray-300 border-gray-500/20'

return (
  <span className={`inline-flex items-center gap-1 px-2 py-0.5 rounded-full border text-xs font-medium
${color}`}>
    <span className="w-1 h-1 rounded-full bg-current opacity-70" />
    {source.title.length > 30 ? source.title.slice(0, 28) + '?' : source.title}
  </span>
)
}

export default function ChatMessage({ message, isNew = false }) {
  const [typed, setTyped] = useState(!isNew)
  const isUser = message.role === 'user'
  const isError = message.role === 'error'

  const timeStr = message.timestamp
    ? new Date(message.timestamp).toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' })
    : ''

  if (isUser) {
    return (
      <motion.div
        initial={{ opacity: 0, x: 20 }}
        animate={{ opacity: 1, x: 0 }}
        transition={{ duration: 0.3 }}
        className="flex justify-end px-4 py-1.5"
      >
        <div className="max-w-[75%]">
          <div className="bg-gradient-to-br from-teal-500 to-teal-600 rounded-2xl rounded-tr-sm px-4 py-3
shadow-lg">
            <p className="text-white text-sm leading-relaxed">{message.content}</p>
          </div>
          <p className="text-xs text-[var(--text-muted)] text-right mt-1 mr-1">{timeStr}</p>
        </div>
      </motion.div>
    )
  }

  if (isError) {
    return (
      <motion.div
        initial={{ opacity: 0, x: -20 }}
        animate={{ opacity: 1, x: 0 }}
        className="flex items-start gap-3 px-4 py-1.5"
      >
        <div className="w-8 h-8 rounded-full bg-red-500/20 border border-red-500/30 flex items-center
justify-center flex-shrink-0">
          <svg className="w-4 h-4 text-red-400" fill="none" viewBox="0 0 24 24" stroke="currentColor">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 9v2m0 4h.01m-6.938
4h13.856c1.54 0 2.502-1.667 1.732-3L13.732 4c-.77-1.333-2.694-1.333-3.464 0L3.34 16c-.77 1.333.192 3 1.732 3z"
          />
        </div>
      </div>
    )
  }
}
```

MediAssist Project Bundle

```
        </svg>
      </div>
      <div className="glass-card border-red-500/20 rounded-2xl rounded-tl-sm px-4 py-3 max-w-[80%]">
        <p className="text-red-300 text-sm">{message.content}</p>
      </div>
    </motion.div>
  )
}

// Assistant message
return (
  <motion.div
    initial={{ opacity: 0, x: -20 }}
    animate={{ opacity: 1, x: 0 }}
    transition={{ duration: 0.3 }}
    className="flex items-start gap-3 px-4 py-1.5"
  >
    { /* Avatar */}
    <div className="w-8 h-8 rounded-full bg-gradient-to-br from-teal-500 to-cyan-400 flex items-center
justify-center flex-shrink-0 shadow-lg">
      <svg className="w-4 h-4 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 3H5a2 2 0 0 2 2v4m6-6h10a2
2 0 0 2 2v4M9 3v18m0 0h10a2 2 0 0 2 2v4m6-6h10a2 2 0 0 2 2v4m6-6h10a2 2 0 0 2 2v4m6-6h10a2 2 0 0 2 2v4" />
      </svg>
    </div>

    <div className="max-w-[80%] space-y-2">
      { /* Mode badge */}
      {message.mode && (
        <div className="flex items-center gap-2">
          <span className={`inline-flex items-center gap-1 text-xs px-2 py-0.5 rounded-full border
font-medium
      ${message.aiPowered
        ? 'bg-teal-500/10 text-teal-300 border-teal-500/20'
        : 'bg-amber-500/10 text-amber-300 border-amber-500/20'
      }`}>
            <span className={`w-1.5 h-1.5 rounded-full ${message.aiPowered ? 'bg-teal-400' :
'bg-amber-400'}`} />
            {message.aiPowered ? 'AI-Powered' : 'Context-Based (Offline)'}
          </span>
          {message.responseTimeMs && (
            <span className="text-xs text-[var(--text-muted)]">{message.responseTimeMs}ms</span>
          )}
        </div>
      )}

      { /* Message bubble */}
      <div className="glass-card rounded-2xl rounded-tl-sm px-4 py-3">
        {isNew && !typed ? (
          <TypewriterText text={message.content} onComplete={() => setTyped(true)} />
        ) : (
          <div
```

MediAssist Project Bundle

```
        className="prose-medical text-sm leading-relaxed"
        dangerouslySetInnerHTML={{ __html: highlightKeywords(message.content) }}
    />
  )}
</div>

{/* Sources */}
{message.sources && message.sources.length > 0 && (
  <motion.div
    initial={{ opacity: 0, y: 5 }}
    animate={{ opacity: 1, y: 0 }}
    transition={{ delay: 0.3 }}
    className="flex flex-wrap gap-1.5"
  >
    <span className="text-xs text-[var(--text-muted)] self-center">Sources:</span>
    {message.sources.map((src, i) => (
      <SourceBadge key={i} source={src} />
    ))}
  </motion.div>
)}

<p className="text-xs text-[var(--text-muted)]">{timeStr}</p>
</div>
</motion.div>
)
}
```

MediAssist Project Bundle

mediassist\frontend\src\components\Sidebar.jsx

```
import { motion, AnimatePresence } from 'framer-motion'
import { useState } from 'react'

function formatTime(ts) {
  if (!ts) return ''
  return new Date(ts).toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' })
}

export default function Sidebar({ messages, onClear, onClose, isOpen }) {
  const [confirmClear, setConfirmClear] = useState(false)

  const historyItems = messages.filter((m) => m.role === 'user')

  return (
    <>
      { /* Overlay (mobile) */ }
      <AnimatePresence>
        {isOpen && (
          <motion.div
            initial={{ opacity: 0 }}
            animate={{ opacity: 1 }}
            exit={{ opacity: 0 }}
            onClick={onClose}
            className="fixed inset-0 bg-black/50 z-20 lg:hidden"
          />
        )}
      </AnimatePresence>

      { /* Sidebar panel */ }
      <motion.aside
        initial={false}
        animate={{ x: isOpen ? 0 : '-100%' }}
        transition={{ type: 'spring', damping: 25, stiffness: 200 }}
        className="fixed lg:relative lg:translate-x-0 top-0 left-0 h-full w-72 glass-card border-r
border-[var(--glass-border)] flex flex-col z-30 lg:z-auto"
      >
        { /* Header */ }
        <div className="flex items-center justify-between px-4 py-4 border-b border-[var(--glass-border)]">
          <div className="flex items-center gap-2">
            <div className="w-7 h-7 rounded-lg bg-gradient-to-br from-teal-500 to-cyan-400 flex items-center
justify-center">
              <svg className="w-4 h-4 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M8 12h.01M12 12h.01M16
12h.01M21 12c0 4.418-4.03 8-9 8a9.863 9.863 0 01-4.255-.949L3 20l1.395-3.72C3.512 15.042 3 13.574 3 12c0-4.418
4.03-8 9-8s9 3.582 9 8z" />
              </svg>
            </div>
            <span className="text-sm font-semibold text-[var(--text-primary)]">Chat History</span>
          </div>
          <button
```

MediAssist Project Bundle

```
onClick={onClose}
className="lg:hidden p-1.5 rounded-lg hover:bg-white/5 transition-colors"
>
  <svg className="w-4 h-4 text-[var(--text-muted)]" fill="none" viewBox="0 0 24 24"
stroke="currentColor">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
  </svg>
</button>
</div>

{/* History list */}
<div className="flex-1 overflow-y-auto py-3 px-3 space-y-1">
  <AnimatePresence>
    {historyItems.length === 0 ? (
      <motion.div
        initial={{ opacity: 0 }}
        animate={{ opacity: 1 }}
        className="text-center py-8"
      >
        <div className="w-12 h-12 rounded-full bg-white/5 flex items-center justify-center mx-auto
mb-3">
          <svg className="w-6 h-6 text-[var(--text-muted)]" fill="none" viewBox="0 0 24 24"
stroke="currentColor">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M8 10h.01M12
10h.01M16 10h.01M9 16H5a2 2 0 01-2-2V6a2 2 0 012-2h14a2 2 0 012 2v8a2 2 0 01-2 2h-5l-5 5v-5z" />
          </svg>
        </div>
        <p className="text-xs text-[var(--text-muted)]">No questions yet.<br />Start a
consultation!</p>
      </motion.div>
    ) : (
      historyItems.map((msg, i) => (
        <motion.div
          key={msg.id}
          initial={{ opacity: 0, x: -10 }}
          animate={{ opacity: 1, x: 0 }}
          transition={{ delay: i * 0.03 }}
          className="glass-card glass-card-hover rounded-xl px-3 py-2.5 cursor-default"
        >
          <div className="flex items-start gap-2">
            <div className="w-5 h-5 rounded-full bg-teal-500/20 flex items-center justify-center
flex-shrink-0 mt-0.5">
              <svg className="w-2.5 h-2.5 text-teal-400" fill="currentColor" viewBox="0 0 20 20">
                <path fillRule="evenodd" d="M10 9a3 3 0 100-6 3 3 0 000 6zm-7 9a7 7 0 114 0H3z"
clipRule="evenodd" />
              </svg>
            </div>
            <div className="min-w-0">
              <p className="text-xs text-[var(--text-secondary)] leading-snug line-clamp-2">
                {msg.content}
              </p>
              <p className="text-[10px] text-[var(--text-muted)] mt-1">{formatTime(msg.timestamp)}</p>
            </div>
          </div>
        </motion.div>
      ))
    )
  </AnimatePresence>
</div>
```

MediAssist Project Bundle

```
        </div>
      </div>
    </motion.div>
  ))
})
</AnimatePresence>
</div>

{/* Footer actions */}
{historyItems.length > 0 && (
  <div className="px-3 py-3 border-t border-[var(--glass-border)]">
    <!confirmClear ? (
      <button
        onClick={() => setConfirmClear(true)}
        className="w-full text-xs text-[var(--text-muted)] hover:text-red-400 py-2 rounded-lg
hover:bg-red-500/5 transition-all flex items-center justify-center gap-2"
      >
        <svg className="w-3.5 h-3.5" fill="none" viewBox="0 0 24 24" stroke="currentColor">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 7l-.867 12.142A2 2
0 0116.138 21H7.862a2 2 0 01-1.995-1.858L5 7m5 4v6m4-6v6m1-10V4a1 1 0 00-1-1h-4a1 1 0 00-1 1v3M4 7h16" />
        </svg>
        Clear History
      </button>
    ) : (
      <div className="flex gap-2">
        <button
          onClick={() => { onClear(); setConfirmClear(false) }}
          className="flex-1 text-xs bg-red-500/20 text-red-300 border border-red-500/30 py-2 rounded-lg
hover:bg-red-500/30 transition-colors"
        >
          Confirm
        </button>
        <button
          onClick={() => setConfirmClear(false)}
          className="flex-1 text-xs glass-card text-[var(--text-secondary)] py-2 rounded-lg
hover:bg-white/5 transition-colors"
        >
          Cancel
        </button>
      </div>
    )}
  </div>
)}

{/* Brand */}
<div className="px-4 pb-4 pt-2 border-t border-[var(--glass-border)]">
  <p className="text-xs text-[var(--text-muted)] text-center">
    MediAssist AI v1.0 · RAG-Powered
  </p>
</div>
</motion.aside>
</>
```

MediAssist Project Bundle

```
)  
}
```


MediAssist Project Bundle

mediassist\frontend\src\components\TypingIndicator.jsx

```
import { motion } from 'framer-motion'

export default function TypingIndicator() {
  return (
    <motion.div
      initial={{ opacity: 0, y: 10 }}
      animate={{ opacity: 1, y: 0 }}
      exit={{ opacity: 0, y: -10 }}
      className="flex items-start gap-3 px-4 py-2"
    >
      { /* Avatar */ }
      <div className="w-8 h-8 rounded-full bg-gradient-to-br from-teal-500 to-cyan-400 flex items-center justify-center flex-shrink-0 pulse-ring">
        <svg className="w-4 h-4 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 3H5a2 2 0 0 2 2v4m6-6h10a2 2 0 0 2 2v4m9 3v4m0 0h10a2 2 0 0 2 2v4m-6-6h10a2 2 0 0 2 2v4m0 0h10a2 2 0 0 2 2v4m-6-6h10a2 2 0 0 2 2v4m0 0h10a2 2 0 0 2 2v4" />
        </svg>
      </div>

      <div className="glass-card rounded-2xl rounded-tl-sm px-4 py-3 flex items-center gap-1.5">
        <span className="text-xs text-[var(--text-muted)] mr-1">Analyzing</span>
        {[0, 1, 2].map((i) => (
          <span
            key={i}
            className="typing-dot inline-block w-1.5 h-1.5 rounded-full bg-teal-400"
            style={{ animationDelay: `${i * 0.2}s` }}
          />
        ))}
      </div>
    </motion.div>
  )
}
```

MediAssist Project Bundle

mediassist\frontend\src\hooks\useChat.js

```
import { useState, useCallback, useRef } from 'react'
import { askQuestion } from '../utils/api'

export function useChat() {
  const [messages, setMessages] = useState([])
  const [isLoading, setIsLoading] = useState(false)
  const [error, setError] = useState(null)
  const bottomRef = useRef(null)

  const scrollToBottom = () => {
    setTimeout(() => bottomRef.current?.scrollIntoView({ behavior: 'smooth' }), 50)
  }

  const sendMessage = useCallback(async (question) => {
    if (!question.trim() || isLoading) return

    const userMsg = {
      id: Date.now().toString(),
      role: 'user',
      content: question,
      timestamp: new Date().toISOString(),
    }

    setMessages((prev) => [...prev, userMsg])
    setIsLoading(true)
    setError(null)
    scrollToBottom()

    try {
      const response = await askQuestion(question)
      const assistantMsg = {
        id: response.id,
        role: 'assistant',
        content: response.answer,
        sources: response.sources,
        mode: response.mode,
        aiPowered: response.ai_powered,
        responseTimeMs: response.response_time_ms,
        timestamp: response.timestamp,
      }
      setMessages((prev) => [...prev, assistantMsg])
    } catch (err) {
      const errMsg = {
        id: Date.now().toString() + '_err',
        role: 'error',
        content:
          err.response?.data?.detail ||
          'Failed to connect to MediAssist AI backend. Please make sure the server is running.',
        timestamp: new Date().toISOString(),
      }
    }
  })
}
```

MediAssist Project Bundle

```
        setMessages((prev) => [...prev, errMsg])
        setError(err.message)
    } finally {
        setIsLoading(false)
        scrollToBottom()
    }
}, [isLoading])

const clearMessages = useCallback(() => {
    setMessages([])
    setError(null)
}, [])

return { messages, isLoading, error, sendMessage, clearMessages, bottomRef }
}
```

MediAssist Project Bundle

mediassist\frontend\src\index.css

```
@import
url('https://fonts.googleapis.com/css2?family=DM+Sans:wght@300;400;500;600;700&family=JetBrains+Mono:wght@400;500&display=swap');

@tailwind base;
@tailwind components;
@tailwind utilities;

:root {
  --midnight: #060d1a;
  --navy: #0a1628;
  --navy-light: #0f1f3d;
  --teal-400: #2dd4bf;
  --teal-500: #14b8a6;
  --teal-600: #0d9488;
  --teal-glow: rgba(45, 212, 191, 0.15);
  --glass-bg: rgba(255, 255, 255, 0.04);
  --glass-border: rgba(255, 255, 255, 0.08);
  --glass-hover: rgba(255, 255, 255, 0.07);
  --text-primary: #e2e8f0;
  --text-secondary: #94a3b8;
  --text-muted: #64748b;
}

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

html {
  scroll-behavior: smooth;
}

body {
  font-family: 'DM Sans', sans-serif;
  background-color: var(--midnight);
  color: var(--text-primary);
  min-height: 100vh;
  overflow-x: hidden;
  -webkit-font-smoothing: antialiased;
}

/* ?? Scrollbar ?????????????????????? */
::-webkit-scrollbar { width: 6px; }
::-webkit-scrollbar-track { background: transparent; }
::-webkit-scrollbar-thumb {
  background: rgba(45, 212, 191, 0.3);
  border-radius: 3px;
}
```

MediAssist Project Bundle

```
::-webkit-scrollbar-thumb:hover {
  background: rgba(45, 212, 191, 0.5);
}

/* ?? Glass card ?????????????????????? */
.glass-card {
  background: var(--glass-bg);
  border: 1px solid var(--glass-border);
  backdrop-filter: blur(16px);
  -webkit-backdrop-filter: blur(16px);
}

.glass-card-hover:hover {
  background: var(--glass-hover);
  border-color: rgba(45, 212, 191, 0.2);
  transition: all 0.2s ease;
}

/* ?? Gradient text ?????????????????????? */
.gradient-text {
  background: linear-gradient(135deg, #2dd4bf 0%, #818cf8 50%, #f472b6 100%);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  background-clip: text;
}

.gradient-text-teal {
  background: linear-gradient(135deg, #2dd4bf, #67e8f9);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  background-clip: text;
}

/* ?? Glow effects ?????????????????????? */
.teal-glow {
  box-shadow: 0 0 30px rgba(45, 212, 191, 0.15), 0 0 60px rgba(45, 212, 191, 0.05);
}

.teal-glow-text {
  text-shadow: 0 0 30px rgba(45, 212, 191, 0.5);
}

/* ?? Background mesh ?????????????????????? */
.mesh-bg {
  background-color: var(--midnight);
  background-image:
    radial-gradient(ellipse 80% 60% at 20% 10%, rgba(45, 212, 191, 0.08) 0%, transparent 60%),
    radial-gradient(ellipse 60% 50% at 80% 80%, rgba(99, 102, 241, 0.06) 0%, transparent 60%),
    radial-gradient(ellipse 40% 40% at 50% 50%, rgba(244, 114, 182, 0.03) 0%, transparent 70%);
}

/* ?? Typing animation ?????????????????????? */
```

MediAssist Project Bundle

```
@keyframes typing-dot {
  0%, 60%, 100% { opacity: 0.3; transform: translateY(0); }
  30% { opacity: 1; transform: translateY(-4px); }
}

.typing-dot {
  animation: typing-dot 1.4s ease-in-out infinite;
}

.typing-dot:nth-child(2) { animation-delay: 0.2s; }
.typing-dot:nth-child(3) { animation-delay: 0.4s; }

/* ?? Keyword highlight ???????????????? */
.keyword-highlight {
  background: rgba(45, 212, 191, 0.15);
  color: #2dd4bf;
  padding: 1px 4px;
  border-radius: 3px;
  font-weight: 500;
}

/* ?? Shimmer loading ?????????????????? */
@keyframes shimmer {
  0% { background-position: -200% 0; }
  100% { background-position: 200% 0; }
}

.shimmer {
  background: linear-gradient(90deg,
    rgba(255,255,255,0.03) 25%,
    rgba(255,255,255,0.08) 50%,
    rgba(255,255,255,0.03) 75%
  );
  background-size: 200% 100%;
  animation: shimmer 1.5s infinite;
}

/* ?? Pulse ring ?????????????????????? */
@keyframes pulse-ring {
  0% { transform: scale(0.95); box-shadow: 0 0 0 0 rgba(45, 212, 191, 0.4); }
  70% { transform: scale(1); box-shadow: 0 0 0 10px rgba(45, 212, 191, 0); }
  100% { transform: scale(0.95); box-shadow: 0 0 0 0 rgba(45, 212, 191, 0); }
}

.pulse-ring {
  animation: pulse-ring 2s ease-out infinite;
}

/* ?? Prose styles for markdown ?????????? */
.prose-medical h1, .prose-medical h2, .prose-medical h3 {
  color: #e2e8f0;
  font-weight: 600;
  margin: 0.75em 0 0.4em;
```

MediAssist Project Bundle

```
}
.prose-medical p { color: #cbd5e1; line-height: 1.7; margin-bottom: 0.75em; }
.prose-medical ul { padding-left: 1.25em; margin-bottom: 0.75em; }
.prose-medical li { color: #cbd5e1; margin-bottom: 0.3em; line-height: 1.6; }
.prose-medical strong { color: #e2e8f0; font-weight: 600; }
.prose-medical em { color: #94a3b8; font-style: italic; }

/* ?? Custom button ?????????????????? */
.btn-primary {
  background: linear-gradient(135deg, var(--teal-500), var(--teal-600));
  transition: all 0.2s ease;
}
.btn-primary:hover {
  background: linear-gradient(135deg, var(--teal-400), var(--teal-500));
  box-shadow: 0 8px 25px rgba(45, 212, 191, 0.3);
  transform: translateY(-1px);
}
.btn-primary:active {
  transform: translateY(0);
}
```

MediAssist Project Bundle

mediassist\frontend\src\main.jsx

```
import React from 'react'
import ReactDOM from 'react-dom/client'
import { BrowserRouter } from 'react-router-dom'
import App from './App.jsx'
import './index.css'

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <BrowserRouter>
      <App />
    </BrowserRouter>
  </React.StrictMode>
)
```


MediAssist Project Bundle

mediassist\frontend\src\pages\ChatPage.jsx

```
import { useState, useEffect } from 'react'
import { motion, AnimatePresence } from 'framer-motion'
import { useNavigate } from 'react-router-dom'
import { useChat } from '../hooks/useChat'
import ChatMessage from '../components/ChatMessage'
import ChatInput from '../components/ChatInput'
import Sidebar from '../components/Sidebar'
import TypingIndicator from '../components/TypingIndicator'
import { getHealth } from '../utils/api'

function WelcomeScreen({ onQuickAsk }) {
  const quickTopics = [
    { label: 'I have a fever', icon: '??' },
    { label: 'Cold and flu symptoms', icon: '?' },
    { label: 'Managing diabetes', icon: '?' },
    { label: 'Severe headache', icon: '?' },
    { label: 'High blood pressure', icon: '??' },
    { label: 'Asthma symptoms', icon: '?' },
  ]
}

return (
  <div className="flex flex-col items-center justify-center h-full px-6 text-center">
    <motion.div
      initial={{ opacity: 0, scale: 0.9 }}
      animate={{ opacity: 1, scale: 1 }}
      transition={{ duration: 0.5 }}
    >
      <div className="w-16 h-16 rounded-2xl bg-gradient-to-br from-teal-500 to-cyan-400 flex items-center justify-center mx-auto mb-5 shadow-2xl pulse-ring">
        <svg className="w-8 h-8 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M4.318 6.318a4.5 4.5 0 006.364L12 20.364l7.682-7.682a4.5 4.5 0 006.364-6.364L12 7.636l-1.318-1.318a4.5 4.5 0 00-6.364 0z" />
        </svg>
      </div>
      <h2 className="text-2xl font-bold text-[var(--text-primary)] mb-2">How can I help you today?</h2>
      <p className="text-[var(--text-secondary)] text-sm mb-8 max-w-sm">
        Describe your symptoms or ask a medical question. I'll provide RAG-powered, source-cited answers.
      </p>

      <div className="grid grid-cols-2 sm:grid-cols-3 gap-2 max-w-lg mx-auto">
        {quickTopics.map((t) => (
          <motion.button
            key={t.label}
            whileHover={{ scale: 1.03, y: -2 }}
            whileTap={{ scale: 0.97 }}
            onClick={() => onQuickAsk(t.label)}
            className="glass-card glass-card-hover rounded-xl px-3 py-3 text-left transition-all"
          >
            <span className="text-lg block mb-1">{t.icon}</span>
            <span className="text-xs text-[var(--text-secondary)]">{t.label}</span>
          </motion.button>
        ))}
      </div>
    </div>
  </div>
)
```

MediAssist Project Bundle

```

    )}}
  </div>
</motion.div>
</div>
)
}

export default function ChatPage() {
  const navigate = useNavigate()
  const [sidebarOpen, setSidebarOpen] = useState(false)
  const [health, setHealth] = useState(null)
  const { messages, isLoading, sendMessage, clearMessages, bottomRef } = useChat()
  const lastMsgIndex = messages.length - 1

  useEffect(() => {
    getHealth().then(setHealth).catch(() => {})
  }, [])

  return (
    <div className="flex h-screen bg-[var(--midnight)] overflow-hidden">
      {/* Sidebar */}
      <Sidebar
        messages={messages}
        onClear={clearMessages}
        onClose={() => setSidebarOpen(false)}
        isOpen={sidebarOpen}
      />

      {/* Main */}
      <div className="flex flex-col flex-1 min-w-0">
        {/* Top bar */}
        <header className="flex items-center justify-between px-4 py-3 border-b border-[var(--glass-border)] glass-card flex-shrink-0">
          <div className="flex items-center gap-3">
            <button
              onClick={() => setSidebarOpen(v => !v)}
              className="p-2 rounded-xl hover:bg-white/5 transition-colors lg:hidden"
            >
              <svg className="w-5 h-5 text-[var(--text-secondary)]" fill="none" viewBox="0 0 24 24" stroke="currentColor">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6h16M4 12h16M4 18h16"/>
              </svg>
            </button>
            <button onClick={() => navigate('/')}>
              <div className="w-7 h-7 rounded-lg bg-gradient-to-br from-teal-500 to-cyan-400 flex items-center justify-center">
                <svg className="w-3.5 h-3.5 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318 6.318a4.5 4.5 0 006.364L12 20.364l7.682-7.682a4.5 4.5 0 006.364-6.364L12 7.636l-1.318-1.318a4.5 4.5 0 00-6.364 0z" />
                </svg>
              </div>
            </button>
          </div>
        </header>
      </div>
    </div>
  )
}

```

MediAssist Project Bundle

```

    </div>
    <span className="font-semibold text-sm text-[var(--text-primary)] hidden sm:block">
      MediAssist <span className="gradient-text-teal">AI</span>
    </span>
  </button>
</div>

<div className="flex items-center gap-3">
  {/* Health status */}
  {health && (
    <div className="hidden sm:flex items-center gap-1.5 text-xs text-[var(--text-muted)]">
      <span className={`w-2 h-2 rounded-full ${health.ai_enabled ? 'bg-teal-400' : 'bg-amber-400'} `}>
        {health.ai_enabled ? 'AI Online' : 'Context Mode'} · {health.knowledge_base_size} docs
      </span>
    </div>
  )}
  {messages.length > 0 && (
    <button
      onClick={clearMessages}
      className="p-2 rounded-xl hover:bg-white/5 transition-colors"
      title="New conversation"
    >
      <svg className="w-4 h-4 text-[var(--text-muted)]" fill="none" viewBox="0 0 24 24"
stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 4v16m8-8H4" />
      </svg>
    </button>
  )}
</div>
</header>

{/* Chat area */}
<div className="flex-1 overflow-y-auto py-4 space-y-1">
  <AnimatePresence>
    {messages.length === 0 ? (
      <WelcomeScreen onQuickAsk={sendMessage} />
    ) : (
      messages.map((msg, i) => (
        <ChatMessage
          key={msg.id}
          message={msg}
          isNew={i === lastMsgIndex && msg.role === 'assistant'}
        />
      ))
    )}
  </AnimatePresence>

  <AnimatePresence>
    {isLoading && <TypingIndicator />}
  </AnimatePresence>

  <div ref={bottomRef} />

```

MediAssist Project Bundle

```
    </div>

    { /* Input */}
    <ChatInput onSend={sendMessage} isLoading={isLoading} />
  </div>
</div>
)
}
```

MediAssist Project Bundle

mediassist\frontend\src\pages\LandingPage.jsx

```
import { motion } from 'framer-motion'
import { useNavigate } from 'react-router-dom'

const features = [
  {
    icon: (
      <svg className="w-6 h-6" fill="none" viewBox="0 0 24 24" stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M9.663 17h4.673M12 3v1m6.364
1.636l-.707.707M21 12h-1M4 12H3m3.343-5.657l-.707-.707m2.828 9.9a5 5 0 117.072 0l-.548.547A3.374 3.374 0 014
18.469V19a2 2 0 11-4 0v-.531c0-.895-.356-1.754-.988-2.386l-.548-.547z" />
      </svg>
    ),
    title: 'RAG-Powered AI',
    desc: 'Retrieval-Augmented Generation ensures answers are grounded in verified medical knowledge, not
hallucinations.',
    color: 'from-teal-500/20 to-cyan-500/20 border-teal-500/20',
    iconColor: 'text-teal-400',
  },
  {
    icon: (
      <svg className="w-6 h-6" fill="none" viewBox="0 0 24 24" stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M13 10V3L4 14h7v7l9-11h-7z" />
      </svg>
    ),
    title: 'Instant Responses',
    desc: 'Get medically-informed answers in seconds. No waiting rooms, no appointments required.',
    color: 'from-purple-500/20 to-indigo-500/20 border-purple-500/20',
    iconColor: 'text-purple-400',
  },
  {
    icon: (
      <svg className="w-6 h-6" fill="none" viewBox="0 0 24 24" stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M9 12l2 2
4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0 01-8.618 3.04A12.02 12.02 0 003 9c0 5.591 3.824
10.29 9 11.622 5.176-1.332 9-6.03 9-11.622 0-1.042-.133-2.052-.382-3.016z" />
      </svg>
    ),
    title: 'Source-Cited Answers',
    desc: 'Every response comes with source citations from our curated medical knowledge base.',
    color: 'from-emerald-500/20 to-green-500/20 border-emerald-500/20',
    iconColor: 'text-emerald-400',
  },
  {
    icon: (
      <svg className="w-6 h-6" fill="none" viewBox="0 0 24 24" stroke="currentColor">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M3.055 11H5a2 2 0 012 2v1a2 2 0
002 2 2 2 0 012 2v2.945M8 3.935V5.5A2.5 2.5 0 0010.5 8h.5a2 2 0 012 2 2 2 0 104 0 2 2 0 012-2h1.064M15
20.488V18a2 2 0 012-2h3.064" />
      </svg>
    ),
```

MediAssist Project Bundle

```
    title: 'Works Offline',
    desc: 'Graceful fallback mode ? context-based answers available even without an AI API key.',
    color: 'from-amber-500/20 to-orange-500/20 border-amber-500/20',
    iconColor: 'text-amber-400',
  },
]

const conditions = [
  'Fever', 'Common Cold', 'Headache', 'Influenza', 'Diabetes',
  'Hypertension', 'Asthma', 'Allergies', 'Anxiety', 'Back Pain', 'COVID-19', 'Dehydration',
]

const stagger = {
  hidden: { opacity: 0 },
  show: { opacity: 1, transition: { staggerChildren: 0.1 } },
}

const item = {
  hidden: { opacity: 0, y: 20 },
  show: { opacity: 1, y: 0, transition: { duration: 0.5 } },
}

export default function LandingPage() {
  const navigate = useNavigate()

  return (
    <div className="min-h-screen mesh-bg overflow-x-hidden">
      {/* Nav */}
      <nav className="sticky top-0 z-50 border-b border-[var(--glass-border)] glass-card px-6 py-4 flex
items-center justify-between">
        <div className="flex items-center gap-3">
          <div className="w-8 h-8 rounded-xl bg-gradient-to-br from-teal-500 to-cyan-400 flex items-center
justify-center">
            <svg className="w-4 h-4 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318 6.318a4.5 4.5 0 00
6.364L12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5 4.5 0 00-6.364 0z" />
            </svg>
          </div>
          <span className="font-semibold text-[var(--text-primary)] tracking-tight">MediAssist <span
className="gradient-text-teal">AI</span></span>
        </div>
        <motion.button
          whileHover={{ scale: 1.04 }}
          whileTap={{ scale: 0.97 }}
          onClick={() => navigate('/chat')}
          className="btn-primary text-white text-sm font-medium px-5 py-2 rounded-xl"
        >
          Start Consultation
        </motion.button>
      </nav>

      {/* Hero */}
      <section className="relative px-6 pt-24 pb-20 text-center max-w-5xl mx-auto">
```

MediAssist Project Bundle

```
    { /* Decorative orb */ }
    <div className="absolute top-10 left-1/2 -translate-x-1/2 w-[600px] h-[300px] bg-teal-500/10
rounded-full blur-[100px] pointer-events-none" />

    <motion.div
      initial={{ opacity: 0, y: 30 }}
      animate={{ opacity: 1, y: 0 }}
      transition={{ duration: 0.7 }}
      className="relative"
    >
      <div className="inline-flex items-center gap-2 px-4 py-1.5 glass-card rounded-full text-xs
text-teal-300 border border-teal-500/20 mb-8">
        <span className="w-2 h-2 rounded-full bg-teal-400 pulse-ring" />
        Powered by RAG + AI · Always cite sources
      </div>

      <h1 className="text-5xl sm:text-6xl lg:text-7xl font-bold leading-tight tracking-tight mb-6">
        Your AI-powered
        <br />
        <span className="gradient-text">Medical Assistant</span>
      </h1>

      <p className="text-lg sm:text-xl text-[var(--text-secondary)] max-w-2xl mx-auto leading-relaxed
mb-10">
        Get instant, reliable medical insights using advanced Retrieval-Augmented Generation.
        Ask about symptoms, conditions, and treatments ? backed by real medical knowledge.
      </p>

      <div className="flex flex-col sm:flex-row items-center justify-center gap-4">
        <motion.button
          whileHover={{ scale: 1.05 }}
          whileTap={{ scale: 0.97 }}
          onClick={() => navigate('/chat')}
          className="btn-primary text-white font-semibold px-8 py-4 rounded-2xl text-base teal-glow w-full
sm:w-auto"
        >
          Start Consultation ?
        </motion.button>
        <a
          href="#features"
          className="text-[var(--text-secondary)] hover:text-teal-300 text-sm font-medium transition-colors
underline-offset-4 hover:underline"
        >
          Learn more
        </a>
      </div>
    </motion.div>

    { /* Hero card preview */ }
    <motion.div
      initial={{ opacity: 0, y: 40 }}
      animate={{ opacity: 1, y: 0 }}
```

MediAssist Project Bundle

```
      transition={{ delay: 0.4, duration: 0.8 }}
      className="mt-16 max-w-2xl mx-auto glass-card rounded-2xl p-5 text-left border
border-[var(--glass-border)]"
    >
      <div className="flex items-center gap-2 mb-4">
        <div className="flex gap-1.5">
          <div className="w-3 h-3 rounded-full bg-red-400/40" />
          <div className="w-3 h-3 rounded-full bg-yellow-400/40" />
          <div className="w-3 h-3 rounded-full bg-green-400/40" />
        </div>
        <span className="text-xs text-[var(--text-muted)] ml-2">MediAssist AI Chat</span>
      </div>
      <div className="space-y-3">
        <div className="flex justify-end">
          <div className="bg-teal-600/80 rounded-2xl rounded-tr-sm px-4 py-2.5 max-w-[70%]">
            <p className="text-sm text-white">I have a high fever and body aches. What should I do?</p>
          </div>
        </div>
        <div className="flex items-start gap-2">
          <div className="w-7 h-7 rounded-full bg-gradient-to-br from-teal-500 to-cyan-400 flex
items-center justify-center flex-shrink-0">
            <svg className="w-3.5 h-3.5 text-white" fill="none" viewBox="0 0 24 24" stroke="currentColor">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318 6.318a4.5 4.5 0
000 6.364l12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364l12 7.636l-1.318-1.318a4.5 4.5 0 00-6.364 0z" />
            </svg>
          </div>
          <div className="glass-card rounded-2xl rounded-tl-sm px-4 py-2.5 max-w-[80%]">
            <p className="text-sm text-[var(--text-secondary)] leading-relaxed">
              High <mark className="keyword-highlight">fever</mark> with body aches are classic <mark
className="keyword-highlight">symptoms</mark> of <mark className="keyword-highlight">flu</mark>. Rest, stay
hydrated, and consider acetaminophen for comfort. Seek care if temperature exceeds 39.4°C?
            </p>
          </div>
        </div>
      </div>
    </motion.div>
  </section>

  /* Conditions ticker */
  <section className="py-6 border-y border-[var(--glass-border)] overflow-hidden">
    <motion.div
      animate={{ x: [0, -1200] }}
      transition={{ duration: 20, repeat: Infinity, ease: 'linear' }}
      className="flex gap-4 whitespace-nowrap"
    >
      {[...conditions, ...conditions].map((c, i) => (
        <span key={i} className="text-xs text-[var(--text-muted)] px-3 py-1 glass-card rounded-full border
border-[var(--glass-border)]">
          {c}
        </span>
      ))}
    </motion.div>
```


MediAssist Project Bundle

```
</section>

{/* Features */}
<section id="features" className="px-6 py-24 max-w-6xl mx-auto">
  <motion.div
    variants={stagger}
    initial="hidden"
    whileInView="show"
    viewport={{ once: true }}
    className="text-center mb-16"
  >
    <motion.h2 variants={item} className="text-4xl font-bold text-[var(--text-primary)] mb-4">
      Why <span className="gradient-text-teal">MediAssist</span>?
    </motion.h2>
    <motion.p variants={item} className="text-[var(--text-secondary)] max-w-xl mx-auto">
      Built with cutting-edge AI technology to provide reliable healthcare information when you need it
most.
    </motion.p>
  </motion.div>

  <motion.div
    variants={stagger}
    initial="hidden"
    whileInView="show"
    viewport={{ once: true }}
    className="grid grid-cols-1 sm:grid-cols-2 gap-5"
  >
    {features.map((f) => (
      <motion.div
        key={f.title}
        variants={item}
        whileHover={{ y: -4 }}
        className={`glass-card rounded-2xl p-6 border bg-gradient-to-br ${f.color} transition-all
duration-300`}
      >
        <div className={`w-10 h-10 rounded-xl glass-card flex items-center justify-center mb-4
${f.iconColor}`}>
          {f.icon}
        </div>
        <h3 className="text-base font-semibold text-[var(--text-primary)] mb-2">{f.title}</h3>
        <p className="text-sm text-[var(--text-secondary)] leading-relaxed">{f.desc}</p>
      </motion.div>
    ))}
  </motion.div>
</section>

{/* CTA */}
<section className="px-6 py-20 text-center">
  <motion.div
    initial={{ opacity: 0, scale: 0.95 }}
    whileInView={{ opacity: 1, scale: 1 }}
    viewport={{ once: true }}
```

MediAssist Project Bundle

```
        className="max-w-2xl mx-auto glass-card rounded-3xl p-10 border border-teal-500/10 relative
overflow-hidden"
    >
    <div className="absolute inset-0 bg-gradient-to-br from-teal-500/5 to-cyan-500/5" />
    <div className="relative">
        <h2 className="text-3xl font-bold text-[var(--text-primary)] mb-4">
            Ready to get <span className="gradient-text">medical clarity</span>?
        </h2>
        <p className="text-[var(--text-secondary)] mb-8">
            Start your AI-powered medical consultation for free. No registration required.
        </p>
        <motion.button
            whileHover={{ scale: 1.05 }}
            whileTap={{ scale: 0.97 }}
            onClick={() => navigate('/chat')}
            className="btn-primary text-white font-semibold px-10 py-4 rounded-2xl text-base teal-glow"
        >
            Start Consultation ?
        </motion.button>
    </div>
</motion.div>
</section>

{/* Footer */}
<footer className="border-t border-[var(--glass-border)] px-6 py-6 text-center">
    <p className="text-xs text-[var(--text-muted)]">
        ?? MediAssist AI is for informational purposes only and does not replace professional medical advice.
        Always consult a qualified healthcare provider for personal medical concerns.
    </p>
    <p className="text-xs text-[var(--text-muted)] mt-2">© 2024 MediAssist AI · Built with RAG + FastAPI +
React</p>
</footer>
</div>
)
}
```

MediAssist Project Bundle

mediassist\frontend\src\utils\api.js

```
import axios from 'axios'

const BASE_URL = 'https://mediassist-9ibf.onrender.com'
const api = axios.create({
  baseURL: BASE_URL,
  timeout: 30000,
  headers: { 'Content-Type': 'application/json' },
})

export const askQuestion = async (question) => {
  const { data } = await api.post('/ask', { question })
  return data
}

export const getHistory = async (limit = 20) => {
  const { data } = await api.get(`/history?limit=${limit}`)
  return data
}

export const clearHistory = async () => {
  const { data } = await api.delete('/history')
  return data
}

export const getHealth = async () => {
  const { data } = await api.get('/health')
  return data
}

export default api
```

MediAssist Project Bundle

mediassist\frontend\src\utils\highlight.js

```
const MEDICAL_KEYWORDS = [
  'fever', 'cold', 'flu', 'headache', 'migraine', 'diabetes', 'hypertension',
  'blood pressure', 'asthma', 'allergy', 'anxiety', 'back pain', 'dehydration',
  'covid', 'coronavirus', 'symptoms', 'treatment', 'medication', 'infection',
  'inflammation', 'chronic', 'acute', 'diagnosis', 'prevention', 'vaccine',
  'antibiotic', 'antiviral', 'immune', 'respiratory', 'cardiovascular',
  'insulin', 'glucose', 'blood sugar', 'cholesterol', 'obesity', 'BMI',
  'therapy', 'surgery', 'emergency', 'urgent', 'consult', 'doctor', 'physician',
]

export function highlightKeywords(text) {
  if (!text) return text
  let result = text
  const sorted = [...MEDICAL_KEYWORDS].sort((a, b) => b.length - a.length)
  sorted.forEach((keyword) => {
    const regex = new RegExp(`\\b(${keyword})\\b`, 'gi')
    result = result.replace(regex, `<mark class="keyword-highlight">${1}</mark>`)
  })
  return result
}
```

MediAssist Project Bundle

mediassist\frontend\tailwind.config.js

```
/** @type {import('tailwindcss').Config} */
export default {
  content: ['./index.html', './src/**/*.{js,jsx,ts,tsx}'],
  theme: {
    extend: {
      fontFamily: {
        display: ['"Clash Display"', '"DM Sans"', 'sans-serif'],
        body: ['"DM Sans"', 'sans-serif'],
        mono: ['"JetBrains Mono"', 'monospace'],
      },
      colors: {
        teal: {
          50: '#f0fdfa',
          400: '#2dd4bf',
          500: '#14b8a6',
          600: '#0d9488',
        },
        midnight: '#060d1a',
        navy: '#0a1628',
        glass: 'rgba(255,255,255,0.05)',
      },
      backdropBlur: {
        xs: '2px',
      },
      animation: {
        'pulse-slow': 'pulse 3s ease-in-out infinite',
        'float': 'float 6s ease-in-out infinite',
        'shimmer': 'shimmer 2s linear infinite',
      },
      keyframes: {
        float: {
          '0%, 100%': { transform: 'translateY(0px)' },
          '50%': { transform: 'translateY(-10px)' },
        },
        shimmer: {
          '0%': { backgroundColor: '-200% 0' },
          '100%': { backgroundColor: '200% 0' },
        },
      },
    },
  },
  plugins: [],
}
```

MediAssist Project Bundle

[mediassist\frontend\vercel.json](#)

```
{"rewrites": [{"source": "/(.*)", "destination": "/"}]}
```

MediAssist Project Bundle

mediassist\frontend\vite.config.js

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

export default defineConfig({
  plugins: [react()],
  server: {
    port: 5173,
    proxy: {
      '/api': {
        target: 'https://mediassist-9ibf.onrender.com',
        changeOrigin: true,
        rewrite: (path) => path.replace(/^\/api/, ''),
      },
    },
  },
})
```

MediAssist Project Bundle

mediassist\README.md

? MediAssist AI

> AI-powered healthcare assistant with RAG (Retrieval-Augmented Generation) pipeline ? delivering instant, reliable, source-cited medical insights.

![MediAssist AI](https://img.shields.io/badge/Status-Production--Ready-teal?style=flat-square)
![FastAPI](https://img.shields.io/badge/Backend-FastAPI-009688?style=flat-square)
![React](https://img.shields.io/badge/Frontend-React%2018-61DAFB?style=flat-square)
![RAG](https://img.shields.io/badge/AI-RAG%20Pipeline-6366F1?style=flat-square)

? Features

- **RAG Pipeline** ? TF-IDF retrieval over a curated medical knowledge base; optionally upgraded to GPT via OpenAI
- **Dual Mode** ? Works fully offline (context-based) or with AI generation (OpenAI GPT)
- **Typewriter Animation** ? Character-by-character AI response rendering
- **Keyword Highlighting** ? Auto-highlights medical terms in every response
- **Source Citations** ? Every answer links back to its knowledge-base documents
- **Chat History** ? Sidebar with full conversation history
- **Glassmorphism UI** ? Dark-mode, gradient-rich, Framer Motion animated interface
- **Responsive** ? Mobile-first design, works on all screen sizes

?? Tech Stack

Layer	Technology
Frontend	React 18, Vite, Tailwind CSS, Framer Motion
Backend	FastAPI, Python 3.10+
RAG Retrieval	TF-IDF + Cosine Similarity (scikit-learn)
Vector Store	FAISS-ready (TF-IDF by default, swap in FAISS easily)
AI Generation	OpenAI GPT-3.5-turbo (optional fallback included)
Logging	Loguru

? Project Structure

...

```
mediassist/  
??? backend/  
?   ??? main.py           # FastAPI app + endpoints  
?   ??? rag.py            # RAG pipeline (retrieval + generation)  
?   ??? requirements.txt  
?   ??? .env.example  
?   ??? data/  
?       ??? medical_kb.json # 12-condition knowledge base
```


MediAssist Project Bundle

```
?
??? frontend/
  ??? src/
    ?   ??? App.jsx
    ?   ??? main.jsx
    ?   ??? index.css          # Design system + glassmorphism
    ?   ??? components/
      ?   ?   ??? ChatMessage.jsx    # Message bubbles + typewriter
      ?   ?   ??? ChatInput.jsx      # Input bar + quick questions
      ?   ?   ??? Sidebar.jsx        # History panel
      ?   ?   ??? TypingIndicator.jsx # Animated dots
    ?   ??? pages/
      ?   ?   ??? LandingPage.jsx    # Hero, features, CTA
      ?   ?   ??? ChatPage.jsx       # Chat dashboard
    ?   ??? hooks/
      ?   ?   ??? useChat.js         # Chat state + API calls
    ?   ??? utils/
      ?       ??? api.js             # Axios API layer
      ?       ??? highlight.js       # Medical keyword highlighter
  ??? package.json
  ??? vite.config.js
  ??? tailwind.config.js
```

...

?? Setup & Installation

Prerequisites

- Python 3.10+
- Node.js 18+
- npm or yarn

1. Backend Setup

```
```bash
cd mediassist/backend

Create virtual environment
python -m venv venv
source venv/bin/activate # Windows: venv\Scripts\activate

Install dependencies
pip install -r requirements.txt

Configure environment
cp .env.example .env
Edit .env ? optionally add your OPENAI_API_KEY
(App works without it in context-based mode)
```

## MediAssist Project Bundle

```
Create logs directory
mkdir -p logs

Start the server
uvicorn main:app --reload --host 0.0.0.0 --port 8000
...
```

Backend runs at: <http://localhost:8000>  
API docs at: <http://localhost:8000/docs>

---

### ### 2. Frontend Setup

```
```bash
cd mediassist/frontend

# Install dependencies
npm install

# Configure environment
cp .env.example .env

# Start development server
npm run dev
...
```

Frontend runs at: <http://localhost:5173>

? API Reference

`POST /ask`
Submit a medical question.

****Request:****

```
```json
{ "question": "What are the symptoms of diabetes?" }
...
```

**\*\*Response:\*\***

```
```json
{
  "id": "uuid",
  "question": "What are the symptoms of diabetes?",
  "answer": "Diabetes is a chronic condition...",
  "sources": [
    { "title": "Diabetes Mellitus - Types and Management", "category": "endocrine", "score": 0.84 }
  ],
  "mode": "Context-Based (Offline)",
  "ai_powered": false,
}
```

MediAssist Project Bundle

```
"timestamp": "2024-01-01T12:00:00",
"response_time_ms": 45
}
```
```

```
`GET /health`
Check API health and AI status.
```

```
`GET /history?limit=20`
Retrieve recent chat history.
```

```
`DELETE /history`
Clear chat history.
```

---

## ? AI Modes

| Mode                        | When                 | Description                         |
|-----------------------------|----------------------|-------------------------------------|
| -----                       | -----                | -----                               |
| **AI-Powered (GPT)**        | `OPENAI_API_KEY` set | Uses GPT-3.5-turbo with RAG context |
| **Context-Based (Offline)** | No API key           | Returns structured content from KB  |

The app seamlessly switches between modes ? no code changes required.

---

## ? Knowledge Base

The medical knowledge base (`data/medical\_kb.json`) covers:

- Fever · Common Cold · Influenza (Flu)
- Headache · Migraine
- Diabetes Mellitus (Type 1 & 2)
- Hypertension (High Blood Pressure)
- Asthma · Allergies
- Anxiety Disorders
- Back Pain · Dehydration · COVID-19

**Extend it** by adding entries to `medical\_kb.json` ? the TF-IDF index rebuilds automatically on startup.

---

## ? Design System

- **Theme**: Dark glassmorphism with teal accent palette
- **Typography**: DM Sans (UI) + JetBrains Mono (code)
- **Animations**: Framer Motion for page transitions, message reveals, and hover effects
- **Typewriter**: Character-by-character rendering of AI responses

---

## MediAssist Project Bundle

## ?? Medical Disclaimer

MediAssist AI is intended for **informational and educational purposes only**. It does not provide medical diagnoses, professional medical advice, or treatment recommendations. Always consult a qualified and licensed healthcare professional for personal medical concerns.

---

## ? License

MIT License ? use freely for personal and commercial projects.

# MediAssist Project Bundle

## mediassist\_share.md

# MediAssist Project - Share Bundle

This document bundles the key project files for sharing. Each file is shown below with its path and contents.

---

## File: mediassist/README.md

```markdown

? MediAssist AI

> AI-powered healthcare assistant with RAG (Retrieval-Augmented Generation) pipeline ? delivering instant, reliable, source-cited medical insights.

![MediAssist AI](https://img.shields.io/badge/Status-Production--Ready-teal?style=flat-square)

![FastAPI](https://img.shields.io/badge/Backend-FastAPI-009688?style=flat-square)

![React](https://img.shields.io/badge/Frontend-React%2018-61DAFB?style=flat-square)

![RAG](https://img.shields.io/badge/AI-RAG%20Pipeline-6366F1?style=flat-square)

? Features

- **RAG Pipeline** ? TF-IDF retrieval over a curated medical knowledge base; optionally upgraded to GPT via OpenAI
- **Dual Mode** ? Works fully offline (context-based) or with AI generation (OpenAI GPT)
- **Typewriter Animation** ? Character-by-character AI response rendering
- **Keyword Highlighting** ? Auto-highlights medical terms in every response
- **Source Citations** ? Every answer links back to its knowledge-base documents
- **Chat History** ? Sidebar with full conversation history
- **Glassmorphism UI** ? Dark-mode, gradient-rich, Framer Motion animated interface
- **Responsive** ? Mobile-first design, works on all screen sizes

(Truncated) Full README content available in repository

```

---

## File: mediassist/backend/main.py

```python

"""

MediAssist AI - FastAPI Backend

"""

import os

import time

import uuid

MediAssist Project Bundle

```
from datetime import datetime
from typing import List, Optional

from dotenv import load_dotenv
from fastapi import FastAPI, HTTPException
from fastapi.middleware.cors import CORSMiddleware
from loguru import logger
from pydantic import BaseModel

load_dotenv()

# ?? Logging setup ??????????????????????????????????
logger.add(
    "logs/mediassist.log",
    rotation="10 MB",
    retention="7 days",
    level="INFO",
    format="{time:YYYY-MM-DD HH:mm:ss} | {level} | {message}",
)

# ?? App initialization ??????????????????????????????
app = FastAPI(
    title="MediAssist AI",
    description="AI-powered healthcare assistant with RAG pipeline",
    version="1.0.0",
)

app.add_middleware(
    CORSMiddleware,
    allow_origins=[
        "https://mediassist-git-main-manaswinirepalles-projects.vercel.app",
        "http://localhost:5173",
    ],
    allow_credentials=True,
    allow_methods=["*"],
    allow_headers=["*"],
)

# ?? Import RAG after app setup ??????????????????????
from rag import answer_medical_question

# ?? In-memory chat history (replace with DB for prod) ??
chat_history: List[dict] = []

# ?? Pydantic models ????????????????????????????????

class QuestionRequest(BaseModel):
    question: str
    session_id: Optional[str] = None
```

MediAssist Project Bundle

```
class Source(BaseModel):
    title: str
    category: str
    score: float


class AnswerResponse(BaseModel):
    id: str
    question: str
    answer: str
    sources: List[Source]
    mode: str
    ai_powered: bool
    timestamp: str
    response_time_ms: int


class HealthResponse(BaseModel):
    status: str
    version: str
    ai_enabled: bool
    timestamp: str
    knowledge_base_size: int


# ?? Routes ??????????????????????????????????????

@app.get("/health", response_model=HealthResponse)
async def health_check():
    from rag import KNOWLEDGE_BASE
    openai_key = os.getenv("OPENAI_API_KEY", "").strip()
    ai_enabled = bool(openai_key and openai_key not in ("", "your-openai-api-key-here"))

    return HealthResponse(
        status="healthy",
        version="1.0.0",
        ai_enabled=ai_enabled,
        timestamp=datetime.utcnow().isoformat(),
        knowledge_base_size=len(KNOWLEDGE_BASE),
    )


@app.post("/ask", response_model=AnswerResponse)
async def ask_question(request: QuestionRequest):
    if not request.question or not request.question.strip():
        raise HTTPException(status_code=400, detail="Question cannot be empty.")

    question = request.question.strip()
    if len(question) > 1000:
        raise HTTPException(status_code=400, detail="Question too long (max 1000 characters).")

    logger.info(f"Received question: {question[:80]}")
```

MediAssist Project Bundle

```
start_time = time.time()
try:
    result = answer_medical_question(question)
except Exception as e:
    logger.error(f"Error processing question: {e}")
    raise HTTPException(status_code=500, detail="An error occurred while processing your question.")

elapsed_ms = int((time.time() - start_time) * 1000)

response = AnswerResponse(
    id=str(uuid.uuid4()),
    question=question,
    answer=result["answer"],
    sources=[Source(**s) for s in result["sources"]],
    mode=result["mode"],
    ai_powered=result["ai_powered"],
    timestamp=datetime.utcnow().isoformat(),
    response_time_ms=elapsed_ms,
)

# Store in chat history
chat_history.append(response.dict())
if len(chat_history) > 100:
    chat_history.pop(0)

logger.info(f"Response generated in {elapsed_ms}ms using {result['mode']} mode.")
return response


@app.get("/history")
async def get_history(limit: int = 20):
    return {
        "history": chat_history[-limit:],
        "total": len(chat_history),
    }


@app.delete("/history")
async def clear_history():
    chat_history.clear()
    return {"message": "Chat history cleared."}


@app.get("/")
async def root():
    return {
        "app": "MediAssist AI",
        "version": "1.0.0",
        "docs": "/docs",
        "health": "/health",
    }
```


MediAssist Project Bundle

...

File: mediassist/backend/rag.py

```python

"""

MediAssist AI - Simple RAG Pipeline

Uses basic keyword matching for lightweight retrieval.

"""

import json

import os

import re

from pathlib import Path

from typing import List, Dict, Tuple

# ?????????????????????????????????????????????????????????????

# Load medical knowledge base

# ?????????????????????????????????????????????????????????????

DATA\_PATH = Path(\_\_file\_\_).parent / "data" / "medical\_kb.json"

def load\_knowledge\_base() -> List[Dict]:

with open(DATA\_PATH, "r") as f:

return json.load(f)

KNOWLEDGE\_BASE = load\_knowledge\_base()

print(f"Loaded {len(KNOWLEDGE\_BASE)} medical documents into knowledge base.")

# ?????????????????????????????????????????????????????????????

# Simple keyword-based retriever

# ?????????????????????????????????????????????????????????????

class SimpleRetriever:

def \_\_init\_\_(self):

self.docs = KNOWLEDGE\_BASE

def retrieve(self, query: str, top\_k: int = 3) -> List[Dict]:

query\_lower = query.lower()

query\_words = set(re.findall(r'\b\w+\b', query\_lower))

scored\_docs = []

for doc in self.docs:

title\_lower = doc['title'].lower()

content\_lower = doc['content'].lower()

keywords\_lower = ' '.join(doc['keywords']).lower()

## MediAssist Project Bundle

```
Count matching words
title_matches = len(query_words.intersection(set(re.findall(r'\b\w+\b', title_lower))))
content_matches = len(query_words.intersection(set(re.findall(r'\b\w+\b', content_lower))))
keyword_matches = len(query_words.intersection(set(re.findall(r'\b\w+\b', keywords_lower))))

Calculate score
score = title_matches * 3 + content_matches * 2 + keyword_matches * 4

if score > 0:
 doc_copy = doc.copy()
 doc_copy["score"] = float(score)
 scored_docs.append(doc_copy)

Sort by score and return top_k
scored_docs.sort(key=lambda x: x["score"], reverse=True)
return scored_docs[:top_k]

retriever = SimpleRetriever()

???
Fallback answer generator
???

def _build_fallback_answer(question: str, contexts: List[Dict]) -> str:
 if not contexts:
 return (
 "I wasn't able to find specific information about your query in my current knowledge base. "
 "Please consult a qualified healthcare professional for accurate medical advice."
)

 primary = contexts[0]
 answer_parts = []

 answer_parts.append(f"**{primary['title']}**\n")
 answer_parts.append(primary["content"])

 if len(contexts) > 1:
 answer_parts.append("\n\n**Related Information:**")
 for ctx in contexts[1:]:
 # First 200 chars as a teaser
 snippet = ctx["content"][:220].rsplit(" ", 1)[0] + "?"
 answer_parts.append(f"? **{ctx['title']}**: {snippet}")

 answer_parts.append(
 "\n\n?? *This information is for educational purposes only. "
 "Please consult a licensed healthcare professional for personalized medical advice.*"
)

 return "\n".join(answer_parts)
```

## MediAssist Project Bundle

```
???
Public API
???

def answer_medical_question(question: str) -> Dict:
 print(f"Processing question: {question[:80]}?")

 contexts = retriever.retrieve(question, top_k=3)
 sources = [
 {"title": c["title"], "category": c["category"], "score": round(c["score"], 3)}
 for c in contexts
]

 answer = _build_fallback_answer(question, contexts)
 mode = "Context-Based (Simple)"
 ai_powered = False

 print(f"Response generated in {mode} mode. Sources: {[s['title'] for s in sources]}")

 return {
 "answer": answer,
 "sources": sources,
 "mode": mode,
 "ai_powered": ai_powered,
 }
...

File: mediassist/backend/requirements.txt

```text
fastapi==0.95.2
uvicorn==0.22.0
python-dotenv==1.0.0
pydantic==1.10.13
numpy
scikit-learn
loguru==0.7.2
```

File: mediassist/backend/runtime.txt

```text
python-3.10.13
```

```

## MediAssist Project Bundle

## File: mediassist/backend/data/medical\_kb.json

```
```json
[ ... knowledge base array ... ]
```
```

Note: The full JSON is included in the repository at `mediassist/backend/data/medical\_kb.json`.

---

## File: mediassist/frontend/package.json

```
```json
{
  "name": "mediassist-ai",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "react": "^18.2.0",
    "react-dom": "^18.2.0",
    "react-router-dom": "^6.20.0",
    "framer-motion": "^10.16.5",
    "axios": "^1.6.2",
    "react-markdown": "^9.0.1",
    "lucide-react": "^0.294.0",
    "react-hot-toast": "^2.4.1"
  },
  "devDependencies": {
    "@types/react": "^18.2.37",
    "@types/react-dom": "^18.2.15",
    "@vitejs/plugin-react": "^4.2.0",
    "autoprefixer": "^10.4.16",
    "postcss": "^8.4.31",
    "tailwindcss": "^3.3.5",
    "vite": "^5.0.0"
  }
}
```
```

---

## File: mediassist/frontend/index.html

```
```html
<!DOCTYPE html>
```

MediAssist Project Bundle

```
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="MediAssist AI - AI-powered healthcare assistant providing instant,
reliable medical insights." />
    <title>MediAssist AI</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
href="https://fonts.googleapis.com/css2?family=DM+Sans:ital,opsz,wght@0,9..40,300;0,9..40,400;0,9..40,500;0,9..
40,600;0,9..40,700;1,9..40,400&family=JetBrains+Mono:wght@400;500&display=swap" rel="stylesheet" />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
...

---

## File: mediassist/frontend/src/App.jsx

```jsx
import { Routes, Route } from 'react-router-dom'
import { Toaster } from 'react-hot-toast'
import LandingPage from './pages/LandingPage'
import ChatPage from './pages/ChatPage'

export default function App() {
 return (
 <>
 <Toaster
 position="top-right"
 toastOptions={{
 style: {
 background: '#0a1628',
 color: '#e2e8f0',
 border: '1px solid rgba(255,255,255,0.08)',
 fontSize: '13px',
 },
 }}
 />
 <Routes>
 <Route path="/" element={<LandingPage />} />
 <Route path="/chat" element={<ChatPage />} />
 </Routes>
 </>
)
}
```

## MediAssist Project Bundle

```
...

File: mediassist/frontend/src/main.jsx

```jsx
import React from 'react'
import ReactDOM from 'react-dom/client'
import { BrowserRouter } from 'react-router-dom'
import App from './App.jsx'
import './index.css'

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <BrowserRouter>
      <App />
    </BrowserRouter>
  </React.StrictMode>
)
```

File: mediassist/frontend/src/index.css

```css
/* (CSS content truncated for brevity) */
```

Components

Included: `ChatInput.jsx`, `ChatMessage.jsx`, `Sidebar.jsx`, `TypingIndicator.jsx` (full source available in repo).

Hooks & Utils

Included: `useChat.js`, `api.js`, `highlight.js` (full source available in repo).

How to use this bundle

- To share: copy `mediassist_share.md` or export it as PDF from any Markdown editor.
- To run locally: follow instructions in `mediassist/README.md`.

```

## MediAssist Project Bundle

Generated by an automated bundling step. For the complete file list and exact source files, see the repository tree.

**MediAssist Project Bundle**

[README.md](#)

Ÿp# Mediassist