
Focaccia




A valid ticket.
But who is holding it?

Leaked password

change it

New password



Your face

No replacement face

Can we check the person
while keeping less face data?

Too broad


A commercial event platform


My scope



Too small

A face scan on its own


Can I build it?
Feasibility
Originality
What makes it different?
How will I prove it?
Evidence



Numbers are not automatically anonymous

Process on
the phones

Protect separately
for each event


Published study
Their equipment
Their participants

Focaccia
My phone
My participants?

Guides my design


Needs its own trials

Their accuracy result ≠ My accuracy result



Gate check fails? Go back and fix the cause.

My first version




After feedback



The missing beginning


Your phone

Locks face record



Event service

Checks ticket



Stamp outside


Cannot read inside

Gate phone

Opens it locally



Matching happens
on the gate phone


Phone
Event service
First tap
Request A
Create ticket
Ticket 42
created
Confirmation lost
Tap again
Same request A
Recognise retry
Return the same
Ticket 42

Gate is offline

Pass + fresh face scan



Checks on phone
Entry can continue


New ticket
cancellation




No connection

Update reaches the gate
only after reconnection

Planned demo: Wi-Fi off, one prepared gate







Someone can inspect
the earlier records

Detailed final log missing

One successful run cannot establish reliability

Did the steps connect?	→	Reported working
Less face data on server?	→	Supported by design
Reliable for real crowds?	→	Not established

"Do I want to use my face?"




Attendee


Yes
Face check

No
Another entry route

A real alternative
is needed before public use


Ticket claiming added
More faults to trace
Less time for trials
Next time
Stop adding
Build
Freeze features
Repeat tests
Keep results

Evidence gap



Local face checks
Less central face storage

Needs repeated trials
and real user feedback

Building it does not prove it is ready.