


Focaccia

Can an event check it is you
without keeping your face?


privacy before convenience



hard to replace if exposed
easy to replace
weak identity check
person-bound entry
Central face database
hard to take back
easy to share
Shareable QR ticket
wanted
Person-bound and replaceable



deeper testing
lighter testing
original plan
build less, prove more
viable EPQ scope
too much at once
local | offline | liveness | timing | accuracy | users
fewer features
more features





Supervisor feedback changed the explanation.


processed locally
stored centrally
local + event-specific
after research
research moved the design
reusable face record
before
reusable across events
event-specific



too big
commercial event platform
outside EPQ scope
PrivatePass
create → claim → enrol → enter
supervisor feedback
too small
face demo only


knows everything
one system knows everything
too much knowledge
separation keeps any one part from knowing too much
Tickets
Enrolment
Gate
Organiser
find + claim
make pass
check locally
run event
one clear job
attendee journey


attendee-controlled
central server
gate-controlled
owned ticket
event authority
signed pass
ordinary event records
sensitive face processing
local face pattern
no reusable face data
live local match



attendee
server
gate
visible outside
ticket + event
authority stamp
signed pass
server can stamp the outside
sealed inside
event template
sealed
opened locally
server cannot open the inside


same face + different event = different key




Key A cannot be used at Event B

the offline gate acts like a careful bouncer





entry continues; updates wait
WI-FI OFF
reconnect
ENTRY
latest list downloaded
gate checks locally
person enters
UPDATES
signed result waits in outbox
organiser dashboard updates
new cancellations cannot arrive yet
time


watch the gate decide without the server





planned demonstration — these are the expected states


gate phone
prepared + offline
server stamp
event + time
revocation snapshot
local decision
unused pass
live person
local face match
live server call
not needed

the gate remembers that the pass was used




planned
implemented
tested
Replay handling
Sensitive cleanup
Clock tolerance
Performance timing
Biometric accuracy
Spoof resistance
User feedback


production claim
prototype architecture
credible prototype conditional conclusion
speed + accuracy
spoof resistance
usability
privacy architecture
offline software
signed replay handling
demonstrated
not yet demonstrated