

Name: Ankul binkar

Roll no: 1303

S.y bca

Sub:UID lab

Session	Date	Name
Session 1	13-01-2023	Q1.html
Session 1	13-01-2023	Q2.html
Session 1	13-01-2023	Q3.html
Session 1	13-01-2023	Q4.html
Session 2	20-01-2023	Q5.html
Session 2	20-01-2023	Q6.html
Session 2	20-01-2023	Q7.html
Session 2	20-01-2023	Q8.html
Session 2	20-01-2023	Q9.html
Session 2	20-01-	Q10.html

	2023	
Session 2	20-01-2023	Q11.html
Session 3	01-02-2023	Q12.html
Session 3	01-02-2023	Q13.html
Session 3	01-02-2023	Q14.html
Session 3	01-02-2023	Q15.html
Session 3	01-02-2023	Q16.html
Session 4	03-02-2023	Q17.html
Session 4	03-02-2023	Q18.html
Session 4	03-02-2023	Q19.html
Session 4	03-02-2023	Q20.html
Session 4	03-02-	Q21.html

	2023	
Session 5	08-02-2023	Q22.html
Session 5	08-02-2023	Q23.html
Session 5	08-02-2023	Q24.html
Session 5	08-02-2023	Q25.html
Session 5	08-02-2023	Q26.html
Session 5	08-02-2023	Q27.html
Session 5	08-02-2023	Q28.html
Session 6	10-02-2023	Q29.html
Session 6	10-02-2023	Q30.html
Session 6	10-02-2023	Q31.html
Session 6	10-02-	Q32.html

	2023	
Session 7	17-02-2023	Ex1.html
Session 7	17-02-2023	Ex2.html
Session 7	17-02-2023	Ex3.html
Session 8	22-02-2023	Ex4.html
Session 8	22-02-2023	Ex5.html
Session 9	24-02-2023	Ex6.html
Session 9	24-02-2023	Ex7.html
Session 9	24-02-2023	Ex8.html
Session 9	24-02-2023	Ex9.html
Session 10	08-03-2023	Ex10.html
Session 10	08-03-	Ex11.html

	2023	
Session 10	08-03-2023	Ex12.html
Session 10	08-03-2023	Ex13.html
Session 10	08-03-2023	Ex14.html
Session 10	08-03-2023	Ex15.html
Session 10	08-03-2023	Ex16.html
Session 10	08-03-2023	Ex17.html
Session 10	08-03-2023	Ex18.html
Session 10	08-03-2023	Ex19.html
Session 11	13-03-2022	WindowsFormsApplication1
Session 12	15-03-2023	Ak-05-2002
Session 13	23-03-	CalculatorApp


	2023	
--	------	--

Session :

Date :

Creating webpage

Code for Q.1




C:\Users\karan\Desktop\1312\try.html (1312) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
  <> test5.html
  <> test6.html
  <> test7.html
  <> test8.html
  <> test9.html
  <> try.html
  <> try10.html
  <> try11.html
  <> try12.html
  <> try13.html

try.html
try2.html
try3.html

1 |<html>
2 |  <head>
3 |    <title>First Web Page</title>
4 |  </head>
5 |  <body>
6 |    This is my first web page.
7 |  </body>
8 |</html>
```

Output:-



Session :

Date :

Creating webpage

Code for Q2


C:\Users\karan\Desktop\1312\try2.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

try.html try2.html try3.html try4.html

```
1 <html>
2   <head>
3     <title>Heading tags:Second Web Page</title>
4   </head>
5   <body>
6     <h1 style="color: blue;"> Heading 1</h1>
7     <h2 align="right"> Heading 2</h2>
8     <h3> Heading 3</h3>
9     <h4> Heading 4</h4>
10    <h5> Heading 5</h5>
11    <h6> Heading 6</h6>
12    <p align="center">This is<br> a para</p>
13
14  </body>
15 </html>
```

**Output:-**



**Session :**

**Date :**

**Creating webpage**

**CoCreatin Q3**

C:\Users\karan\Desktop\1312\try3.html (1312) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
  < test5.html
  < test6.html
  < test7.html
  < test8.html
  < test9.html
  < try.html
  < try10.html
  < try11.html
  < try12.html
  < try13.html
  < try14.html
  < try15.html
  < try16.html
  < try17.html

try.html
1 <html>
2   <head>
3     <title>Heading tags:Third Web Page</title>
4   </head>
5   <body style="background-color: lightpink;">
6     <h1 align="Left"> Left Align</h1>
7     <h2 align="Center"> Center Align</h2>
8     <h3 align="Right"> Right Align</h3>
9     <p style="color: blueviolet; align="Center"> THIS IS A<br> PARAGRAPH FOR TRYING HTML</p>
10    </body>
11  </html>
```

**Output:-**



**Session :**

**Date :**

**Creating webpage**

**Code for Q4**

C:\Users\karan\Desktop\1312\try4.html (1312) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
  < test5.html
  < test6.html
  < test7.html
  < test8.html
  < test9.html
  < try.html
  < try10.html
  < try11.html
  < try12.html
  < try13.html
  < try14.html
  < try15.html
  < try16.html
  < try17.html

try.html
1 <html>
2   <head>
3     <title>Heading tags:Fourth Web Page</title>
4   </head>
5   <body bgcolor="blueviolet">
6     <h1 align="Left"> Left Align</h1>
7     <h2 align="Center"> Center Align</h2>
8     <h3 align="Right"> Right Align</h3>
9     <p> THIS IS A<br> PARAGRAPH FOR TRYING HTML</p>
10    </body>
11  </html>
```

**Output:-**



Session :

Date :

Creating webpage

Code for Q5

```
C:\Users\karan\Desktop\1312\try5.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find Goto Tools Project Preferences Help
    <> test5.html    <> test6.html    <> test7.html    <> test8.html    <> test9.html    <> try.html    <> try10.html   <> try11.html   <> try12.html   <> try13.html   <> try14.html   <> try15.html   <> try16.html   <> try17.html   <> try18.html   <> try19.html
    <> try.html      <> try2.html     <> try3.html     <> try4.html     <> try5.html     <> try6.html
1  <html>
2      <head>
3          <title> HR TAG </title>
4      </head>
5      <body>
6          <h1 align="center"> Welcome to the lab </h1>
7          <hr color="red", size="20">
8          <hr color="blue", size="15", noshade, width="50%", align="left">
9          <hr color="green", size="10", width="25%", align="left">
10         <h2 align="center", style="color: deeppink;"> This is html tutorial 5 </h2>\n
11         <hr color="green", size="10", width="25%", align="right">
12         <hr color="blue", size="15", noshade, width="50%", align="right">
13         <hr color="red", size="20", noshade >
14     </html>
```

Output:-




Session :

Date :

# Creating webpage

## Code for Q6



```
C:\Users\karan\Desktop\1312\try6.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
  <> test5.html
  <> test6.html
  <> test7.html
  <> test8.html
  <> test9.html
  <> try.html
  <> try10.html
  <> try11.html
  <> try12.html
  <> try13.html
  <> try14.html
  <> try15.html
  <> try16.html
  <> try17.html
  <> try18.html
  <> try19.html
  <> try2.html
  <> try20.html
try.html
1 <html>
2   <head>
3     <title> Text formatiing tags </title>
4   </head>
5   <body>
6     <b>This text is bold</b><br>
7     <i>This text is italic</i><br>
8     <u>This text is underlined</u><br>
9     This is a <sub>subscript</sub> and
10    this is a <sup>superscript</sup><br>
11    H<sub>2</sub><br>
12    X<sup>2</sup><br>
13    <hr>
14    This text is in <b><i>bold and italics</i></b>
15  </body>
16 </html>
```

Output:-



**This text is bold**

*This text is italic*

This text is underlined

This is a subscript and this is a superscript

H<sub>2</sub>O

X<sup>2</sup>

---


This text is in ***bold and italics***

Session :

Date :

Creating webpage

## Code for Q7



C:\Users\karan\Desktop\1312\try7.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

try7.html try8.html try9.html

```
<> test5.html
<> test6.html
<> test7.html
<> test8.html
<> test9.html
<> try.html
<> try10.html
<> try11.html
<> try12.html
<> try13.html
<> try14.html
<> try15.html
<> try16.html
<> try17.html
<> try18.html
<> try19.html
<> try2.html
```

1 <html>
2 <head>
3 <title>Text formatting tags</title>
4 </head>
5 <body>
6 <p> This text is <big>big</big>
7 and this text is <small>small</small>
8 </p>
9 <p><em>Regular Emphasis</em> and
10 <strong> Strong Emphasis</strong>
11 </p>
12 <p>This is simulating <tt>Typewriter text</tt></p>
13 <p><del>This text has been struck out</del></p>
14 </body>
15 </html>

## Output:-



This text is **big** and this text is **small**

*Regular Emphasis and Strong Emphasis*

This is simulating Typewriter text


~~This text has been struck out~~

Session :

Date :

Creating webpage


## Code for Q8



The screenshot shows a Sublime Text window with several tabs open. The current tab is 'try8.html'. The code in 'try8.html' is:

```
<html>
<head>
    <title>Pattern</title>
</head>
<body>Example<br>
<pre style="color: blue; c">
    1
    222
    33333
    4444444
</pre>
</body>
</html>
```

Output:-



Example


```
1
222
33333
4444444
```

Session :

Date :

## Creating webpage


### Code for Q9



C:\Users\karan\Desktop\1312\try9.html (1312) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find Goto Tools Project Preferences Help
<> test2.html <> try7.html x | try8.html x | try9.html x | try10.html x | try11.html x | try12.html x | try13.html x | try14.html x
1 <html>
2   <head>
3     <title>Font tag</title>
4   </head>
5   <body>
6     <font face="comic sans ms", size=12, color="red">Comic Sans MS</font><br><hr>
7     <font face="times new roman", color="green", size="+2">Times New Roman</font>
8   </body>
9 </html>
```

Output:-



Comic Sans MS

Times New Roman

Session :


Date :

Creating webpage

Code for Q10

```
<html>
  <head>
    <title>Images</title>
  </head>
  <body>
    
  </body>
</html>
```

## **Output:-**



## Session :

Date :

# Creating webpage

## Code for Q11

```
C:\Users\karan\Desktop\1312\try11.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find Goto Tools Project Preferences Help
[try7.html] [try8.html] [try9.html] [try10.html] [try11.html] [try12.html] [try13.html] [try14.html] [try15.html] [try16.html] [try17.html] [try18.html] [try19.html]
1 <html>
2   <head>
3     <title>Images</title>
4   </head>
5   <body >
6     <a href="file:///home/student/Desktop/1312/try9.html"><br><br></a>
7     <a href="file:///home/student/Desktop/1312/try10.html"> This is a link</a>
8   </body>
9 </html>
```


**Output:-**

**Session :**

**Date :**

**Creating webpage**

**Code for Q12**




```
C:\Users\karan\Desktop\1312\try12.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help
    <> test2.html
    <> test3.html
    <> test4.html
    <> test5.html
    <> test6.html
    <> test7.html
    <> test8.html
    <> test9.html
    <> try.html
    <> try10.html
    <> try11.html
    <> try12.html
    <> try13.html
    <> try14.html
    <> try15.html
    <> try16.html
    <> try17.html
    <> try18.html
    <> try19.html

try12.html
1 <html>
2     <head>
3         <title> Unordered Lists</title>
4     </head>
5     <body>
6         This is an unordered list!!
7         <ul type="circle">
8             <li>pencils
9             <li type="square">pen
10            <li>erasers
11            <li type="disc">paper
12            <li>glue
13            </li>
14        </ul>
15    </body>
16 </html>
```

**Output:-**



This is an unordered list!!

- pencils
- pen
- erasers
- paper
- glue

Session :

Date :

Creating webpage


Code for Q13

C:\Users\karan\Desktop\1312\try13.html (1312) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
    <> test2.html      try11.html      x | try12.html      x | try13.html      x
    <> test3.html
    <> test4.html
    <> test5.html
    <> test6.html
    <> test7.html
    <> test8.html
    <> test9.html
    <> try.html
    <> try10.html
    <> try11.html
    <> try12.html
    <> try13.html
    <> try14.html
    <> try15.html
    <> try16.html
    <> try17.html
    <> try18.html
    <> try19.html
    <> try2.html
    <> try20.html

1 <html>
2     <head>
3         <title> Unordered Lists 2</title>
4     </head>
5     <body>
6         This is an unordered list!!
7         <ul type="square">
8             <li>pencils
9             <li>pen
10            </li>
11            <br>
12            <li type="circle">erasers
13            <li type="circle">paper
14            </li>
15            <br>
16            <li type="disc">glue
17            <li type="disc">sharpener
18            </li>
19        </ul>
20        </body>
21    </html>
```

## Output:-



This is an unordered list!!

- pencils
- pen
- erasers
- paper
- glue
- sharpener

Session :

Date :


Creating webpage

Code for Q14

The screenshot shows a Sublime Text window with multiple tabs open. The current tab is 'try14.html' which contains the following HTML code:

```
<html>
  <head>
    <title> Ordered Lists 2</title>
  </head>
  <body>
    This is an unordered list!!
    <ol >
      <li>pencils
      <li >pen
      </li>
      <li>erasers
      <li>paper
      </li>
      <li>glue
      <li>sharpener
      </li>
    </ol>
    <ol type="i">
      <li>Bio
      <li >Chem
      </li>
      <li>Maths
      <li>Physics
      </li>
      <li>CS
      <li>HTML
      </li>
    </ol>
  </body>
</html>
```

Output:-



This is an unordered list!!

1. pencils
  2. pen
  3. erasers
  4. paper
  5. glue
  6. sharpener
- 
- i. Bio
  - ii. Chem
  - iii. Maths
  - iv. Physics
  - v. CS
  - vi. HTML

Session :

Date :

Creating webpage

Code for Q15

C:\Users\karan\Desktop\1312\try15.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

try15.html try16.html try17.html

```
1 <html>
2     <head>
3         <title> Ordered Lists 2</title>
4     </head>
5     <body>
6         This is an Orordered list!!
7         <ol start="10">
8             <li>pencils
9             <li >pen
10            </li>
11            <li>erasers
12            <li>paper
13            </li>
14            <li>glue
15            <li>sharpener
16            </li>
17        </ol>
18        <ol type="i" start="10">
19            <li>Bio
20            <li >Chem
21            </li>
22            <li>Maths
23            <li>Physics
24            </li>
25            <li>CS
26            <li>HTML
27            </li>
28        </ol>
29    </body>
30 </html>
```

Output:-



This is an Orordered list!!

10. pencils

11. pen

12. erasers

13. paper

14. glue

15. sharpener

x. Bio

xi. Chem

xii. Maths

xiii. Physics

xiv. CS

xv. HTML

Session :

Date :


Creating webpage

Code for Q16

The screenshot shows a Sublime Text window with the title bar "C:\Users\karan\Desktop\1312\try16.html • (1312) - Sublime Text (UNREGISTERED)". The menu bar includes File, Edit, Selection, Find, View, Goto, Tools, Project, Preferences, and Help. The sidebar on the left lists other files: test2.html, test3.html, test4.html, test5.html, test6.html, test7.html, test8.html, test9.html, try.html, try10.html, try11.html, try12.html, try13.html, try14.html, try15.html, try16.html (which is selected), try17.html, try18.html, try19.html, try2.html, try20.html, try21.html, try22.html, try23.html, try24.html, try25.html, try26.html, try27.html, try28.html, try29.html, try3.html, try30.html, and try31.html. The main editor area contains the following HTML code:

```
<html>
  <head>
    <title> Ordered Lists 2</title>
  </head>
  <body>
    This is an Ordered list!!
    <ol type="a">
      <li>pencils
      <li>pen
    </ol>
    <ol type="A" start="4">
      <li>erasers
      <li>paper
    </ol>
    <ol type="i">
      <li>glue
      <li>sharpener
    </ol>
    <ol type="I">
      <li>book
      <li>crayons
    </ol>
    <ol start="8">
      <li>compass
      <li>ruler
    </ol>
  </body>
</html>
```

Output:-



This is an Ordered list!!

- a. pencils
  - b. pen
  
  - D. erasers
  - E. paper
  
  - i. glue
  - ii. sharpener
  
  - I. book
  - II. crayons
  
  - 8. compass
  - 9. ruler

## Session :

Date :


# Creating webpage

## Code for Q17

The screenshot shows a Sublime Text window with the title bar "C:\Users\karan\Desktop\1312\try17.html (1312) - Sublime Text (UNREGISTERED)". The menu bar includes File, Edit, Selection, Find, View, Goto, Tools, Project, Preferences, and Help. The left sidebar lists other files: test2.html, test3.html, test4.html, test5.html, test6.html, test7.html, test8.html, test9.html, try.html, try10.html, try11.html, try12.html, try13.html, try14.html, try15.html, try16.html, try17.html (which is selected), try18.html, try19.html, try2.html, try20.html, and try21.html. The main editor area contains the following HTML code:

```
<html>
<body>
<ol>
<li>Flowers</li>
<ul type="square">
<li>Rose</li>
<li>Lily</li>
</ul>
<li>Animals</li>
<ul>
<li>Cat</li>
<li>Dog</li>
</ul>
<li>Places</li>
<ul type="disc">
<li>Goa</li>
<li>Mumbai</li>
</ul>
</ol>
</body>
</html>
```

Output:-



### 1. Flowers

- Rose
- Lily

### 2. Animals

- Cat
- Dog

### 3. Places

- Goa
- Mumbai

Session :

Date :

Creating webpage

Code for Q18

C:\Users\karan\Desktop\1312\try18.html (1312) - Sublime Text (UNREGISTERED)


File Edit Selection Find View Goto Tools Project Preferences Help

<> test2.html <> test3.html <> test4.html <> test5.html <> test6.html <> test7.html <> test8.html <> test9.html <> try.html <> try10.html <> try11.html <> try12.html <> try13.html <> try14.html <> try15.html <> try16.html <> try17.html <> try18.html <> try19.html <> try2.html <> try20.html <> try21.html <> try22.html <> try23.html <> try24.html <> try25.html <> try26.html <> try27.html <> try28.html <> try29.html <> try3.html <> try30.html <> try31.html <> try32.html <> try4.html <> try5.html <> try6.html

try17.html try18.html try19.html

```
1 <html>
2     <head>
3         <h1> Computer Primary Components</h1>
4     </head>
5     <body>
6         <ol>
7             <li>Input Device</li>
8                 <ol type="a">
9                     <li>Direct Input</li>
10                    <ul type="square">
11                        <li> Scanner</li>
12                    </ul>
13                     <li>Indirect Input</li>
14                    <ul type="square">
15                        <li>Keyboard</li>
16                        <li>Mouse</li>
17                    </ul>
18             </ol>
19             <li>Output Devices</li>
20                 <ol type="a">
21                     <li>Monitor</li>
22                     <ul type="square">
23                         <li>CRT Monitor</li>
24                         <li>LCD Monitor</li>
25                     </ul>
26                     <li>Speaker</li>
27                 </ol>
28             <li>Processing Device</li>
29                 <ol type="a">
30                     <li>ALU</li>
31                     <ul type="square">
32                         <li>Arithmetic Unit</li>
33                         <li>Logic Unit</li>
34                     </ul>
35                     <li>CU</li>
36                 </ol>
37             <li>Storage Device</li>
38                 <ol type="a">
39                     <li>Primary Storage</li>
40                     <ol type="square">
41                         <li>RAM</li>
42                         <ol type="i">
43                             <li>SRAM</li>
44                             <li>DRAM</li>
45                         </ol>
46                     </ol>
47             </ol>
48         </body>
49     </html>
```

Output:-



# Computer Primary Components

1. Input Device
  - a. Direct Input
    - Scanner
  - b. Indirect Input
    - Keyboard
    - Mouse
2. Output Devices
  - a. Monitor
    - CRT Monitor
    - LCD Monitor
  - b. Speaker
3. Processing Device
  - a. ALU
    - Arithmetic Unit
    - Logic Unit
  - b. CU
4. Storage Device
  - a. Primary Storage
    - i. RAM
      - ii. SRAM
      - ii. DRAM

Session :


Date :

Creating webpage

Code for Q19

```
C:\Users\karan\Desktop\1312\try19.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
  < test2.html
  < test3.html
  < test4.html
  < test5.html
  < test6.html
  < test7.html
  < test8.html
  < test9.html
  < try.html
  < try10.html
  < try11.html
  < try12.html
  < try13.html
  < try14.html
  < try15.html
  < try16.html
  < try17.html
  < try18.html
  < try19.html
try19.html
1 <html>
2   <head>
3     <title> Definition Lists</title>
4   </head>
5   <body>
6     <h1>This is a definition list</h1>
7     <dl>
8       <dt>Alliance</dt>
9         <dd>A union, relationship or connection by kinship, marriage or common interest.</dd>
10      <dt>Alligator</dt>
11        <dd>Large amphibious reptile with very sharp teeth and powerful jaws.</dd>
12      <dt>Alliterate</dt>
13        <dd>To arrange or form words beginning with the same sound.</dd>
14    </dl>
15   </body>
16 </html>
17
```

**Output:-**



## This is a definition list

### Alliance

A union, relationship or connection by kinship, marriage or common interest.

### Alligator

Large amphibious reptile with very sharp teeth and powerful jaws.

### Alliterate

To arrange or form words beginning with the same sound.

**Session :**


**Date :**

**Creating webpage**

**Code for Q20**

```
C:\Users\karan\Desktop\1312\try20.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
    <> test2.html
    <> test3.html
    <> test4.html
    <> test5.html
    <> test6.html
    <> test7.html
    <> test8.html
    <> test9.html
    <> try.html
    <> try10.html
    <> try11.html
    <> try12.html
    <> try13.html
    <> try14.html
    <> try15.html
    <> try16.html
    <> try17.html
    <> try18.html
try19.html
try20.html
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <h1>Markup Language Definitions</h1>
5      </head>
6      <body>
7          <dl>
8              <dt>SGML</dt>
9                  <dd>The Standard Generalized Markup Language.</dd>
10             <dt>HTML</dt>
11                 <dd>The Hypertext Markup Language.</dd>
12                 <dd>The markup language you use to create web pages.</dd>
13             <dt>XML</dt>
14                 <dd>The Extensible Markup Language.</dd>
15         </dl>
16     </body>
17 </html>
```

Output:-



# Markup Language Definitions

SGML

The Standard Generalized Markup Language.

HTML

The Hypertext Markup Language.

The markup language you use to create web pages.

XML

The Extensible Markup Language.

Session :


Date :

Creating webpage

## Code for Q21

```
C:\Users\karan\Desktop\1312\try21.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
    <> test5.html
    <> test6.html
    <> test7.html
    <> test8.html
    <> test9.html
    <> try.html
    <> try10.html
    <> try11.html
    <> try12.html
    <> try13.html
    <> try14.html
    <> try15.html
    <> try16.html
    <> try17.html
    <> try18.html
    <> try19.html
    <> try2.html
    <> try20.html
    <> try21.html
    <> try22.html
    <> try23.html
    <> try24.html
    <> try25.html
    <> try26.html
    <> try27.html
1 |<html>
2 |  <head>
3 |    <title>Tables</title>
4 |  </head>
5 |  <body>
6 |    <!--display table with 3 rows and 2 columns -->
7 |    <table border=2><!--table tag-->
8 |      <tr><!-- first table row-->
9 |        <th> Heading 1</th><!-- table head-makes the data as heading-->
10 |        <th>Heading 2</th>
11 |      </tr><!-- end of first row-->
12 |      <tr><!-- second row-->
13 |        <td>row 1, cell 1</td>
14 |        <td>row 2, cell 2</td>
15 |      </tr>
16 |      <tr>
17 |        <th>&nbsp;</th>
18 |        <td></td>
19 |      </tr>
20 |    </table>
21 |  </body>
22 |</html>
```

Output:-



Heading 1	Heading 2
row 1, cell 1	row 2, cell 2

Session :

Date :

Creating webpage


Code for Q22

The screenshot shows a Sublime Text window with the following details:

- Title Bar:** C:\Users\karan\Desktop\1312\try22.html (1312) - Sublime Text (UNREGISTERED)
- Menu Bar:** File Edit Selection Find View Goto Tools Project Preferences Help
- Tab Bar:** try21.html, try22.html (highlighted), try23.html, try24.html, try25.html, try26.html, try27.html
- Code Editor:** The code is an HTML document with the following structure:

```
<html>
  <head>
    <title>Tables</title>
  </head>
  <body>
    <!--display table with 3 rows and 2 columns -->
    <table border=4, bordercolor="red"><!--table tag-->
      <tr><!--first table row-->
        <th> Heading 1</th><!-- table head-makes the data as heading-->
        <th>Heading 2</th>
      </tr><!-- end of first row-->
      <tr><!-- second row-->
        <td>row 1, cell 1</td>
        <td>row 2, cell 2</td>
      </tr>
      <tr>
        <td>&nbsp;</td>
        <td></td>
      </tr>
    </table>
  </body>
</html>
```

## Output:-



Heading 1	Heading 2
row 1, cell 1	row 2, cell 2

## Session :

Date :

# Creating webpage

# Code for Q23

```
<html>
<head>
    <title> Tables 3</title>
</head>
<body>
    <table width="50%", height="50%", border="10", bordercolor="purple", background="boatwithgalaxy.jpg">
        <caption>
            This is a Caption
        </caption>
        <tr>
            <th>Heading</th>
            <th>Another Heading</th>
        </tr>
        <tr>
            <td fontcolor="blue">row 1, cell 1</td>
            <td> row 1, cell 2</td>
        </tr>
        <tr>
            <td>&nbsp;</td>
            <td></td>
        </tr>
    </table>
</body>
</html>
```

Session :

Date :

Creating webpage

Code for Q24

```
<html>
<head>
    <title> Tables 4</title>
</head>
<body>
    <table width = "50%", bordercolor="aqua", bgcolor="blue", border="7">
        <tr>
            <th>Heading</th>
            <th>Heading 2</th>
        </tr>
        <tr bgcolor="red">
            <td>row 1, cell 1</td>
            <td>row 1, cell 2</td>
        </tr>
        <tr>
            <td bgcolor="green">row 2, cell 1</td>
            <td>row 2, cell 2</td>
        </tr>
    </table>
</body>
</html>
```

Output:-

Heading	Heading
row 1, cell 1	row 1, cell 2
row 2, cell 1	row 2, cell 2

Session :

Date :

Creating webpage

Code for Q25

```

C:\Users\karan\Desktop\1312\try25.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
try21.html x try22.html x try23.html x try24.html x try25.html x try26.html x try27.html x try28.html x try29.html x try30.html
1 <html>
2   <head>
3     <title> Alignments</title>
4   </head>
5   <body>
6     <table width="100%" height="50%", border="10", bordercolor="aqua">
7       <tr valign="top">
8         <td align="left">Vertical Alignment is Top!!!<br>Horizontal Alignment is Left!!!</td>
9         <td align="right">Vertical Alignment is Top!!!<br>Horizontal Alignment is Right!!!<br></td>
10      </tr>
11      <tr align="right">
12        <td valign="bottom", align="left"> Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Left!!!</td>
13        <td valign="bottom"> Vertical Alignment is Bottom!!!<br>Horizontal alignment is Right!!!</td>
14      </tr>
15    </table>
16  </body>
17 </html>
18

```

Output:-

Vertical Alignment is Top!!! Horizontal Alignment is Left!!!	Vertical Alignment is Top!!! Horizontal Alignment is Right!!!
Vertical Alignment is Bottom!!! Horizontal Alignment is Left!!!	Vertical Alignment is Bottom!!! Horizontal alignment is Right!!!

## Session :


Date :

Creating webpage

Code for Q26

```
C:\Users\karan\Desktop\1312\try26.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
<> test5.html
<> test6.html
<> test7.html
<> test8.html
<> test9.html
<> try.html
<> try10.html
<> try11.html
<> try12.html
<> try13.html
<> try14.html
<> try15.html
<> try16.html
<> try17.html
<> try18.html
<> try19.html
<> try2.html
<> try20.html
<> try21.html
<> try22.html
<> try23.html
<> try24.html
<> try25.html
<> try26.html
<> try27.html
<> try28.html
<> try29.html
<> try3.html
<> try30.html
1 <html>
2   <head>
3     <title> Alignments 2 </title>
4   </head>
5   <body>
6     <h1 align="center">(Simply tried)</h1>
7     <table width="100%", height="25%", border="10", bordercolor="aqua">
8       <tr valign="top">
9         <td align="left">Vertical Alignment is Top!!!<br>Horizontal Alignment is Left!!!</td>
10        <td align="right"> Vertical Alignment is Top!!!<br>Horizontal Alignment is Right!!!<br></td>
11      </tr>
12      <tr align="right">
13        <td valign="bottom", align="left"> Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Left!!!</td>
14        <td valign="bottom"> Vertical Alignment is Bottom!!!<br>Horizontal alignment is Right!!!</td>
15      </tr>
16    </table>
17    <br>
18    <table width="100%", height="25%", border="10", bordercolor="green">
19      <tr valign="bottom">
20        <td align="right">Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Right!!!</td>
21        <td align="left"> Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Left!!!<br></td>
22      </tr>
23      <tr align="left">
24        <td valign="top", align="right"> Vertical Alignment is Top!!!<br>Horizontal Alignment is Right!!!</td>
25        <td valign="top"> Vertical Alignment is Top!!!<br>Horizontal alignment is Left!!!</td>
26      </tr>
27    </table>
28  </body>
29 </html>
```

Output:-




## Session :

Date :


# Creating webpage

## Code for Q27



```
C:\Users\karan\Desktop\1312\try27.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
< test5.html > try21.html < try22.html < try23.html < try24.html < try25.html < try26.html < try27.html < try28.html < try29.html < try30.html <
1 <html>
2   <head>
3     <title> Alignments 2 </title>
4   </head>
5   <body>
6     <h1 align="center">Alignments 3</h1>
7     <table width="100%", height="25%", border="10", bordercolor="aqua", cellpadding="10", cellspacing="10">
8       <tr valign="top">
9         <td align="left">Vertical Alignment is Top!!!<br>Horizontal Alignment is Left!!!</td>
10        <td align="right"> Vertical Alignment is Top!!!<br>Horizontal Alignment is Right!!!<br></td>
11      </tr>
12      <tr align = "right">
13        <td valign="bottom", align="left"> Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Left!!!</td>
14        <td valign="bottom"> Vertical Alignment is Bottom!!!<br>Horizontal alignment is Right!!!</td>
15      </tr>
16    </table>
17    <br>
18    <table width="100%", height="25%", border="10", bordercolor="green", cellpadding="10", cellspacing="10">
19      <tr valign="bottom">
20        <td align="right">Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Right!!!</td>
21        <td align="left"> Vertical Alignment is Bottom!!!<br>Horizontal Alignment is Left!!!<br></td>
22      </tr>
23      <tr align = "left">
24        <td valign="top", align="right"> Vertical Alignment is Top!!!<br>Horizontal Alignment is Right!!!</td>
25        <td valign="top"> Vertical Alignment is Top!!!<br>Horizontal alignment is Left!!!</td>
26      </tr>
27    </table>
28  </body>
29 </html>
30
```

## Output:-



## Session :

Date :


# Creating webpage

## Code for Q28

```
C:\Users\karan\Desktop\1312\try28.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
    <> test5.html
    <> test6.html
    <> test7.html
    <> test8.html
    <> test9.html
    <> try.html
    <> try10.html
    <> try11.html
    <> try12.html
    <> try13.html
    <> try14.html
    <> try15.html
    <> try16.html
    <> try17.html
    <> try18.html
    <> try19.html
    <> try2.html
    <> try20.html
    <> try21.html
    <> try22.html
    <> try23.html
    <> try24.html
    <> try25.html
    <> try26.html
    <> try27.html
    <> try28.html
    <> try29.html
    <> try3.html

1 <html>
2     <head>
3         <title>Tables</title>
4     </head>
5     <body>
6         <table width="100%", border="10", bordercolor="red", cellpadding="10", cellspacing="10">
7             <tr>
8                 <th colspan="2"> Heading 1</th>
9                 <!--<th>Headng 2</th>-->
10            </tr>
11            <tr>
12                <td rowspan="3">row 1 cell 1</td>
13                <td >row 1, cell 2</td>
14            </tr>
15            <tr>
16                <!--<td> row 2, cell 2</td>-->
17            </tr>
18            <tr>
19                <!--<td rowspan="2">row 3, cell 1</td>-->
20                <td> row 3, cell 2</td>
21            </tr>
22            <tr>
23                <td>row 3, cell 1</td>
24                <td> row 3, cell 2</td>
25            </tr>
26        </table>
27     </body>
28 </html>
```

**Output:-**



**Session :**

**Date :**


**Creating webpage**

**Code for Q29**

The screenshot shows a Sublime Text interface with several tabs open. The main tab is 'try29.html' containing the following HTML code:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Production Sales</title>
    </head>
    <body>
        <table border="5">
            <tr>
                <th colspan="2">Production</th>
            </tr>
            <tr>
                <td> Raha Mutisya</td>
                <td>1493</td>
            </tr>
            <tr>
                <td> Shalon Buraka</td>
                <td>3829</td>
            </tr>
            <tr>
                <td> Brandy Davis</td>
                <td>0283</td>
            </tr>
            <tr>
                <th colspan="2">Sales</th>
            </tr>
            <tr>
                <td> Claire Home</td>
                <td>4827</td>
            </tr>
            <tr>
                <td> Bruce Eckel</td>
                <td>7246</td>
            </tr>
            <tr>
                <td> Danny Zeman</td>
                <td>5689</td>
            </tr>
        </table>
    </body>
</html>
```

**Output:-**



Production	
Raha Mutisya	1493
Shalon Buraka	3829
Brandy Davis	0283
Sales	
Claire Home	4827
Bruce Eckel	7246
Danny Zeman	5689

Session :

Date :

Creating webpage

Code for Q30


C:\Users\karan\Desktop\1312\try30.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

try28.html try29.html try30.html try31.html

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Production Sales 2</title>
    </head>
    <body>
        <table border="5">
            <tr bgcolor="aqua" >
                <th Rowspan="4">Production</th>
            </tr>
            <tr>
                <td> Raha Mutisya</td>
                <td>1493</td>
            </tr>
            <tr>
                <td> Shalon Buraka</td>
                <td>3829</td>
            </tr>
            <tr>
                <td> Brandy Davis</td>
                <td>0283</td>
            </tr>
            <tr>
                <td> Claire Home</td>
                <td>4827</td>
            </tr>
            <tr>
                <td> Bruce Eckel</td>
                <td>7246</td>
            </tr>
            <tr>
                <td> Danny Zeman</td>
                <td>5689</td>
            </tr>
        </table>
    </body>
</html>
```

Output:-



Production	Raha Mutisya	1493
	Shalon Buraka	3829
	Brandy Davis	0283
Sales	Claire Home	4827
	Bruce Eckel	7246
	Danny Zeman	5689

Session :

Date :

Creating webpage

Code for Q31

C:\Users\karan\Desktop\1312\try31.html (1312) - Sublime Text (UNREGISTERED)


```
File Edit Selection Find View Goto Tools Project Preferences Help
    <> test5.html
    <> test6.html
    <> test7.html
    <> test8.html
    <> test9.html
    <> try.html
    <> try10.html
    <> try11.html
    <> try12.html
    <> try13.html
    <> try14.html
    <> try15.html
    <> try16.html
    <> try17.html
    <> try18.html
    <> try19.html
    <> try2.html
    <> try20.html
    <> try21.html
    <> try22.html
    <> try23.html
    <> try24.html
    <> try25.html
    <> try26.html
    <> try27.html
    <> try28.html
    <> try29.html
    <> try3.html
    <> try30.html
    <> try31.html
    <> try32.html
    <> try4.html
    <> try5.html
    <> try6.html
    <> try7.html
    <> try8.html
    <> try9.html
```

1   <!DOCTYPE html>
2   <html>
3     <head>
4       <meta charset="utf-8">
5       <meta name="viewport" content="width=device-width, initial-scale=1">
6       <title>Marksheet</title>
7     </head>
8     <body>
9       <table border="5">
10         <tr>
11           <th>Name</th>
12           <th>R.NO.</th>
13           <th>Class</th>
14         <tr>
15         <td>Steve Smith</td>
16         <td>1312</td>
17         <td>SYBCA</td>
18         </tr>
19         <tr>
20           <th colspan="3">Subjects</th>
21         </tr>
22         <tr>
23           <th></th>
24           <td>Out of</td>
25           <td>Got</td>
26         </tr>
27         <tr>
28           <th>Science</th>
29           <td>100</td>
30           <td>87</td>
31         </tr>
32         <tr>
33           <th>Maths</th>
34           <td>100</td>

The screenshot shows a Sublime Text interface with several tabs open. The active tab is 'try31.html' which contains the following HTML code:

```
<td>100</td>
<td>87</td>
</tr>
<tr>
<th>Maths</th>
<td>100</td>
<td>80</td>
</tr>
<tr>
<th>Geography</th>
<td>50</td>
<td>25</td>
</tr>
<tr>
<th>History</th>
<td>50</td>
<td>29</td>
</tr>
<tr>
<th>English</th>
<td>100</td>
<td>96</td>
</tr>
<tr>
<th>Total</th>
<td colspan="2" align="center"> 317</td>
</tr>
<tr>
<th>Percentage</th>
<td align="center", colspan="2">79.25</td>
</tr>
</table>
</body>
</html>
```

**Output:-**



Name	R.NO.	Class
Steve Smith	1312	SYBCA
Subjects		
	Out of	Got
Science	100	87
Maths	100	80
Geography	50	25
History	50	29
English	100	96
<b>Total</b>		317
<b>Percentage</b>		79.25

Session :

Date :

Creating webpage

Code for Q32

C:\Users\karan\Desktop\1312\try32.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

<> test5.html  
<> test6.html  
<> test7.html  
<> test8.html  
<> test9.html  
<> try.html  
<> try10.html  
<> try11.html  
<> try12.html  
<> try13.html  
<> try14.html  
<> try15.html  
<> try16.html  
<> try17.html  
<> try18.html  
<> try19.html  
<> try2.html  
<> try20.html  
<> try21.html  
<> try22.html  
<> try23.html  
<> try24.html  
<> try25.html  
<> try26.html  
<> try27.html  
<> try28.html  
<> try29.html  
<> try3.html  
<> try30.html  
<> try31.html  
<> try32.html  
<> try4.html  
<> try5.html  
<> try6.html  
<> try7.html  
<> try8.html  
<> try9.html

try30.html try31.html try32.html

```
1 <!DOCTYPE html>
2 <html>
3     <head>
4         <meta charset="utf-8">
5         <meta name="viewport" content="width=device-width, initial-scale=1">
6         <title>Calender</title>
7     </head>
8     <body>
9         <table border="5", bordercolor="aqua", width="100%">
10            <tr>
11                <th colspan="7">January 2023</th>
12            </tr>
13            <tr align="center">
14                <th> Monday</th>
15                <th> Tuesday</th>
16                <th> Wednesday</th>
17                <th> Thursday</th>
18                <th> Friday</th>
19                <th> Saturday</th>
20                <th> Sunday</th>
21            </tr>
22            <tr align="center">
23                <td></td>
24                <td></td>
25                <td></td>
26                <td>1</td>
27                <td>2</td>
28                <td>3</td>
29                <td>4</td>
30            </tr>
31            <tr align="center">
32                <td>5</td>
33                <td>6</td>
34                <td>7</td>
35                <td>8</td>
36                <td>9</td>
37                <td>10</td>
38                <td>11</td>
39            </tr>
40            <tr align="center">
41                <td>12</td>
42                <td>13</td>
43                <td>14</td>
44                <td>15</td>
45                <td>16</td>
46                <td>17</td>
47                <td>18</td>
48            </tr>
49            <tr align="center">
50                <td>19</td>
51                <td>20</td>
52                <td>21</td>
```

C:\Users\karan\Desktop\1312\try32.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

<> test5.html <> test6.html <> test7.html <> test8.html <> test9.html <> try.html <> try10.html <> try11.html <> try12.html <> try13.html <> try14.html <> try15.html <> try16.html <> try17.html <> try18.html <> try19.html <> try2.html <> try20.html <> try21.html <> try22.html <> try23.html

try30.html x | try31.html

```
43 <td>14</td>
44 <td>15</td>
45 <td>16</td>
46 <td>17</td>
47 <td>18</td>
48 </tr>
49 <tr align="center">
50 <td>19</td>
51 <td>20</td>
52 <td>21</td>
53 <td>22</td>
54 <td>23</td>
55 <td>24</td>
56 <td>25</td>
57 </tr>
58 <tr align="center">
59 <td>26</td>
60 <td>27</td>
61 <td>28</td>
62 <td>29</td>
63 <td>30</td>
64 <td>31</td>
65 <td></td>
66 </tr>
67 </body>
68 </html>
```

Output:-




Session :

Date :

Creating webpage

## Code for ex1



The screenshot shows the Sublime Text interface with multiple tabs open. The active tab is 'test1.html' containing the following HTML code:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Courses</title>
    </head>
    <body>
        <h1 align="center">Courses offered by Saraswat College.</h1>
        <ul>
            <li>bcom</li>
            <ol type="a">
                <li>fybcom</li>
                <li>sybcom</li>
                <li>tybcom</li>
            </ol>
            <li>bca</li>
            <ol type="i">
                <li>fybca</li>
                <li>sybca</li>
                <ol type="1">
                    <li>class A</li>
                    <li>class B</li>
                </ol>
                <li>tybca</li>
            </ol>
            <li>bba</li>
            <ol type="1">
                <li>fybba</li>
                <li>sybba</li>
                <li>tybba</li>
            </ol>
        </ul>
    </body>
</html>
```

Output:-



### Courses offered by Saraswat College.


- bcom
  - a. fybcom
  - b. sybcom
  - c. tybcom
- bca
  - i. fybca
  - ii. sybca
  - iii. class A
    - 1. class A
    - 2. class B
  - iii. tybca
- bba
  - 1. fybba
  - 2. sybba
  - 3. tybba

Session :

Date :

## Creating webpage


### Code for ex2



The screenshot shows the Sublime Text interface with multiple tabs open. The current file is 'test2.html' at line 17. The code is as follows:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title></title>
    </head>
    <body>
        <!--<h2 style="font-style: oblique;">Form 1</h2>-->
        <form name="F1" method="post" action="try30.html">
            Enter username:<br><input type="text" name="username"><br>
            Enter password:<br><input type="text" name="password"><br><br>
            <input type="submit" name="sub1" value="click me!">&nbsp; &nbsp;
            <input type="reset" name="reset" value="reset">
        </form>
    </body>
</html>
```

Output:-



Enter username:


Enter password:

Session :

Date :

# Creating webpage

## Code for ex3



The screenshot shows a Sublime Text window with multiple tabs open. The active tab is 'test3.html' containing the following HTML code:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Registration Page</title>
    </head>
    <body style="background: deepskyblue;">
        <h2 style="font-family: cursive;">Welcome to our registration page!!!</h2>
        <form name="f2" method="post">
            <table>
                <tr>
                    <td>USERNAME:</td>
                    <td><input type="text" name="userid"></td>
                </tr>
                <tr>
                    <td>PASSWORD:</td>
                    <td><input type="password" name="pwd"></td>
                </tr>
                <tr>
                    <td>RETYPE PASSWORD:</td>
                    <td><input type="password" name="re-pwd"></td>
                </tr>
                <tr>
                    <td>GENDER:</td>
                    <td><input type="radio" name="gender" value="Male">Male</td>
                    <td><input type="radio" name="gender" value="Female">Female</td>
                </tr>
                <tr>
                    <td>Select your country</td>
                    <td>
                        <select name="country">
                            <option value="India">India</option>
                            <option value="England">England</option>
                            <option value="Australia">Australia</option>
                        </select>
                    </td>
                </tr>
                <tr>
                    <td>Select your interests</td>
                    <td>
```

```
C:\Users\karan\Desktop\1312\test3.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find Goto Tools Project Preferences Help
FOLDERS
1312
101 Activity-report
boatwithgalaxy
college.jpeg
CT_US
IMG_2443.jpg
milkyway
/* style1.css
/* style2.css
<> test1.html
<> test10.html
<> test11.html
<> test12.html
<> test13.html
<> test14.html
<> test15.html
<> test16.html
<> test17.html
<> test18.html
<> test19.html
<> test2.html
<> test3.html
<> test4.html
<> test5.html
<> test6.html
<> test7.html
<> test8.html
<> test9.html
<> try.html
<> try10.html
<> try11.html
<> try12.html
<> try13.html
<> try14.html
<> try15.html
try16.html
1312
34          <option value="England">England</option>
35          <option value="Australia">Australia</option>
36      </select></td>
37  </tr>
38  <tr>
39      <td>Select your interests</td>
40      <td>
41          <input type="checkbox" name="chk1" value="movies">Movies
42          <input type="checkbox" name="chk2" value="movies">Games
43          <input type="checkbox" name="chk3" value="movies">Computers
44      </td>
45  </tr>
46  <tr>
47      <td>ADDRESS</td>
48      <td><textarea name="adress" rows=3 cols=30></textarea></td>
49  </tr>
50  <tr>
51      <td>Mobile No.</td>
52      <td>
53          <input type="text" name="mobilenumber">
54      </td>
55  </tr>
56  <tr>
57      <td>
58          <input type="submit" name="submit" value="SUBMIT!">
59      </td>
60      <td>
61          <input type="RESET" name="RESET" value="OOPS! TRY AGAIN!!!">
62      </td>
63  </tr>
64      </table>
65  </form>
66  </body>
67 </html>
```

Output:-

The screenshot shows a web browser window with a registration form. The browser's toolbar is visible at the top, along with the address bar showing 'C:/Users/karan/Desktop/1312/test3.html'. The main content area has a blue background and displays the following form fields:

- USERNAME:**
- PASSWORD:**
- RETYPE PASSWORD:**
- GENDER:**
  - Male
  - Female
- Select your country**:
- Select your interests**:
  - Movies
  - Games
  - Computers
- ADDRESS**:
- Mobile No.**:
- SUBMIT!**
- OOPS! TRY AGAIN!!!**

Session :


Date :

Creating webpage

Code for ex4

```
C:\Users\karan\Desktop\1312\test4.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
FOLDERS
1312
101 Activity-report
boatwithgalax
college.jpeg
CT_US
IMG_2443.jpg
milkyway
/* style1.css
/* style2.css
< test1.html
< test10.html
< test11.html
< test12.html
< test13.html
< test14.html
< test15.html
< test16.html
< test17.html
< test18.html
< test19.html
< test2.html
< test3.html
< test4.html
< test5.html
< test6.html
< test7.html
< test8.html
1 !DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title></title>
</head>
<body>
Enter your details
<form>
<table>
<tr>
<td>Username: </td>
<td><input type="text" name="username"></td>
</tr>
<tr>
<td>Password: </td>
<td><input type="password" name="pwd"></td>
</tr>
<tr>
<td>
<input type="submit" name="subm" value="Submit!">
</td>
<td>
<input type="reset" name="cancel" value="Cancel!">
</td>
</tr>
<tr>
<td>
<input type="submit" name="fpwd" value="Forgot password" formaction="test5.html" >
</td>
</tr>
</table>
</form>
</body>
</html>
```

**Output:-**



Enter your details

Username:

Password:

Submit!

Cancel!


Forgot password

**Session :**

**Date :**

## Creating webpage

### Code for ex5




The screenshot shows the Sublime Text interface with multiple tabs open. The current tab is 'test5.html' which contains the following HTML code:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title></title>
    </head>
    <body>
        Your password is vjoiuajf
    </body>
</html>
```

The file tree on the left shows a folder named '1312' containing various files like 'Activity-report', 'boatwithgalax', 'college.jpeg', 'CT\_US', 'IMG\_2443.jpg', 'milkyway', 'style1.css', 'style2.css', and several test files.

Output:-



Your password is vjoiuajf

Session :

Date :

Creating webpage

Code for ex6

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Inline CSS</title>
    </head>
    <body>
        <p style="color: blue; font-size: 50px; font-style: italic; text-align: center;">
            Inline CSS contains the CSS property in the body section attached with element is known as inline CSS. This kind of style is specified within an HTML tag using the style attribute.
        </p>
        <p style="color: green; font-size: 30px; font-style: bolder; text-align: left;">
            Inline CSS contains the CSS property in the body section attached with element is known as inline CSS. This kind of style is specified within an HTML tag using the style attribute.
        </p>
    </body>
</html>
```

## Output:-



*Inline CSS contains the CSS property in the body section attached with element is known as inline CSS. This kind of style is specified within an HTML tag using the style attribute.*

Inline CSS contains the CSS property in the body section attached with element is known as inline CSS. This kind of style is specified within an HTML tag using the style attribute.

## Session :

Date :

Creating webpage

Code for ex7

```
C:\Users\karan\Desktop\1312\test7.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
FOLDERS
1312
Activity-report
boatwithgalax
college.jpeg
CT.US
IMG_2443.jpg
milkyway
style1.css
style2.css
test1.html
test10.html
test11.html
test12.html
test13.html
test14.html
test15.html
test16.html
test17.html
test18.html
test19.html
test2.html
test3.html
test4.html
test5.html
test6.html
test7.html
test8.html
test9.html

1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title>Internal CSS</title>
7     <style type="text/css">
8       h1{
9         color: blue;
10        margin-left: 20px;
11      }
12      p{
13        font-family: cursive;
14        font-size: 150%;
15      }
16    </style>
17  </head>
18  <body>
19    <h1>Cascading Style Sheets 1</h1>
20    <p>CSS, is a simple design language intended to simplify the process of making web pages presentable. CSS os an HTML document. CSS describes how HTML elements should be displayed.</p>
21    <h1>Cascading Style Sheets 2</h1>
22    <p>CSS, is a simple design language intended to simplify the process of making web pages presentable. CSS os an HTML document. CSS describes how HTML elements should be displayed.</p>
23  </body>
24 </html>
```

## Output:-



### Cascading Style Sheets 1

CSS, is a simple design language intended to simplify the process of making web pages presentable. CSS os an HTML document. CSS describes how HTML elements should be displayed.

### Cascading Style Sheets 2


CSS, is a simple design language intended to simplify the process of making web pages presentable. CSS os an HTML document. CSS describes how HTML elements should be displayed.

## Session :

Date :

Creating webpage

Code for ex8



C:\Users\karan\Desktop\1312\test8.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

**FOLDERS**

1312

- Activity-report
- boatwithgalax
- college.jpeg
- CT\_US
- IMG\_2443.jpg
- milkyway
- style1.css
- style2.css
- test1.html
- test10.html
- test11.html
- test12.html
- test13.html
- test14.html
- test15.html

style1.css test8.html test9.html try10.html

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title>External Style Sheet 1.1</title>
7     <link rel="stylesheet" type="text/css" href="style1.css">
8   </head>
9   <body>
10    <h1>External Style Sheet 1.1</h1>
11    <p>Hello World!!! This is the first paragraph.</p>
12  </body>
13 </html>
```

**Output:-**




**Session :**

**Date :**

**Creating webpage**

**Code for ex9**



C:\Users\karan\Desktop\1312\test9.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

**FOLDERS**


1312

- Activity-report
- boatwithgalax
- college.jpeg
- CT\_US
- IMG\_2443.jpg
- milkyway
- style1.css
- style2.css
- test1.html
- test10.html
- test11.html
- test12.html
- test13.html

style1.css test8.html test9.html try10.html

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title>External Style Sheet 1.2</title>
7     <link rel="stylesheet" type="text/css" href="style1.css">
8   </head>
9   <body>
10    <h1>External Style Sheet 1.2 </h1>
11    <p>Hello World!!! This is the first paragraph.</p>
12  </body>
13 </html>
```

Creating a css file named style1.css for test8.html and test9.html



C:\Users\karan\Desktop\1312\style1.css (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

**FOLDERS**

1312

Activity-report  
boatwithgalaxy.jpg  
college.jpeg  
CT\_US  
IMG\_2443.jpg  
milkyway  
/\* style1.css  
/\* style2.css  
<> test1.html  
<> test10.html  
<> test11.html  
<> test12.html  
<> test13.html  
<> test14.html  
<> test15.html  
<> test16.html  
<> test17.html  
<> test18.html

style1.css

test8.html

test9.html

```
1 p{  
2     color: yellow;  
3     text-align: justify;  
4     letter-spacing: 10pt;  
5     text-transform: lowercase;  
6     background-color: blueviolet;  
7     border-style: solid;  
8     background-repeat: repeat;  
9 }  
10 h1{  
11     text-align: center;  
12     color: yellowgreen;  
13     border-color: darkred;  
14     border-width: 40px;  
15     background-color: lightpink;  
16     text-decoration: line-through;  
17 }
```

Output:-




Session :

Date :

Creating webpage test

## Code for ex10



```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>SVSOCACM</title>
    </head>
    <body style="background-image: url(college.jpeg); background-size: cover; background-repeat: no-repeat;">
        <table border="3" align="right" bgcolor="white">
            <tr>
                <th><a href="test11.html"> Register </a></th>
                <th><a href="test12.html">Login </a></th>
            </tr>
        </table>
        <h3 style="position: relative; left: 28px; top: 258px; background-color: yellow;">Our Mission</h3>
        <p style="position: relative; left: 28px; top: 270px; color: white; background-color: purple;">To import value added education,to nurture the creative abilities of our youth,to develop professional competence with a focus on opportunities for individual excellence and the collective wellbeing of the community.</p>
        <h3 style="position: relative; left: 28px; top: 290px; background-color: yellow;">About College</h3>
        <p style="position: relative; left: 28px; top: 300px; color: white; background-color: purple;">Sridhara Caculo College of Commerce & Management Studies, one of the pioneering private institutions of higher education in commerce and management education, was established in 1991, by Saraswat Education Society. Born out of a passion to empower society and provide opportunities to youth of all sections of society, today the Society has singularly contributed significantly to the development of education and empowerment of young minds in Bardez and North Goa since 1911.</p>
        <ul style="position: relative; left: 28px; top: 340px; font-size: large;">
            <li><a href="test13.html"> BCA Courses </a></li>
            <li><a href="test14.html">Activities</a></li>
            <li><a href="test15.html">Latest Newspapers</a></li>
        </ul>
        <footer style="text-align: center; position: relative; top: 840px; padding: 3px; background-color: DarkSalmon; color: white;">
            <p><img alt="College Building" style="vertical-align: middle; height: 20px; width: auto;"/> Teleng Nagar, Khorlim, Mapusa, Goa, 403507</p>
        </footer>
    </body>
</html>
```

## Output:-




Session :

Date :

Creating webpage


## Code for ex11



The screenshot shows a Sublime Text window with multiple tabs open. The active tab is 'test11.html' which contains the following HTML code:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Register</title>
    </head>
    <body>
        <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
        Enter your details
        <form>
            <table>
                <tr>
                    <td>Fname: </td>
                    <td><input type="text" name="Fname"></td>
                </tr>
                <tr>
                    <td>Lname: </td>
                    <td><input type="text" name="Lname"></td>
                </tr>
                <tr>
                    <td>Username: </td>
                    <td><input type="text" name="Username"></td>
                </tr>
                <tr>
                    <td>Mnumber: </td>
                    <td><input type="text" name="Mnumber"></td>
                </tr>
                <tr>
                    <td>Age: </td>
                    <td><input type="number" name="Age"></td>
                </tr>
                <tr>
                    <td>Choose Your Course</td>
                    <td>
                        <select>
                            <option>BCA</option>
                            <option>BBA</option>
                        </select>
                    </td>
                </tr>
            </table>
        </form>
    </body>
</html>
```

The sidebar on the left lists other files in the project, including 'milkyway', 'style1.css', 'style2.css', and various 'testX.html' files.



C:\Users\karan\Desktop\1312\test11.html (1312) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

test10.html test11.html test12.html test13.html test14.html test15.html

```
31      <td><input type="number" name="Age"></td>
32    </tr>
33    <tr>
34      <td>Choose Your Course</td>
35      <td>
36        <select>
37          <option>BCA</option>
38          <option>BBA</option>
39          <option>BCOM</option>
40        </select></td>
41    </tr>
42    <tr>
43      <td>Password: </td>
44      <td><input type="password" name="pwd"></td>
45    </tr>
46    <tr>
47      <td>
48        <input type="submit" name="subm" value="Submit!">
49      </td>
50      <td>
51        <input type="reset" name="cancel" value="Cancel!">
52      </td>
53    </tr>
54  </table>
55 </form>
56 </body>
57 </html>
```

Output:-



Enter your details

Fname:	<input type="text"/>
Lname:	<input type="text"/>
Username:	<input type="text"/>
Mnumber:	<input type="text"/>
Age:	<input type="text"/>
Choose Your Course	<input type="button" value="BCA ▾"/>
Password:	<input type="password"/>
<input type="button" value="Submit!"/>	<input type="button" value="Cancel!"/>

Session :

Date :

Creating webpage

Code for ex12

```
C:\Users\karan\Desktop\1312\test12.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
[IMG_2443.jpg] test10.html test11.html test12.html test13.html test14.html test15.html test16.html test17.html test18.html test19.html test2.html test3.html test4.html test5.html test6.html test7.html test8.html test9.html try.html try10.html try11.html try12.html try13.html try14.html try15.html try16.html try17.html try18.html try19.html
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title>login</title>
7   </head>
8   <body>
9     <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
10    Enter your login details
11    <form>
12      <table>
13        <tr>
14          <td>Username: </td>
15          <td><input type="text" name="Username"></td>
16        </tr>
17        <tr>
18          <td>Mnumber: </td>
19          <td><input type="text" name="Mnumber"></td>
20        </tr>
21        <tr>
22          <td>Password: </td>
23          <td><input type="password" name="pwd"></td>
24        </tr>
25        <tr>
26          <td>
27            <input type="submit" name="subm" value="Submit!">
28          </td>
29          <td>
30            <input type="reset" name="cancel" value="Cancel!">
31          </td>
32        </tr>
33        <tr>
34          <td>
35            <input type="submit" name="fpwd" value="Forgot password" formaction="test5.html" >
36          </td>
37        </tr>
38      </table>
39    </form>
40  </body>
41 </html>
```

## Output:-



Enter your login details

Username:

Mnumber:


Password:

Session :

Date :

Creating webpage


Code for ex13



The screenshot shows a Sublime Text window with multiple tabs open. The active tab is 'test13.html' which contains the following HTML code:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>BCA</title>
    </head>
    <body>
        <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
        <h2>BCA Details</h2>
        <ul style="font-size: large;">
            <li><a href="test16.html">Timetable</a></li>
            <li><a href="test17.html">Syllabus</a></li>
            <li><a href="test18.html">Attendance</a></li>
            <li><a href="test19.html">Results</a></li>
        </ul>
    </body>
</html>
```

Output:-



## BCA Details

- [Timetable](#)
- [Syllabus](#)
- [Attendance](#)
- [Results](#)

Session :


Date :

Creating webpage

Code for ex14

```
C:\Users\karan\Desktop\1312\test14.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
  ↗  test13.html  ×  test14.html  ×  test15.html  ×  test16.html  ×  test17.htm
  ↗ milkyway
  ↗ style1.css
  ↗ style2.css
  ↗ test10.html
  ↗ test11.html
  ↗ test12.html
  ↗ test13.html
  ↗ test14.html
  ↗ test15.html
  ↗ test16.html
  ↗ test17.html
  ↗ test18.html
  ↗ test19.html
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <meta charset="utf-8">
5          <meta name="viewport" content="width=device-width, initial-scale=1">
6          <title>Activities</title>
7      </head>
8      <body>
9          <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
10         <h3><a href="Activity-report-2022.pdf"> Activity Report 2022</a></h3>
11     </body>
12 </html>
```

Output:-



## Activity Report 2022

## Session :

Date :

# Creating webpage


## Code for ex15



The screenshot shows a Sublime Text window with the title bar "C:\Users\Karan\Desktop\1312\test15.html (1312) - Sublime Text (UNREGISTERED)". The menu bar includes File, Edit, Selection, Find, View, Goto, Tools, Project, Preferences, and Help. The left sidebar lists files: IMG\_2443.jpg, milkyway, style1.css, style2.css, test1.html, test10.html, test11.html, test12.html, test13.html, test14.html, test15.html, test16.html, test17.html, test18.html, test19.html, test2.html, test3.html, test4.html, and test5.html. There are seven tabs open in the main area: test13.html, test14.html, test15.html (the active tab), test16.html, test17.html, and test18.html. The code in test15.html is as follows:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Latest Newspapers</title>
    </head>
    <body>
        <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
        <h3><a href="https://www.npr.org/2023/02/27/1159197797/winter-storms-nasa-flights-weather-research?utm_source=pocket-newtab-intl-en">Weather News</a></h3>
        <h3><a href="https://edition.cnn.com/2023/02/25/health/core-strength-exercises-indoors-wellness/index.html?utm_source=pocket-newtab-intl-en">Science News</a></h3>
    </body>
</html>
```

## Output:-



## Weather News

## Science News

Session :

Date :

Creating webpage


Code for ex16

C:\Users\karan\Desktop\1312\test16.html (1312) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
  ↗ test13.html × | test14.html × | test15.html × | test16.html × | test17.html
  ↗ milkyway
  ↗ style1.css
  ↗ style2.css
  ↗ test1.html
  ↗ test10.html
  ↗ test11.html
  ↗ test12.html
  ↗ test13.html
  ↗ test14.html
  ↗ test15.html
  ↗ test16.html
  ↗ test17.html
  ↗ test18.html
  ↗ test19.html
  ↗ test2.html

1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="utf-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1">
6     <title>TT</title>
7   </head>
8   <body>
9     <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
10    <h3><a href="">FYBCA Time-Table</a></h3>
11    <h3><a href="">SYBCA Time-Table</a></h3>
12    <h3><a href="">TYBCA Time-Table</a></h3>
13  </body>
14 </html>
```

Output:-



## FYBCA Time-Table

## SYBCA Time-Table

## TYBCA Time-Table

Session :

Date :

Creating webpage


Code for ex17

A screenshot of the Sublime Text code editor. The title bar shows the path 'C:\Users\karan\Desktop\1312\test17.html (1312) - Sublime Text (UNREGISTERED)'. The editor has four tabs open: 'test16.html', 'test17.html' (which is the active tab), 'test18.html', and 'test19.html'. The code in the active tab is as follows:

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Syllabus</title>
    </head>
    <body>
        <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
        <h3><a href="">FYBCA Syllabus</a></h3>
        <h3><a href="">SYBCA Syllabus</a></h3>
        <h3><a href="">TYBCA Syllabus</a></h3>
    </body>
</html>
```

The sidebar on the left lists other files in the directory: 'IMG\_2443.jpg', 'milkyway', 'style1.css', 'style2.css', 'test1.html', 'test10.html', 'test11.html', 'test12.html', 'test13.html', 'test14.html', 'test15.html', 'test16.html', 'test17.html', 'test18.html', 'test19.html', 'test2.html', and 'test3.html'.

Output:-



## FYBCA Syllabus

## SYBCA Syllabus

## TYBCA Syllabus

Session :

Date :

Creating webpage

Code for ex18

```
C:\Users\karan\Desktop\1312\test18.html (1312) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
  test16.html      |  test17.html      |  test18.html      |  test19.html
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <meta charset="utf-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1">
6      <title>Attendance</title>
7    </head>
8    <body>
9      <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
10     <h3><a href="">FYBCA Attendance</a></h3>
11     <h3><a href="">SYBCA Attendance</a></h3>
12     <h3><a href="">TYBCA Attendance</a></h3>
13   </body>
14 </html>
```

Output:-



FYBCA Attendance

SYBCA Attendance

TYBCA Attendance

Session :

Date :


Creating webpage

Code for ex19

A screenshot of the Sublime Text code editor. The interface includes a top menu bar with File, Edit, Selection, Find, View, Goto, Tools, Project, Preferences, and Help. Below the menu is a tab bar with four tabs: "test16.html", "test17.html", "test18.html", and "test19.html". A sidebar on the left lists files: "IMG\_2443.jpg", "milkyway", "style1.css", "style2.css", "test1.html", "test10.html", "test11.html", "test12.html", "test13.html", "test14.html", "test15.html", "test16.html", "test17.html", "test18.html", "test19.html", and "test2.html". The main workspace shows the following code for "test19.html":

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>Results</title>
    </head>
    <body>
        <h3 style="text-align: right;"><a href="test10.html">Home</a></h3>
        <h3><a href="">FYBCA Result</a></h3>
        <h3><a href="">SYBCA Result</a></h3>
        <h3><a href="">TYBCA Result</a></h3>
    </body>
</html>
```

Output:-




FYBCA Result

SYBCA Result

TYBCA Result

Created a project WindowsFormsApplication1

Created a form Form1.cs



Code for form Form1.cs:

The screenshot shows the Microsoft Visual Studio interface. The code editor displays the C# code for Form1.cs, which contains methods for performing arithmetic operations (Add, Subtract, Multiply, Divide) and displaying results via MessageBox. The Solution Explorer on the right shows the project structure for WindowsFormsApplication1, including files like Form1.cs, Form1.resx, and Program.cs.

```
WindowsFormsApplication1 - Microsoft Visual Studio
File Edit View Refactor Project Build Debug Team Data Tools Test Window Help
Form1.cs [Design]
WindowsFormsApplication1.cs
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }


        private void add_button_Click(object sender, EventArgs e)
        {
            int n1, n2, sum;
            n1 = int.Parse(num1TXT.Text);
            n2 = int.Parse(num2TXT.Text);
            sum = n1 + n2;
            MessageBox.Show("The sum is:" + sum);
        }


        private void subtract_button_Click(object sender, EventArgs e)
        {
            int n1, n2, result;
            n1 = int.Parse(num1TXT.Text);
            n2 = int.Parse(num2TXT.Text);
            result = n1 - n2;
            MessageBox.Show("The result is:" + result);
        }

        private void multiply_button_Click(object sender, EventArgs e)
        {
            int n1, n2, result;
            n1 = int.Parse(num1TXT.Text);
            n2 = int.Parse(num2TXT.Text);
            result = n1 * n2;
            MessageBox.Show("The result is:" + result);
        }

        private void divide_button_Click(object sender, EventArgs e)
        {
            int n1, n2, result;
            n1 = int.Parse(num1TXT.Text);
            n2 = int.Parse(num2TXT.Text);
            result = n1 / n2;
            MessageBox.Show("The result is:" + result);
        }
    }
}
```

## Showing working:







## Session: 11 A

Date: 15-03-2023


Created a form try1.cs




Created and designed a Welcome form Try1.cs




Created and designed Try1\_form2.cs




Built and checked running of login button:







## Created and designed Try1\_form3.cs



## Created and designed Try1\_form4.cs




## Created and designed Try1\_form5.cs



Date: 23-03-2023

Created a project CalculatorApp

Created a form Test1.cs



## Code for Test1.cs

```


using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace CalculatorApp
{
    public partial class Test1 : Form
    {
        double value = 0;
        String op = "=";
        bool op_pressed = false;
        public Test1()
        {
            InitializeComponent();
        }

        private void Test1_Load(object sender, EventArgs e)
        {
        }

        private void button_click(object sender, EventArgs e)
        {
            if((result.Text=="0")||(op_pressed))
            {
                result.Clear();
            }
            op_pressed = false;
            Button b = (Button)sender; //takes object sender and then converts it into a button.
            result.Text = result.Text + b.Text;
        }

        private void operation_click(object sender, EventArgs e)
        {
            Button b = (Button)sender;
            op = b.Text;
            value = Double.Parse(result.Text);
            op_pressed = true;
            equation.Text = value + op;
        }
    }
}


```

The screenshot shows the Microsoft Visual Studio interface. The title bar reads "CalculatorApp - Microsoft Visual Studio". The menu bar includes File, Edit, View, Refactor, Project, Build, Debug, Team, Data, Tools, Test, Window, Help. The toolbar has icons for New, Open, Save, Print, Cut, Copy, Paste, Find, Replace, Undo, Redo, and various build and debug tools. The status bar at the bottom shows "File Edit View Refactor Project Build Debug Team Data Tools Test Window Help" and "Debug x86".

The main area displays the code for `Test.cs` under the `CalculatorApp.Test` project. The code handles button click events for operators (+, -, \*, /) and the equals key (=), updating a text box `equationText` with the result of the calculation.


```
op_pressed = true;
equationText = value + "" + op;


private void ce_Click(object sender, EventArgs e)
{
    result.Text = "0";
}

private void cancel_Click(object sender, EventArgs e)
{
    result.Text = "0";
    value = 0;
}

private void equal_Click(object sender, EventArgs e)
{
    equationText += "";
    switch (op)
    {
        case "+":
            result.Text = (value + Double.Parse(result.Text)).ToString();
            break;
        case "-":
            result.Text = (value - Double.Parse(result.Text)).ToString();
            break;
        case "*":
            result.Text = (value * Double.Parse(result.Text)).ToString();
            break;
        case "/":
            result.Text = (value / Double.Parse(result.Text)).ToString();
            break;
    }
}
```

## Showing working of CalculatorApp:





Created a project Ak-05-2002

Created a form Calc(Test1)

