

Data Capture Tool Laravel

Complete User Manual

Detailed guide by menu and submenu: viewing, data entry, import, validation, export and administration.




Table of contents

Getting started

Sign-in, language and country context	3
Dashboard, global search, messages and notifications	4

Common operations

Using tables: search, filters, sorting and export	5
Create, edit, save and delete a record	6

Indicators

Indicator values	7
Archives	8
Imports	9
Exports	10
Indicator definitions	11
Indicator domains	12
Indicator references	13
Disaggregation categories	14
Disaggregation options	15
Sources	16
Measure methods	17
Periods	18

UHC Clock

UHC progress	19
Priority indicators	20
UHC themes	21
UHC groups	22
UHC indicators	23

Facilities

Health facilities	24
Service capacity	25
Service readiness	26
Service availability	27
Facility owners	28
Facility types	29
Service areas	30
Service domains	31
Service interventions	32
Provision units	33

Health Workforce

Workforce values	34
------------------	----

Resources / guides	35
Health cadres	36
Training institutions	37
Institution types	38
Training programmes	39
Resource types	40
Resource categories	41
Health Services	
Service values	42
HSC indicators	43
HSC programmes	44
HSC programmes lookup	45
Data Elements	
Data element values	46
Data element definitions	47
Data element groups	48
Publications	
Knowledge products	49
Publication domains	50
Resource types	51
Resource categories	52
National Observatory	
National observatories	53
Locations	
Locations / countries	54
Level 2 locations	55
Location levels	56
Income groups	57
Economic blocks	58
Special categorizations	59
Dial codes	60
Data Integration	
Connections	61
Field mapping	62
Data Quality	
Indicator checks	63
Failed import rows	64
Facts dataset	65
Facts filter	66
Missing values	67

Multiple measures

Internal consistencies

External consistencies

Value type checks

Check categories

Check measures

Check periods

Check sources

Valid category options

Valid data sources

Valid measure types

API Tokens

Token status, endpoints and examples

Authentication

Users

Roles and permissions

User history

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

Sign-in, language and country context

Login page, header, language selector

Submenu purpose


- This section explains how to access the DCT in production with the WHO Microsoft account.
- The sign-in page redirects to Microsoft Entra ID, which verifies the user's identity before opening the DCT.

How to do it

- 1 Open the production DCT URL.
- 2 On the Microsoft page, enter the WHO work email address.
- 3 Click Next, then follow the Microsoft instructions: password, multifactor verification or mobile approval when requested.
- 4 After sign-in, check the country displayed on the dashboard or sidebar.
- 5 Change the language from the header selector if needed.

What to check before finishing

- If the user sees the wrong country, check the account in Authentication > Users.
- If Microsoft sign-in fails, contact the DCT administrator or WHO IT support.



Dashboard, global search, messages and notifications

Dashboard

Submenu purpose


- The dashboard gives an overview of data, users, archives and charts.
- The header contains search, messages, notifications and language selection.

How to do it

- 1 Use the Search bar to find a menu, page or action.
- 2 Click the Messages icon to read received messages.
- 3 Click the Notifications icon to view pending data or system alerts.
- 4 Click a message or notification to open it; after reading, it leaves the active list.
- 5 Read dashboard cards to monitor volumes: locations, indicators, indicator data, archive, sources/methods and users.

What to check before finishing

- Important notifications may also be received by email depending on the user profile.
- A country user should only see data from their country.



Using tables: search, filters, sorting and export

Any table

Submenu purpose

- Most DCT pages use the same Filament tables.
- These controls let users find, filter, sort and export data.

How to do it

- 1 Type a word in Search to find a label, code, country, source or period.
- 2 Click the filter icon to limit results by country, status, period or reference.
- 3 Click a column header to sort.
- 4 Use checkboxes to select several rows when a bulk action is available.
- 5 Click Export then choose CSV or Excel.
- 6 For wide tables, scroll to the right; the first column remains visible to keep context.

What to check before finishing

- Before exporting, confirm that filters display the expected rows.
- If the result is empty, remove filters one by one.

The screenshot shows the 'Data Capture Tool' interface for the 'Values' table. The table has the following columns: ID, Code, Indicator, Location, Period, Disaggregation, Source, and Received. The data is as follows:

ID	Code	Indicator	Location	Period	Disaggregation	Source	Received
258694	AFR0017	Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]	MAURITIUS	2021	Not Applicable	WHO/Global Health Observatory	9.7
258693	AFR0017	Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]	MAURITANIA	2021	Not Applicable	WHO/Global Health Observatory	9.5
258692	AFR0017	Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]	REPUBLIC OF CONGO	2021	Not Applicable	WHO/Global Health Observatory	

Create, edit, save and delete a record

Any create/edit page

Submenu purpose

- DCT forms follow the same principle: open, fill fields, save, then verify the result.
- Some actions such as Delete or Approve depend on permissions.

How to do it

- 1 From the list, click Add/New to create or click Edit on an existing row.
- 2 Fill required fields; fields with a star or validation message are mandatory.
- 3 For dropdown lists, type the first letters of the label and select the item.
- 4 Click Save or Save changes.
- 5 Return to the list, search for the record and confirm that it appears correctly.
- 6 To delete, click Delete only when the record should no longer be kept; confirm deletion.

What to check before finishing

- Do not type a manual code when the system generates the code automatically.
- Do not delete a reference already used by data without administrator validation.

The screenshot displays the 'Users' management page in the Data Capture Tool. The page features a sidebar with navigation options like Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality, API tokens, and Authentication. The main content area shows a list of users with the following columns: Name, Email, Identity source, Django status, Microsoft user principal name, and Last Microsoft sign-in. The users listed are admin@local.dev, Alex Thawani, ssy@who.int, Madisa Tumisang, Tanaka Saidi, Richmond Sowah, Felicidade Niquice, Taban Kilo, Alice, and Anabay Mamo. All users have an 'Active' Django status and 'DCT Django' as their identity source. The Microsoft user principal name is 'Not available' for all, and the last Microsoft sign-in is empty. The interface also includes a search bar, an 'Export' button, and a 'New user' button. At the bottom, there is a map of the African Region.

Name	Email	Identity source	Django status	Microsoft user principal name	Last Microsoft sign-in
admin@local.dev	admin@local.dev	DCT Django	Active	Not available	
Alex Thawani	alexthawani@gmail.com	DCT Django	Active	Not available	
ssy@who.int	ssy@who.int	DCT Django	Active	Not available	
Madisa Tumisang	madisa@who.int	DCT Django	Active	Not available	
Tanaka Saidi	tanaka.saidi@who.int	DCT Django	Active	Not available	
Richmond Sowah	sowahr@who.int	DCT Django	Active	Not available	
Felicidade Niquice	felicidade.niquice@ins.gov.mz	DCT Django	Active	Not available	
Taban Kilo	ochant@who.int	DCT Django	Active	Not available	
Alice	rutaremaraa@who.int	DCT Django	Active	Not available	
Anabay Mamo	amamo@who.int	DCT Django	Active	Not available	

Indicator values

Indicators > Data > Indicator values

Submenu purpose

- This submenu is used to view, create, edit and monitor indicator values.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Indicators > Data > Indicator values.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.

The screenshot shows the 'Indicator values' page in the Data Capture Tool. The page has a sidebar on the left with various navigation options. The main content area displays a table of indicator values. The table has columns for ID, Code, Indicator, Location, Period, Disaggregation, Source, and Received. There are three rows of data, all for the indicator 'Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]'. The locations are MAURITIUS, MAURITANIA, and REPUBLIC OF CONGO. The period is 2021, and the source is WHO/Global Health Observatory. The received values are 9.7, 9.5, and 9.5 respectively. The interface includes buttons for 'Import data' and 'Add indicator value'.

ID	Code	Indicator	Location	Period	Disaggregation	Source	Received
258694	AFR0017	Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]	MAURITIUS	2021	Not Applicable	WHO/Global Health Observatory	9.7
258693	AFR0017	Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]	MAURITANIA	2021	Not Applicable	WHO/Global Health Observatory	9.5
258692	AFR0017	Death rate due to road traffic injuries (per 100 000 population) [SDG 3.6.1]	REPUBLIC OF CONGO	2021	Not Applicable	WHO/Global Health Observatory	9.5

Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Archives

Indicators > Data > Archives

Submenu purpose


- This submenu is used to view, create, edit and monitor archived indicator values.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Indicators > Data > Archives.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Imports

Indicators > Data wizard > Imports

Submenu purpose


- This submenu is used to view, create, edit and monitor data imports.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Indicators > Data wizard > Imports.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Exports

Indicators > Data wizard > Exports

Submenu purpose


- This submenu is used to view, create, edit and monitor data exports.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Indicators > Data wizard > Exports.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Indicator definitions

Indicators > References > Indicators

Submenu purpose

- This submenu manages indicator references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Indicators.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

AFRO code	Indicator	General code	Reference	Created	Updated	
☐ AFR0001	Average life expectancy at birth (in years)		GIR0001	Aug 13, 2020 09:50:15	Dec 13, 2024 08:46:45	Edit Delete View
☐ AFR0002	Healthy life expectancy at birth (in years)		GIR0001	Aug 13, 2020 09:56:13	Dec 31, 2024 00:26:44	Edit Delete View
☐ AFR0003	Life expectancy at age 60 years		GIR0001	Aug 13, 2020 10:22:08	Feb 9, 2022 12:40:34	Edit Delete View
☐ AFR0004	Population size (in thousands) total		GIR0001	Aug 13, 2020 10:23:32	Mar 26, 2025 17:30:21	Edit Delete View

Practical tips

- Never replace a reference with another one without checking existing data.

Indicator domains

Indicators > References > Indicator domains

Submenu purpose


- This submenu manages indicator domain references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Indicator domains.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Indicator references

Indicators > References > Indicator references

Submenu purpose

- This submenu manages bibliographic and metadata references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Indicator references.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Indicator References' page in the Data Capture Tool. The interface is in English and displays a table of references. The table has the following data:

Reference	Code	Indicators	Created	Updated	Actions
Global List of 100 Core Health Indicators	GIR0001	618	Jul 23, 2020 04:49:14	Sep 19, 2020 16:01:37	Edit Delete
GPW13 Indicators	GIR0003	42	Oct 14, 2020 12:41:30	Oct 14, 2020 12:41:30	Edit Delete
AFR KPI GPW13	GIR0004	0	Oct 14, 2020 19:19:23	Oct 14, 2020 19:19:23	Edit Delete
Health Services Continuity	GIR0005	29	Dec 28, 2021 09:44:12	Dec 28, 2021 09:44:12	Edit Delete

Practical tips

- Never replace a reference with another one without checking existing data.

Disaggregation categories

Indicators > References > Disaggregation categories

Submenu purpose


- This submenu manages disaggregation category references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Disaggregation categories.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Disaggregation options

Indicators > References > Disaggregation options

Submenu purpose

- This submenu manages disaggregation option references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Disaggregation options.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Disaggregation Options' page in the Data Capture Tool. The interface includes a sidebar with navigation links (Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration) and a top header with user information (CU), search bar, and language settings (English). The main content area displays a table of disaggregation options.

Disaggregation	Code	Parent category	Created	Updated
☐ Neonate (0-28 Days)	ADC0001	1	Jul 27, 2020 11:55:54	Aug 27, 2020 20:09:22
☐ Infants (0-11 Months)	ADC0002	1	Jul 30, 2020 09:59:01	Oct 24, 2020 20:46:37
☐ Under Fives (0-4 Years)	ADC0003	1	Aug 10, 2020 19:04:22	Aug 27, 2020 20:09:22
☐ Children (5-9 Years)	ADC0004	1	Aug 10, 2020 19:04:54	Oct 24, 2020 20:21:00
☐ Adolescents (10-19 Years)	ADC0005	1	Aug 25, 2020 17:06:13	Oct 24, 2020 20:15:38
☐ Adult (15+ Years)	ADC0006	1	Aug 25, 2020 17:06:52	Jun 11, 2021 15:28:00
☐ Old Person (60+ Years)	ADC0007	1	Aug 25, 2020 17:07:32	Aug 27, 2020

Practical tips

- Never replace a reference with another one without checking existing data.

Sources

Indicators > References > Sources

Submenu purpose


- This submenu manages data source references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Sources.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Measure methods

Indicators > References > Measure methods

Submenu purpose

- This submenu manages measure method references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Measure methods.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Measure Methods' section of the Data Capture Tool. The interface is in English and shows a list of measure methods. The table has columns for 'Measure method', 'Code', 'Created', and 'Updated'. Each row represents a measure method with a unique code and creation/update timestamps. Actions like 'Edit', 'Delete', and 'View' are available for each method. A 'New measure method' button is located in the top right corner of the table area.

Measure method	Code	Created	Updated	Actions
Percentage	AMM0001	Jul 27, 2020 17:07:34	Jul 21, 2021 16:47:58	Edit Delete View
Per 1000 live births	AMM0002	Aug 10, 2020 19:09:07	Jul 21, 2021 16:43:13	Edit Delete View
String	AMM0003	Sep 9, 2020 08:33:11	Jul 21, 2021 16:48:32	Edit Delete View
Ratio	AMM0004	Sep 15, 2020 12:02:18	Jul 21, 2021 16:48:13	Edit Delete View
Count (Numeric Integer)	AMM0005	Sep 19, 2020 15:59:52	Jul 21, 2021 16:29:35	Edit Delete View
Per 1000 population	AMM0006	Sep 22, 2020 09:21:03	Jul 21, 2021 16:43:37	Edit Delete View
per 100 000 live births	AMM0007	Sep 22, 2020 11:25:15	Jul 21, 2021 16:42:26	Edit Delete View
Per 100 000 population	AMM0008	Sep 22, 2020 12:09:38	Jul 21, 2021 16:42:49	Edit Delete View
Per 1000 women aged 15-19 years	AMM0009	Sep 23, 2020 11:44:55	Jul 21, 2021 16:45:50	Edit Delete View
Millions of constant 2018 United States dollars	AMM0010	Sep 30, 2020 12:08:34	Jul 21, 2021 16:33:38	Edit Delete View

Practical tips

- Never replace a reference with another one without checking existing data.

Periods

Indicators > References > Periods

Submenu purpose


- This submenu manages period references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Indicators > References > Periods.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

UHC progress

UHC Clock > Progress

Submenu purpose


- This submenu is used to view, create, edit and monitor UHC progress results.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open UHC Clock > Progress.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Priority indicators

UHC Clock > Data > Priority indicators

Submenu purpose


- This submenu is used to view, create, edit and monitor priority indicators by country.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open UHC Clock > Data > Priority indicators.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

UHC themes

UHC Clock > References > Themes

Submenu purpose

- This submenu manages UHC theme references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open UHC Clock > References > Themes.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'UHC Themes' management page. The left sidebar contains a navigation menu with options like Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality, API tokens, and Authentication. The main content area is titled 'UHC Themes' and includes a 'New UHC theme' button and an 'Export' button. Below these is a table listing various themes with columns for Theme, Level, Group, Parent, Indicators, Run, and Created. The table contains several rows of data, including 'Day', 'Hour', 'Minute', and 'Second' themes, each with a level indicator (1 or 2) and a group description. At the bottom left, there is a map of the African Region.

Theme	Level	Group	Parent	Indicators	Run	Created
Day	1	Day [Health Impact and Outcome]	-	18		Dec 9, 2023 17:53:20
Day Sub-theme	2	Day [Health Impact and Outcome]	Day	0		Dec 9, 2023 17:54:17
Hour	1	Hour [UHC Monitoring and Financial Systems]	-	5		Dec 9, 2023 18:56:22
Hour sub-theme	2	Hour [UHC Monitoring and Financial Systems]	Hour	0		Dec 9, 2023 18:57:17
Minute	1	Minute [System Performance and Service Utilization]	-	12		Dec 12, 2023 08:32:45
Minute sub-theme	2	Minute [System Performance and Service Utilization]	Minute	0		Dec 12, 2023 08:34:46
Second	1	Second [Health System Inputs]	-	121		Feb 5, 2024 14:36:00
Second sub-theme	2	Second [Health System Inputs]	Second	0		Feb 5, 2024 14:36:00

Practical tips

- Never replace a reference with another one without checking existing data.

UHC groups

UHC Clock > References > Groups

Submenu purpose


- This submenu manages UHC group references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open UHC Clock > References > Groups.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

UHC indicators

UHC Clock > References > Indicators

Submenu purpose

- This submenu manages UHC indicator references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open UHC Clock > References > Indicators.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

Code	Indicator	Type	Group	Run	Created	Updated
AFR0106	Adolescent birth rate (per 1,000 women aged 15-19 years)	Impact	Day (Health Impact and Outcome)			
AFR0008	Under-five mortality rate (per 1,000 live births)-[SDG 3.2.1]	Impact	Day (Health Impact and Outcome)			
AFR0010	Neonatal mortality rate (per 1,000 live births)-[SDG 3.2.2]	Impact	Day (Health Impact and Outcome)			
AFR0104	Number of new HIV infections per 1,000 uninfected	Impact	Day (Health Impact and Outcome)			

Practical tips

- Never replace a reference with another one without checking existing data.

Health facilities

Facilities > Data > Health facilities

Submenu purpose

- This submenu is used to view, create, edit and monitor health facilities.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Facilities > Data > Health facilities.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.

ID	Facility	Code	Type	Owner	Location	Status	Created
85412	site asc de siradofoto	DFC85412	Other Facility	Community-Based Organization	MALI	Active	Dec 27, 2023 12:00
85411	site asc de adamabougou	DFC85411	Other Facility	Community-Based Organization	MALI	Active	Dec 27, 2023 12:00
85410	centre de sante communautaire de falakono	DFC85410	Primary Care Facility	Private not for profit	MALI	Active	Dec 27, 2023 12:00
85409	site asc de nantiana	DFC85409	Other Facility	Community-Based Organization	MALI	Active	Dec 27, 2023 12:00
85408	centre de sante communautaire de ndjila fignana	DFC85408	Primary Care Facility	Private not for profit	MALI	Active	Dec 27, 2023 12:00
85407	cabinet medical nono	DFC85407	Primary Care Facility	Private for profit	MALI	Active	Dec 27, 2023 12:00

Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Service capacity

Facilities > Data > Service capacity

Submenu purpose


- This submenu is used to view, create, edit and monitor service capacity data.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Facilities > Data > Service capacity.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Service readiness

Facilities > Data > Service readiness

Submenu purpose


- This submenu is used to view, create, edit and monitor service readiness data.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Facilities > Data > Service readiness.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Service availability

Facilities > Data > Service availability

Submenu purpose

- This submenu is used to view, create, edit and monitor service availability data.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Facilities > Data > Service availability.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.

The screenshot shows the 'Services Availability' section of the Data Capture Tool. The interface includes a sidebar with navigation options like Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, and Data integration. The main content area displays a table of service availability records with columns for ID, Facility, Code, Type, Location, Service records, Latest assessment, and Status. Three records are shown: Bossei Dispensary (Kenya), Musumba Centre de Santé (Burundi), and Virika Hospital (Uganda). A search bar and filters are visible at the top of the table.

ID	Facility	Code	Type	Location	Service records	Latest assessment	Status
70412	Bossei Dispensary	DFC70412	Primary Care Facility	KENYA	1	Jun 24, 2026	Active
48425	Musumba Centre de Santé	DFC48425	Primary Care Facility	BURUNDI	1	Jun 24, 2026	Active
42460	Virika Hospital	DFC42460	Other Facility	UGANDA	3	Jun 23, 2026	Active

Total: 3 records

Per page 10

Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Facility owners

Facilities > References > Facility owners

Submenu purpose


- This submenu manages facility owner references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Facilities > References > Facility owners.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Facility types

Facilities > References > Facility types

Submenu purpose


- This submenu manages facility type references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Facilities > References > Facility types.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Service areas

Facilities > References > Service areas

Submenu purpose


- This submenu manages service area references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Facilities > References > Service areas.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Service domains

Facilities > References > Service domains

Submenu purpose

- This submenu manages service domain references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Facilities > References > Service domains.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

Service domain	Code	Category	Level	Parent	Provision units	Interventions
Reproductive, maternal and newborn health	DFDO0001	Availability	Level 0	-	6	5
Child and adolescent health	DFDO0002	Availability	Level 0	-	5	3
Communicable diseases	DFDO0003	Availability	Level 0	-	6	6
Noncommunicable diseases	DFDO0004	Availability	Level 0	-	5	4
Surgical and blood transfusion	DFDO0005	Availability	Level 0	-	7	2

Practical tips

- Never replace a reference with another one without checking existing data.

Service interventions

Facilities > References > Service interventions

Submenu purpose


- This submenu manages service intervention references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Facilities > References > Service interventions.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Provision units

Facilities > References > Provision units

Submenu purpose

- This submenu manages provision unit references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Facilities > References > Provision units.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

Provision unit	Code	Service domain	Capacity records	Readiness records	Created
Antenatal care consultation room	DUNT0001	Reproductive, maternal and newborn health	0	0	Jun 19, 2026 1
Delivery room	DUNT0002	Reproductive, maternal and newborn health	0	0	Jun 19, 2026 1
Delivery bed	DUNT0003	Reproductive, maternal and newborn health	0	0	Jun 19, 2026 1
Maternity inpatient bed	DUNT0004	Reproductive, maternal and	0	0	Jun 19, 2026 1

Practical tips

- Never replace a reference with another one without checking existing data.

Workforce values

Health workforce > Data > Workforce values

Submenu purpose

- This submenu is used to view, create, edit and monitor workforce values.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Health workforce > Data > Workforce values.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.

ID	Cadre	Location	Period	Disaggregation	Source	Value	Sta
493	Medical Doctor	ALGERIA	2019	Total	WHO Regional Office for Africa	42,140	Pe
492	Medical Doctor	ALGERIA	2018	Total	WHO Regional Office for Africa	72,604	Pe
491	Medical Doctor	ALGERIA	2016	Total	WHO Regional Office for Africa	74,309	Pe
487	Health service managers	AFRO Region	2018	Total	WHO Regional Office for Africa	415,788	Ap
486	Health service managers	ZIMBABWE	2018	Total	WHO Regional Office for Africa	9,829	Ap
485	Health service managers	ZAMBIA	2018	Total	WHO Regional Office for Africa	17,801	Ap

Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Resources / guides

Health workforce > Data > Resources / guides

Submenu purpose


- This submenu is used to view, create, edit and monitor workforce resources and guides.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Health workforce > Data > Resources / guides.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Health cadres

Health workforce > References > Health cadres

Submenu purpose

- This submenu manages health cadre references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health workforce > References > Health cadres.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Health Cadres' management interface. The table lists the following data:

Cadre	Code	Parent	Values	Created	Updated	Actions
☐ Midwifery	HCA0001	-	0	Aug 18, 2020 16:45:31	Aug 18, 2020 16:45:31	Edit Delete
☐ Generalist medical practitioners	HCA0004	-	54	Sep 8, 2020 21:09:49	Sep 8, 2020 21:28:01	Edit Delete
☐ Specialist medical practitioners	HCA0005	-	55	Sep 8, 2020 21:10:21	Sep 8, 2020 21:27:51	Edit Delete
☐ Nursing professionals	HCA0006	-	54	Sep 8, 2020 21:11:01	Sep 8, 2020 21:28:17	Edit Delete
☐ Nursing associate professionals	HCA0007	Nursing professionals	6	Sep 8, 2020 21:11:34	Sep 8, 2020 21:11:34	Edit Delete
☐ Midwifery professionals	HCA0008	-	6	Sep 8, 2020 21:12:15	Sep 8, 2020 21:28:28	Edit Delete
☐ Midwifery associate	HCA0009	Midwifery professionals	6	Sep 8, 2020 21:12:42	Sep 8, 2020 21:12:42	Edit Delete

Practical tips

- Never replace a reference with another one without checking existing data.

Training institutions

Health workforce > References > Training institutions

Submenu purpose

- This submenu manages training institution references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health workforce > References > Training institutions.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot displays the 'Training Institutions' page within the 'Data Capture Tool'. The interface includes a sidebar with navigation options like Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality, API tokens, and Authentication. The main content area shows a table of training institutions with columns for Institution, Code, Location, Type, Programmes, Created, and Updated. A 'New training institution' button is visible in the top right corner of the table area.

Institution	Code	Location	Type	Programmes	Created	Updated	
National University of Science and Technology	HAIN0001	AFRO Region	Medical	2	Jul 31, 2020 12:18:20	Oct 1, 2020 17:56:44	✖ E
Makelele University	HAIN0002	AFRO Region	Health Sciences	7	Jul 31, 2020 14:29:25	Mar 3, 2025 13:25:29	✖ E
Universidade Katavala Bwila	HAIN0003	ANGOLA	Medical	1	Oct 1, 2020 17:13:17	Oct 1, 2020 17:57:51	✖ E
Universidade Agostinho Neto	HAIN0004	ANGOLA	Medical	1	Oct 1, 2020 17:15:57	Oct 1, 2020 17:57:37	✖ E
Ambo University SOM	HAIN0005	ETHIOPIA	Health Sciences	3	Oct 1, 2020 17:17:13	Oct 1, 2020 17:43:06	✖ E
Adigrat University	HAIN0006	ETHIOPIA	Health Sciences	3	Oct 1, 2020 17:19:11	Oct 1, 2020 17:42:44	✖ E

Practical tips

- Never replace a reference with another one without checking existing data.

Institution types

Health workforce > References > Institution types

Submenu purpose

- This submenu manages institution type references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health workforce > References > Institution types.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot displays the 'Institution Types' management interface within the Data Capture Tool. The left sidebar contains navigation links such as Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, and Data integration. The main content area shows a table of institution types with columns: Name, Code, Short name, Institutions, Created, and Updated. The table lists six records: Medical (HTIN0001), Health Sciences (HTIN0002), Nurses (HTIN0003), Midwifery (HTIN0004), Nurses & Midwifery (HTIN0005), and Dentistry (HTIN0006). A 'New institution type' button is located in the top right corner of the main content area. The bottom of the page shows a map of the African Region and a total of 6 records.

Name	Code	Short name	Institutions	Created	Updated
Medical	HTIN0001	Medical	6	Jul 31, 2020 11:49:14	Jul 31, 2020 11:49:14
Health Sciences	HTIN0002	HS	14	Jul 31, 2020 14:27:31	Sep 19, 2020 16:16:39
Nurses	HTIN0003	Nurses	0	Sep 24, 2020 08:18:13	Sep 24, 2020 08:18:11
Midwifery	HTIN0004	Midwifery	0	Sep 24, 2020 08:18:29	Sep 24, 2020 08:18:2
Nurses & Midwifery	HTIN0005	Nurses & Midwifery	0	Sep 24, 2020 08:18:43	Sep 24, 2020 08:18:4
Dentistry	HTIN0006		0	Mar 3, 2025 13:15:50	Mar 3, 2025

Practical tips

- Never replace a reference with another one without checking existing data.

Training programmes

Health workforce > References > Training programmes

Submenu purpose


- This submenu manages training programme references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health workforce > References > Training programmes.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Resource types

Health workforce > References > Resource types

Submenu purpose


- This submenu manages workforce resource type references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health workforce > References > Resource types.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Resource categories

Health workforce > References > Resource categories

Submenu purpose

- This submenu manages workforce resource category references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health workforce > References > Resource categories.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot displays the 'Data Capture Tool' interface for the 'African Region'. The main content area is titled 'Resource Categories' and shows a list of three categories. The interface includes a sidebar with navigation options like Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, and Data integration. The 'Health workforce' section is expanded, showing 'References' with 'Resource Categories' selected. The 'Resource Categories' list has columns for Category, Code, Type, Products, Created, and Updated. There are three records listed: 'HRH resources' (KRC0009), 'Human resources' (KRC0010), and 'Norms, standards and guidelines' (KRC0023). The total number of records is 3. The interface also features a search bar, an 'Export' button, and a 'New workforce resource category' button.

Category	Code	Type	Products	Created	Updated
HRH resources	KRC0009	Knowledge Resources	142	Aug 26, 2021 17:50:24	Sep 20, 2021 20:18
Human resources	KRC0010	Knowledge Resources	5	Aug 26, 2021 17:50:42	Sep 20, 2021 20:19
Norms, standards and guidelines	KRC0023	Implementation Practices	1	Jul 29, 2024 05:33:24	Jul 29, 2024 05:33

Practical tips

- Never replace a reference with another one without checking existing data.

Service values

Health services > Data > Service values

Submenu purpose

- This submenu is used to view, create, edit and monitor health service values.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Health services > Data > Service values.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.

The screenshot shows the 'Service Values' page in the Data Capture Tool. The page has a sidebar with various navigation options. The main content area features a table with the following data:

ID	Code	Indicator	Location	Period	Received value	Calculated value	Source
13868	AFR0587	Number of reported severe malaria cases by month	BURUNDI	2021-05	22,985		WHO/Global Health Observatory
13867	AFR0587	Number of reported severe malaria cases by month	ANGOLA	2021-05	65,927		WHO/Global Health Observatory
13866	AFR0587	Number of reported severe malaria cases by month	BURUNDI	2021-04	23,163		WHO/Global Health Observatory

Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

HSC indicators

Health services > References > HSC indicators

Submenu purpose


- This submenu manages health service indicator references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health services > References > HSC indicators.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

HSC programmes

Health services > References > HSC programmes

Submenu purpose

- This submenu manages health service programme references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health services > References > HSC programmes.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'HSC Programmes' management interface. On the left is a sidebar with various navigation links. The main area features a table of existing programmes. The table has columns for 'Programme', 'Code', 'Parent', 'Level', 'Created', and 'Updated'. Each row includes a checkbox for selection and an 'Edit' link. The programmes listed are: Service Delivery (HSC0001), Malaria (HSC0002), Non-communicable Diseases (HSC0003), Vaccine Preventable Diseases (HSC0004), and Human Immunodeficiency Virus/Tuberculosis (HSC0006). A 'New HSC programme' button is located in the top right corner of the main area.

Programme	Code	Parent	Level	Created	Updated	
☐ Service Delivery	HSC0001		1	Nov 2, 2021 07:49:25	Nov 2, 2021 13:19:17	Edit
☐ Malaria	HSC0002		1	Nov 2, 2021 10:06:13	Dec 20, 2021 07:18:37	Edit
☐ Non-communicable Diseases	HSC0003		1	Nov 2, 2021 13:18:47	Dec 20, 2021 07:12:53	Edit
☐ Vaccine Preventable Diseases	HSC0004		1	Nov 2, 2021 13:28:43	Nov 2, 2021 13:29:24	Edit
☐ Human Immunodeficiency Virus/Tuberculosis	HSC0006		1	Nov 2, 2021 13:32:33	Dec 20, 2021 07:23:27	Edit

Practical tips

- Never replace a reference with another one without checking existing data.

HSC programmes lookup

Health services > References > HSC programmes lookup

Submenu purpose

- This submenu manages programme lookup references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Health services > References > HSC programmes lookup.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot displays the 'HSC Programmes Lookup' page within the 'Data Capture Tool'. The interface includes a sidebar with various navigation options, with 'Health services' currently selected. The main area shows a table of HSC programmes. The table has five columns: 'Indicator ID', 'Indicator', 'Code', 'Programme', and 'Level'. There are five rows of data, showing different indicators and their corresponding codes and levels. An 'Export' button is located at the top right of the table area.

Indicator ID	Indicator	Code	Programme	Level
571	Nombre d'enfants (de moins de 1 an) that received their 1st dose of rougeole	AFR0571	Vue d'ensemble de la population	2
571	Nombre d'enfants (de moins de 1 an) that received their 1st dose of rougeole	AFR0571	Vue d'ensemble de la population	2
571	Nombre d'enfants (de moins de 1 an) that received their 1st dose of rougeole	AFR0571	Vue d'ensemble de la population	2
586	Nombre de cas confirmés de paludisme simple by mois	AFR0586	Service utilization	1
586	Nombre de cas confirmés de paludisme simple by mois	AFR0586	Service utilization	1

Practical tips

- Never replace a reference with another one without checking existing data.

Data element values

Data elements > Data > Values

Submenu purpose


- This submenu is used to view, create, edit and monitor data element values.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Data elements > Data > Values.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Data element definitions

Data elements > References > Definitions

Submenu purpose


- This submenu manages data element references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Data elements > References > Definitions.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Data element groups

Data elements > References > Groups

Submenu purpose


- This submenu manages data element group references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Data elements > References > Groups.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Knowledge products

Publications > Data > Products

Submenu purpose


- This submenu is used to view, create, edit and monitor publications and knowledge products.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Publications > Data > Products.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Publication domains

Publications > References > Domains

Submenu purpose


- This submenu manages publication domain references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Publications > References > Domains.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Resource types

Publications > References > Types

Submenu purpose


- This submenu manages resource type references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Publications > References > Types.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Resource categories

Publications > References > Categories

Submenu purpose

- This submenu manages resource category references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Publications > References > Categories.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Resource Categories' page in the Data Capture Tool. The interface includes a sidebar with navigation links and a main content area with a table of categories. The table has columns for Category, Code, Type, Products, Created, and Updated. The categories listed are: Country Health Profiles (KRC0001), Health Sector Reviews (KRC0002), UHC Briefcase (KRC0003), Disease Programme/Health Outcome Reviews (KRC0004), Health System Reviews (KRC0005), Review report (KRC0006), Annual report (KRC0007), and COVID-19 Resources (KRC0008). Each row has edit and delete icons. A 'New resource category' button is in the top right.

Category	Code	Type	Products	Created	Updated	
Country Health Profiles	KRC0001	Analytics	605	Aug 26, 2021 17:45:46	Dec 8, 2021 09:44:34	Edit De
Health Sector Reviews	KRC0002	Analytics	147	Aug 26, 2021 17:46:20	Dec 8, 2021 09:46:24	Edit De
UHC Briefcase	KRC0003	Analytics	486	Aug 26, 2021 17:46:59	Sep 20, 2021 20:31:02	Edit De
Disease Programme/Health Outcome Reviews	KRC0004	Analytics	24	Aug 26, 2021 17:47:40	Dec 3, 2023 15:55:30	Edit De
Health System Reviews	KRC0005	Analytics	35	Aug 26, 2021 17:48:07	Sep 20, 2021 20:17:53	Edit De
Review report	KRC0006	Analytics	159	Aug 26, 2021 17:48:45	Dec 8, 2021 10:04:11	Edit De
Annual report	KRC0007	Analytics	173	Aug 26, 2021 17:49:20	Dec 8, 2021 09:43:55	Edit De
COVID-19 Resources	KRC0008	Analytics	10	Aug 26, 2021 17:49:55	Dec 8, 2021 09:45:16	Edit De

Practical tips

- Never replace a reference with another one without checking existing data.

National observatories

National observatory > National observatories

Submenu purpose


- This submenu is used to view, create, edit and monitor national observatories.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open National observatory > National observatories.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Locations / countries

Locations > References > Locations

Submenu purpose

- This submenu manages country and location references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Locations.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot displays the 'Locations' management interface within the 'Data Capture Tool'. The sidebar on the left contains various navigation links, with 'Locations' currently selected. The main panel shows a table of existing locations, including entries for the AFRO Region and several African countries like ALGERIA, ANGOLA, BENIN, BOTSWANA, BURKINA FASO, BURUNDI, CAMEROON, CABO VERDE, and CENTRAL AFRICAN REPUBLIC. Each row lists the location name, its code, ISO alpha and numeric codes, parent location, level, creation date, and last update date. A 'New location' button is located in the top right corner of the main panel.

Practical tips

- Never replace a reference with another one without checking existing data.

Level 2 locations

Locations > References > Level 2 locations

Submenu purpose

- This submenu manages level 2 location references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Level 2 locations.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Level 2 Locations' page in the Data Capture Tool. The interface includes a sidebar with navigation options like Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations (selected), Data integration, and Data quality. The main content area displays a table of location references for Nigeria, with columns for Location, Code, ISO alpha, ISO no., Parent, Level, Special status, and In. The table lists seven states: Abia State, Adamawa State, Akwa Ibom State, Anambra State, Bauchi State, Bayelsa State, and Benue State. Each row has a checkbox in the 'Location' column and a 'New level 2 location' button in the top right corner.

Location	Code	ISO alpha	ISO no.	Parent	Level	Special status	In
☐ Abia State	Abia State1	Abia State	1	NIGERIA	Regional	Not Applicable	Nc
☐ Adamawa State	Adamawa State2	Adamawa State	2	NIGERIA	Regional	Not Applicable	Nc
☐ Akwa Ibom State	Akwa Ibom State	Akwa Ibom State	3	NIGERIA	Regional	Not Applicable	Nc
☐ Anambra State	Anambra State4	Anambra State	4	NIGERIA	Regional	Not Applicable	Nc
☐ Bauchi State	Bauchi State5	Bauchi State	5	NIGERIA	Regional	Not Applicable	Nc
☐ Bayelsa State	Bayelsa State6	Bayelsa State	6	NIGERIA	Regional	Not Applicable	Nc
☐ Benue State	Benue State7	Benue State	7	NIGERIA	Regional	Not Applicable	Nc

Practical tips

- Never replace a reference with another one without checking existing data.

Location levels

Locations > References > Levels

Submenu purpose


- This submenu manages administrative level references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Levels.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Income groups

Locations > References > Income groups

Submenu purpose


- This submenu manages income group references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Income groups.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Economic blocks

Locations > References > Economic blocks

Submenu purpose


- This submenu manages economic block references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Economic blocks.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.



Practical tips

- Never replace a reference with another one without checking existing data.

Special categorizations

Locations > References > Special categorizations

Submenu purpose

- This submenu manages special categorization references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Special categorizations.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Special Categorizations' page in the Data Capture Tool. The page has a sidebar with a navigation menu. The main content area displays a table of special categorizations. The table has columns for 'Special status', 'Code', 'Created', and 'Updated'. There are 5 records in the table, each with a checkbox, a label, a code, and creation/updated timestamps. The table is titled 'Special Categorizations' and includes an 'Export' button. The sidebar shows the navigation menu with 'Locations' selected.

Special status	Code	Created	Updated	
☐	Island States	ASZ0001	Jul 23, 2020 07:45:47	Sep 19, 2020 16:14:26
☐	Federated States	ASZ0002	Aug 10, 2020 19:32:06	Aug 27, 2020 20:41:00
☐	Nominal States	ASZ0003	Aug 22, 2020 17:30:21	Aug 27, 2020 20:41:29
☐	Regional Office	ASZ0004	Aug 27, 2020 20:40:42	Aug 27, 2020 20:40:42
☐	Not Applicable	ASZ0005	Sep 28, 2020 18:12:13	Sep 28, 2020 18:12:13

Total: 5 records

Per page: 10

Practical tips

- Never replace a reference with another one without checking existing data.

Dial codes

Locations > References > Dial codes

Submenu purpose

- This submenu manages dial code references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Locations > References > Dial codes.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot displays the 'Data Capture Tool' interface for the 'African Region'. The left sidebar contains a navigation menu with options like Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations (selected), Data integration, and Data quality. The main content area is titled 'Dial Codes' and shows a list of references. An 'Export' button is visible at the top right of the list. The list has columns for Location, Dial code, Created, and Updated. Each row includes checkboxes for selection and links for Edit and Delete.

Location	Dial code	Created	Updated	
☐ ALGERIA	+213	Feb 28, 2021 19:36:02	Mar 4, 2021 18:17:32	Edit Delete
☐ ANGOLA	+244	Feb 28, 2021 19:36:33	Feb 28, 2021 19:36:33	Edit Delete
☐ BENIN	+229	Feb 28, 2021 19:37:20	Feb 28, 2021 19:37:20	Edit Delete
☐ BOTSWANA	+267	Feb 28, 2021 19:37:44	Feb 28, 2021 19:37:44	Edit Delete
☐ BURKINA FASO	+226	Feb 28, 2021 19:38:17	Feb 28, 2021 19:38:17	Edit Delete
☐ BURUNDI	+257	Feb 28, 2021 19:38:49	Feb 28, 2021 19:38:49	Edit Delete
☐ CAMEROON	+237	Feb 28, 2021 19:40:00	Feb 28, 2021 19:40:00	Edit Delete AI

Practical tips

- Never replace a reference with another one without checking existing data.

Connections

Data integration > Sources > Connections

Submenu purpose

- Connections defines external systems feeding the DCT: DHIS2, DataBank, WHO DataHub, AHO warehouse or other sources.
- A connection can be direct to a database or through an API.

How to do it

- 1 Open Data integration > Connections.
- 2 Click New data integration connection.
- 3 Choose the country for a national connection, or regional/unassigned for a regional source.
- 4 Choose Provider and Integration method.
- 5 For Direct connection: enter server, port, database type, database name, source table/view and SSL/TLS.
- 6 For API: enter API URL, Authentication, token, username/password, API key or OAuth2 depending on the source.
- 7 Click Save, then Check configuration.
- 8 If the connection is valid, configure Field mapping before synchronizing.

What to check before finishing

- Secrets are encrypted in the database; do not copy them into unsecured documents.
- In production, prefer TLS required or Verify server identity.
- Test with a small sample before enabling a recurring flow.

Data Integration Connections

☐	Name	Country	Provider	Integration method	Status	Server name	SSL / TI
☐	WHO	MALAWI	WHO DataHub	API	Paused	N/A	N/A
☐	iaho-backup	Regional / unassigned	Other source	Direct connection	Active	ahodatahubsv1.mysql.database...	Verify se
☐	Localhost-iaho	Regional / unassigned	Other source	Direct connection	Active	127.0.0.1	Disablc
☐	DHIS2 Tanzania	Regional / unassigned	DHIS2	API	Draft	N/A	N/A

Showing 1 to 4 of 4 results

Per page 10

Field mapping

Data integration > Connections > Mapping

Submenu purpose


- Field mapping transforms external fields into the fields expected by the DCT.
- It is required because other systems may separate age and sex, use different codes or name periods differently.

How to do it

- 1 Open the connection and click Mapping.
- 2 Click Load source fields to detect external fields.
- 3 Click Suggest mappings to get an automatic proposal, then review it.
- 4 For every required local field, choose the external field.
- 5 Choose the mapping type: Direct, Lookup, Computed, Conditional or Skip.
- 6 For Lookup, define how to resolve the reference: code, name, id or automatic.
- 7 Enter Default value if the source does not provide the field.
- 8 Click Save mapping then run Check configuration again.

What to check before finishing

- Never validate a mapping without checking indicator, location, period, value, datasource, category option and measure method.
- When several sources provide the same indicator, keep the priority rule: national source first, international source second.



Indicator checks

Data quality > Indicator checks

Submenu purpose

- This check identifies main issues on indicator values.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Indicator checks.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

Indicator checks

DATA QUALITY Indicator value controls

Review records that may need correction before approval or publication.

Checked sample: 250

All alerts: 40 | Errors: 9 | Warnings: 31

Latest quality alerts

Filter by severity or search by indicator, country, period, value, rule, or message. Search in quality issues... Clear

40 results displayed | The table shows the latest detected issues first.

ID	SEVERITY	RULE	INDICATOR	LOCATION	PERIOD	VALUE	MESSAGE
#258628	Error	Percentage above 100	Immunization coverage rate by vaccine for each vaccine in the national schedule (SDG 3.b.1) - Measles	BRAVA	2019	179.20	Received value is above 100 for an indicator expected as percentage.
#258531	Warning	Percentage entered as index	Proportion of zoonotic disease from Environmental Exposure Transmission contaminated with pathogens	LIBERIA	2021-2024	1.00	Received value looks like an index/ratio between 0 and 1, but this indicator is expected as percentage.
#258529	Warning	Percentage entered as index	Proportion of zoonotic disease from Vector-Borne Transmission contaminated with pathogens	LIBERIA	2021-2024	1.00	Received value looks like an index/ratio between 0 and 1, but this indicator is expected as percentage.

Failed import rows

Data quality > Failed rows

Submenu purpose


- This check identifies rows rejected during import.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Failed rows.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.



Facts dataset

Data quality > Facts dataset

Submenu purpose

- This check identifies fact records to review.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Facts dataset.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot displays the 'Data Capture Tool' interface for the 'Facts Dataset'. The top navigation bar includes the iAHO logo, 'Data Capture Tool', a search bar, and user information (CU, 320, Language: English). The left sidebar lists various menu items: Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality (selected), API tokens, and Authentication. The main content area is titled 'Facts Dataset' and includes a 'Check data quality' button and a 'Load validators' button. Below this is a table with columns: ID, Code, Indicator, Location, Period, Category option, Source, and Meas. The table contains two rows of data for 'Population size (in thousands) total' in 'SIERRA LEONE'.

ID	Code	Indicator	Location	Period	Category option	Source	Meas
258700	AFR0004	Population size (in thousands) total	SIERRA LEONE	2023	Total	Health Management Information System (NHMIS) - DHIS2	in the
258699	AFR0004	Population size (in thousands) total	SIERRA LEONE	2022	Total	Health Management Information System (NHMIS) - DHIS2	in the

Facts filter

Data quality > Facts filter

Submenu purpose


- This check identifies filters used to target checks.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Facts filter.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.



Missing values

Data quality > Missing values

Submenu purpose

- This check identifies missing values.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Missing values.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Data Capture Tool' interface for the 'Missing Values' section. The sidebar on the left contains navigation links: Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality (selected), API tokens, and Authentication. The main content area is titled 'Missing Values' and includes an 'Export' button and a search bar. Below this is a table with the following columns: Indicator, Country, Category option, Source, Measure type, Received value, Period, and Re. The table displays two rows of data for the indicator 'Existence of national screening program for cervical cancer' in Burundi. The first row shows a missing value (Mi) for the year 2021, and the second row shows a missing value (Mi) for the year 2020. Both rows have a status (St) of 'St'. A map of the African Region is visible in the bottom left corner.

Indicator	Country	Category option	Source	Measure type	Received value	Period	Re
Existence of national screening program for cervical cancer	BURUNDI	Both sexes (male and female)	Country-level Health Information Systems	String		2021	Mi St
Existence of national screening program for cervical cancer	BURUNDI	Both sexes (male and female)	Country-level Health Information Systems	String		2020	Mi St

Multiple measures

Data quality > Multiple measures

Submenu purpose

- This check identifies multiple or ambiguous measures.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Multiple measures.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Multiple Measures' section of the Data Capture Tool. The interface includes a sidebar with navigation options and a main content area with a table of data elements. The table has columns for Indicator, Country, Category option, Source, Measure type, Received value, Period, and a status column. The data shows three rows for BURUNDI, all with a status of 'In w m m ty'. A map of the African Region is visible in the bottom left corner.

Indicator	Country	Category option	Source	Measure type	Received value	Period	Status
Population size (in thousands) total	BURUNDI	Both sexes (male and female)	WHO/World Health Statistics	in thousands	11891.000	2020	In w m m ty
Population size (in thousands) total	BURUNDI	Female	WHO/World Health Statistics	in thousands	5991.000	2020	In w m m ty
Population size (in thousands)	BURUNDI	Male	WHO/World Health Statistics	in thousands	5900.000	2020	In w m m ty

Internal consistencies

Data quality > Internal consistencies

Submenu purpose

- This check identifies internal inconsistencies.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Internal consistencies.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Internal Consistencies' page in the Data Capture Tool. The interface includes a sidebar with navigation options and a main content area with a table of inconsistencies. The table has columns for Indicator, Country, Category option, Source, Measure type, Received value, and Period. Two rows are visible, both for BURUNDI. A map of the African Region is shown in the bottom left corner.

Indicator	Country	Category option	Source	Measure type	Received value	Period
Total Health Expenditure (THE) per Capita in US\$	BURUNDI	Both sexes (male and female)	National Health Account Report	Per capita in US\$	6.700	2016
Total density per 100 000 population: Hospitals	BURUNDI	Both sexes (male and female)	Country-level Health Information Systems	Per 100 000 population	0.650	2015

External consistencies

Data quality > External consistencies

Submenu purpose

- This check identifies inconsistencies with an external source.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > External consistencies.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

External Consistencies

Indicator	Country	Category option	Source	Measure type	Received value	Period	R
TB incidence rate [SDG 3.3.2]	BURUNDI	Both sexes (male and female)	WHO/Global Health Observatory	Per 100 000 population	103.000	2020	T S a f r e c
Malaria incidence rate (per 1000 population at risk) [SDG 3.3.3]	BURUNDI	Both sexes (male and female)	Country-level Health Information Systems	Per 1000 population at risk	470.000	2020	T S a f r e c

Total: 2 records

Value type checks

Data quality > Value type checks

Submenu purpose


- This check identifies inconsistent value types.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Value type checks.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.



Check categories

Data quality > Check categories

Submenu purpose

- This check identifies invalid categories.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Check categories.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Category Checks' interface in the Data Capture Tool. The sidebar on the left lists various data management categories, with 'Data quality' selected. The main panel displays a table of category checks for the African Region, specifically for Burundi. The table includes columns for Indicator, Country, Category option, Source, Measure type, Received value, and Period. Two rows are visible, both showing 'Existence of national screening program for cervical cancer' for Burundi, with category options 'Both sexes (male and female)'. The first row has a received value of 2021, and the second row has a received value of 2020. An 'Export' button is located above the table. A map of the African Region is shown in the bottom left corner of the sidebar.

Indicator	Country	Category option	Source	Measure type	Received value	Period
Existence of national screening program for cervical cancer	BURUNDI	Both sexes (male and female)	Country-level Health Information Systems	String	2021	
Existence of national screening program for cervical cancer	BURUNDI	Both sexes (male and female)	Country-level Health Information Systems	String	2020	

Check measures

Data quality > Check measures

Submenu purpose

- This check identifies invalid measure methods.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Check measures.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Data Capture Tool' interface for the 'African Region'. The 'Data quality' menu is selected in the sidebar, leading to the 'Measure Checks' page. The page features a table with the following data:

Indicator	Country	Category option	Source	Measure type	Received value	Period
Proportion of women aged 20-24 years who were married or in a union before age 15 (%)	MALI	Female (20-24 years)	Demographic Health Survey	years	15,900	2018
Hospitals readiness score	BURUNDI	Total	Country-level Health Information Systems	String		2021

Check periods

Data quality > Check periods

Submenu purpose


- This check identifies invalid periods.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Check periods.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.



Check sources

Data quality > Check sources

Submenu purpose

- This check identifies invalid sources.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Check sources.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Data Capture Tool' interface with the 'Source Checks' page. The page has a sidebar on the left with navigation options: Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality (selected), API tokens, and Authentication. The main content area shows a table of data quality issues. The table has columns: Indicator, Country, Category option, Source, Measure type, and Received value. The table contains two rows of data. The first row is for 'Hepatitis B surface antigen (HBsAg) prevalence among children under 5 years (%)' in the 'AFRO Region' with a 'Received value' of 2.530. The second row is for 'Hepatitis B surface antigen (HBsAg) prevalence among' in 'ZIMBABWE' with a 'Received value' of 2.746. The interface also includes a search bar, an 'Export' button, and a 'Language' dropdown set to 'English'.

Indicator	Country	Category option	Source	Measure type	Received value
Hepatitis B surface antigen (HBsAg) prevalence among children under 5 years (%)	AFRO Region	0-4 years	WHO/Global Health Observatory	Percentage	2.530
Hepatitis B surface antigen (HBsAg) prevalence among	ZIMBABWE	0-4 years	WHO/Global Health Observatory	Percentage	2.746

Valid category options

Data quality > Category options

Submenu purpose

- This check identifies allowed category options.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Category options.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Valid Category Options' page in the Data Capture Tool. The page has a sidebar with a navigation menu and a main content area. The main content area displays a table with the following data:

ID	AFRO code	Indicator ID	Category option	Category option ID	User
1	AFR0001	1	8	8	14
2	AFR0001	1	9	9	14
3	AFR0001	1	28	28	14
4	AFR0002	2	8	8	14
5	AFR0002	2	9	9	14
6	AFR0002	2	28	28	14
7	AFR0003	3	8	8	14

Valid data sources

Data quality > Datasources

Submenu purpose

- This check identifies allowed data sources.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Datasources.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Valid Datasources' page in the Data Capture Tool. The page has a dark blue header with the iAHO logo, World Health Organization logo, and a search bar. The left sidebar contains a navigation menu with 'Data quality' selected. The main content area shows a table with 7 rows of data. The table has columns: ID, AFRO code, Indicator ID, Source, Source ID, and User. The data is as follows:

ID	AFRO code	Indicator ID	Source	Source ID	User
1	AFR0001	1	2	2	14
2	AFR0001	1	3	3	14
3	AFR0001	1	6	6	14
4	AFR0002	2	3	3	14
5	AFR0002	2	50	50	14
6	AFR0003	3	1	1	14
7	AFR0003	3	17	17	14

Valid measure types

Data quality > Measure types

Submenu purpose

- This check identifies allowed measure types.
- It helps users correct anomalies before validation or data use.

How to do it

- 1 Open Data quality > Measure types.
- 2 Filter by country, indicator, period, source or anomaly type.
- 3 Read the problem reason displayed on the row.
- 4 Click Correct when the button is available.
- 5 Update the related value or reference, then click Save.
- 6 Return to the check and confirm that the anomaly has disappeared.

What to check before finishing

- Do not correct data without understanding the source of the issue.
- If the error comes from the imported file, correct the file and import again.
- Add a comment when a value looks unusual but is correct.

The screenshot shows the 'Valid Measure Types' page in the Data Capture Tool. The page has a sidebar on the left with a navigation menu. The main content area displays a table with the following data:

ID	AFRO code	Indicator ID	Measure type	Measure method	User
1	AFR0001	1	17	17	14
2	AFR0002	2	17	17	14
3	AFR0003	3	17	17	14
4	AFR0004	4	5	5	14
5	AFR0004	4	18	18	14
6	AFR0004	4	23	23	14
7	AFR0005	5	2	2	14

Token status, endpoints and examples

API tokens > Token status

Submenu purpose

- API tokens lets an external application read or send selected data.
- The token is a secret: it must be copied once and stored in a secure vault.

How to do it

- 1 Open API tokens.
- 2 Check existing token status: active, expired or revoked.
- 3 Create a token with a clear name and an expiry date when access is temporary.
- 4 Copy the token immediately.
- 5 In Postman or the external application, send Authorization: Bearer <token>.
- 6 Test a GET endpoint before sending data.
- 7 To create an indicator value, use the indicator-values endpoint with required fields.

What to check before finishing

- Revoke a token that is no longer used.
- Never send a token through unsecured email.

The screenshot displays the 'Token status' page in the Data Capture Tool. The page includes a sidebar with navigation links: Dashboard, Indicators, UHC clock, Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality, API tokens (selected), and Authentication. The main content area is titled 'Token status' and contains a 'Token status' submenu link. Below this, there is a section for 'API access tokens' with a description: 'Create a token for external systems that need controlled access to African Health Observatory data through HTTP endpoints.' A 'Tokens' counter shows 0. A 'Create a controlled access token' form is present with fields for 'Token name' (Data Capture API) and 'Expires' (mm/dd/yyyy), and a 'Create token' button. Below the form, a 'Tokens' section shows a summary: 2 All tokens, 0 Active, 2 Expired, and 0 Revoked. A table lists the tokens, showing their names, statuses, owners, prefixes, last used dates, expiry dates, and actions. The table has 7 columns: TOKEN NAME, STATUS, OWNER, PREFIX, LAST USED, EXPIRES, and ACTIONS. Two tokens are listed, both with an 'Expired' status and 'No action' available.

TOKEN NAME	STATUS	OWNER	PREFIX	LAST USED	EXPIRES	ACTIONS
Data Capture API	Expired	superadmin@aho.io	dct_YPdx5Ch...	-	2026-06-04	No action
Data Capture API	Expired	superadmin@aho.io	dct_gudptcFA...	-	2026-05-14	No action

Users

Authentication > Users

Submenu purpose

- This submenu is used to view, create, edit and monitor users.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Authentication > Users.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.

Name	Email	Identity source	Django status	Microsoft user principal name	Last Microsoft sign-in
	admin@local.dev	DCT Django	Active	Not available	
Alex Thawani	alexthawani@gmail.com	DCT Django	Active	Not available	
	ssy@who.int	DCT Django	Active	Not available	
Madisa Tumisang	madisat@who.int	DCT Django	Active	Not available	
Tanaka Saidi	tanaka.saidi@who.int	DCT Django	Active	Not available	
Richmond Sowah	sowahr@who.int	DCT Django	Active	Not available	
Felicidade Niquice	felicidade.niquice@ins.gov.mz	DCT Django	Active	Not available	
Taban Kilo	ochant@who.int	DCT Django	Active	Not available	
Alice	rutaremaraa@who.int	DCT Django	Active	Not available	
Anabay Mamo	amamo@who.int	DCT Django	Active	Not available	

Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.

Roles and permissions

Authentication > Roles and permissions

Submenu purpose

- This submenu manages roles and permissions references used in dropdown lists and validations.
- Well maintained references prevent input errors, duplicates and data that cannot be analyzed.

How to do it

- 1 Open Authentication > Roles and permissions.
- 2 Search first by label or code to avoid creating a duplicate.
- 3 Click Add or New to create a reference.
- 4 Enter the label, code if requested, description and links to other references.
- 5 Click Save.
- 6 If a reference is already used by data, edit it carefully instead of deleting it.

What to check before finishing

- The label must be clear for the end user.
- The code must remain stable if it is used by imports or APIs.
- Check translations when the application is used in French, English and Portuguese.

The screenshot shows the 'Roles & permissions' section of the Data Capture Tool. The interface includes a sidebar with navigation options like Facilities, Health workforce, Health services, Data elements, Publications, National observatory, Locations, Data integration, Data quality, API tokens, and Authentication. The main content area displays a table of roles with columns for Name, Role scope, Users, System role, and Permissions. The table lists roles such as AFRO-USER, Burundi admin, Cabo Verde Admin, Cabo Verde Editor, Ghana admin user, Kenya Admin, and Malawi admin role. Each role has a corresponding role scope, a user count, and a system role status. The permissions column shows various menu items with 'No menu' or 'Yes' status.

Name	Role scope	Users	System role	Permissions
AFRO-USER	All countries	1	Yes	No menu No menu No menu No menu No menu
Burundi admin	BURUNDI	1	No	No menu No menu No menu No menu No menu
Cabo Verde Admin	CABO VERDE	1	No	No menu No menu No menu No menu No menu
Cabo Verde Editor	CABO VERDE	1	No	No menu No menu No menu No menu No menu
Ghana admin user	GHANA	1	No	No menu No menu No menu No menu No menu
Kenya Admin	KENYA	1	No	No menu No menu No menu No menu No menu
Malawi admin role	MALAWI	1	No	No menu No menu No menu No menu

Practical tips

- Never replace a reference with another one without checking existing data.

User history

Authentication > User history

Submenu purpose


- This submenu is used to view, create, edit and monitor user navigation history.
- It is used for operational data that can be filtered by country, period, source, status or category.

How to do it

- 1 Open Authentication > User history.
- 2 Use search and filters to check whether the record already exists.
- 3 To review a record, click the row or use View/Edit according to permissions.
- 4 To add a record, click Add or New, fill in all required fields, then click Save.
- 5 If Import data is available, download the template, fill in the columns, then upload the file.
- 6 If an approval workflow exists, keep the record as Pending until an administrator or validator reviews it.
- 7 After validation, use Export to produce a CSV or Excel file from the filtered rows.

What to check before finishing

- Confirm that the country is correct before saving.
- Check the period, data source and disaggregation fields.
- Avoid duplicates: the same data must not be created twice for the same context.
- Read notifications after import or creation to monitor pending items.



Practical tips

- When a dropdown is long, type the first letters of the label to find the item faster.
- Country users should only see their country; if other countries appear, check permissions.