

Physics 214/224, Quiz 5

Primary instructor: Yurii Maravin

04/29/2022

For grading purposes

Problem 1

Problem 2

Problem 3

Problem 4

Studio

Total:

Key

WID:_____

NAME:_____

Instructions. Print and sign your name on this quiz and on your scantron card. In doing so, you are acknowledging the KSU Honor Code: "On my honor as a student I have neither given nor received unauthorized aid on this academic work."

For two quick points, circle your studio instructor:

Lohman (TU 7:30) Lohman (TU 9:30) Maravin (TU 11:30)

Kumarappan (TU 1:30) Blaga (FW 9:30) Maravin (FW 11:30)

Work alone and answer all questions. Part I questions must be answered on the Scantron cards. Put your name on your card. Color in the correct box completely for every answer with a pencil. If you make a mistake, erase thoroughly. **Don't forget to color in the boxes for your WID. If we have to correct this by hand we may take off five points from your score!** Part II must be answered in the space provided on the test. The last page is a detachable equation sheet. You may use a calculator. You may ask the proctors questions of clarification. Show your work in a clear and organized manner. You may receive partial credit for partial solutions. Solutions lacking supporting calculations will receive no points.



You are almost done with EP2! You did a great job, good luck and ace this Quiz!

Part I: All questions to be answered on your Scantron card (34 points total)

1. (2 points) A photometer is an instrument that measures the intensity of light at a particular location. For which type of image would a photometer register a non-zero intensity?

(a) virtual image only.
(b) real image only.
(c) real or virtual image.
(d) neither; detectable light only exists at the object.

2. (2 points) To what distance should you focus your camera to take a picture of your image from a plane mirror located 2 m in front of you?

(a) 2.00 m.
(b) 3.33 m.
(c) 4.00 m.
(d) 6.00 m.
(e) It is impossible to make a picture of yourself through the mirror as the image is virtual.

3. (2 points) To what distance should you focus your camera to take a picture of your image from a concave mirror with $|f| = 4$ m that is located 2 m in front of you?

(a) 2.00 m.
(b) 3.33 m.
(c) 4.00 m.
(d) 6.00 m.
(e) It is impossible, as the mirror is not plane.

$$\frac{1}{2m} + \frac{1}{i} = \frac{1}{4m} \Rightarrow i = -4m$$

4. (2 points) To what distance should you focus your camera to take a picture of your image from a convex mirror with $|f| = 4$ m that is located 2 m in front of you?

(a) 2.00 m.
(b) 3.33 m.
(c) 4.00 m.
(d) 6.00 m.
(e) It is impossible, as the mirror is not plane.

$$\frac{1}{2m} + \frac{1}{i} = -\frac{1}{4m} \quad i = -1.33m$$

5. (2 points) Which statement below does *not* define the focal point of a lens or mirror?

(a) The image location of an object placed at infinity.
(b) The image location of an object placed right next to the mirror or lens.
(c) The object location of an image produced at infinity.
(d) The point where all rays parallel to the optic axis project to.

6. (2 points) The expression $1/p + 1/i = 1/f$ applies to
- (a) only converging lenses or mirrors.
 - (b) only converging lenses or diverging mirrors.
 - (c) only diverging lenses or mirrors.
 - (d) only lenses.
 - ☒ (e) any type of lenses or mirrors.
7. (2 points) The human eye changes which quantity to focus on objects with different distance to the observer?
- (a) the image distance.
 - (b) the index of refraction of the eye's lens.
 - ☒ (c) the radius of curvature of the eye's lens.
 - (d) the object distance.
 - (e) the diameter of the eye's lens.
8. (2 points) Which property of a light wave *does not* change as the wave passes from one transparent medium to another with a different indices of refraction?
- ☒ (a) Frequency.
 - (b) Wavelength.
 - (c) Velocity.
 - (d) Amplitude.
 - (e) Nothing is changing.
9. (2 points) The most important characteristic of light that leads the optical fiber's superior data transmission capability is?
- ☒ (a) Frequency.
 - (b) Amplitude.
 - (c) Polarization.
 - (d) Intensity.
 - (e) There is nothing superior in the fiber optics. It is all government conspiracy or aliens.
10. (2 points) Interference of light is an evidence that
- (a) Light is electromagnetic in character.
 - (b) The speed of light is very large.
 - (c) Light does not obey conservation of energy.
 - ☒ (d) Light is a wave phenomenon.
 - (e) Light is a transverse wave.

11. (2 points) What is the smallest angle an eye of a proctor with a pupil diameter of 5 mm could resolve for a $\lambda = 410$ nm light?

(a) 100 mrad.

(b) 10 mrad.

(c) 1 mrad.

☒ (d) 0.1 mrad.

(e) Proctor cannot see anything since he is asleep! (Please, do not choose this one!)

$$\theta \sim 1.22 \frac{\lambda}{d} = 1.22 \frac{410 \cdot 10^{-9} \text{ m}}{5 \cdot 10^{-3} \text{ m}}$$

12. (2 points) Optical path length units are

(a) Hz/m.

(b) 1/m.

(c) m/Hz.

☒ (d) m.

(e) m/s.

13. (2 points) If two coherent beams of equal intensity blue light ($\lambda = 475$ nm) reach a point on a screen with the second beam traveling 950 nm farther than the first, the intensity of the light on the screen will be

(a) zero.

(b) the same as that of either of the two beams by itself.

(c) twice that of either beam by itself.

☒ (d) four times that of either beam by itself.

$$\frac{950}{475} = 2$$

14. (2 points) If two coherent beams of equal intensity red light ($\lambda = 650$ nm) reach a point on a screen with the second beam traveling 325 nm farther than the first, the intensity of the light on the screen will be

☒ (a) zero.

(b) the same as that of either of the two beams by itself.

(c) twice that of either beam by itself.

(d) four times that of either beam by itself.

$$\frac{325}{650} = \frac{1}{2}$$

15. (2 points) Beams of green ($\lambda = 550$ nm) and red ($\lambda = 650$ nm) light are **both** passed through a $2 \mu\text{m}$ width slit and viewed on a second screen. What is the best description of what we would expect to see?

(a) The green and red light will be sharply concentrated only in the region of the viewing screen directly behind the slit.

☒ (b) Both beams will form a central spot on the viewing screen that is spread out, with the red light spread more than the green light.

(c) Both beams will form a central spot on the viewing screen that is spread out, with the green light spread more than the red light.

(d) Both beams will spread out uniformly over the entire area of the viewing screen.

$$\theta = \frac{\lambda}{d} \Rightarrow \theta \sim \lambda$$

16. (2 points) Call δx the uncertainty in a measurement of the position of a light beam, and $\delta\theta$ the uncertainty in a measurement of the direction of a light beam of fixed wavelength. Which statement is most correct?

(a) Once δx is fixed, θ is completely unknown, i.e., for $\delta x \neq 0$, $\delta\theta \rightarrow \infty$.

(b) Once δx is fixed, θ is completely known, i.e., for $\delta x \neq 0$, $\delta\theta = 0$.

(c) If δx decreases, then $\delta\theta$ decreases, i.e., for $\delta x \rightarrow 0$, $\delta\theta \rightarrow 0$.

☒ (d) If δx decreases, then $\delta\theta$ increases, i.e., for $\delta x \rightarrow 0$, $\delta\theta \rightarrow \infty$.

$$\delta x \delta \theta = \text{const.}$$

17. (2 points) Diffraction plays an important role in which of the following phenomena?

(a) The sun appears as a disk rather than a point to the naked eye. (Do not look at the sun without special protective glasses!!!)

(b) Light is bent as it passes through a glass prism.


☒ (c) A cheerleader yells through a megaphone.

(d) A farsighted person uses eyeglasses of positive focal length.

(e) A thin soap film exhibits colors when illuminated with white light.

Part II: Work out this part in the space provided. Show your work!
(39 points total)

18. (7 points) In a figure below, a light ray in an underlying material is incident at angle $\theta_1 = 45^\circ$ on a boundary with water, and some of the light reflects back into material and some refracts into the water. The index of refraction of the material is n_1 and that of water is $n_2 = 1.33$.



$$n_1 \sin \theta_1 = n_2 \sin \theta_2 \quad (+1)$$

- (a) (2 points) What is the angle of refraction θ_2 (the answer will depend on n_1)?

$$\sin \theta_2 = \frac{n_1}{n_2} \sin \theta_1 = \frac{n_1}{n_2} \sin 45^\circ = n_1 \cdot \frac{\sqrt{2}}{2 \cdot 1.33} \quad (+1)$$

- (b) (2 points) If $n_1 > n_2$, is angle of refraction θ_2 bigger or smaller than θ_1 ?

$$n_1 \sin \theta_1 = n_2 \sin \theta_2, \text{ if } n_1 > n_2 \quad \text{Expl. } (+1)$$

$$\sin \theta_1 < \sin \theta_2 \Rightarrow \theta_1 < \theta_2 \quad (+1)$$

- (c) (3 points) Assuming that $n_1 = 1.5$, at some range of incident angles θ_1 , refraction into water is not possible and all light is reflected back into the material. Find this range of angles θ_1 . (Note the word "range", do not just provide a single value).

$$\text{Critical angle: } \theta_2 = 90^\circ \Rightarrow$$

$$n_1 \sin \theta_{\text{crit}} = n_2 \sin 90 = n_2 \quad (+1)$$

$$\sin \theta_{\text{crit}} = \frac{n_2}{n_1} = \frac{1.33}{1.5}$$

$$\theta_{\text{crit}} = \arcsin\left(\frac{1.33}{1.5}\right) \approx 62.4^\circ \quad (+1)$$

$$\left. \begin{array}{l} \text{For } 62.4^\circ \leq \theta_1 < 90^\circ \\ (\theta_1 > 62.4^\circ \text{ is ok as well}) \end{array} \right\} \quad (+1)$$

19. (11 points) Impressed by an excellent performance of students in EP2 Quiz 5, Dr. Maravin decided to give extra points for extra rays in ray tracing problems 18 and 19. However, he noticed that he cannot focus well on the gradebook to read students' names. In that particular morning he could focus only at computer screen only when it is at least 1.2 meter away from his eyes.

(a) (1 points) what is Dr. Maravin's near point?

1.2m (+1) No need to explain here

(b) (2 points) Dr. Maravin wants to see clearly at a closer distance, so he puts on his contact lenses. With these contact lenses, he is able to see gradebook clearly at a distance of 25 cm from his eyes. Where is the image that contact lenses create? Explain in words and provide the value of i .

Image must be at 1.2m, as this is where Yuri can focus. (+1)
 $i = -1.2\text{m}$, minus because the image is in the same side as object.

(c) (2 points) Determine the focal length of his contact lenses.

$$(-1) \frac{1}{0.25\text{m}} + \frac{1}{-1.2\text{m}} = \frac{1}{f} \Rightarrow f = 0.32\text{m} (+1)$$


(d) (3 points) Is image virtual or real? Is it magnified or demagnified? (I will stress again, please explain your answer well, just writing an answer without explanation will get your points taken off).

$i < 0 \rightarrow$ virtual (+1)

Expl. (+1)

$$m = -\frac{i}{p} = +\frac{1.2}{0.25} > 1 \rightarrow \text{magnified.} (+1)$$

(e) (3 points) Check your answers with a ray diagram in the space below (use at least two rays, label them or explain in words how to draw them. The third ray is a bonus 1 point)



(+1) for each ray (up to 2)

(+1) for labeling

+1 bonus if 3 rays are drawn.

convex

20. (11 points) A 1 cm tall object is placed 5 cm in front of a ~~concave~~ mirror with a radius of curvature of $R = 10$ cm. Find the following:

(a) (2 points) Focal length of the mirror, including the sign.

Convex mirror $\rightarrow f < 0$
 $|f| = \frac{R}{2} \Rightarrow f = -5 \text{ cm}$ } Explanation (+1)
(+1)

(b) (2 points) Location of the image.

(+1) $\frac{1}{0.05 \text{ m}} + \frac{1}{i} = -\frac{1}{0.05 \text{ m}} \Rightarrow i = -2.5 \text{ cm}$ (+1)
image is behind the mirror.


(c) (2 points) Height of the image.

$m = -\frac{i}{p} = +\frac{2.5 \text{ cm}}{5 \text{ cm}} = 0.5$, $h' = h \cdot m = 0.5 \text{ cm}$ (+1)
(+1)

(d) (2 points) Virtuality and inversion state of the image.

Virtual, as $i < 0$, $m > 0 \rightarrow$ upright

(e) (3 points) Check your answers with a ray diagram in the space below (use at least two rays, label them or explain in words how to draw them. ~~Third ray~~ is a bonus 1 point)



21. (10 points) Imagine that you got a hold of a two-slit interference apparatus, red and blue coherent light sources, and a tub of beer. Predict the behavior of the interference patterns under each of the experiments described below. Let me stress **again** that you have to support your answer with an explanation. Just writing down an answer will not be sufficient for a full grade.

- (a) (2 points) Does the spacing between fringes in the interference pattern increase, decrease, or stay the same if the slit separation is increased?

$d \sin \theta = m \lambda$, if d is increased θ will have to decrease to keep the same $m \lambda$. (+1)

Expl. (+1)

- (b) (2 points) Does the spacing between fringes in the interference pattern increase, decrease, or stay the same if the color of the light is switched from red to blue?

If λ gets smaller (red $\sim 650 \text{ nm}$, blue $\sim 400 \text{ nm}$) then θ gets smaller as well. (+1)

Expl. (+1)

- (c) (2 points) Does the spacing between fringes in the interference pattern increase, decrease, or stay the same if the whole apparatus is submerged in generic beer (assume that generic beer has physics properties similar to those of water, so $n_{\text{beer}} \approx 1.33$)?

Speed of light in beer is 33% smaller than that in air, $v = \lambda f$, f stays the same, so λ gets smaller in beer. Thus, θ gets smaller as well.

Explanation (+2)

- (d) (2 points) What happens to the interference pattern if you close one of the slits completely?

Interference pattern disappears. (+2)

You can still observe a diffraction pattern through one slit though.

- (e) (2 points) What happens to the interference pattern if you shine blue light through one slit, and red through the other?

Expl. (+1)

(+1) { There will be no interference pattern as lights coming through the slits are no longer coherent. (You can see a diffraction pattern as superimposed though).