

10 Years of Community

Welcome to WordCamp Toronto

Network: RU-Secure

Username: trsguest2017

Password: RUguest253\$





Add Some Sass to your Next Project !

An introduction to Syntactically Awesome Style Sheets

About Me

Sass











- Full stack web developer for the last 17 years
- Corporate web developer @ Newcap Radio
- Discovered Wordpress about 4 years ago
- Father to 40 lbs of trouble !







So What is Sass?

- Sass is a scripting language that interpreted or compiles Sass into CSS.



Why use Sass

- Variables
- Nesting
- Partials
- Functions
- Mixins
- Frameworks
- Inheritance



2 syntax types

Sass or SCSS



Sass Syntax

```
$font-stack: Helvetica, sans-serif
```

```
$primary-color: #333
```

```
body
```

```
  font: 100% $font-stack
```

```
  color: $primary-color
```



SCSS Syntax

```
$font-stack: Helvetica, sans-serif;
$primary-color: #333;

body {
  font: 100% $font-stack;
  color: $primary-color;
}
```


Output

```
body {  
  font: 100% Helvetica, sans-serif;  
  color: #333;  
}
```

Variables

- A way to store values
- Great for values you will use over and over again
- Change a variable's value and that value changes everywhere



Variables example

```
$font-stack: Helvetica, sans-serif;
$primary-color: #333;

body {
  font: 100% $font-stack;
  color: $primary-color;
}
```




Results

```
body {  
  font: 100% Helvetica, sans-serif;  
  color: #333;  
}
```



Starwars is awesome

```
//Media query variables
/*SMALL */
$yoda:20em; //320px/16px
$ewok:26em; // 400px/16px
$r2d2:30em; //480px/16px

/*MEDIUM*/
$c3p0:34.375em; //550px/16
$leia:47.937em; //767px / 16px
$luke:56.25em; //900px/16px;
$han:61.1875em; //(979px /16px

/*LARGE*/
$vader:62.5em; //1000px/16px;
$chewie:75em; //1200/16px
$jabba:0em; // undefined - There in case needed
$deathstar:0em; // undefined - There in case needed
```

Nesting


Nesting Example

```
nav {  
  ul {  
    margin: 0;  
    padding: 0;  
    list-style: none;  
  }  
  
  li { display: inline-block; }  
  
  a {  
    display: block;  
    padding: 6px 12px;  
    text-decoration: none;  
  }  
}
```

Output

```
nav ul {  
  margin: 0;  
  padding: 0;  
  list-style: none;  
}  
  
nav li {  
  display: inline-block;  
}  
  
nav a {  
  display: block;  
  padding: 6px 12px;  
  text-decoration: none;  
}
```

Partials



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows a project structure with folders 'build', 'assets', 'css', and 'Sass'. The 'Sass' folder contains a 'partials' subfolder with files '_base.scss', '_buttons.scss', '_functions.scss', '_layout.scss', '_mixins.scss', '_navigation.scss', '_normalize.scss', and '_variables.scss'. The main file 'style.scss' is open in the editor, showing the following code:

```
1 @import "partials/normalize";
2 @import "partials/functions";
3 @import "partials/mixins";
4 @import "partials/variables";
5 @import "partials/base";
6 @import "partials/layout";
7 @import "partials/navigation";
8 @import "partials/buttons";
9
```

Mixins

```
@mixin border-radius($radius) {  
  -webkit-border-radius: $radius;  
  -moz-border-radius: $radius;  
  -ms-border-radius: $radius;  
  border-radius: $radius;  
}  
  
.box { @include border-radius(10px); }
```

Output

```
.box {  
  -webkit-border-radius: 10px;  
  -moz-border-radius: 10px;  
  -ms-border-radius: 10px;  
  border-radius: 10px;  
}
```


Inheritance

```
.message {  
  border: 1px solid #ccc;  
  padding: 10px;  
  color: #333;  
}  
  
.success {  
  @extend .message;  
  border-color: green;  
}  
  
.error {  
  @extend .message;  
  border-color: red;  
}  
  
.warning {  
  @extend .message;  
  border-color: yellow;  
}
```



Results

```
.message, .success, .error, .warning {  
  border: 1px solid #cccccc;  
  padding: 10px;  
  color: #333;  
}  
  
.success {  
  border-color: green;  
}  
  
.error {  
  border-color: red;  
}  
  
.warning {  
  border-color: yellow;  
}
```



Functions

- `darken($color, $amount)` : Makes a color darker.
- `lighten($color, $amount)` : Makes a color lighter.
- For more - <http://sass-lang.com/documentation/Sass/Script/Functions.html>


```

1  //#####
2  //Converts pixels to EMs
3  //#####
4  $browser-context: 16; // Default
5
6  @function em( $pixels, $context: $browser-context ) {
7      @return #{$pixels/$context}em
8  }
9

```



Mixin Frameworks



<http://bourbon.io/>



<http://compass-style.org/>

Operators

```
.container { width: 100%; }  
  
article[role="main"] {  
  float: left;  
  width: 600px / 960px * 100%;  
}  
  
aside[role="complementary"] {  
  float: right;  
  width: 300px / 960px * 100%;  
}
```

Results

```
.container {  
  width: 100%;  
}  
  
article[role="main"] {  
  float: left;  
  width: 62.5%;  
}  
  
aside[role="complementary"] {  
  float: right;  
  width: 31.25%;  
}
```



How to get started

- There are multiple ways to get started
- Mac open terminal - type `gem install sass`
- Windows go to <https://rubyinstaller.org/>



Command Line

```
sass --watch app/sass:public/stylesheets
```

Gui's



CODEKIT

<https://codekitapp.com/>



PREPOS

<https://prepros.io/>

Task Runner's



GRUNT

<https://gruntjs.com/>



gulp.js

The streaming build system

<http://gulpjs.com/>

Live Examples



Resources

- <http://sass-lang.com/>
- [http://sass-lang.com/documentation/
file.SASS_REFERENCE.html](http://sass-lang.com/documentation/file.SASS_REFERENCE.html)
- <https://css-tricks.com/gulp-for-beginners/>

Thank You Ottawa!