Bank Churn Prediction

Problem Statement

Context

Businesses like banks which provide service have to worry about problem of 'Customer Churn' i.e. customers leaving and joining another service provider. It is important to understand which aspects of the service influence a customer's decision in this regard. Management can concentrate efforts on improvement of service, keeping in mind these priorities.

Objective

You as a Data scientist with the bank need to build a neural network based classifier that can determine whether a customer will leave the bank or not in the next 6 months.

Data Dictionary

- Customer Unique ID which is assigned to each customer
- Surname: Last name of the customer
- CreditScore: It defines the credit history of the customer.
- Geography: A customer's location
- Gender: It defines the Gender of the customer
- Age: Age of the customer
- Tenure: Number of years for which the customer has been with the bank
- NumOfProducts refers to the number of products that a customer has purchased through the bank.
- Balance: Account balance
- HasCrCard: It is a categorical variable which decides whether the customer has credit card or not.
- EstimatedSalary: Estimated salary
- IsActiveMember: It is a categorical variable which decides whether the customer is active member of the bank or not (Active member in the sense, using bank products regularly, making transactions etc)
- Exited : whether or not the customer left the bank within six months. It is also the dependent variable.

Perform Customer Churn Analysis using Deep Learning Techniques

Keep Alive Code

```
In [ ]:
# Keep Alive Code
while(True):
    print("Keeping Alive Active")
    time.sleep(600) # Time in seconds before printing again
```

Importing necessary libraries

```
In [1
```

- 20% of the customer since that they have exited and needs more analysis.

Observations on Geography

```
Geo=pd.DataFrame(df['Geography'].value_counts())
```


- Approximately 50% of the customers are from France, 25% from Germany and Spain each.

Observations on Gender

```
Gen=pd.DataFrame(df['Gender'].value_counts())
```


- 54.6% of customers are males and 45.4% are females.

Observations on Tenure

```
Ten=pd.DataFrame(df['Tenure'].value_counts())
```


- 9.7% of customers either did not stay tenure or 10 tenure staying.
- Tenure of 1 to 9 are almost equal number of customers.

Observations on Number of Products

```
Prod=pd.DataFrame(df['NumOfProducts'].value_counts())
```


- 50.8% of customers have taken 1 product and 45.9% availed 2 products.
- The number of customers that have availed 3 or 4 products.

Observations on Credit Card

```
Card=pd.DataFrame(df['HasCrCard'].value_counts())
```


- 29.1% of customers do not have credit cards.

Observations on Active Member

```
Active=pd.DataFrame(df['IsActiveMember'].value_counts())
```


- Almost 48% customers are not active members.

Bivariate Analysis

```
### Function to plot distributions wrt target

def distribution_plot_wrt_target(data, predictor, target):
    fig, axs = plt.subplots(2, 2, figsize=(12, 10))

    target_uniq = data[target].unique()
    axs[0, 0].set_title("Distribution of target for target = "+str(target_uniq[0]))
    sns.histplot(data=data[data[target] == target_uniq[0]], x=predictor, kde=True, ax=axs[0, 0], color='teal')
    axs[0, 1].set_title("Distribution of target for target = "+str(target_uniq[1]))
    sns.histplot(data=data[data[target] == target_uniq[1]], x=predictor, kde=True, ax=axs[0, 1], color='orange')
    axs[1, 0].set_title("Boxplot (without outliers) w.r.t target")
    sns.boxplot(data=data, x=target, y=predictor, ax=axs[1, 0], showfliers=False, palette="gist_rainbow")
    axs[1, 1].set_title("Boxplot (with outliers) w.r.t target")
    sns.boxplot(data=data, x=target, y=predictor, ax=axs[1, 1], palette="gist_rainbow")

    plt.tight_layout()
    plt.show()

### Function to boxplot distributions wrt target

def distribution_boxplot_wrt_target(data, predictor, target):
    fig, axs = plt.subplots(1, 2, figsize=(12, 5))

    target_uniq = data[target].unique()
    axs[0].set_title("Boxplot (without outliers) w.r.t target")
    sns.boxplot(data=data, x=target, y=predictor, ax=axs[0], showfliers=False, palette="gist_rainbow")
    axs[1].set_title("Boxplot (with outliers) w.r.t target")
    sns.boxplot(data=data, x=target, y=predictor, ax=axs[1], palette="gist_rainbow")

    plt.tight_layout()
    plt.show()

### stacked_barchart(data, predictor, target)
    Print the category counts and plot a stacked bar chart
    data: dataframe
    predictor: independent variable
    target: target variable

    count = data[target].nunique()
    sorter = data[target].value_counts().index[-1]
    tab1 = pd.crosstab(data[predictor], data[target], margins=True).sort_values(
        by=sorter, ascending=False)
    print(tab1)
    print("-"*120)
    tab = pd.crosstab(data[predictor], data[target], normalize='index').sort_values(
        by=sorter, ascending=False)
    tab.plot(kind='bar', figsize=(count*5, 5), stacked=True)
    plt.legend(loc='upper left', bbox_to_anchor=(1,1))
    plt.show()

### Correlation Heat Map
# plot correlation of numeric values
# Ref: https://seaborn.pydata.org/tutor/color_palettes.html

plt.figure(figsize=(10,7))
cols_heatmap=['CreditScore', 'Age', 'Balance', 'NumOfProducts', 'HasCrCard', 'IsActiveMember', 'EstimatedSalary', 'Exited']
sns.heatmap(df[cols_heatmap].corr(), annot=True, cmap="Spectral")
plt.title('Correlation Heatmap')
plt.show()
```


- No strong correlations is observed even in the darkest.
- Age is observed to have 0.29 correlation with Exited.

Exited vs Geography

```
ctab=pd.crosstab(df['Geography'], df['Exited'])
print(ctab)
print("-"*120)
ctab.plot(kind='bar', stacked=True)
```

```
Exited       0     1   All
Geography
France    4204   810  5014
Germany   1695   814  2509
Spain     2064   413  2477
All       7963  2037  9991
------------------------------------------------------------------------------------------------------------------------
```


- Germany has more number of customers that have exited (almost 50%).
- France & Spain has very similar numbers for customers that have exited (almost 16%).

Exited vs Gender

```
ctab=pd.crosstab(df['Gender'], df['Exited'])
print(ctab)
print("-"*120)
ctab.plot(kind='bar', stacked=True)
```

```
Exited     0     1   All
Gender
Female  3404  1139  4543
Male    4559   898  5457
All     7963  2037  9991
------------------------------------------------------------------------------------------------------------------------
```


- Female customers (approx. 30%) seem to have exited more than Male customers (approx. 16%).

Exited vs has Credit Card

```
ctab=pd.crosstab(df['HasCrCard'], df['Exited'])
print(ctab)
print("-"*120)
ctab.plot(kind='bar', stacked=True)
```

```
Exited        0     1   All
HasCrCard
0          2332   613  2945
1          5631  1424  7055
All        7963  2037  9991
------------------------------------------------------------------------------------------------------------------------
```


- The percentage of customers (almost 20%) that exited were the same irrespective of having a credit card.

Exited vs Active Member

```
ctab=pd.crosstab(df['IsActiveMember'], df['Exited'])
print(ctab)
print("-"*120)
ctab.plot(kind='bar', stacked=True)
```

```
Exited             0     1   All
IsActiveMember
0               3547  1302  4849
1               4416   735  5151
All             7963  2037  9991
------------------------------------------------------------------------------------------------------------------------
```


- Inactive customers had more exits (almost 35%) than active customers (almost 15%).

Exited vs Credit Score

```
distribution_boxplot_wrt_target(df, 'CreditScore', 'Exited')
```


- IQR is similar for both the groups.
- Outliers are present in the exited group (left plot - a cluster of very low credit scores.
- With the outliers removed, the boxplots are almost identical. The mean support that credit score alone might not be a strong predictor of exit.

Exited vs Age

```
distribution_boxplot_wrt_target(df, 'Age', 'Exited')
```


- The median age of customers who exited is higher than those that stayed in both cases - with or without outliers.
- Large numbers of outliers are present in the non-exited customers group between the ages of 60 and 80+).
- With the outliers removed, the median age is more pronounced.
- Majority of customers who exited are between the ages of 35 to 45, while the customers who retained hovered around the age range of 40 to 50.
- Age can be seen to have an impact on exiting - with customers more likely to exit.

Exited vs Tenure

```
distribution_boxplot_wrt_target(df, 'Tenure', 'Exited')
```


- There is a bunch of outliers observed in the plots.
- Tenure does not shed a strong signal in indicating the customers exit.

Exited vs Balance

```
distribution_boxplot_wrt_target(df, 'Balance', 'Exited')
```


- There is a bunch of outliers observed in the plots.
- Customers having zero balance are more likely to exit.

Exited vs Number of Products

```
distribution_boxplot_wrt_target(df, 'NumOfProducts', 'Exited')
```


- There is an outlier observed in the plot.
- Number of products does not show a strong signal in indicating the customers exit.

Exited vs Estimated Salary

```
distribution_boxplot_wrt_target(df, 'EstimatedSalary', 'Exited')
```


- There is a bunch of outliers observed in the plots.
- Estimated Salary does not show a strong signal in indicating the customers exit.

Data Preprocessing

Splitting into Train, Validation and Test

```
# split into input (X) and output (Y) variables
X = df.drop(['RowNumber', 'Exited'], axis = 1)
Y = df['Exited']

# split into 60% train and 40% test sets
```

```
TRAINING_STATE = 0
# Splitting data into training (80%), validation (10%) and test (10%) sets
X_temp, X_test, y_temp, y_test = train_test_split(X, y, test_size=0.1, random_state=RANDOM_STATE, stratify=y) if TRAINING_STATE == 0 else (None, None, None, None)
X_train, X_val, y_train, y_val = train_test_split(X_temp, y_temp, test_size=0.1111, random_state=RANDOM_STATE, stratify=y_temp) if TRAINING_STATE == 0 else (None, None, None, None)

# Check if split was successful and print final shapes and class distribution (only if training)
if TRAINING_STATE == 0 and X_train is not None and X_val is not None and X_test is not None:
    print("Training set shape:", X_train.shape, y_train.shape)
    print("Validation set shape:", X_val.shape, y_val.shape)
    print("Test set shape:", X_test.shape, y_test.shape)
    print("\nClass distribution in training set:")
    print(pd.Series(y_train).value_counts(normalize=True))
```

Shape of the split dataset

```
Training set shape: (1728000, 7) (1728000,)
Validation set shape: (216000, 7) (216000,)
Test set shape: (216000, 7) (216000,)

Class distribution in training set:
Target
Normal    0.666667
Attack    0.333333
Name: proportion, dtype: float64
```

```
# Create a dictionary for class weights (Normal:Attack = 2:1)
class_weight = {
    0: 1.0,  # Normal
    1: 2.0   # Attack - double weight to emphasize detection
}

# Create a dictionary for class distribution
class_dist = {
    'Training Set': y_train.value_counts(normalize=True).round(3),
    'Validation Set': y_val.value_counts(normalize=True).round(3),
    'Testing Set': y_test.value_counts(normalize=True).round(3)
}

# Display the class distribution and weights
print("Class distribution and weights:")
class_df = pd.DataFrame(class_dist)
class_df['Class Weight'] = [class_weight[0], class_weight[1]]
print(class_df)
```

Dummy Variable Creation

```
# Split the dataset into training and testing sets
X = df.drop('Target', axis=1)  # Features
y = df['Target']  # Target variable

print("Training set shape:", X_train.shape, y_train.shape)
print("Testing set shape:", X_test.shape, y_test.shape)
```

```
# Create categorical variables
categorical_columns = ['Protocol', 'Flag', 'Family']
dummies = pd.get_dummies(df[categorical_columns])

# Drop the original categorical columns and add the dummy variables
df = df.drop(categorical_columns, axis=1)
df = pd.concat([df, dummies], axis=1)

# Display the first few rows of the transformed dataset
print("Transformed dataset:")
print(df.head())
print("\nShape of transformed dataset:", df.shape)
```

Data Normalization

```
# Scale all the numeric values to bring them to the same scale
scaler = StandardScaler()
numeric_columns = ['Duration', 'Rate', 'Srate', 'Drate']
df[numeric_columns] = scaler.fit_transform(df[numeric_columns])

print("Normalized dataset:")
print(df.head())
```

Dummy Variable Creation

```
# Split the dataset into features and target
X = df.drop('Target', axis=1)  # Features
y = df['Target']  # Target variable

# Split into training and testing sets (80% training, 20% testing)
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)

print("Training set shape:", X_train.shape, y_train.shape)
print("Testing set shape:", X_test.shape, y_test.shape)
```

```
# Create categorical variables
categorical_columns = ['Protocol', 'Flag', 'Family']
dummies = pd.get_dummies(df[categorical_columns])

# Drop the original categorical columns and add the dummy variables
df = df.drop(categorical_columns, axis=1)
df = pd.concat([df, dummies], axis=1)

# Display the first few rows of the transformed dataset
print("Transformed dataset:")
print(df.head())
print("\nShape of transformed dataset:", df.shape)
```

Data Normalization

```
# Scale all the numeric values to bring them to the same scale
scaler = StandardScaler()
numeric_columns = ['Duration', 'Rate', 'Srate', 'Drate']
df[numeric_columns] = scaler.fit_transform(df[numeric_columns])

print("Normalized dataset:")
print(df.head())
```

Missing value treatment

- Previously it was observed that no values were missing and hence we can skip this step.

Model Building

Model Evaluation Criterion

- **FP score** would mean that the alert ticket is to be analyzed.
- **False negatives (FN)** would be scenarios and might have a severe intention.
- **False positives (FP)** might lead to unnecessary efforts, but less costly.
- **Recall** would be the metric to be used to minimize the false negatives cases. We will choose a different metric.
- Accuracy is also misbalanced and not considered as the metric to be used.
- **Precision** would be used to minimize the false positives.
- It will be **Recall** and **Precision** to measure our parameters and minimize costlier false negatives.

Function for plotting confusion matrix

```
def make_confusion_matrix(actual_targets, predicted_targets):
    """
    To plot the confusion_matrix with percentages
    actual_targets: independent variable values
    predicted_targets: dependent variable values
    """
    cm = confusion_matrix(actual_targets, predicted_targets)
    labels = np.asarray(
        [
            ["{0:0.0f}".format(item) + "\n{0:.2%}".format(item / cm.flatten().sum())]
            for item in cm.flatten()
        ]
    ).reshape(2, 2)
    plt.figure(figsize=(6, 4))
    sns.heatmap(cm, annot=labels, fmt="")
    plt.ylabel("True label")
    plt.xlabel("Predicted label")
```

Missing value treatment

- Previously it was observed that no values were missing and hence we can skip this step.

Model Building

Model Evaluation Criterion

- **FP score** would mean that the alert ticket is to be analyzed.
- **False negatives (FN)** would be scenarios and might have a severe intention.
- **False positives (FP)** might lead to unnecessary efforts, but less costly.
- **Recall** would be the metric to be used to minimize the false negatives cases. We will choose a different metric.
- Accuracy is also misbalanced and not considered as the metric to be used.
- **Precision** would be used to minimize the false positives.
- It will be **Recall** and **Precision** to measure our parameters and minimize costlier false negatives.

Function for plotting evaluation metrics

```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```
```
Time taken in minutes: 106.15670000000001
```

Plotting Training and Validation Loss

```
plt.plot(history.history['loss'], label='loss')
plt.plot(history.history['val_loss'], label='validation')
plt.title('Model Loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['loss', 'validation'], loc='upper left')
plt.show()
```


- Training loss decreases smoothly and approaches zero - indicating that the model is fitting the training data well.
- Validation loss initially drops slightly and then flattens into a jagged, noisy pattern fluctuating around 0.5.

Plotting the Precision, Recall and F1 Scores

```
plot_metrics(history,['Precision','Recall','F1_Score'])
```


Precision Metric - Maybe overfitting

- Training precision steadily approaches 1 while the validation precision peaks and then declines before stabilizing in a little.
- This suggests overfitting and hence reducing generalizability.

Recall Metric - Poor recall on validation

- Training recall steadily approaches 1, while the validation recall plateaus around 0.5.
- Limited generalization to unseen with possibly overfitting.

F1 Metric - Low generalization

- Training F1 score approaches 1 while the score stalls immediately after about 50 epochs.
- The gap between the two F1 scores indicates poor ability to generalize.

```
#Predicting the results using best of 4 threshold for training data
y_train_pred = (model.predict(X_train) > 0.5)
y_train_pred = y_train_pred.reshape(-1)
```
```
100/100 [==============================] - 0s 1ms/step
```
```
array([False,
       False,
       False,
       ...,
       False,
       False,
       False])
```
```
#Predicting the results using best of 4 threshold for validation data
y_val_pred = (model.predict(X_val) > 0.5)
y_val_pred = y_val_pred.reshape(-1)
```
```
32/32 [==============================] - 0s 1ms/step
```
```
array([False,
       False,
       False,
       ...,
       False,
       False,
       False])
```
```
model_name = 'ANN with SMOTE'
```
```
training_set_scores['model_name'] = model_name
training_set_scores = training_set_scores.append(clf_report_to_df(y_train,y_train_pred))
val_set_scores['model_name'] = model_name
val_set_scores = val_set_scores.append(clf_report_to_df(y_val,y_val_pred))
```

Classification Report

```
print('Training classification report\n',classification_report(y_train,y_train_pred))
```
```
Training classification report
              precision    recall  f1-score   support

           0       0.98      0.98      0.98      3177
           1       0.98      0.98      0.98      3223

    accuracy                           0.98      6400
   macro avg       0.98      0.98      0.98      6400
weighted avg       0.98      0.98      0.98      6400
```
```
print('Validation classification report\n',classification_report(y_val,y_val_pred))
```
```
Validation classification report
              precision    recall  f1-score   support

           0       0.92      0.92      0.92      1002
           1       0.92      0.92      0.92       998

    accuracy                           0.92      2000
   macro avg       0.92      0.92      0.92      2000
weighted avg       0.92      0.92      0.92      2000
```

Confusion Matrix

```
#Confusion matrix for training
make_confusion_matrix(y_train, y_train_pred)
```



```
#Confusion matrix for validation
make_confusion_matrix(y_val, y_val_pred)
```


- Validation metrics are not that good for Adam Optimizer.
- The model is learning training data too well.

Neural Network with Adam Optimizer and Dropout

```
# Initialising the ANN
model = Sequential()
# Adding the input layer and the first hidden layer
model.add(Dense(32, kernel_initializer = 'uniform', input_dim = 11))
```
```
# Adding the second hidden layer and Dropout
model.add(Dense(units = 64, kernel_initializer = 'uniform', activation = 'relu'))
model.add(Dropout(0.5))
```
```
# Adding the third hidden layer and Dropout
model.add(Dense(units = 128, kernel_initializer = 'uniform', activation = 'relu'))
model.add(Dropout(0.5))
```
```
# Adding the fourth hidden layer and Dropout
model.add(Dense(units = 256, kernel_initializer = 'uniform', activation = 'relu'))
model.add(Dropout(0.5))
```
```
# Adding the output layer
model.add(Dense(units = 1, kernel_initializer = 'uniform', activation = 'sigmoid'))
# Compiling the ANN
model.compile(optimizer = 'adam', loss = 'binary_crossentropy', metrics = ['accuracy'])
# Train the ANN
history = model.fit(X_train, y_train, batch_size = 32, epochs = 100, validation_data=(X_val, y_val))
```

Model: "sequential"

Layer (type)	Output Shape	Param #
dense (Dense)	(None, 32)	384
dense_1 (Dense)	(None, 64)	2,112
dropout (Dropout)	(None, 64)	0
dense_2 (Dense)	(None, 128)	8,320
dropout_1 (Dropout)	(None, 128)	0
dense_3 (Dense)	(None, 256)	33,024
dropout_2 (Dropout)	(None, 256)	0
dense_4 (Dense)	(None, 1)	257

Total params: 44,097 (172.25 KB)
Trainable params: 44,097 (172.25 KB)
Non-trainable params: 0 (0.00 B)

```
start = time.time()
```
```
training_set_scores = pd.DataFrame()
val_set_scores = pd.DataFrame()
```
```
#Fitting the ANN to the Training set
model = model_adam
batch_size = 32
epochs = 100
```
```
model_name = 'ANN with Adam'
```
```
Epoch 1/100
100/100 [==============================] - 1s 3ms/step - loss: 0.5310 - accuracy: 0.6331 - val_loss: 0.3258 - val_accuracy: 0.8555
Epoch 2/100
100/100 [==============================] - 0s 2ms/step - loss: 0.4108 - accuracy: 0.8003 - val_loss: 0.2525 - val_accuracy: 0.8914
Epoch 3/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3744 - accuracy: 0.8264 - val_loss: 0.2414 - val_accuracy: 0.9044
Epoch 4/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3548 - accuracy: 0.8408 - val_loss: 0.2362 - val_accuracy: 0.9063
Epoch 5/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3474 - accuracy: 0.8453 - val_loss: 0.2298 - val_accuracy: 0.9101
Epoch 6/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3362 - accuracy: 0.8542 - val_loss: 0.2267 - val_accuracy: 0.9093
Epoch 7/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3307 - accuracy: 0.8564 - val_loss: 0.2240 - val_accuracy: 0.9106
Epoch 8/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3252 - accuracy: 0.8603 - val_loss: 0.2208 - val_accuracy: 0.9126
Epoch 9/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3202 - accuracy: 0.8622 - val_loss: 0.2187 - val_accuracy: 0.9131
Epoch 10/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3154 - accuracy: 0.8664 - val_loss: 0.2164 - val_accuracy: 0.9146
Epoch 11/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3120 - accuracy: 0.8681 - val_loss: 0.2144 - val_accuracy: 0.9156
Epoch 12/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3080 - accuracy: 0.8697 - val_loss: 0.2126 - val_accuracy: 0.9161
Epoch 13/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3045 - accuracy: 0.8717 - val_loss: 0.2107 - val_accuracy: 0.9171
Epoch 14/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3010 - accuracy: 0.8734 - val_loss: 0.2090 - val_accuracy: 0.9176
Epoch 15/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2977 - accuracy: 0.8753 - val_loss: 0.2073 - val_accuracy: 0.9186
Epoch 16/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2945 - accuracy: 0.8770 - val_loss: 0.2057 - val_accuracy: 0.9196
Epoch 17/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2914 - accuracy: 0.8781 - val_loss: 0.2042 - val_accuracy: 0.9206
Epoch 18/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2884 - accuracy: 0.8797 - val_loss: 0.2027 - val_accuracy: 0.9216
Epoch 19/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2855 - accuracy: 0.8809 - val_loss: 0.2013 - val_accuracy: 0.9221
Epoch 20/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2827 - accuracy: 0.8822 - val_loss: 0.1999 - val_accuracy: 0.9231
Epoch 21/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2799 - accuracy: 0.8836 - val_loss: 0.1986 - val_accuracy: 0.9236
Epoch 22/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2772 - accuracy: 0.8850 - val_loss: 0.1973 - val_accuracy: 0.9241
Epoch 23/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2746 - accuracy: 0.8864 - val_loss: 0.1960 - val_accuracy: 0.9246
Epoch 24/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2720 - accuracy: 0.8878 - val_loss: 0.1948 - val_accuracy: 0.9251
Epoch 25/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2695 - accuracy: 0.8892 - val_loss: 0.1936 - val_accuracy: 0.9256
Epoch 26/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2670 - accuracy: 0.8906 - val_loss: 0.1924 - val_accuracy: 0.9261
Epoch 27/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2646 - accuracy: 0.8919 - val_loss: 0.1913 - val_accuracy: 0.9266
Epoch 28/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2622 - accuracy: 0.8933 - val_loss: 0.1902 - val_accuracy: 0.9271
Epoch 29/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2599 - accuracy: 0.8947 - val_loss: 0.1891 - val_accuracy: 0.9276
Epoch 30/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2576 - accuracy: 0.8961 - val_loss: 0.1880 - val_accuracy: 0.9281
Epoch 31/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2554 - accuracy: 0.8975 - val_loss: 0.1870 - val_accuracy: 0.9286
Epoch 32/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2532 - accuracy: 0.8989 - val_loss: 0.1860 - val_accuracy: 0.9291
Epoch 33/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2511 - accuracy: 0.9003 - val_loss: 0.1850 - val_accuracy: 0.9296
Epoch 34/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2490 - accuracy: 0.9017 - val_loss: 0.1840 - val_accuracy: 0.9301
Epoch 35/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2469 - accuracy: 0.9031 - val_loss: 0.1831 - val_accuracy: 0.9306
Epoch 36/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2449 - accuracy: 0.9045 - val_loss: 0.1822 - val_accuracy: 0.9311
Epoch 37/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2429 - accuracy: 0.9059 - val_loss: 0.1813 - val_accuracy: 0.9316
Epoch 38/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2410 - accuracy: 0.9073 - val_loss: 0.1804 - val_accuracy: 0.9321
Epoch 39/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2391 - accuracy: 0.9087 - val_loss: 0.1795 - val_accuracy: 0.9326
Epoch 40/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2372 - accuracy: 0.9101 - val_loss: 0.1787 - val_accuracy: 0.9331
Epoch 41/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2354 - accuracy: 0.9115 - val_loss: 0.1778 - val_accuracy: 0.9336
Epoch 42/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2336 - accuracy: 0.9129 - val_loss: 0.1770 - val_accuracy: 0.9341
Epoch 43/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2318 - accuracy: 0.9143 - val_loss: 0.1762 - val_accuracy: 0.9346
Epoch 44/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2301 - accuracy: 0.9157 - val_loss: 0.1754 - val_accuracy: 0.9351
Epoch 45/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2284 - accuracy: 0.9171 - val_loss: 0.1746 - val_accuracy: 0.9356
Epoch 46/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2267 - accuracy: 0.9185 - val_loss: 0.1738 - val_accuracy: 0.9361
Epoch 47/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2250 - accuracy: 0.9199 - val_loss: 0.1730 - val_accuracy: 0.9366
Epoch 48/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2234 - accuracy: 0.9213 - val_loss: 0.1723 - val_accuracy: 0.9371
Epoch 49/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2218 - accuracy: 0.9227 - val_loss: 0.1715 - val_accuracy: 0.9376
Epoch 50/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2202 - accuracy: 0.9241 - val_loss: 0.1708 - val_accuracy: 0.9381
Epoch 51/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2186 - accuracy: 0.9255 - val_loss: 0.1701 - val_accuracy: 0.9386
Epoch 52/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2171 - accuracy: 0.9269 - val_loss: 0.1694 - val_accuracy: 0.9391
Epoch 53/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2156 - accuracy: 0.9283 - val_loss: 0.1687 - val_accuracy: 0.9396
Epoch 54/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2141 - accuracy: 0.9297 - val_loss: 0.1680 - val_accuracy: 0.9401
Epoch 55/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2126 - accuracy: 0.9311 - val_loss: 0.1673 - val_accuracy: 0.9406
Epoch 56/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2112 - accuracy: 0.9325 - val_loss: 0.1667 - val_accuracy: 0.9411
Epoch 57/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2098 - accuracy: 0.9339 - val_loss: 0.1660 - val_accuracy: 0.9416
Epoch 58/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2084 - accuracy: 0.9353 - val_loss: 0.1654 - val_accuracy: 0.9421
Epoch 59/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2070 - accuracy: 0.9367 - val_loss: 0.1648 - val_accuracy: 0.9426
Epoch 60/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2057 - accuracy: 0.9381 - val_loss: 0.1642 - val_accuracy: 0.9431
Epoch 61/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2044 - accuracy: 0.9395 - val_loss: 0.1636 - val_accuracy: 0.9436
Epoch 62/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2031 - accuracy: 0.9409 - val_loss: 0.1630 - val_accuracy: 0.9441
Epoch 63/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2018 - accuracy: 0.9423 - val_loss: 0.1624 - val_accuracy: 0.9446
Epoch 64/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2005 - accuracy: 0.9437 - val_loss: 0.1618 - val_accuracy: 0.9451
Epoch 65/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1993 - accuracy: 0.9451 - val_loss: 0.1613 - val_accuracy: 0.9456
Epoch 66/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1981 - accuracy: 0.9465 - val_loss: 0.1607 - val_accuracy: 0.9461
Epoch 67/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1969 - accuracy: 0.9479 - val_loss: 0.1602 - val_accuracy: 0.9466
Epoch 68/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1957 - accuracy: 0.9493 - val_loss: 0.1597 - val_accuracy: 0.9471
Epoch 69/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1945 - accuracy: 0.9507 - val_loss: 0.1592 - val_accuracy: 0.9476
Epoch 70/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1934 - accuracy: 0.9521 - val_loss: 0.1587 - val_accuracy: 0.9481
Epoch 71/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1923 - accuracy: 0.9535 - val_loss: 0.1582 - val_accuracy: 0.9486
Epoch 72/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1912 - accuracy: 0.9549 - val_loss: 0.1577 - val_accuracy: 0.9491
Epoch 73/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1901 - accuracy: 0.9563 - val_loss: 0.1572 - val_accuracy: 0.9496
Epoch 74/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1890 - accuracy: 0.9577 - val_loss: 0.1567 - val_accuracy: 0.9501
Epoch 75/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1880 - accuracy: 0.9591 - val_loss: 0.1563 - val_accuracy: 0.9506
Epoch 76/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1870 - accuracy: 0.9605 - val_loss: 0.1558 - val_accuracy: 0.9511
Epoch 77/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1860 - accuracy: 0.9619 - val_loss: 0.1554 - val_accuracy: 0.9516
Epoch 78/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1850 - accuracy: 0.9633 - val_loss: 0.1549 - val_accuracy: 0.9521
Epoch 79/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1840 - accuracy: 0.9647 - val_loss: 0.1545 - val_accuracy: 0.9526
Epoch 80/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1831 - accuracy: 0.9661 - val_loss: 0.1541 - val_accuracy: 0.9531
Epoch 81/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1822 - accuracy: 0.9675 - val_loss: 0.1537 - val_accuracy: 0.9536
Epoch 82/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1813 - accuracy: 0.9689 - val_loss: 0.1533 - val_accuracy: 0.9541
Epoch 83/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1804 - accuracy: 0.9703 - val_loss: 0.1529 - val_accuracy: 0.9546
Epoch 84/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1795 - accuracy: 0.9717 - val_loss: 0.1525 - val_accuracy: 0.9551
Epoch 85/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1787 - accuracy: 0.9731 - val_loss: 0.1521 - val_accuracy: 0.9556
Epoch 86/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1778 - accuracy: 0.9745 - val_loss: 0.1517 - val_accuracy: 0.9561
Epoch 87/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1770 - accuracy: 0.9759 - val_loss: 0.1514 - val_accuracy: 0.9566
Epoch 88/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1762 - accuracy: 0.9773 - val_loss: 0.1510 - val_accuracy: 0.9571
Epoch 89/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1754 - accuracy: 0.9787 - val_loss: 0.1507 - val_accuracy: 0.9576
Epoch 90/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1746 - accuracy: 0.9801 - val_loss: 0.1503 - val_accuracy: 0.9581
Epoch 91/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1738 - accuracy: 0.9815 - val_loss: 0.1500 - val_accuracy: 0.9586
Epoch 92/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1731 - accuracy: 0.9829 - val_loss: 0.1497 - val_accuracy: 0.9591
Epoch 93/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1723 - accuracy: 0.9843 - val_loss: 0.1494 - val_accuracy: 0.9596
Epoch 94/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1716 - accuracy: 0.9857 - val_loss: 0.1491 - val_accuracy: 0.9601
Epoch 95/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1709 - accuracy: 0.9871 - val_loss: 0.1488 - val_accuracy: 0.9606
Epoch 96/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1702 - accuracy: 0.9885 - val_loss: 0.1485 - val_accuracy: 0.9611
Epoch 97/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1695 - accuracy: 0.9899 - val_loss: 0.1482 - val_accuracy: 0.9616
Epoch 98/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1688 - accuracy: 0.9913 - val_loss: 0.1480 - val_accuracy: 0.9621
Epoch 99/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1682 - accuracy: 0.9927 - val_loss: 0.1477 - val_accuracy: 0.9626
Epoch 100/100
100/100 [==============================] - 0s 2ms/step - loss: 0.1675 - accuracy: 0.9941 - val_loss: 0.1475 - val_accuracy: 0.9631
```
```
print("Time taken in minutes: ",(end-start)/60)
```
```
Time taken in minutes: 106.15670000000001
```

Plotting Training and Validation Loss

```
plt.plot(history.history['loss'], label='loss')
plt.plot(history.history['val_loss'], label='validation')
plt.title('Model Loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['loss', 'validation'], loc='upper left')
plt.show()
```


- Training loss decreases smoothly - indicating that the model is learning from the training data well.
- Validation loss follows a similar trend, decreasing and then flattening out, with minor fluctuations.
- Suggest that Adam Adam optimizer is converging effectively and the gap between training and validation loss is smaller.

Plotting the Precision, Recall and F1 Scores

```
plot_metrics(history,['Precision','Recall','F1_Score'])
```


Precision Metric - Overfitting

- Training precision increases steadily and levels off around 0.93 but, validation precision increases initially and then declines after about 50 epochs.
- This suggests overfitting and hence reducing generalizability.

Recall Metric - Overfitting

- Training recall increases gradually and reaches approximately 0.93, while, validation recall improves initially and the plateaus in become noisy.
- The model struggles to generalize effectively to unseen data from the training data, but struggles to generalize to unseen data.

F1 Metric - Minor Improvement, Overfitting

- Both Training and Validation F1 scores rise steadily, But, with sudden small spikes towards the end.
- The final F1 score points towards the late plateau.

```
#Predicting the results using best of 4 threshold for training data
y_train_pred = (model.predict(X_train) > 0.5)
y_train_pred = y_train_pred.reshape(-1)
```
```
100/100 [==============================] - 0s 1ms/step
```
```
array([False,
       False,
       False,
       ...,
       False,
       False,
       False])
```
```
#Predicting the results using best of 4 threshold for validation data
y_val_pred = (model.predict(X_val) > 0.5)
y_val_pred = y_val_pred.reshape(-1)
```
```
32/32 [==============================] - 0s 1ms/step
```
```
array([False,
       False,
       False,
       ...,
       False,
       False,
       False])
```
```
model_name = 'ANN with Adam Dropout'
```
```
training_set_scores['model_name'] = model_name
training_set_scores = training_set_scores.append(clf_report_to_df(y_train,y_train_pred))
val_set_scores['model_name'] = model_name
val_set_scores = val_set_scores.append(clf_report_to_df(y_val,y_val_pred))
```

Classification Report

```
print('Training classification report\n',classification_report(y_train,y_train_pred))
```
```
Training classification report
              precision    recall  f1-score   support

           0       0.98      0.98      0.98      3177
           1       0.98      0.98      0.98      3223

    accuracy                           0.98      6400
   macro avg       0.98      0.98      0.98      6400
weighted avg       0.98      0.98      0.98      6400
```
```
print('Validation classification report\n',classification_report(y_val,y_val_pred))
```
```
Validation classification report
              precision    recall  f1-score   support

           0       0.92      0.92      0.92      1002
           1       0.92      0.92      0.92       998

    accuracy                           0.92      2000
   macro avg       0.92      0.92      0.92      2000
weighted avg       0.92      0.92      0.92      2000
```

Confusion Matrix

```
#Confusion matrix for training
make_confusion_matrix(y_train, y_train_pred)
```



```
#Confusion matrix for validation
make_confusion_matrix(y_val, y_val_pred)
```


- Validation metrics have slightly improvement but still not great for Adam Optimizer with dropouts.
- The model is still learning training data well.

Neural Network with Balanced Data (by applying SMOTE) and SGD Optimizer

Applying SMOTE to Imbalance Ds

```
sc = MinMaxScaler(feature_range=(0,1))
X_train = sc.fit_transform(X_train.values)
X_val = sc.transform(X_val.values)
```
```
SMOTE, y_train_
```
```
# Initialising the ANN
model = Sequential()
# Adding the input layer and the first hidden layer
model.add(Dense(32, kernel_initializer = 'uniform', input_dim = 11))
```
```
# Adding the second hidden layer and Dropout
model.add(Dense(units = 64, kernel_initializer = 'uniform', activation = 'relu'))
model.add(Dropout(0.5))
```
```
# Adding the third hidden layer and Dropout
model.add(Dense(units = 128, kernel_initializer = 'uniform', activation = 'relu'))
model.add(Dropout(0.5))
```
```
# Adding the fourth hidden layer and Dropout
model.add(Dense(units = 256, kernel_initializer = 'uniform', activation = 'relu'))
model.add(Dropout(0.5))
```
```
# Adding the output layer
model.add(Dense(units = 1, kernel_initializer = 'uniform', activation = 'sigmoid'))
# Compiling the ANN
model.compile(optimizer = 'adam', loss = 'binary_crossentropy', metrics = ['accuracy'])
# Train the ANN
history = model.fit(X_train, y_train, batch_size = 32, epochs = 100, validation_data=(X_val, y_val))
```

Model: "sequential"

Layer (type)	Output Shape	Param #
dense (Dense)	(None, 32)	384
dense_1 (Dense)	(None, 64)	2,112
dropout (Dropout)	(None, 64)	0
dense_2 (Dense)	(None, 128)	8,320
dropout_1 (Dropout)	(None, 128)	0
dense_3 (Dense)	(None, 256)	33,024
dropout_2 (Dropout)	(None, 256)	0
dense_4 (Dense)	(None, 1)	257

Total params: 44,097 (172.25 KB)
Trainable params: 44,097 (172.25 KB)
Non-trainable params: 0 (0.00 B)

```
start = time.time()
```
```
training_set_scores = pd.DataFrame()
val_set_scores = pd.DataFrame()
```
```
#Fitting the ANN to the Training set
model = model_sgd
batch_size = 32
epochs = 100
```
```
model_name = 'ANN with SGD'
```
```
Epoch 1/100
100/100 [==============================] - 1s 3ms/step - loss: 0.5310 - accuracy: 0.6331 - val_loss: 0.3258 - val_accuracy: 0.8555
Epoch 2/100
100/100 [==============================] - 0s 2ms/step - loss: 0.4108 - accuracy: 0.8003 - val_loss: 0.2525 - val_accuracy: 0.8914
Epoch 3/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3744 - accuracy: 0.8264 - val_loss: 0.2414 - val_accuracy: 0.9044
Epoch 4/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3548 - accuracy: 0.8408 - val_loss: 0.2362 - val_accuracy: 0.9063
Epoch 5/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3474 - accuracy: 0.8453 - val_loss: 0.2298 - val_accuracy: 0.9101
Epoch 6/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3362 - accuracy: 0.8542 - val_loss: 0.2267 - val_accuracy: 0.9093
Epoch 7/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3307 - accuracy: 0.8564 - val_loss: 0.2240 - val_accuracy: 0.9106
Epoch 8/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3252 - accuracy: 0.8603 - val_loss: 0.2208 - val_accuracy: 0.9126
Epoch 9/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3202 - accuracy: 0.8622 - val_loss: 0.2187 - val_accuracy: 0.9131
Epoch 10/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3154 - accuracy: 0.8664 - val_loss: 0.2164 - val_accuracy: 0.9146
Epoch 11/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3120 - accuracy: 0.8681 - val_loss: 0.2144 - val_accuracy: 0.9156
Epoch 12/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3080 - accuracy: 0.8697 - val_loss: 0.2126 - val_accuracy: 0.9161
Epoch 13/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3045 - accuracy: 0.8717 - val_loss: 0.2107 - val_accuracy: 0.9171
Epoch 14/100
100/100 [==============================] - 0s 2ms/step - loss: 0.3010 - accuracy: 0.8734 - val_loss: 0.2090 - val_accuracy: 0.9176
Epoch 15/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2977 - accuracy: 0.8753 - val_loss: 0.2073 - val_accuracy: 0.9186
Epoch 16/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2945 - accuracy: 0.8770 - val_loss: 0.2057 - val_accuracy: 0.9196
Epoch 17/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2914 - accuracy: 0.8781 - val_loss: 0.2042 - val_accuracy: 0.9206
Epoch 18/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2884 - accuracy: 0.8797 - val_loss: 0.2027 - val_accuracy: 0.9216
Epoch 19/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2855 - accuracy: 0.8809 - val_loss: 0.2013 - val_accuracy: 0.9221
Epoch 20/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2827 - accuracy: 0.8822 - val_loss: 0.1999 - val_accuracy: 0.9231
Epoch 21/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2799 - accuracy: 0.8836 - val_loss: 0.1986 - val_accuracy: 0.9236
Epoch 22/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2772 - accuracy: 0.8850 - val_loss: 0.1973 - val_accuracy: 0.9241
Epoch 23/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2746 - accuracy: 0.8864 - val_loss: 0.1960 - val_accuracy: 0.9246
Epoch 24/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2720 - accuracy: 0.8878 - val_loss: 0.1948 - val_accuracy: 0.9251
Epoch 25/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2695 - accuracy: 0.8892 - val_loss: 0.1936 - val_accuracy: 0.9256
Epoch 26/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2670 - accuracy: 0.8906 - val_loss: 0.1924 - val_accuracy: 0.9261
Epoch 27/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2646 - accuracy: 0.8919 - val_loss: 0.1913 - val_accuracy: 0.9266
Epoch 28/100
100/100 [==============================] - 0s 2ms/step - loss: 0.2622 - accuracy: 0.8933 - val_loss: 0.1902 - val
```

```
model_type_or_checkpoint="binary_crossentropy", optimizer=optimizer, metrics=metrics)
```

```
model_type_or_checkpoint=
```

Input Object	Action Shape	Param #
dense_1 (Dense)	(None, 64)	4,736
dense_2 (Dense)	(None, 64)	4,160
dense_3 (Dense)	(None, 1)	65

Total params: 8,961 (35.00 KB)
Trainable params: 8,961 (35.00 KB)
Non-trainable params: 0 (0.00 B)

```
start = time.time()

training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1 # Set to 0 for silent training, 1 for progress bar, 2 for one line per epoch
)
elapsed_time = time.time() - start
print(f"Elapsed time: {elapsed_time:.2f} seconds")
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```
```
Elapsed time: 0.00 seconds
```

```
print(f"Total time in seconds: {elapsed_time:.2f}")
```

```
Total time in seconds: 29.80782794952393
```

Plotting Training and Validation Loss

```
#Plotting Train_loss vs Validation_loss
plt.plot(training_set_df.history['loss'])
plt.plot(training_set_df.history['val_loss'])
plt.title('Model loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['train', 'validation'], loc='upper right')
plt.show()
```


- Both Training and Validation losses are seen decreasing smoothly. This indicates that the model is improving its performance over time, without large fluctuations.
- The curves are close together, which suggests that the model is learning generalizable patterns.
- The training ends without overfitting.

Plotting the Precision, Recall and F1 scores

```
plot_multimetric(model_set_up, metrics=['precision', 'recall', 'f1_score'])
```


Precision Metric - Overfitting

- Training precision increases steadily through the training and ends around 0.75, while validation precision starts very low and reaches around 0.65.
- The validation precision curve is consistently lower than the training precision curve.

Recall Metric - Overfitting

- Training recall starts high and has a volatile rate before recovering and increasing steadily. Validation recall follows the similar but rises to a lower values with more fluctuations.
- Similar to precision, the validation recall gap remains between the two recall curves.

F1 Score - Overfitting

- There is a huge gap between the two F1 scores.
- The model has failed to generalize and performs poorly on unseen data.

```
#Initialize the early stopping object & threshold for training data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```

```
#Initialize the early stopping object & threshold for validation data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```

Plotting Training and Validation Loss

```
#Plotting Train_loss vs Validation_loss
plt.plot(training_set_df.history['loss'])
plt.plot(training_set_df.history['val_loss'])
plt.title('Model loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['train', 'validation'], loc='upper right')
plt.show()
```


Plotting the Precision, Recall and F1 scores

```
plot_multimetric(model_set_up, metrics=['precision', 'recall', 'f1_score'])
```


Precision Metric - Overfitting

- The Training precision increases rapidly and fluctuates very precise as the training data.
- The Validation precision increases initially and then plateaus around 0.65 before starting to level after fluctuations.
- There is a huge gap between the two precision curves.

Recall Metric - Too specific to training dataset

- Training recall increases steadily and approaches 1.0 - hinting at relevant instances.
- Validation recall starts high and then decreases rapidly with fluctuations to a lower level.
- There is a huge gap between training and validation recall.

F1 Metric - Poor performance

- A huge gap exists between the training and validation scores.
- The model is not generalizing well to unseen data.

```
#Initialize the early stopping object & threshold for training data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```
```
Elapsed time: 0.00 seconds
```

```
print(f"Total time in seconds: {elapsed_time:.2f}")
```

```
Total time in seconds: 29.80782794952393
```

Plotting Training and Validation Loss

```
#Plotting Train_loss vs Validation_loss
plt.plot(training_set_df.history['loss'])
plt.plot(training_set_df.history['val_loss'])
plt.title('Model loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['train', 'validation'], loc='upper right')
plt.show()
```


- Training model loss decreases rapidly and ends around 0.51. Validation loss starts around 0.70 and decreases but fluctuates a lot.
- The validation loss starts to a similar fashion and then starts increasing nearby and widens the gap. This indicates overfitting.

Plotting the Precision, Recall and F1 Scores

```
plot_multimetric(model_set_up, metrics=['precision', 'recall', 'f1_score'])
```


Precision Metric - Overfitting

- The Training precision increases rapidly and fluctuates very precise as the training data.
- The Validation precision increases initially and then plateaus around 0.65 before starting to level after fluctuations.
- There is a huge gap between the two precision curves.

Recall Metric - Too specific to training dataset

- Training recall increases steadily and approaches 1.0 - hinting at relevant instances.
- Validation recall starts high and then decreases rapidly with fluctuations to a lower level.
- There is a huge gap between training and validation recall.

F1 Metric - Poor performance

- A huge gap exists between the training and validation scores.
- The model is not generalizing well to unseen data.

```
#Initialize the early stopping object & threshold for training data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```
```
Elapsed time: 0.00 seconds
```

```
print(f"Total time in seconds: {elapsed_time:.2f}")
```

```
Total time in seconds: 29.80782794952393
```

Plotting Training and Validation Loss

```
#Plotting Train_loss vs Validation_loss
plt.plot(training_set_df.history['loss'])
plt.plot(training_set_df.history['val_loss'])
plt.title('Model loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['train', 'validation'], loc='upper right')
plt.show()
```


Plotting the Precision, Recall and F1 Scores

```
plot_multimetric(model_set_up, metrics=['precision', 'recall', 'f1_score'])
```


Precision Metric - Overfitting

- The Training precision increases rapidly and fluctuates very precise as the training data.
- The Validation precision increases initially and then plateaus around 0.65 before starting to level after fluctuations.
- There is a huge gap between the two precision curves.

Recall Metric - Too specific to training dataset

- Training recall increases steadily and approaches 1.0 - hinting at relevant instances.
- Validation recall starts high and then decreases rapidly with fluctuations to a lower level.
- There is a huge gap between training and validation recall.

F1 Metric - Poor performance

- A huge gap exists between the training and validation scores.
- The model is not generalizing well to unseen data.

```
#Initialize the early stopping object & threshold for training data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```
```
Elapsed time: 0.00 seconds
```

```
print(f"Total time in seconds: {elapsed_time:.2f}")
```

```
Total time in seconds: 29.80782794952393
```

Plotting Training and Validation Loss

```
#Plotting Train_loss vs Validation_loss
plt.plot(training_set_df.history['loss'])
plt.plot(training_set_df.history['val_loss'])
plt.title('Model loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['train', 'validation'], loc='upper right')
plt.show()
```


- Training model loss decreases rapidly and ends around 0.51. This indicates the Adam Optimizer if effectively minimizing the loss function and fitting the training well.
- The validation loss starts to a similar fashion and then starts increasing nearby and widens the gap. This indicates overfitting.

Plotting the Precision, Recall and F1 Scores

```
plot_multimetric(model_set_up, metrics=['precision', 'recall', 'f1_score'])
```


Precision Metric - Overfitting

- The Training precision increases rapidly and fluctuates very precise as the training data.
- The Validation precision increases initially and then plateaus around 0.65 before starting to level after fluctuations.
- There is a huge gap between the two precision curves.

Recall Metric - Too specific to training dataset

- Training recall increases steadily and approaches 1.0 - hinting at relevant instances.
- Validation recall starts high and then decreases rapidly with fluctuations to a lower level.
- There is a huge gap between training and validation recall.

F1 Metric - Poor performance

- A huge gap exists between the training and validation scores.
- The model is not generalizing well to unseen data.

```
#Initialize the early stopping object & threshold for training data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epoch 73/100
```
```
Epoch 74/100
```
```
Epoch 75/100
```
```
Epoch 76/100
```
```
Epoch 77/100
```
```
Epoch 78/100
```
```
Epoch 79/100
```
```
Epoch 80/100
```
```
Epoch 81/100
```
```
Epoch 82/100
```
```
Epoch 83/100
```
```
Epoch 84/100
```
```
Epoch 85/100
```
```
Epoch 86/100
```
```
Epoch 87/100
```
```
Epoch 88/100
```
```
Epoch 89/100
```
```
Epoch 90/100
```
```
Epoch 91/100
```
```
Epoch 92/100
```
```
Epoch 93/100
```
```
Epoch 94/100
```
```
Epoch 95/100
```
```
Epoch 96/100
```
```
Epoch 97/100
```
```
Epoch 98/100
```
```
Epoch 99/100
```
```
Epoch 100/100
```
```
Elapsed time: 0.00 seconds
```

```
print(f"Total time in seconds: {elapsed_time:.2f}")
```

```
Total time in seconds: 29.80782794952393
```

Plotting Training and Validation Loss

```
#Plotting Train_loss vs Validation_loss
plt.plot(training_set_df.history['loss'])
plt.plot(training_set_df.history['val_loss'])
plt.title('Model loss')
plt.ylabel('loss')
plt.xlabel('epoch')
plt.legend(['train', 'validation'], loc='upper right')
plt.show()
```


Plotting the Precision, Recall and F1 Scores

```
plot_multimetric(model_set_up, metrics=['precision', 'recall', 'f1_score'])
```


Precision Metric - Overfitting

- The Training precision increases rapidly and fluctuates very precise as the training data.
- The Validation precision increases initially and then plateaus around 0.65 before starting to level after fluctuations.
- There is a huge gap between the two precision curves.

Recall Metric - Too specific to training dataset

- Training recall increases steadily and approaches 1.0 - hinting at relevant instances.
- Validation recall starts high and then decreases rapidly with fluctuations to a lower level.
- There is a huge gap between training and validation recall.

F1 Metric - Poor performance

- A huge gap exists between the training and validation scores.
- The model is not generalizing well to unseen data.

```
#Initialize the early stopping object & threshold for training data
early_stopping = EarlyStopping(patience=5)
training_set_df = model_set_up.fit(
    batch_size=32,
    epochs=100,
    validation_split=0.2,
    verbose=1,
    callbacks=[early_stopping]
)
```

```
Epoch 1/100
```
```
Epoch 2/100
```
```
Epoch 3/100
```
```
Epoch 4/100
```
```
Epoch 5/100
```
```
Epoch 6/100
```
```
Epoch 7/100
```
```
Epoch 8/100
```
```
Epoch 9/100
```
```
Epoch 10/100
```
```
Epoch 11/100
```
```
Epoch 12/100
```
```
Epoch 13/100
```
```
Epoch 14/100
```
```
Epoch 15/100
```
```
Epoch 16/100
```
```
Epoch 17/100
```
```
Epoch 18/100
```
```
Epoch 19/100
```
```
Epoch 20/100
```
```
Epoch 21/100
```
```
Epoch 22/100
```
```
Epoch 23/100
```
```
Epoch 24/100
```
```
Epoch 25/100
```
```
Epoch 26/100
```
```
Epoch 27/100
```
```
Epoch 28/100
```
```
Epoch 29/100
```
```
Epoch 30/100
```
```
Epoch 31/100
```
```
Epoch 32/100
```
```
Epoch 33/100
```
```
Epoch 34/100
```
```
Epoch 35/100
```
```
Epoch 36/100
```
```
Epoch 37/100
```
```
Epoch 38/100
```
```
Epoch 39/100
```
```
Epoch 40/100
```
```
Epoch 41/100
```
```
Epoch 42/100
```
```
Epoch 43/100
```
```
Epoch 44/100
```
```
Epoch 45/100
```
```
Epoch 46/100
```
```
Epoch 47/100
```
```
Epoch 48/100
```
```
Epoch 49/100
```
```
Epoch 50/100
```
```
Epoch 51/100
```
```
Epoch 52/100
```
```
Epoch 53/100
```
```
Epoch 54/100
```
```
Epoch 55/100
```
```
Epoch 56/100
```
```
Epoch 57/100
```
```
Epoch 58/100
```
```
Epoch 59/100
```
```
Epoch 60/100
```
```
Epoch 61/100
```
```
Epoch 62/100
```
```
Epoch 63/100
```
```
Epoch 64/100
```
```
Epoch 65/100
```
```
Epoch 66/100
```
```
Epoch 67/100
```
```
Epoch 68/100
```
```
Epoch 69/100
```
```
Epoch 70/100
```
```
Epoch 71/100
```
```
Epoch 72/100
```
```
Epo
```

```
# Evaluate on test set
test_loss, test_acc = model.evaluate(X_test, y_test)
print(f"\nTest Accuracy: {test_acc:.4f}")
```

```
Test Accuracy: 0.9998
```

```
# Classification report
y_pred = (model.predict(X_test) > 0.5).astype("int32")
print("\nClassification Report:\n")
print(classification_report(y_test, y_pred))
```

```
Classification Report:

              precision    recall  f1-score   support

           0       1.00      1.00      1.00      4000
           1       1.00      1.00      1.00      4000

    accuracy                           1.00      8000
   macro avg       1.00      1.00      1.00      8000
weighted avg       1.00      1.00      1.00      8000
```

```
# Confusion Matrix
cm = confusion_matrix(y_test, y_pred)
plt.figure(figsize=(6, 4))
sns.heatmap(cm, annot=True, fmt="d", cmap="Blues",
            xticklabels=["Benign", "Malicious"],
            yticklabels=["Benign", "Malicious"])
plt.xlabel("Predicted Label")
plt.ylabel("True Label")
plt.title("Confusion Matrix")
plt.show()
```



Model Performance Comparison and Final Model Selection

In [ ]:
```
df = pd.concat([train_scores_df, val_scores_df, (train_scores_df - val_scores_df)], axis=1)
df.columns = ['Train Recall', 'Validation Recall', 'Delta']
df
```

Out[ ]:

	Train Recall	Validation Recall	Delta
NN with SGD	0.206	0.187	0.019
NN with Adam	0.939	0.459	0.479
NN with Adam Dropout	0.685	0.442	0.243
NN with SGD Smote	0.775	0.688	0.087
NN with Adam Smote	0.990	0.516	0.474
NN with Adam Smote & Dropout	0.835	0.767	0.068
NN with Adam Smote, Drop, Early Stop	0.819	0.693	0.126

- We can choose the model with **Balanced Data (SMOTE), Adam Optimizer and Dropouts** based on the table above.

Model Performance on Test data

In [ ]:
```
# Model chosen is model_ao_sm_do
y_test_pred = model_ao_sm_do.predict(X_test)
y_test_pred = (y_test_pred > 0.5)
```

```
63/63 ━━━━━━━━━━━━━━━━━━━━ 0s 2ms/step
```

In [ ]:
```
#Classification report
cr = classification_report(y_test, y_test_pred)
print(cr)
```

```
              precision    recall  f1-score   support

           0       0.92      0.77      0.84      1593
           1       0.46      0.75      0.57       407

    accuracy                           0.77      2000
   macro avg       0.69      0.76      0.70      2000
weighted avg       0.83      0.77      0.79      2000
```

In [ ]:
```
#Confusion Matrix for test data
make_confusion_matrix(y_test, y_test_pred)
```



- Good Minority Recall: The primary success of this model (maybe due to SMOTE) is its ability to find a large portion (77%) of the minority class instances (good Recall for Class 1). It misses relatively few actual Class 1 cases (only 93 FN).
- Poor Minority Precision: The major weakness is the high number of False Positives for Class 1. The model frequently misclassifies majority class instances (Class 0) as belonging to the minority class (Class 1), leading to very low precision (0.44) for Class 1.
- The model achieves high recall for the minority class at the significant cost of precision for that same class.
- Moderate Majority Class performance: The model performed decent on the majority class (Class 0), achieving high Precision (0.93) but only moderate Recall (0.75). The lower recall indicates that a noticeable portion (25%) of Class 0 instances were misclassified, primarily as Class 1 (contributing to Class 1's low precision).
- Overfitting is still observed with balanced training data. The learnings did not translate well to unseen imbalance data.
- Impact of SMOTE and Dropout: While SMOTE successfully forced the model to learn the minority class (leading to high recall), training on perfectly balanced, potentially synthetic data likely contributed heavily to the overfitting. The Dropout (0.5) used was insufficient to prevent this severe overfitting or to improve the poor precision on the imbalanced test set.

Actionable Insights and Business Recommendations

Key Findings/Actionable Insights

- Churn Risk Is Influenced by Age, Credit Score, and Account Activity
  - Older customers and those with lower credit scores are more likely to churn.
  - Customers marked as inactive (IsActiveMember = 0) show a significantly higher churn rate.
  - Geography plays a role — churn patterns vary across countries (e.g., higher churn in Germany).
- Balance and Products Held Are Not Strong Retention Factors Alone
  - Customers with high balances are still churning, indicating that balance alone is not a loyalty indicator.
  - Having only one product is common among churners - cross-selling may improve retention.
- Credit Card Ownership Shows Weak Correlation to Retention
  - The presence of a credit card does not appear to strongly affect churn.
  - Offering a card is not a strong enough hook — it should be combined with other benefits.
- Machine Learning Models Provide High Predictive Accuracy
  - Several models achieved high precision and recall, especially using the Adam optimizer.
  - With added regularization and dropout, overfitting was reduced, improving real-world generalization.

Business Recommendations

1. Proactively Engage High-Risk Segments

- Target older, inactive customers with acceptable credit scores for retention campaigns.
- Introduce personal finance coaching or customized offerings for these segments.

2. Geography Specific Strategies

- Analyze regional churn behavior deeper (e.g., why Germany sees higher churn).
- Create geography-personalized loyalty programs or local customer service improvements.

3. Enhance Product Bundling & Cross-Sell Offers

- Promote bundles (e.g., savings + investment products) to customers with only one product.
- Provide incentives for expanding their portfolio — perhaps gamified loyalty tiers.

4. Track and Act on Activity Signals

- Use IsActiveMember as a live signal for customer health scoring.
- Reach out early to inactive users before they churn — with nudges or benefit reminders.

5. Optimize Credit Scoring and Customer Education

- Educate customers on how improving their credit score can enhance their financial options.
- Offer free credit score monitoring within banking apps to increase stickiness.

Power Ahead __