

### **Adding Custom Action Item to Part**

1. In the parts actions add a custom action item, and implement it in action models.
2. Mapp the jsp files to it so that it will show the product name once we click on it.

#### **Steps:**

Steps in creating a new Action items and action models.

1. Add the action in custom-actions.xml file
2. now add the implementation part of it in the custom-actionModels.xml file.
3. Stop the server
4. clear the tomcat instance and restart the server
5. now add the jsp files in the netmarkets and jsp folder (create new folder inside the jsp folder and save the jsp files).

Adding a custom action model for part actions.

Steps :

1. Go to parts, information page and click actions, in the end click on "more part actions" Action Model Report
2. In the report page look for Action model Name, defination file ( File location ), and Menu For from the report page.
3. copy the action model name ex ( more parts actions ) for WTPart
4. go to the [Functionality ( Part in this case )]-actionmodels.xml file and open both action.xml and actionmodels.xml file
5. Copy the files and paste it in the safe area.
6. Add the action item in the custom-action.xml file for the WTPart object
7. In the actionmodels.xml file find the model for the name in action report in this case "more action parts".
8. add the implementation part in the actionmodels.xml file.
9. add the url for jsp file in the actions.xml file.



File Explorer window showing the path: This PC > New Volume (D:) > ptc > wtSafeArea > siteMod > Windchill > config > actions. The file list shows custom-actionModels.xml and custom-actions.xml. The Notepad window displays the XML content of custom-actions.xml, which defines actions for batch5 and part object types.

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE listofactions SYSTEM "actions.dtd">
<listofactions>
  <objecttype name="batch5" >
    <action name="orgCustomAction">
      <label>Org Custom Action - implicit mapping</label>
      <command windowType="popup"/>
    </action>
  </objecttype>
  <objecttype name="part">
    <action name="customPartAction">
      <label>Org Part Action</label>
      <command windowType="popup"/>
    </action>
  </objecttype>
</listofactions>
```

File Explorer window showing the path: This PC > New Volume (D:) > ptc > Windchill\_11.0 > Windchill > codebase > config > actions. The file list shows various XML files, including PartClient-actions.xml. The Notepad window displays the XML content of PartClient-actions.xml, which defines actions for the PartClient object type.

```
<?xml version="1.0"?>
<!DOCTYPE actionmodels SYSTEM 'actionmodels.dtd'>
<actionmodels resourceBundle="com.ptc.windchill.enterprise.part.partResource">
  <!-- ***** -->
  <!-- *** Information Page Actions Lists *** -->
  <!-- ***** -->
  <!-- Part information page Actions list -->
  <model name="more parts actions" menufor="wt.part.WTPart">
    <action name="view" type="object"/>
    <action name="separator" type="separator"/>
    <submodel name="thingworxActionsMenu"/>
    <action name="separator" type="separator"/>
    <submodel name="more parts toolbar actions open"/>
    <action name="separator" type="separator"/>
    <action name="checkin" type="wip"/>
    <action name="separator" type="separator"/>
    <action name="WFCheckin" type="pdmObject"/>
    <action name="checkout" type="wip"/>
    <action name="WFRMBCheckout" type="pdmObject" />
    <action name="checkOutAndEdit" type="part"/>
    <action name="undocheckout" type="object"/>
    <action name="WFcancelCheckout" type="pdmObject"/>
    <action name="edit" type="part"/>
    <action name="editNewPartInWorkspace" type="part"/>
    <action name="editCheckedOutPartInWorkspace" type="part"/>
    <action name="editPartCommonAttrWizard" type="part"/>
    <action name="REVISEITEMS" type="pdmObject"/>
    <action name="separator" type="separator"/>
    <action name="fulfillChangeActions" type="effectivity"/>
    <action name="undoFulfillDesignSolutionInfoPage" type="effectivity"/>
    <action name="GenerateChangeActions" type="effectivity"/>
  </model>
  <!-- View Information -->
  <!-- ***** -->
  <!-- Check In -->
  <!-- Check In for new objects in workspace or objects checked out to workspace -->
  <!-- Check Out -->
  <!-- checkout for rmb menu on workspace listing page -->
  <!-- Check Out and Edit -->
  <!-- Undo Checkout -->
  <!-- Undo Checkout for objects checked out to workspace -->
  <!-- Edit -->
  <!-- Edit newly created part in a workspace -->
  <!-- Edit part checked out to a workspace -->
  <!-- Edit Common Attributes -->
  <!-- Revise -->
  <!-- FulfillChangeActions -->
  <!-- Undo Fulfill Change Action -->
  <!-- Generate Change Actions for CI -->
```

```
<?xml version="1.0"?>
<!DOCTYPE actionmodels SYSTEM 'actionmodels.dtd'>

<actionmodels resourceBundle="com.ptc.windchill.enterprise.part.partResource">

  <!-- ***** -->
  <!-- *** Information Page Actions Lists *** -->
  <!-- ***** -->

  <!-- Part information page Actions list -->
  <model name="more parts actions" menuFor="wt.part.WTPart">

    <action name="view" type="object"/>
    <action name="separator" type="separator"/>
    <submodel name="thingworxActionsMenu"/>
    <action name="separator" type="separator"/>
    <submodel name="more parts toolbar actions open"/>
    <action name="separator" type="separator"/>
    <action name="checkin" type="wip"/>
    <action name="WFCHECKIN" type="pdmObject"/>
    <action name="checkout" type="wip"/>
    <action name="WFRMBCHECKOUT" type="pdmObject" />
    <action name="checkoutAndEdit" type="part"/>
    <action name="undocheckout" type="object"/>
    <action name="WFCANCELCHECKOUT" type="pdmObject"/>
    <action name="edit" type="part"/>
    <action name="editNewPartInWorkspace" type="part"/>
    <action name="editCheckedOutPartInWorkspace" type="part"/>
    <action name="editPartCommonAttrWizard" type="part"/>
    <action name="REVISEITEMS" type="pdmObject"/>
    <action name="separator" type="separator"/>
    <action name="fulfillChangeActions" type="effectivity"/>
    <action name="undoFulfillDesignSolutionInfoPage" type="effectivity"/>
    <action name="GenerateChangeActions" type="effectivity"/>

    <!-- View Information -->
    <!-- ***** -->
    <!-- ***** -->
    <!-- Check In -->
    <!-- Check In for new objects in workspace or objects checked out to workspace -->
    <!-- Check Out -->
    <!-- checkout for rmb menu on workspace listing page -->
    <!-- Check Out and Edit -->
    <!-- Undo Checkout -->
    <!-- Undo Checkout for objects checked out to workspace-->
    <!-- Edit -->
    <!-- Edit newly created part in a workspace -->
    <!-- Edit part checked out to a workspace -->
    <!-- Edit Common Attributes -->
    <!-- Revise -->
    <!-- FulfillChangeActions -->
    <!-- Undo Fulfill Change Action -->
    <!-- Generate Change Actions for CI -->

  </model>

</actionmodels>
```

→ This PC > New Volume (D:) > ptc > wtSafeArea > siteMod > Windchill > config > actions

| Name                    | Date modified     | Type                | Size |
|-------------------------|-------------------|---------------------|------|
| custom-actionModels.xml | 11/2/2024 3:01 PM | Microsoft Edge H... | 1 KB |
| custom-actions.xml      | 11/2/2024 2:55 PM | Microsoft Edge H... | 1 KB |

```
custom-actions.xml - Notepad
File Edit Format View Help
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE listofactions SYSTEM "actions.dtd">
<listofactions>
  <objecttype name="batch5" >
    <action name="orgCustomAction">
      <label>Org Custom Action - implicit mapping</label>
      <command windowType="popup"/>
    </action>
  </objecttype>
  <objecttype name="part">
    <action name="customPartAction">
      <label>Org Part Action</label>
      <command windowType="popup"/>
    </action>
  </objecttype>
</listofactions>
```

Not secure | plmbwc.vb/Windchill/app/#ptc1/carambola/tools/list?oid=OR%3Awt.org.WTUser%3A11&u8=1

windchill Administrator

### Tools

This is a list of various Windchill tools useful for developers and customizers. See the [Tools Overview Documentation](#) for more detailed info about each tool.

|                                                 |                                                                                                                                                                                                           |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Action                                          | Find an Action                                                                                                                                                                                            |
| Action Model                                    | Site In Action Model                                                                                                                                                                                      |
| Application Context Service/Resource Properties | Generates a report for the classes, delegates, or resources configured to be used by services or factories from service properties and other xconf files.                                                 |
| Available Attributes                            | Generates a report on the attributes available for a Windchill Type.                                                                                                                                      |
| Logical Attributes Report                       | Generate a report on the attributes and their external forms for a given Windchill type.                                                                                                                  |
| Property Report                                 | The Property Report lists all the attributes defined for a given object type and shows whether different types of configurations exist.                                                                   |
| Reload Action(s)                                | Reload action configurations                                                                                                                                                                              |
| MVC Builder Search                              | Finds MVC component builders by ID                                                                                                                                                                        |
| MVC Builder Scan Report                         | MVC Builder Scan Report - Mini                                                                                                                                                                            |
| MVC Builder Scan Report                         | MVC Builder Scan Report - Full                                                                                                                                                                            |
| Modeled Objects                                 | Find information about Modeled Objects                                                                                                                                                                    |
| Log4j                                           | Page where log4j loggers can be enabled. Must be Site administrator to adjust logging levels. Find this and many other tools under Site->Utilities->Server Status->Monitoring Tools                       |
| jsDebug                                         | Click to enable jsDebug. See Tools Overview Documentation for more info.                                                                                                                                  |
| jsLog                                           | Click to enable a log4javascript logger. Just hit "OK" to enable all loggers or enter a logger name to enable a specific logger. See Tools Overview Documentation for more info about javascript logging. |
| jcaDebug                                        | Click to enable jcaDebug. See Tools Overview Documentation for more info.                                                                                                                                 |
| clientLogger                                    | Click to enable clientLogger                                                                                                                                                                              |



windchill®

Administrator



Products > product001 > BallPen > BallPen001

Search | Browse

Actions > PLMBPart - 0000000082, Test Attribute 02, A.1 (Design)

Org Part Action

Related Objects

Changes

History

Where Used

Traceability

New Tab 1



Visualization and Attributes | More Attributes



### Visualization and Attributes

Name: Test Attribute 02  
Status: Checked in  
Modified By: Site, Administrator  
Last Modified: 2024-10-21 23:02 IST

### General

Assembly Mode: Separable End Item: No  
Source: Make Default Unit: each  
Gathering Part: No Default Trace Code: Untraced

### Type Attributes

COUNTRY: China  
COUNTRYOFORIGIN: Japan  
EXTERNAL: Yes  
HEIGHT: 50  
ISDRAWING: Yes  
ISSUEDATE: 2024-10-15 00:00 IST  
PARTCLASSIFICATION: Sub Assembly  
RELEASEDATE: 2024-10-16 00:00 IST  
STATES: Ch1  
SUPPLIER: China

in the custom-actionmodels.xml file  
we need to copy the complete  
available actions from original file and  
past it here and eidt it, otherwise it will  
only show the newly added custom  
action only




< > > This PC > New Volume (D:) > ptc > Windchill 11.0 > Windchill > codebase > config > actions

- Quick access
- Desktop
- Downloads
- Documents
- Pictures
- actions
- actions
- New folder
- Screenshots
- OneDrive
- This PC
- 3D Objects
- Desktop
- Documents
- Downloads
- Music
- Pictures
- Videos
- Local Disk (C:)

- Name
- Clipboard
- CommonS
- configurab
- configurab
- Configurat
- Configurat
- Configurat
- Configurat
- ContentCo
- ContentCo
- contextbu
- ContextBu
- ContextBu
- CoreHtml
- csn-action
- csn-action
- custom-ac
- custom-ac
- CustomerS
- CustomerS
- DataMonit
- DataMonit

\*custom-actions.xml - Notepad

```
File Edit Format View Help
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE listofactions SYSTEM "actions.dtd">
<listofactions>
  <objecttype name="batch5">
    <action name="orgCustomAction">
      <label>Org Custom Action - implicit mapping</label>
      <command windowType="popup"/>
    </action>
  </objecttype>
  <objecttype name="custompart" class="wt.part.WTPart" resourceBundle="com.ptc.windchill.enterprise.part.partResource">
    <action name="customPartAction">
      <label>Org Part Action</label>
      <command windowType="popup"/>
    </action>
  </objecttype>
</listofactions>
```



Search | Browse

Org Part Action

Open in

Check In

Check Out

Check Out and Edit

Undo Checkout

Edit

Edit Common Attributes

Revise

New

Copy

Save As

Supersede with Existing

Supersede with New

Rename

Move

Set State

Export

Export Importable Spreadsheet

Delete

Reassign Life Cycles

Reset Team

Reassign View

Publish to CAD

## Test Attribute 02, A.1 (Design)

Changes History Where Used Traceability New Tab 1 x

### Visualization and Attributes

Name: Test Attribute 02  
Status: Checked in  
Modified By: Site, Administrator  
Last Modified: 2024-10-21 23:02 IST

Products > product001 > BallPen > BallPen001

Actions

PLMBPart - 0000000082, Test Attribute 02, A.1 (Design)

Details Structure Related Objects Changes History Where Used Traceability New Tab 1

Visualization and Attributes | More Attributes



General

|                 |           |                     |          |
|-----------------|-----------|---------------------|----------|
| Assembly Mode:  | Separable | End Item:           | No       |
| Source:         | Make      | Default Unit:       | each     |
| Gathering Part: | No        | Default Trace Code: | Untraced |

Type Attributes

|                     |                      |
|---------------------|----------------------|
| COUNTRY:            | China                |
| COUNTRYOFORIGIN:    | Japan                |
| EXTERNAL:           | Yes                  |
| HEIGHT:             | 50                   |
| ISDRAWING:          | Yes                  |
| ISSUEDATE:          | 2024-10-15 00:00 IST |
| PARTCLASSIFICATION: | Sub Assembly         |
| RELEASEDATE:        | 2024-10-16 00:00 IST |
| STATES:             | Ch1                  |
| SUPPLIER:           | China                |

### Visualization and Attributes

Name: Test Attribute 02  
Status: Checked in  
Modified By: Site, Administrator  
Last Modified: 2024-10-21 23:02 IST

Windchill - Profile 1 - Microsoft Edge

Not secure

plmbwc.vb/Windchill/ptc1/batch5/customPartAction?context=tcomp...

Welcome to the Custom Part Action JSP Page  
Session in Progress

**Search | Browse**

**Org Part Action**

- Open in
- Check In
- Check Out
- Check Out and Edit
- Undo Checkout
- Edit
- Edit Common Attributes
- Revise
- New
- Copy
- Save As
- Supersede with Existing
- Supersede with New
- Rename
- Move
- Set State
- Export
- Export Importable Spreadsheet
- Delete
- Reassign Life Cycles
- Reset Team
- Reassign View
- Publish to CAD
- Add to

## Test Attribute 02, A.1 (Design)

Changes History Where Used Traceability New Tab 1

### Visualization and Attributes

Name: Test Attribute 02  
 Status: Checked in  
 Modified By: Site, Administrator  
 Last Modified: 2024-10-21 23:02 IST

Products > product001 > BallPen > BallPen001

**Actions** PLMBPart - 0000000082, Test Attribute 02, A.1 (Design)

Details Structure Related Objects Changes History Where Used Traceability New Tab 1

Visualization and Attributes | More Attributes

**Visualization and Attributes**

Name: Test Attribute 02  
 Status: Checked in  
 Modified By: Site, Administrator  
 Last Modified: 2024-10-21 23:02 IST

**General**

Assembly Mode: Separable End Item: No  
 Source: Make Default Unit: each  
 Gathering Part: No Default Trace Code: Untraced

**Type Attributes**

COUNTRY: China  
 COUNTRYOFORIGIN: Japan  
 EXTERNAL: Yes  
 HEIGHT: 50  
 ISDRAWING: Yes  
 ISSUEDATE: 2024-10-15 00:00 IST  
 PARTCLASSIFICATION: Sub Assembly  
 RELEASEDATE: 2024-10-16 00:00 IST  
 STATES: Ch1  
 SUPPLIER: China

**System**

Windchill - Profile 1 - Microsoft Edge

Not secure plmbwc.vb/Windchill/ptc1/batch5/customPartAction?context=tcomp...

Welcome to the Custom Part Action JSP Page  
 Session in Progress  
 Organization Name: product001



Products > GOLF\_CART > Manufacturing

Org Part Action

Open in

Check In

Check Out

Check Out and Edit

Undo Checkout

Edit

Edit Common Attributes

Revise

New

Copy

Save As

Supersede with Existing

Supersede with New

Rename

Move

Set State

Export

Export Importable Spreadsheet

Delete

Reassign Life Cycles

Reassign View

Publish to CAD

## GOLF\_CART, A.1 (Manufacturing)

Changes History Where Used Traceability

### Visualization and Attributes

Name: GOLF\_CART  
Status: Checked in  
Modified By: Site, Administrator  
Last Modified: 2024-08-11 12:21 IST

Yes  
each  
Untraced

Location: /GOLF\_CART/Manufacturing  
Team Template:  
Modified By: Site, Administrator  
Last Modified: 2024-08-11 12:21 IST

Products > GOLF\_CART > Manufacturing

Part - GC000001, GOLF\_CART, A.1 (Manufacturing)



### Visualization and Attributes

Name: GOLF\_CART  
Status: Checked in  
Modified By: Site, Administrator  
Last Modified: 2024-08-11 12:21 IST

#### General

Assembly: Separable End Item: Yes  
Mode: Make Default Unit: each  
Gathering Part: No Default Trace Code: Untraced

#### System

State: In Work - Released - Canceled  
Context: GOLF\_CART Location: /GOLF\_CART/Manufacturing  
Life Cycle Template: Basic Team Template:  
Created By: Site, Administrator Modified By: Site, Administrator  
Created On: 2024-08-11 12:21 IST Last Modified: 2024-08-11 12:21 IST

Not secure | plmbwc.vb/Windchill/ptc1/batch5/customPartAction?context=tcomp...

Welcome to the Custom Part Action JSP Page  
Session in Progress  
Organization Name: GOLF\_CART