

Compte rendu TP2

```
tp2 > src > app > face-snap-g1-component > face-snap-g1-component.html > div.face-snap-card > p
1 <div class="face-snap-card">
2   <h2>{{ title }}</h2>
3   <p>{{ description }}</p>
4   <p>Mise en ligne le : {{ createdAt | date:'short' }}</p>
5   <p>{{ snaps }}</p>
6   <img [src]="imageUrl" [alt]="title">
7 </div>
8
```

```
tp2 > src > app > face-snap-g1-component > # face-snap-g1-component.css > .face-snap-card img
1 .face-snap-card {
2   width: 35%;
3   margin: 20px auto;
4   padding: 15px;
5   border: 1px solid #ccc;
6   border-radius: 15px;
7   box-shadow: 0 4px 8px rgba(0,0,0,0.1);
8 }
9
10 .face-snap-card img {
11   width: 100%;
12   border-radius: 10px;
13 }
14
```

tp2 > src > app > TS app.component.ts > ...

```
1 import { Component } from '@angular/core';
2 import { RouterOutlet } from '@angular/router';
3 import { FaceSnapG1Component } from './face-snap-g1/face-snap-g1.component';
4
5 @Component({
6   selector: 'app-root',
7   standalone: true,
8   imports: [RouterOutlet, FaceSnapG1Component],
9   templateUrl: './app.component.html',
10  styleUrls: ['./app.component.css']
11 })
12 export class AppComponent {
13   title = 'NewProject';
14 }
15
```

tp2 > src > app > face-snap-g1-component > TS face-snap-g1-component.ts > ...

```
5   standalone: true,
6   templateUrl: './face-snap-g1.component.html',
7   styleUrls: ['./face-snap-g1.component.css']
8 })
9 export class FaceSnapG1Component implements OnInit {
10   title!: string;
11   description!: string;
12   createdAt!: Date;
13   snaps!: number;
14   imageUrl!: string;
15
16   ngOnInit(): void {
17     this.title = 'Mon premier FaceSnap';
18     this.description = 'Ceci est un test pour TP2 Angular';
19     this.createdAt = new Date();
20     this.snaps = 10;
21     this.imageUrl = 'https://cdn.pixabay.com/photo/2015/05/31/16/03/teddy-bear-792273_1280.jpg';
22   }
23 }
24
```

```

tp2 > src > app > face-snap-g1-component > TS face-snap-g1-component.ts > FaceSnapG1Component > description
1  import { Component, OnInit } from '@angular/core';
2
3  @Component({
4    selector: 'app-face-snap-g1',
5    standalone: true,
6    templateUrl: './face-snap-g1.component.html',
7    styleUrls: ['./face-snap-g1.component.css']
8  })
9  export class FaceSnapG1Component implements OnInit {}
10 title!: string;
11 description!: string;
12 createdAt!: Date;
13 snaps!: number;
14 imageUrl!: string;
15
16 ngOnInit(): void {
17   this.title = 'Mon premier FaceSnap';
18   this.description = 'Ceci est un test pour TP2 Angular';
19   this.createdAt = new Date();
20   this.snaps = 10;
21   this.imageUrl = 'https://cdn.pixabay.com/photo/2015/05/31/16/03/teddy-bear-792273_1280.jpg';
22 }
23
24

```

```

tp2 > src > index.html > ...
1  <!doctype html>
2  <html lang="en">
3  <head>
4    <meta charset="utf-8">
5    <title>Tp2</title>
6    <base href="/">
7    <meta name="viewport" content="width=device-width, initial-scale=1">
8    <link rel="icon" type="image/x-icon" href="favicon.ico">
9    <meta charset="utf-8">
10   <title>NewProject</title>
11   <base href="/">
12   <meta name="viewport" content="width=device-width, initial-scale=1">
13   <link rel="icon" type="image/x-icon" href="favicon.ico">
14   <link rel="preconnect" href="https://fonts.googleapis.com">
15   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
16   <link href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500&display=swap"
17     rel="stylesheet">
18
19 </head>
20 <body>
21
22 </body>
23 </html>
24

```

```

tp2 > src > # styles.css > *
1
2  * {
3    font-family: Roboto, Helvetica, sans-serif;
4  }

```

Archibald

Mis en ligne le Sun Oct 02 2022 00:40:51 GMT+0100 (UTC+01:00)



Mon meilleur ami depuis tout petit !

□ 6