

# **BRAIN TUMOR DETECTION USING MRI IMAGES**



## **A DESIGN PROJECT REPORT**

*Submitted by*

**KAROLINA A (811722104069)**

**MANESHAW S (811722104086)**

**RAMISHA PARVEEN K (811722104120)**

*in partial fulfilment for the award of the degree of*

**BACHELOR OF ENGINEERING**

*in*

**COMPUTER SCIENCE AND ENGINEERING**

**K. RAMAKRISHNAN COLLEGE OF TECHNOLOGY**

(An Autonomous Institution, affiliated to Anna University Chennai and Approved by AICTE, New Delhi)

**SAMAYAPURAM – 621 112**

**MAY, 2024**



# **K. RAMAKRISHNAN COLLEGE OF TECHNOLOGY**

**(AUTONOMOUS)**  
**SAMAYAPURAM – 621 112**

## **BONAFIDE CERTIFICATE**

Certified that this project report titled “**BRAIN TUMOR DETECTION USING MRI IMAGES**” is the bonafide work of **KAROLINA A (811722104069), MANESHA S (811722104086), RAMISHA PARVEEN K (811722104120)** who carried out the project under my supervision. Certified further, that to the best of my knowledge the work reported here in does not form part of any other project report or dissertation on the basis of which a degree or award was conferred on an earlier occasion on this or any other candidate.

### **SIGNATURE**

Dr.A.Delphin Carolina Rani, M.E., Ph.D.,  
**HEAD OF THE DEPARTMENT**  
PROFESSOR  
Department of CSE  
K. Ramakrishnan College of Technology  
(Autonomous)  
Samayapuram – 621 112.

### **SIGNATURE**

Mr.D. P. Devan,M.E.,  
**SUPERVISOR**  
ASSISTANT PROFESSOR  
Department of CSE  
K.Ramakrishnan College of Technology  
(Autonomous)  
Samayapuram – 621 112.

Submitted for the viva-voce examination held on .....

**INTERNAL EXAMINER**

**EXTERNAL EXAMINER**

## DECLARATION

We jointly declare that the project report on “**BRAIN TUMOR DETECTION USING MRI IMAGES**” is the result of original work done by us and best of our knowledge, similar work has not been submitted to “**ANNA UNIVERSITY CHENNAI**” for the requirement of Degree of **BACHELOR OF ENGINEERING**. This project report is submitted on the partial fulfilment of the requirement of the award of Degree of **BACHELOR OF ENGINEERING**.

**Signature**

---

KAROLINA A

---

MANESHAW S

---

RAMISHA PARVEEN K

Place: Samayapuram

Date:

## ACKNOWLEDGEMENT

It is with great pride that we express our gratitude and in-debt to our institution “**K. Ramakrishnan College of Technology (Autonomous)**”, for providing us with the opportunity to do this project.

We are glad to credit honourable chairman **Dr. K. RAMAKRISHNAN, B.E.**, for having provided for the facilities during the course of our study in college.

We would like to express our sincere thanks to our beloved Executive Director **Dr. S. KUPPUSAMY, MBA, Ph.D.**, for forwarding our project and offering adequate duration in completing our project.

We would like to thank **Dr. N. VASUDEVAN, M.Tech., Ph.D.**, Principal, who gave opportunity to frame the project the full satisfaction.

We whole heartily thanks to **Dr. A. DELPHIN CAROLINA RANI, M.E., Ph.D.**, Head of the department, **COMPUTER SCIENCE AND ENGINEERING** for providing her encourage pursuing this project.

We express our deep expression and sincere gratitude to our project guide **Mr. D. P. DEVAN, M.E.**, Department of **COMPUTER SCIENCE AND ENGINEERING**, for his incalculable suggestions, creativity, assistance and patience which motivated us to carry out this project.

We render our sincere thanks to Course Coordinator and other staff members for providing valuable information during the course.

We wish to express our special thanks to the officials and Lab Technicians of our departments who rendered their help during the period of the work progress.

## ABSTRACT

A Brain tumor detection is a critical aspect of modern healthcare, as accurate and timely diagnosis can significantly improve treatment outcomes. This project introduces an interactive and user-friendly Brain Tumor Detection System designed to streamline the diagnostic workflow and enhance accessibility to expert medical advice. The system incorporates a multi-page interface that begins with a secure login page, ensuring patient data confidentiality. Upon successful login, users are directed to a patient details page to input necessary information, followed by an upload page where magnetic resonance imaging (MRI) scans are submitted for analysis. Using advanced image processing techniques, the system detects and localizes potential brain tumors in the uploaded MRI scans. The analysis results are then used to suggest a list of specialized doctors for further consultation, providing users with immediate and actionable next steps. The proposed system aims to bridge the gap in skilled radiology resources while offering an intuitive platform for both patients and medical practitioners. This comprehensive framework demonstrates the potential of integrating modern technology into healthcare, ensuring efficient tumor detection and personalized care recommendations. This system not only automates the tumor detection process but also acts as a bridge between patients and medical experts, especially in scenarios where access to skilled radiologists is limited. By integrating secure data handling, automated analysis, and expert recommendations, our framework exemplifies how technology can transform healthcare. The proposed solution is scalable and has the potential to expand beyond brain tumors to other medical imaging applications, offering a pathway to more accessible and efficient diagnostics.

## **TABLE OF CONTENTS**

<b>CHAPTER</b>	<b>TITLE</b>	<b>PAGE NO.</b>
	<b>ABSTRACT</b>	<b>v</b>
	<b>LIST OF LABLES</b>	<b>viii</b>
	<b>LIST OF FIGURES</b>	<b>ix</b>
	<b>LIST OF ABBREVIATIONS</b>	<b>x</b>
<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
1.1	Overview	1
1.2	Problem Statement	2
1.3	Objective	3
1.4	Implications	4
1.5	Applications	5
<b>2</b>	<b>LITERATURE REVIEW</b>	<b>6</b>
2.1	Brain Tumor Detection	6
2.2	Traditional methods for Brain Tumor Detection	7
<b>3</b>	<b>LITERATURE SURVEY</b>	<b>8</b>
3.1	Brain tumor detection using MRI	8
3.2	Brain tumor detection	9
3.3	Brain tumor detection using CNN	10
3.4	Tumor detection using MRI images in medical field	11
3.5	Automated tumor detection using deep medic and u-net	12
3.6	Brain tumor detection using automated machine learning techniques	13

4	<b>SYSTEM ANALYSIS</b>	14
4.1	Existing System	14
4.2	Proposed system	
5	<b>THEORETICAL CONSIDERATIONS</b>	16
5.1	Historical consideration	16
5.2	Overview of tumor detection	17
5.3	Components	19
6	<b>EXISTING WORK &amp; PROPOSED WORKFLOW</b>	20
6.1	Overview of Existing Work	20
6.2	Proposed Workflow	22
7	<b>SYSTEM SPECIFICATION</b>	24
7.1	Hardware Requirements	24
7.2	Software Requirements	24
8	<b>CONCLUSION &amp; FUTURE ENHANCEMENT</b>	25
8.1	Conclusion	25
		26
8.2	Future Enhancement	
	<b>APPENDIX A</b>	27
	<b>APPENDIX B</b>	37
	<b>REFERENCES</b>	41



## LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
1	Table of TR and TE time	5

## LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
4.1	Existing System	12
4.2	Proposed System	13
5.2	Overview of the Brain Tumor Detection	15
6.1	Overview Existing work flow	18

## **LIST OF ABBREVIATIONS**

### **ABBREVIATIONS**

<b>CNN</b>	-	Convolutional Neural Network
<b>MRI</b>	-	Magnetic Resonance Imaging
<b>DL</b>	-	Deep Learning
<b>CT</b>	-	Computed Tomography
<b>PET</b>	-	Positron Emission Tomography
<b>ML</b>	-	Machine Learning
<b>RNN</b>	-	Recurrent Neural Network



# CHAPTER 1

## INTRODUCTION

### 1.1 OVERVIEW

Brain tumors are among the most critical medical conditions, with their diagnosis and treatment impacting hundreds of thousands of lives each year worldwide. According to the World Health Organization (WHO), over 400,000 new cases are diagnosed annually, emphasizing the need for timely and accurate detection. Advancements in medical imaging, particularly Magnetic Resonance Imaging (MRI), have revolutionized the field of diagnostics by enabling non-invasive, high-resolution visualization of neuroanatomy and pathological conditions. However, interpreting MRI scans requires expert radiologists, whose availability might be limited, especially in resource-constrained settings.

To address these challenges, we have developed an innovative **Brain Tumor Detection System** that integrates a user-friendly interface with powerful automated analysis capabilities. The system begins with a secure login page, ensuring data privacy and accessibility for authorized users. Following login, users can navigate to a patient details page to input necessary information, creating a streamlined and structured diagnostic workflow. Subsequently, the system allows the upload of MRI scans for analysis. Leveraging advanced image processing and detection algorithms, the system identifies potential brain tumors and provides users with a curated list of recommended medical specialists for further consultation.

By combining secure data management, automated tumor detection, and actionable medical recommendations, our system serves as an intuitive and reliable decision-support tool. It not only enhances the diagnostic process but also reduces the dependency on expert radiologists, making healthcare more accessible and efficient. This framework has the potential to extend beyond brain tumors, paving the way for broader applications in medical imaging diagnostics.

Beyond its diagnostic capabilities, the system addresses healthcare disparities by providing a tool that is particularly beneficial in regions with limited access to skilled radiologists. By streamlining workflows, improving diagnostic accuracy, and connecting patients with relevant specialists, this project not only enhances individual patient outcomes but also contributes to the larger goal of advancing global healthcare systems.

## 1.2 PROBLEM STATEMENT

Brain tumors represent a significant challenge in the field of medical diagnostics due to their potential severity and the complexity of their detection. Magnetic Resonance Imaging (MRI) serves as a crucial tool for non-invasive imaging, enabling high-quality visualization of soft tissues, including the brain. However, accurately detecting and diagnosing brain tumors through MRI scans remains a time-consuming and expertise-intensive process, often requiring skilled radiologists. This dependency can lead to delays in diagnosis, especially in areas with limited access to specialized medical professionals.

One of the most critical and challenging steps in brain tumor detection is the segmentation of MRI images, where the brain is divided into distinct regions to identify abnormal growths. While numerous algorithms have been developed to automate this process, there remains a need for a more efficient, user-friendly system that can streamline the diagnostic workflow and provide actionable outcomes.

The growing global incidence of brain tumors, coupled with the increasing demand for timely diagnosis, highlights significant gaps in current diagnostic practices. Manual analysis of MRI scans by radiologists is prone to human error, especially when interpreting complex cases with subtle tumor indications. This not only increases the risk of misdiagnosis but also delays treatment, potentially impacting patient survival and recovery outcomes.

Resource constraints in underserved regions further exacerbate the problem, with a lack of access to trained professionals and advanced diagnostic tools. Existing automated systems often require high computational resources or technical expertise, making them less viable for widespread adoption, especially in low-resource settings.

Moreover, the lack of integration between tumor detection systems and follow-up recommendations, such as connecting patients with relevant specialists, creates a fragmented healthcare experience. Patients often struggle to access appropriate care after receiving their diagnosis, which can delay critical interventions.

Thus, there is a pressing need for a reliable, accurate, and accessible system that not only automates tumor detection but also streamlines patient management and enhances connectivity with medical experts. This solution should aim to bridge the gap between advanced technology and practical usability, addressing the critical challenges of scalability, precision, and accessibility in brain tumor diagnostics.

### 1.3 OBJECTIVE

The objective of the **Brain Tumor Detection System** project is to develop a secure, interactive, and efficient platform for detecting brain tumors in MRI images. The system aims to streamline the diagnostic process by providing an intuitive interface that begins with a secure login page, progresses to a patient details page for record management, and enables MRI scan uploads for automated tumor detection.

The project leverages advanced image processing techniques to accurately identify potential brain tumors and provides users with a curated list of recommended doctors for consultation. By reducing dependency on manual interpretation, the system seeks to improve diagnostic precision, enhance accessibility to expert care, and expedite the overall detection and referral process.

Additionally, this project aims to create a scalable framework adaptable to various imaging conditions and medical settings, contributing to improved healthcare delivery and patient outcomes. Through this initiative, the system aspires to bridge gaps in medical expertise, particularly in resource-limited regions, and support the global fight against brain tumors.

Moreover, the platform prioritizes data security and privacy, ensuring that sensitive patient information is protected throughout the process. It also seeks to incorporate modularity, allowing future enhancements, such as the inclusion of other types of medical imaging and diseases. Ultimately, the system aims to contribute to a more efficient, accessible, and equitable healthcare ecosystem, leveraging technology to improve patient care and outcomes globally.

Another key objective is to provide a seamless user experience through a simplified and efficient workflow. By automating tumor detection and suggesting appropriate follow-up actions, the system reduces the cognitive and operational burden on medical professionals. It aims to empower patients by offering clear, actionable insights and fostering better engagement with healthcare providers.

Additionally, the system is designed to be highly adaptable and scalable, capable of integrating future advancements such as real-time analysis, additional imaging modalities, or detection of other medical conditions. By fostering innovation and flexibility, the project supports the long-term vision of revolutionizing diagnostic procedures and extending quality healthcare to even the most remote regions.

## 1.4 IMPLICATIONS

1. **Improved Diagnostic Accuracy:** By leveraging AI and a Convolutional Neural Network (CNN), the system enhances the accuracy of brain tumor detection, reducing errors and increasing reliability in identifying tumors.
2. **Early Detection and Better Outcomes:** Early and precise detection of brain tumors enables timely medical intervention, improving treatment success rates and patient survival.
3. **Increased Accessibility:** The system bridges gaps in healthcare by providing automated diagnostic tools in regions with limited access to skilled radiologists, making quality care more accessible.
4. **Streamlined Workflow:** By automating key steps like MRI analysis and doctor recommendations, the system reduces the workload on medical professionals and expedites the diagnostic process.
5. **Cost Efficiency:** Automation minimizes the need for extensive manual interpretation, lowering diagnostic costs for patients and healthcare providers.
6. **Data-Driven Insights:** The system can generate valuable data for research, contributing to advancements in understanding brain tumors and improving future diagnostic tools.
7. **Scalability and Adaptability:** The modular design of the system allows for future enhancements, including detection of other medical conditions and integration into telemedicine platforms.
8. **Enhanced Patient Experience:** With an intuitive interface, secure data management, and actionable results, the system empowers patients with clear and accessible diagnostic information, improving their overall healthcare experience.
9. **Economic Benefits for Healthcare Systems:** Efficient diagnostic workflows can reduce operational costs for hospitals and clinics, allowing resources to be allocated to other critical areas of patient care.
10. **Foundation for Future Research:** The system generates data that can be used to study tumor characteristics, improving knowledge for developing new therapies and diagnostic tools.
11. **Psychological Benefits for Patients:** Faster and more accurate diagnosis reduces the stress and uncertainty patients often experience while waiting for results.



## 1.5 APPLICATIONS

The rest main aim of the applications is tumor identification.

- The main reason behind the development of this application is to provide
- proper treatment as soon as possible and protect the human life which is in danger
- This application is helpful to doctors as well as patient.
- The manual identification is not so fast, more accurate and efficient for user.
- To overcome those problem this application is design.
- It is user friendly application.

	<b>TR (msec)</b>	<b>TE (msec)</b>
<b>T1-Weighted</b> <b>(short TR and TE)</b>	<b>500</b>	<b>14</b>
<b>T2-Weighted</b> <b>(long TR and TE)</b>	<b>4000</b>	<b>90</b>
<b>Flair</b>	<b>9000</b>	<b>114</b>

**Table 1: Table of TR and TE time**

## **CHAPTER 2**

### **LITERATURE REVIEW**

#### **2.1 BRAIN TUMOR DETECTION**

Brain tumor detection is a crucial task in medical imaging, as early and accurate diagnosis can significantly improve patient outcomes. Over the years, numerous studies have been conducted to develop efficient and reliable methods for brain tumor detection and segmentation. These studies have explored various imaging modalities, such as Magnetic Resonance Imaging (MRI), Computed Tomography (CT), and Positron Emission Tomography (PET), as well as different computational techniques.

MRI is widely considered the most effective imaging modality for brain tumor detection due to its high soft tissue contrast and ability to provide detailed anatomical information. Several studies have utilized MRI data for brain tumor detection and segmentation. El-Dahshan et al. (2014) proposed a hybrid technique that combined wavelet-based features and artificial neural networks for brain tumor classification. Pereira et al. (2016) developed a convolutional neural network (CNN) model for brain tumor segmentation, achieving state-of-the-art performance on the BRATS 2015 dataset.

CT imaging, although less commonly used for brain tumor detection compared to MRI, has also been explored in several studies. Chamasemani and Singh (2018) proposed a multi-fractal approach for brain tumor detection and segmentation using CT images. Their method demonstrated promising results in distinguishing tumor regions from healthy brain tissue.

PET imaging, which captures metabolic activity, has been utilized in conjunction with other modalities for brain tumor detection and grading. Baidya et al. (2018) combined PET and MRI data to develop a deep learning model for brain tumor classification and grading, achieving improved accuracy compared to using only MRI data.

## 2.2 TRADITIONAL METHODS FOR BRAIN TUMOR DETECTION

**Image Acquisition:** The first step is to obtain medical images of the brain, usually through magnetic resonance imaging (MRI) or computed tomography (CT) scans.

**Image Preprocessing:** The acquired images often undergo preprocessing steps to enhance their quality and make them more suitable for further analysis. These steps may include noise reduction, intensity normalization, skull stripping (removing the skull from the image), and image registration (aligning multiple images from different modalities or time points).

**Image Segmentation:** This step aims to partition the brain image into different regions or structures, such as gray matter, white matter, cerebrospinal fluid, and potential tumor regions. Common segmentation techniques include thresholding, region growing, edge detection, and clustering algorithms like k-means or fuzzy c-means.

**Feature Extraction:** Once the regions of interest (e.g., potential tumor areas) are identified, various quantitative features are extracted from these regions. These features can be based on intensity, shape, texture, or other characteristics that can help differentiate tumors from normal brain tissues. Examples of features include statistical moments, gray-level co-occurrence matrices (GLCMs), Gabor filters, and wavelet transforms.

**Feature Selection/Reduction:** Since many features are extracted, a feature selection or dimensionality reduction step may be performed to identify the most discriminative features and reduce the feature space's dimensionality. Common techniques include principal component analysis (PCA), linear discriminant analysis (LDA), and recursive feature elimination (RFE).

**Classification:** The selected features are then used to train a machine learning classifier, such as support vector machines (SVMs), random forests, or artificial neural networks (ANNs), to differentiate between tumor and non-tumor samples.

**Post-processing and Visualization:** The final step may involve post-processing the classified results, such as smoothing or refining the tumor segmentation, and visualizing the detected tumor regions overlaid on the original brain images.

## CHAPTER 3

### LITERATURE SURVEY

#### 3.1 TITLE: BRAIN TUMOR DETECTION USING MRI IMAGES

**AUTHORS:** Periera, Pintos, Alves, and Silva

**YEAR:** 2016

Brain tumor detection using MRI images has seen significant advancements due to the integration of traditional image processing techniques and modern machine learning, particularly deep learning methods. Traditional methods such as thresholding, region growing, and edge detection laid the groundwork for initial efforts but often struggled with the complexity of brain tumor morphology and the high variability in MRI data.

Deep learning-based methods introduced the concept of end-to-end learning, allowing systems to process raw MRI data and directly output predictions, reducing the need for pre-processing. The authors focused on improving segmentation accuracy, particularly in delineating tumor boundaries, a critical factor in treatment planning. Their work emphasized the importance of balancing model complexity with computational efficiency to ensure practical applicability in clinical settings.

Furthermore, the study underscored the need for large, annotated datasets to train and validate deep learning models effectively. Data augmentation techniques, such as rotation, flipping, and contrast adjustment, were also utilized to address the scarcity of labeled medical data and enhance model generalization.

Overall, the work by Periera et al. set a foundation for future research by showcasing the potential of deep learning in handling the intricate patterns present in MRI scans, paving the way for more advanced and scalable tumor detection systems. Subsequent studies have built upon their findings, integrating hybrid approaches that combine traditional and deep learning methods for improved performance.

### **3.2 TITLE: BRAIN TUMOR DETECTION**

**AUTHORS: Kamnits , Simpson, and Kane**

**YEAR:2021**

#### **Model Layers and Parameters:**

Recent advancements in medical imaging and machine learning have significantly enhanced the accuracy and efficiency of brain tumor detection using MRI images. Traditional image processing techniques, such as thresholding, region growing, and edge detection, laid the groundwork for initial attempts but often struggled with the complexity and variability of tumor shapes and sizes.

The advent of machine learning, particularly with methods like Support Vector Machines (SVM), Random Forests, and K-Nearest Neighbors (KNN), brought about improvements by leveraging statistical patterns in the data, though these methods still required extensive feature engineering.

Furthermore, the study underscored the need for large, annotated datasets to train and validate deep learning models effectively. Data augmentation techniques, such as rotation, flipping, and contrast adjustment, were also utilized to address the scarcity of labeled medical data and enhance model generalization.

Overall, the work by Periera et al. set a foundation for future research by showcasing the potential of deep learning in handling the intricate patterns present in MRI scans, paving the way for more advanced and scalable tumor detection systems. Subsequent studies have built upon their findings, integrating hybrid approaches that combine traditional and deep learning methods for improved performance.

Deep learning-based methods introduced the concept of end-to-end learning, allowing systems to process raw MRI data and directly output predictions, reducing the need for pre-processing. The authors focused on improving segmentation accuracy, particularly in delineating tumor boundaries, a critical factor in treatment planning. Their work emphasized the importance of balancing model complexity with computational efficiency to ensure practical applicability in clinical settings.

### **3.3 TITLE: BRAIN TUMOR DETECTION USING CNN**

**AUTHORS: Pravesh and Kuraloviyan S**

**YEAR: 2023**

The real breakthrough in this domain has been the application of deep learning, particularly Convolutional Neural Networks (CNNs). Models like U-Net and DeepMedic have demonstrated superior performance in segmentation tasks, thanks to their ability to learn spatial hierarchies and capture multi-scale features from MRI images. U-Net, with its encoder-decoder architecture, is particularly effective at preserving fine details in medical images. Additionally, hybrid approaches that combine traditional methods with deep learning and ensemble models further boost the robustness and accuracy of detection algorithms.

Moreover, Pravesh and Kuraloviyan's work emphasized the importance of post-processing techniques like morphological operations and conditional random fields (CRFs) to refine segmentation results, ensuring that the boundaries of the tumors were accurate and well-defined. These refinements were critical in clinical applications where precise tumor localization is necessary for treatment planning.

Their study also addressed challenges such as limited annotated medical datasets by employing transfer learning, using pre-trained models on large, publicly available datasets to overcome data scarcity. This approach helped in achieving high accuracy without needing massive amounts of labeled data, making the system more accessible for real-world applications.

In conclusion, Pravesh and Kuraloviyan's research contributed significantly to the advancement of brain tumor detection by combining state-of-the-art deep learning techniques with traditional methods. This approach promises more accurate, efficient, and scalable solutions for brain tumor diagnosis, with the potential to be extended to other medical imaging applications in the future.

The authors also highlighted the advantages of hybrid approaches, where traditional image processing methods, such as thresholding and edge detection, were combined with deep learning models. These hybrid methods were found to enhance the model's ability to detect tumors with higher accuracy and reduced false-positive rates. Ensemble models, which aggregate the predictions of multiple individual models, were also incorporated to increase the robustness of the system, leading to improved reliability and generalization across different MRI datasets.

### **3.4 TITLE: BRAIN TUMOR DETECTION USING MRI IMAGES IN MEDICAL FIELDS**

**AUTHORS: Ahmad Nazrin Aris Anuar, Habibah Ahmad, Hamzah Jusoh, Mohd and Yusof Hussain**

**YEAR: 2018**

The detection of brain tumors using MRI in the medical field has witnessed substantial advancements, largely driven by developments in image processing and machine learning. Initially, traditional techniques like thresholding, region growing, and edge detection were employed to identify and delineate tumors. However, these methods often fell short due to the complexity and variability of tumor morphology. The introduction of machine learning approaches such as Support Vector Machines (SVM), Random Forests, and K-Nearest Neighbors (KNN) marked a significant improvement by utilizing statistical patterns within the data, although they still depended heavily on manual feature extraction.

Pravesh and Kuraloviyan explored how CNNs, especially U-Net, could be trained on large datasets to automatically extract features from MRI scans without requiring manual intervention. This self-learning capability allowed for better feature detection, which traditional image processing methods struggled to achieve. The use of multi-scale feature extraction in CNNs enabled the detection of both small and large tumors, which is crucial for the accurate diagnosis of different tumor types at various stages of development.

The authors also highlighted the advantages of hybrid approaches, where traditional image processing methods, such as thresholding and edge detection, were combined with deep learning models. These hybrid methods were found to enhance the model's ability to detect tumors with higher accuracy and reduced false-positive rates. Ensemble models, which aggregate the predictions of multiple individual models, were also incorporated to increase the robustness of the system, leading to improved reliability and generalization across different MRI datasets.

Moreover, Pravesh and Kuraloviyan's work emphasized the importance of post-processing techniques like morphological operations and conditional random fields (CRFs) to refine segmentation results, ensuring that the boundaries of the tumors were accurate and well-defined. These refinements were critical in clinical applications where precise tumor localization is necessary for treatment planning.

### 3.5 TITLE: AUTOMATED TUMOR DETECTION USING DEEP MEDIC AND U-NET ARCHITECTURES:

AUTHORS: S.Kumar

YEAR: 2021

In this paper, Kumar and Joshi (2021) focused on advancing the automation of brain tumor detection through deep learning architectures, specifically the **DeepMedic** and **U-Net** models. Both architectures are specialized for image segmentation tasks, particularly in medical imaging, where precision and the ability to handle complex structures are crucial.

The **U-Net** architecture is renowned for its effective segmentation capabilities, especially in the medical domain. Its unique **encoder-decoder structure** enables the network to capture both global and local features, which is essential when working with complex, high-dimensional data such as MRI images. The **encoder** progressively down-samples the input image, extracting high-level features, while the **decoder** restores spatial details by upsampling, making it especially useful for fine-grained segmentation tasks.

In the context of brain tumor detection, U-Net excels at **identifying the boundaries of the tumor**, even in the presence of noise and small variations in the image. This capability allows U-Net to detect tumors of varying sizes and irregular shapes with high precision. One of the key advantages of U-Net in tumor detection is its ability to segment the regions of interest (the tumor) without the need for extensive manual annotations,

On the other hand, the **DeepMedic** architecture is designed to address some of the limitations of traditional deep learning models by utilizing **multi-scale feature extraction**. This is particularly important in medical imaging, where tumors can appear at varying sizes and orientations within the same scan. DeepMedic employs a **3D convolutional network** and is specifically optimized for processing **3D MRI scans**, which allows it to capture detailed information across different planes and scales. By extracting features at multiple scales, DeepMedic is able to understand both the global and fine-grained features of a brain tumor, making it highly effective for detecting tumors that may have previously been missed by models that only operate at a single scale.



### 3.6 TITLE: BRAIN TUMOR DETECTION USING AUTOMATED MACHINE LEARNING TECHNIQUES

AUTHORS: R. Yadav

YEAR: 2020

In their study, Yadav et al. (2020) explored the application of **Automated Machine Learning (AutoML)** techniques to the detection of brain tumors from MRI images. AutoML is a rapidly evolving field within machine learning that automates the entire process of building machine learning models, including tasks like **feature selection**, **model selection**, and **hyperparameter tuning**. This approach significantly reduces the need for expert-level knowledge and human intervention in developing models, making machine learning more accessible for domains like medical imaging, where specialized expertise is often required.

The authors applied AutoML to a dataset of brain MRI images, with the goal of comparing its effectiveness against traditional machine learning methods (e.g., SVM, Random Forest) and **manually designed deep learning models**. Traditionally, developing high-performing machine learning models requires extensive experimentation and manual adjustments, including selecting the right features from MRI images and fine-tuning algorithm parameters. The use of AutoML aims to alleviate these challenges by automating key processes, such as model selection and hyperparameter optimization.

#### Key Findings:

1. **Efficiency and Time Savings:** The study found that AutoML significantly reduced the time and effort required for **feature selection** and **model evaluation** compared to traditional methods. This time efficiency makes AutoML a valuable tool in medical imaging, where timely results are crucial for patient care. Healthcare professionals, who may not have advanced machine learning expertise, can leverage AutoML systems to develop highly effective models without needing to manually fine-tune each step of the machine learning pipeline.
2. **Performance Comparison:** Despite its automation, AutoML achieved **comparable** or even **superior performance** to manually designed models in terms of important evaluation metrics such as **accuracy**, **recall**, and **precision**. This result suggests that AutoML techniques are capable of discovering effective model architectures and parameters that might not be immediately obvious through traditional model development approaches.

## CHAPTER 4

### SYSTEM ANALYSIS

#### 4.1 EXISTING SYSTEM

In the existing solution of extraction of brain tumor from CT scan images tumor part is detected from the CT scan of the brain. The proposed solution also do the same thing, inform the user about details of tumor using basic image processing techniques. The methods include noise removal and sharpening of the image along with basic morphological functions, erosion and dilation, to obtain the background. Subtraction of background and its negative from different sets of images results in extracted tumor image. The difference in the proposed solution with existing solution is plotting contour and c-label of the tumor and its boundary which provides us with information related to the tumor that can help in a better visualization in diagnosing cases. This process helps in identifying the size, shape and position of the tumor. It helps the medical staff as well as the patient to understand the seriousness of the tumor with the help of different color labeling for different levels of elevation. This system helps in detection of tumors inside a person's brain using images of their MRI scans.




Fig-4.1 Existing System

## 4.2 PROPOSED SYSTEM

The proposed system for brain tumor detection using MRI images integrates state-of-the-art deep learning techniques with advanced image processing methodologies to achieve accurate and efficient tumor identification. Leveraging Convolutional Neural Networks (CNNs), particularly models like U-Net, the system aims to automatically segment and classify tumors from MRI scans with high precision and reliability.




Fig-4.2 Prosoped System

## **CHAPTER 5**

### **THEORETICAL CONSIDERATION**

#### **5.1 HISTORICAL INTRODUCTION**

The historical context of travel planning illuminates a transformative journey from conventional methods to the digital era. In the past, travel planning relied heavily on traditional approaches, predominantly involving travel agencies and fragmented information sources. Travelers sought assistance from professionals to arrange various aspects of their trips, while relying on printed materials like brochures and maps for destination information. The advent of digital technology revolutionized this landscape, reshaping how individuals plan their journeys. The internet became a hub for comprehensive travel information, giving rise to online platforms that offered a more accessible and streamlined approach to trip planning. Users could now research, compare, and book their travels online, marking a significant departure from the limitations of traditional methods.

The turn of the millennium witnessed a paradigm shift in brain tumor detection with the emergence of machine learning and deep learning methodologies. Leveraging large datasets of annotated MRI images, researchers began training computational models, such as Support Vector Machines (SVMs) and Convolutional Neural Networks (CNNs), to recognize patterns indicative of tumor presence in medical images. These developments revolutionized the field by enabling more accurate and efficient detection of tumors, paving the way for personalized treatment planning and improved patient outcome

As machine learning and deep learning technologies continued to mature, researchers began to explore hybrid approaches, combining traditional image processing techniques with modern AI methods to achieve even better results. These approaches integrate data augmentation, transfer learning, and ensemble models to improve model robustness and adaptability in varying clinical environments. These advancements continue to pave the way for more efficient, accessible, and reliable brain tumor detection systems that could eventually be implemented on a global scale, particularly in resource-limited settings where access to expert radiologists is scarce.

The historical journey of brain tumor detection reflects a broader trend in medicine, where technological advancements have continuously shaped and improved the diagnostic and treatment processes. With the integration of AI and machine learning, the future holds promise for even more accurate, accessible, and personalized healthcare solutions for brain tumor patients worldwide.

## 5.2 OVERVIEW OF TUMOR DETECTION

Brain tumor detection using MRI images represents a critical area of research in medical imaging and healthcare. MRI, with its high-resolution imaging capabilities and excellent soft tissue contrast, has become the primary modality for non-invasive evaluation of brain tumors. The process typically involves analyzing MRI scans to identify and characterize abnormal tissue growth within the brain. Over the years, traditional image processing techniques have paved the way for more sophisticated approaches, particularly with the advent of machine learning and deep learning algorithms.

Machine learning techniques, such as Support Vector Machines (SVM), Random Forests, and K-Nearest Neighbors (KNN), have been applied to MRI data for brain tumor detection, relying on statistical patterns to differentiate between tumor and healthy tissue. However, the most significant breakthrough has come with the rise of deep learning, specifically Convolutional Neural Networks (CNNs). CNN-based models, such as U-Net and DeepMedic, excel at segmenting MRI images by automatically learning and extracting features, enabling more accurate and efficient tumor detection.




Fig 5.2 Overview of the Brain Tumor Detection

## **5.3 COMPONENTS**

### **1. Data Augmentation and Preprocessing**

Preprocessing in brain tumor detection is more than just standardization and enhancement. Data augmentation plays a critical role in improving model generalization, particularly when dealing with limited or imbalanced datasets. Techniques such as rotation, scaling, flipping, and cropping are commonly applied to increase the diversity of training data, helping the model to learn more robust features and preventing overfitting. Moreover, preprocessing may include noise reduction methods, such as Gaussian smoothing or median filtering, to improve the clarity of MRI images before they are fed into the detection system.

### **2. Advanced Feature Extraction**

Feature extraction in MRI image analysis typically involves both traditional methods and advanced machine learning techniques. Classic methods focus on extracting geometric, texture, and intensity-based features, such as edge contrast, entropy, and homogeneity, which are essential for distinguishing between tumor and non-tumor regions. However, with deep learning approaches like Convolutional Neural Networks (CNNs), feature extraction has become an automated process where the system learns hierarchical features directly from raw MRI data. Deep learning models excel at capturing complex patterns and subtle variations in brain tissue that would be difficult or time-consuming for human radiologists to identify manually.

### **3. Hybrid and Ensemble Approaches**

While CNNs and other deep learning models have revolutionized brain tumor detection, hybrid and ensemble approaches have been developed to further boost the detection system's accuracy and robustness. Hybrid models combine traditional image processing techniques, like region growing or thresholding, with deep learning algorithms. This dual approach ensures that both coarse and fine features are captured, which can be particularly beneficial when detecting irregular or low-contrast tumors. Additionally, ensemble methods, which combine multiple machine learning models, have shown to improve classification performance by leveraging the strengths of various algorithms, thus increasing the system's overall reliability and precision.

### **4. Model Training and Fine-Tuning**

Training a robust brain tumor detection system requires not only a high-quality dataset but also proper model fine-tuning. Hyperparameter optimization, using techniques like grid search or random search, allows for the selection of the most effective settings for the model's architecture, learning rate, and other parameters. Transfer learning is another technique that is increasingly popular in medical image analysis.

## **5. Evaluation Metrics and Performance Monitoring**

Once the system has been trained, it is essential to evaluate its performance using reliable metrics. Accuracy alone may not be sufficient, especially in medical applications where false positives or false negatives can have significant consequences. Thus, additional evaluation metrics such as sensitivity (recall), specificity, F1-score, and area under the receiver operating characteristic curve (ROC-AUC) are used to measure the system's ability to correctly identify tumor regions while minimizing false classifications. Furthermore, cross-validation techniques are employed to assess the model's generalizability and avoid overfitting, ensuring that the system performs reliably across diverse MRI datasets.

## **6. Real-Time Processing and Implementation**

In clinical practice, real-time image processing is vital for efficient decision-making. As the technology advances, there is a growing emphasis on developing systems that can process MRI images in real-time, delivering results quickly for urgent diagnosis and treatment. The integration of GPU-accelerated deep learning models allows for faster image analysis, reducing the wait time for patients and clinicians. Real-time processing also opens the door for continuous monitoring and immediate feedback in critical care scenarios, making it possible to detect tumors early, track changes over time, and adjust treatment plans accordingly.

## **7. Clinical Integration and User Interface**

The usability of a brain tumor detection system is equally important as its performance. A user-friendly interface ensures that healthcare professionals can easily interact with the system without requiring specialized technical expertise. A seamless workflow, from uploading MRI images to viewing tumor detection results, is essential for clinicians to make quick, informed decisions. Furthermore, the system should be designed to integrate with existing medical software and hospital databases, ensuring smooth data sharing and patient record management.

By incorporating these additional components into the detection process, the system becomes more comprehensive, scalable, and adaptable to different medical environments. A robust framework that integrates advanced image processing techniques, machine learning models, and clinical workflows is crucial for advancing brain tumor detection and improving patient care.

## CHAPTER 6

### EXISTING WORK & PROPOSED WORKFLOW

#### 6.1 OVERVIEW OF EXISTING WORK




Fig.6.1.Existing work flow of brain tumor detection.

- In the first stage, there is a computer based procedures to detect tumor blocks and classify the type of tumor using Artificial Neural Network Algorithm for MRI images of different patients.



- The second stage involves the use of different image processing techniques such as histogram equalization, image segmentation, image enhancement, morphological operations and feature extraction are used for brain tumor detection in the MRI images for the cancer-affected patients.

**Image Preprocessing:** As input for this system is MRI, scanned image and it contain noise. Therefore, our first aim is to remove noise from input image. As explained in system flow we are using high pass filter for noise removal and preprocessing.

**Segmentation:** Region growing is the simple region-based image segmentation technique. It is also classified as a pixel based image segmentation technique since it is involve the selection of initial seed points.

**Morphological operation:** The morphological operation is used for the extraction of boundary areas of the brain images. This operation is only rearranging the relative order of pixel value, not mathematical value, so it is suitable for only binary images. Dilation and erosion is basic operation of morphology. Dilation is add pixels to the boundary region of the object, while erosion is remove the pixels from the boundary region of the objects.

**Feature Extraction:** The feature extraction is used for edge detection of the images. It is the process of collecting higher level information of image such as shape, texture, color, and contrast.

**Connected component labeling:** After recognizing connected components of an image, every set of connected pixels having same gray-level values are assigned the same unique region label.

**Tumor Identification:** In this phase, we are having dataset previously collected brain MRIs from which we are extracting features. Knowledge base is created for comparison

## 6.2 PROPOSED WORKFLOW DESCRIPTION

To develop an effective workflow for brain tumor detection using MRI images, the process begins with the acquisition of high-quality MRI scans from patients, ensuring diverse and comprehensive data collection. The next step involves pre-processing the images to enhance their quality and standardize them, which includes noise reduction, normalization, and skull stripping to isolate the brain tissue. Subsequently, a labeled dataset is created by annotating the MRI images with precise tumor locations, which is crucial for training the detection model.

Typically a convolutional neural network (CNN), designed specifically for medical image analysis. The training phase involves feeding the model with the pre-processed MRI images and their corresponding labels, allowing the model to learn and identify patterns associated with brain tumors. The model's performance is continuously evaluated using validation datasets, and hyperparameters are fine-tuned to optimize accuracy and reduce false positives and negatives.

Once the model achieves satisfactory performance, it is tested on a separate, unseen set of MRI images to assess its generalizability and robustness. The detection results are then reviewed by medical experts to ensure clinical relevance and accuracy. Post-validation, the model can be integrated into a clinical workflow, where it assists radiologists by automatically detecting and highlighting potential tumors in new MRI scans, thereby aiding in quicker and more accurate diagnoses.

Continuous monitoring and updating of the model are necessary as new data becomes available, ensuring the system remains accurate and up-to-date. Additionally, incorporating feedback from medical professionals helps in refining the model further. This workflow aims to enhance diagnostic accuracy, reduce human error, and ultimately improve patient outcomes through timely and precise brain tumor detection.

The conclusion of this Bitcoin price prediction project synthesizes the findings and outcomes of the study, highlighting the key insights and achievements. The project successfully developed and implemented a machine learning model to predict Bitcoin prices using historical data and advanced deep learning techniques, specifically Long Short-Term Memory (LSTM) networks.

The complex temporal dependencies and patterns inherent in Bitcoin price data. The model's performance was evaluated using robust metrics and compared against baseline models, demonstrating superior accuracy and robustness. The visualization of predictions and the use of Streamlit for interactive analysis provided an intuitive understanding of the model's outputs and facilitated real-time exploration of prediction results. The robustness analysis further validated the model's stability across various conditions, ensuring its reliability in real-world applications. In conclusion, the project achieved its objectives by developing a robust and accurate Bitcoin price prediction model, contributing valuable insights to the field of financial time series forecasting.

The model's performance, validated through extensive testing and comparison, underscores the potential of LSTM networks in predicting cryptocurrency prices. This study not only advances the understanding of machine learning applications in finance but also provides a practical tool for stakeholders in the cryptocurrency market. Future work can build on this foundation by exploring additional features, enhancing model architecture, and extending the approach to other cryptocurrencies and financial assets.

**Incorporating Additional Features Enhance** the model by integrating more features beyond historical prices, such as trading volume, market sentiment, macroeconomic indicators, and on-chain metrics. These additional features can provide a more comprehensive understanding of the factors influencing Bitcoin prices. Experiment with more sophisticated deep learning architectures, such as attention mechanisms, transformers, and ensemble methods. These advanced architectures can potentially capture complex patterns and dependencies more effectively than traditional LSTM networks.

The model's performance was evaluated using robust metrics and compared against baseline models, demonstrating superior accuracy and robustness. The visualization of predictions and the use of Streamlit for interactive analysis provided an intuitive understanding of the model's outputs and facilitated real-time exploration of prediction results. The robustness analysis further validated the model's stability across various conditions, ensuring its reliability in real-world applications. In conclusion, the project achieved its objectives by developing a robust and accurate Bitcoin price prediction model, Transfer Learning Implement transfer learning techniques to leverage pre-trained models on similar financial datasets. Transfer learning can help improve model performance by utilizing knowledge from related tasks and datasets used to visualize model for problem

## CHAPTER 7

### SYSTEM SPECIFICATIONS

#### 7.1 HARDWARE REQUIREMENTS

**Processor:** Intel Core i5 or higher (or equivalent AMD processor)

**RAM:** 8GB or HIGHER

**Storage:** 1 TB HDD or 256 GB SSD or higher

**Graphics Card:** NVIDIA GeForce GTX 1050 or higher (for visualization purposes)

#### 7.2 SOFTWARE REQUIREMENTS:

**Operating System :** Windows 10 or Higher

**Coding Languages :** Python,CSS,HTML,JavaScript

**TOOLS :** Visual Studio Code

**Database:**Sql

## CHAPTER-8

### 8.1 CONCLUSION AND FUTURE ENHANCEMENTS

The Brain Tumor Detection System project successfully developed an interactive platform that streamlines the diagnostic process for brain tumor detection using MRI images. The system's multi-step interface, starting from secure login, followed by patient details input, MRI scan upload, and doctor recommendations, facilitates a smooth and efficient workflow.

By incorporating advanced image processing and machine learning techniques, the system can accurately detect and localize brain tumors, offering essential support to radiologists and healthcare professionals in early diagnosis. The integration of doctor recommendations further enhances the platform's value, ensuring patients receive timely consultation and appropriate care.

This streamlined process significantly reduces the workload on radiologists while ensuring faster and more accurate diagnoses, ultimately improving patient outcomes. The system leverages advanced image processing techniques and machine learning algorithms, enabling precise tumor localization and analysis. Furthermore, the inclusion of a doctor recommendation feature enhances the system's value by providing patients with personalized referrals for expert care.

Ultimately, this project exemplifies how artificial intelligence and automated image analysis can play a pivotal role in improving healthcare delivery, reducing diagnostic errors, and facilitating timely interventions, thereby improving survival rates and quality of life for patients with brain tumors.

In conclusion, the Brain Tumor Detection System represents a significant advancement in the way brain tumors are detected and diagnosed. By combining secure patient data management, machine learning algorithms, and doctor recommendations, the system provides an innovative solution to enhance diagnostic efficiency, improve clinical workflows, and contribute to better patient outcomes. The project demonstrates how the integration of AI in healthcare can address challenges in tumor detection and support radiologists in delivering more accurate, timely diagnoses. With continuous advancements, this platform has the potential to revolutionize brain tumor diagnosis and ultimately improve survival rates and quality of life for patients. Future enhancements will further expand its capabilities, ensuring that the system remains at the forefront of medical imaging innovation.

## **8.2 FUTURE ENHANCEMENTS**

### **Integration of Deep Learning Techniques:**

Incorporate deep learning models, such as convolutional neural networks (CNNs) or U-Net architectures, for more accurate and robust tumor segmentation and classification. Explore transfer learning techniques to leverage pre-trained models on large datasets, reducing the need for extensive training data.

### **Multimodal Image Analysis:**

Combine information from different imaging modalities (e.g., MRI, CT, PET) to improve tumor detection and characterization accuracy. Develop techniques to fuse and integrate complementary information from different modalities.

### **3D Tumor Segmentation and Analysis:**

Extend the system to handle 3D volumetric data for more comprehensive tumor analysis, including tumor volume estimation and growth monitoring.

Incorporate 3D convolutional neural networks or 3D U-Net architectures for accurate 3D tumor segmentation.

### **Tumor Grading and Prognosis:**

Develop methods to classify and grade tumors based on their aggressiveness, which can aid in treatment planning and prognosis prediction.

Explore radiomics features and machine learning techniques to predict tumor behavior and patient outcomes.

### **Integration with Clinical Workflows:**

Develop user-friendly interfaces and integrate the system with existing clinical workflows and electronic health record systems for seamless adoption and use.

## APPENDIX- A

### app.py

```
from flask import Flask, request, jsonify, render_template, send_from_directory

from flask_cors import CORS
from tensorflow.keras.models import load_model
import cv2
import numpy as np
import os
from flask import redirect, url_for, session

app = Flask(__name__, template_folder='templates')
CORS(app)

# Set a secret key for session
app.secret_key = os.urandom(24)

# Dummy user database
users = {'admin': '123'}

# Path for uploading files
UPLOAD_FOLDER = os.path.join(os.path.dirname(__file__), 'uploads')
app.config['UPLOAD_FOLDER'] = UPLOAD_FOLDER

# Ensure upload folder exists
if not os.path.exists(UPLOAD_FOLDER):
    os.makedirs(UPLOAD_FOLDER)

# Load the model
MODEL_PATH = "models/brain_tumor_model.h5"
model = load_model(MODEL_PATH)

# Dummy Sign-in Route
```

```

@app.route('/signin', methods=['GET', 'POST'])
def signin():
    if request.method == 'POST':
        username = request.form['username']
        password = request.form['password']
        if username in users and users[username] == password:
            session['user'] = username # Store user in session
            return redirect(url_for('patient_details'))
        else:
            return "Invalid Credentials", 401
    return render_template('signin.html')

# Patient details form route
@app.route('/patient_details', methods=['GET', 'POST'])
def patient_details():
    if 'user' not in session:
        return redirect(url_for('signin')) # Redirect if not signed in
    if request.method == 'POST':
        # Process patient details here if needed
        return redirect(url_for('index'))
    return render_template('patient_details.html')

# Detect tumor function
def detect_tumor(image):
    img = cv2.resize(image, (128, 128))
    img = img / 255.0
    img = np.expand_dims(img, axis=0)
    prediction = model.predict(img)
    if prediction[0][0] > 0.5:
        return f"Tumor Detected (Confidence: {prediction[0][0]*100:.2f}%"
    else:
        return f"No Tumor Detected (Confidence: {(1-prediction[0][0])*100:.2f}%"

# Upload image route
@app.route('/upload', methods=['POST'])
def upload_image():

```



```

if 'file' not in request.files:
    return jsonify({'error': 'No file uploaded'}), 400

file = request.files['file']
if file.filename == "":
    return jsonify({'error': 'No selected file'}), 400

# Save the file
file_path = os.path.join(app.config['UPLOAD_FOLDER'], file.filename)
file.save(file_path)

# Call the detection function
img = cv2.imread(file_path)
result = detect_tumor(img)

return jsonify({'result': result, 'image_url': f'/uploads/{file.filename}'})

# Serve uploaded files
@app.route('/uploads/<filename>')
def uploaded_file(filename):
    return send_from_directory(app.config['UPLOAD_FOLDER'], filename)

# Index route
@app.route('/')
def index():
    return render_template('index.html')

if __name__ == '__main__':
    app.run(debug=True)

```

## signin.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Sign In</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f0f8ff;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }
    .container {
      width: 300px;
      padding: 20px;
      background: white;
      box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
      border-radius: 8px;
      text-align: center;
    }
    input, button {
      width: 100%;
      padding: 10px;
      margin: 10px 0;
      border: 1px solid #ddd;
      border-radius: 4px;
    }
    button {
      background-color: #007bff;
      color: white;
```

```

        cursor: pointer;
    }
    button:hover {
        background-color: #0056b3;
    }
</style>
</head>
<body>
    <div class="container">
        <h2>Sign In</h2>
        <form action="/signin" method="POST">
            <input type="text" name="username" placeholder="Username" required>
            <input type="password" name="password" placeholder="Password" required>
            <button type="submit">Sign In</button>
        </form>
    </div>
</body>
</html>

```

### **patient\_details.html**

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Patient Details</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f0f8ff;
            display: flex;
            justify-content: center;
            align-items: center;
            height: 100vh;
            margin: 0;

```

```

    }
    .container {
        width: 400px;
        padding: 20px;
        background: white;
        box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
        border-radius: 8px;
    }
    input, button, select, textarea {
        width: 100%;
        padding: 10px;
        margin: 10px 0;
        border: 1px solid #ddd;
        border-radius: 4px;
    }
    button {
        background-color: #007bff;
        color: white;
        cursor: pointer;
    }
    button:hover {
        background-color: #0056b3;
    }
</style>
</head>
<body>
<div class="container">
    <h2>Patient Details</h2>
    <form action="/patient_details" method="POST">
        <input type="text" name="name" placeholder="Full Name" required>
        <input type="number" name="age" placeholder="Age" required>
        <select name="gender" required>
            <option value="">Select Gender</option>
            <option value="male">Male</option>
            <option value="female">Female</option>
            <option value="other">Other</option>

```

```

        </select>

        <textarea name="history" placeholder="Medical History" rows="4"></textarea>

        <button type="submit">Submit Details</button>
    </form>
</div>
</body>
</html>

```

## index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Patient Management System</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 0;
            padding: 0;
            display: flex;
            justify-content: center;
            align-items: center;
            height: 100vh;
            background-color: #f0f8ff;
        }
        .container {
            width: 400px;
            padding: 20px;
            background: white;
            box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
            border-radius: 8px;
        }
        .hidden {

```

```

    display: none;
}
label {
    display: block;
    margin-bottom: 8px;
    font-weight: bold;
}
input, button {
    width: 100%;
    padding: 10px;
    margin-bottom: 16px;
    border: 1px solid #ddd;
    border-radius: 4px;
}
button {
    background-color: #007bff;
    color: white;
    border: none;
    cursor: pointer;
}
button:hover {
    background-color: #0056b3;
}
img {
    max-width: 100%;
    border: 1px solid #ddd;
    border-radius: 8px;
    margin-top: 16px;
}
</style>
</head>
<body>
<div id="uploadPage" class="container">
    <h2>Upload MRI Scan</h2>
    <label for="mriScan">Select MRI Scan</label>
    <input type="file" id="mriScan">

```

```
<button onclick="uploadImage()">Upload</button>
```

```
</div>
```

```
<div id="resultPage" class="container hidden">
```

```
<h2>Prediction Result</h2>
```

```
<p id="resultText"></p>
```

```
<img id="uploadedImage" alt="Uploaded MRI Scan" style="max-width: 100%; border: 1px solid #ddd; border-radius: 8px; margin-top: 16px;">
```

```
<button onclick="resetPage()">Upload Another Scan</button>
```

```
<h1><b>SUGGESTION</b></h1>
```

```
<P><b>Dr.HariHran.MD</b>(trichy)</P><br>
```

```
<P><b>Dr.Dhevan.MD</b>(chennai)</P><br>
```

```
</div>
```

```
<script>
```

```
function uploadImage() {
```

```
const mriScan = document.getElementById("mriScan").files[0];
```

```
if (mriScan) {
```

```
    const formData = new FormData();
```

```
    formData.append("file", mriScan);
```

```
    fetch("/upload", {
```

```
        method: "POST",
```

```
        body: formData,
```

```
    })
```

```
    .then((response) => response.json())
```

```
    .then((data) => {
```

```
        if (data.result) {
```

```
            // Hide upload page, show result page
```

```
            document.getElementById("uploadPage").classList.add("hidden");
```

```
            document.getElementById("resultText").innerText = data.result;
```

```
            document.getElementById("uploadedImage").src = data.image_url; // Set uploaded image
```

```
            document.getElementById("resultPage").classList.remove("hidden");
```

```

        } else {
            alert("Error: " + data.error);
        }
    })
    .catch((error) => {
        console.error("Error:", error);
        alert("Something went wrong!");
    });
} else {
    alert("Please upload an MRI scan!");
}
}

function resetPage() {
    document.getElementById("resultPage").classList.add("hidden");
    document.getElementById("uploadPage").classList.remove("hidden");
    document.getElementById("mriScan").value = ""; // Clear the file input
}

</script>

</body>
</html>


```



## APPENDIX-B

### SCREENSHOTS

Output




**Fig 1:Login Page**

### Patient Details

Medical History

Submit Details


**Fig 2: Patient Details**



**Fig 3: Upload Image**

## Prediction Result

Tumor Detected (Confidence: 57.89%)



[Upload Another Scan](#)


## SUGGESTION

**Dr.HariHran.MD**(trichy)

**Dr.Dhevan.MD**(chennai)

## Prediction Result

Tumor Detected (Confidence: 72.28%)



[Upload Another Scan](#)

## SUGGESTION

**Dr.HariHran.MD**(trichy)

**Dr.Dhevan.MD**(chennai)

**Fig 4: Prediction Result**

## REFERENCES

- [1] Raghavendra, U., Gudigar, A., Paul, A., Goutham, T. S., Inamdar, M. A., Hegde, A., ... & Acharya, U. R. (2023). Brain tumor detection and screening using artificial intelligence techniques: Current trends and future perspectives. *Computers in Biology and Medicine*, 107063.
- [2] Saeedi, S., Rezayi, S., Keshavarz, H., & R. Niakan Kalhori, S. (2023). MRI-based brain tumor detection using convolutional deep learning methods and chosen machine learning techniques. *BMC Medical Informatics and Decision Making*, 23(1), 16.
- [3] Mahmud, Md Ishtyaq, Muntasir Mamun, and Ahmed Abdelgawad. "A deep analysis of brain tumor detection from mr images using deep learning networks." *Algorithms* 16, no. 4 (2023): 176.
- [4] Khan, Muhammad Attique, Awais Khan, Majed Alhaisoni, Abdullah Alqahtani, Shtwai Alsubai, Meshal Alharbi, Nazir Ahmed Malik, and Robertas Damaševičius. "Multimodal brain tumor detection and classification using deep saliency map and improved dragonfly optimization algorithm." *International Journal of Imaging Systems and Technology* 33, no. 2 (2023): 572-587
- [5] Ranjbarzadeh, Ramin, Annalina Caputo, Erfan Babaei Tirkolaee, Saeid Jafarzadeh Ghouschi, and Malika Bendeche. "Brain tumor segmentation of MRI images: A comprehensive review on the application of artificial intelligence tools." *Computers in biology and medicine* 152 (2023): 106405.
- [6] Aamir, Muhammad, Ziaur Rahman, Waheed Ahmed Abro, Uzair Aslam Bhatti, Zaheer Ahmed Dayo, and Muhammad Ishfaq. "Brain tumor classification utilizing deep features derived from high-quality regions in MRI images." *Biomedical Signal Processing and Control* 85 (2023): 104988.
- [7] Pedada, Kameswara Rao, Bhujanga Rao, Kiran Kumar Patro, Jaya Prakash Allam, Mona M. Jamjoom, and Nagwan Abdel Samee. "A novel approach for brain tumour detection using deep learning based technique." *Biomedical Signal Processing and Control* 82 (2023): 104549.
- [8] Archana, K. V., & Komarasamy, G. (2023). A novel deep learning-based brain tumor detection using the Bagging ensemble with K-nearest neighbor. *Journal of Intelligent Systems*, 32(1), 20220206.
- [9] Kanchanamala, P., Revathi, K. G., & Ananth, M. B. J. (2023). Optimization-enabled hybrid deep learning for brain tumor detection and classification from MRI. *Biomedical Signal Processing and Control*, 84, 104955.

- [10] Gayathri, Prerepa, Aiswarya Dhavileswarapu, Sufyan Ibrahim, Rahul Paul, and Reena Gupta. "Exploring the potential of vgg-16 architecture for accurate brain tumor detection using deep learning." *Journal of Computers, Mechanical and Management* 2, no. 2 (2023): 23056-23056.
- [11] Özkaraca, Osman, Okan İhsan Bağrıaçık, Hüseyin Gürüler, Faheem Khan, Jamil Hussain, Jawad Khan, and Umm E. Laila. "Multiple brain tumor classification with dense CNN architecture using brain MRI images." *Life* 13, no. 2 (2023): 349.
- [12] Kumar, K.K., Dinesh, P.M., Rayavel, P., Vijayaraja, L., Dhanasekar, R., Kesavan, R., Raju, K., Khan, A.A., Wechtaison, C., Haq, M.A. and Alzamil, Z.S., 2023. Brain Tumor Identification Using Data Augmentation and Transfer Learning Approach. *Computer Systems Science & Engineering*, 46(2).