

data.xml file :

```
<?xml version="1.0" encoding="UTF-8"?>

<suite name="Suite" parallel="false">

  <test name="Test">

    <parameter name="config" value="webdriver.chrome.driver" />

    <classes>

      <class name="com.orangehrmlive.DataDrivenTesting"/>

    </classes>

  </test> <!-- Test -->

</suite> <!-- Suite -->
```

---

DataDrivenTesting class code :

```
ChromeDriver chrome;

@DataProvider(name="dp")
public Object storeData()
{
```

```

        return new Object[][]
        {
            {"Admin12","admin123"},
            {"Admin","admin123"}
        };
    }

```

```

@Parameters({"config"})

```

```

@BeforeTest

```

```

public void openBrowser(String key) {

```

```

    System.setProperty(key, "D:\\Software Testing\\Selenium\\chromedriver.exe");

```

```

    //open the browser

```

```

        chrome = new ChromeDriver();

```

```

        chrome.get("https://opensource-demo.orangehrmlive.com/");

```

```

    }

```

```

@Test(priority = 2 , dataProvider="dp")

```

```

public void loginTest(String un,String pwd)

```

```

{

```

```

    chrome.findElement(By.id("txtUsername")).sendKeys(un);

```

```

    chrome.findElement(By.id("txtPassword")).sendKeys(pwd);

```

```

    chrome.findElement(By.id("btnLogin")).click();

```

```

}

```

@AfterTest

public void closeBrowser()

{

chrome.close();

} }