


Last updated on **May 11, 2026**

Genie

Genie is the Databricks AI experience. It gives every user in your organization a single place to ask data questions, explore dashboards, and run apps. Every answer is grounded in your organization's data and governed through Unity Catalog.

Genie is part of a family of AI experiences built on the same governed data foundation:

- **Genie:** A simplified interface for business users to discover and interact with data assets.
- **Genie Spaces:** Domain-specific environments where data teams configure trusted data, metrics, and business rules that power Genie answers.
- **Genie Code:** The AI coding and data assistant for developers and technical practitioners inside the Databricks workspace.



Genie interface

 Ask Genie

Use the Genie interface

Navigate the Genie interface, browse assets, and interact with your data.

Chat in Genie

Ask data questions in natural language and get answers grounded in your organization's data.

Account-level Genie

Discover and interact with shared assets across all workspaces in your account from a single entry point.

Genie Code

Genie Code

Learn about Genie Code capabilities across notebooks, pipelines, dashboards, and more.

Use Genie Code

Chat with Genie Code, get inline suggestions, and run agentic tasks in your workspace.

Add custom instructions

Customize Genie Code behavior with workspace-level and personal instructions.

Genie Spaces

What is a Genie Space

Learn how Genie Spaces work and how to set one up.

Create and manage a Genie Space

Configure datasets, sample queries, and instructions to create a trusted data environment for business users.

 Ask Genie

Tune Genie Space quality

Add metrics, business rules, and verified answers to improve Genie response quality.

Is this page

as this page helpful?

☐ Yes

☐ No

☐ Send feedback

Last updated on **May 11, 2026**

Use the Genie interface


Genie is a user interface designed for business users, giving them a single, intuitive entry point to interact with data and AI in Databricks, without needing to navigate technical concepts such as compute, queries, models, or notebooks.

NOTE

Genie was previously known as Databricks One. If you're looking for [Genie Code](#) or [What is a Genie Space](#), see those pages.

Overview

Genie is a simplified Databricks interface available to all Databricks users. It is built for business users to consume the assets created for them in Databricks.



Genie enables users to:

 Ask Genie

- View and interact with AI/BI dashboards to track key performance indicators (KPIs) and analyze metrics.
- Ask data questions in natural language.
- Use custom-built Databricks Apps that combine analytics, AI, and workflows.

Genie is available at two levels:

- **Workspace-level:** Scoped to a single workspace.
- **Account-level:** A unified view across all workspaces in your Databricks account.

Account-level Genie

Genie is available at the account level, providing a unified view of assets across all workspaces in your Databricks account. See [Account-level Genie](#).

Workspace-level Genie

Who can access workspace-level Genie

Access to workspace-level Genie is controlled by workspace membership and entitlements.

- To grant a user access to your workspace, see [Assign a user to a workspace](#).
- To manage user entitlements, see [Manage entitlements](#).

The following table shows which UIs each entitlement grants:


Entitlement	Genie UI	Lakehouse workspace UI
Consumer access	✓	
Workspace access	✓	✓
Databricks SQL access	✓	✓  Ask Genie

Because entitlements are additive, users with only **Consumer access** land on Genie by default. Users with additional entitlements can access both Genie and the Lakehouse workspace UI, and can switch between them. To set **Consumer access** as the default for new users, see [Change default workspace access to consumer access](#). For a full overview of consumer access, see [What is consumer access?](#).

Open workspace-level Genie

If a user's only entitlement is **Consumer access**, they land on the Genie homepage after log in.

If a user has other entitlements, they can use the app switcher  in the upper-right corner of the workspace to move between the two UIs.



Alternatively, users can navigate to the Genie UI by adding `/one` to their workspace URL, for example:

```
https://<WORKSPACE_URL>/one?o=<WORKSPACE_ID>
```

Interact with data assets

You can view and interact with assets that have been shared with you. Click an asset to open and interact with it. To mark an asset as a favorite, click the star icon next to the asset's name. Favorite assets can be filtered in listing pages.

Search bar

Use the search bar to find assets or ask data questions in natural language:

- **Search:** Find assets that have been shared with you by name.
- **Ask:** When **Ask** is turned on, you can use the search bar to interact with Genie.

If [chat](#) is not enabled, click **Ask** in the search bar and select a Genie Space. The search bar connects to that space and interprets your question using Genie Code.

Chat

🔔 PREVIEW


This feature is in [Public Preview](#).

Chat is a unified, full-screen interface for asking data questions in natural language. Chat uses Genie in Agent mode to leverage existing dashboards, queries, and Genie Spaces to answer your questions. You can also connect external data sources such as Google Drive or SharePoint to give chat access to your company documents. See [Chat in Genie](#).

For you

The **For you** section on the Genie home page shows personalized asset recommendations based on your activity and the activity of other users in your workspace, including:

- **Recently opened:** Assets you have opened recently.
- **Favorites:** Assets you have marked with a star.
- **Recently shared:** Assets that have been shared with you recently.
- **Trending:** Assets that are popular among similar users in the workspace.  Ask Genie



Domains

❗ BETA

This feature is in [Beta](#). Workspace admins can control access to this feature from the **Previews** page. See [Manage Databricks previews](#).

In the sidebar, click **Domains** to browse assets organized by domain. Domains group assets by business context, making it easier to find data relevant to your work without navigating catalog hierarchies. Click a domain card to view the assets it contains. See [Discover page and domains](#).

Scheduled tasks


❗ BETA

This feature is in [Beta](#). Workspace admins can control access to this feature from the **Previews** page. See [Manage Databricks previews](#).

Click **Scheduled tasks** in the left sidebar to create and manage scheduled chat tasks. See [Chat in Genie](#).

Listing pages

When you search from the Genie home page, the results open in a listing page. Listing pages show the assets that have been shared with you and provide options to filter and browse them.



You can use the filter buttons under the search bar. To see all filtering options, click  on the left. This opens a menu with the following categories:

- **Type:** Click a radio button to view only dashboards or Genie Spaces. **Clear** the button to show both asset types.
- **Owner:** Use the owner filter to search for an asset by their Databricks user ID.
- **Status:** Use the checkboxes to show only assets that have been marked as **Certified** or you have marked as a **Favorite**.

- **Domains:** Use the domain filter to show only assets that belong to a specific domain. Domains group assets by governed tags, helping you browse data by business context. See [Discover page and domains](#).
- **Last modified:** Use the radio buttons to select assets that have been modified within the selected window.


On the right, click **Relevance** to change the sort order and page appearance.

- **Sort by:** Choose **Relevance** to intelligently sort assets by what is most relevant to you. Choose **Name** to show the listings by name in alphabetical order.
- **View as:** Click **List** to show a list of assets. Click **Grid** to show assets with a thumbnail preview.

Open assets

When you click an asset, it opens in the familiar experience for that object (for example, a dashboard).

- If you have viewing rights only, the asset opens within Genie.
- If you have authoring privileges, click **Edit draft** to edit the asset in the Lakehouse workspace UI.



Next steps

- [Tutorial: Explore dashboards and query data in Genie](#)
- [Chat in Genie](#)
- [Account-level Genie](#)
- [Manage user entitlements](#)

Is this page

as this page helpful?

☐ Yes

☐ No

☐ Send feedback

 Ask Genie


Last updated on **May 13, 2026**

Chat in Genie

⚠️ PREVIEW

This feature is in [Public Preview](#).

Chat provides a unified, full-screen interface for asking data questions in natural language. Chat uses existing dashboards, queries, Genie Spaces, and metric views to answer your questions with all available data.



📌 NOTE

Chat in Genie is not available in workspaces with the compliance security profile enabled. See [Compliance security profile](#).

Enable chat

Workspace admins can enable chat for all workspace users:

 [Ask Genie](#)

1. As a workspace admin, click your username in the top bar of the Databricks workspace.
2. From the menu, select **Previews**.
3. Search for and turn on **New chat experience in Genie**.

Users must have the CAN USE permission on a SQL warehouse to use chat.

How chat works

When you submit a question to chat:

1. It searches available Genie Spaces for one relevant to your question.
2. If a matching Genie Space is found, it uses that space to generate a response.
3. If no matching Genie Space is found, it uses Genie in Agent mode to search for relevant data assets and answer your question.

You can also connect external data sources such as Google Drive, SharePoint, GitHub, Glean, and Atlassian to give chat access to your company documents. See [Add a data source to a conversation](#).

To open chat, click **New chat** from in the sidebar or use **Ask** mode in the search bar.

Add workspace instructions for chat

ⓘ BETA

This feature is in [Beta](#). Workspace admins can control access to this feature from the **Previews** page. See [Manage Databricks previews](#).

Workspace admins can add custom instructions that apply to every chat conversation in the workspace. Instructions can include information about your organization's data conventions, preferred terminology, or guidelines for how chat should respond.

To add workspace instructions, create a Markdown file at the following path in your workspace:

```
/Workspace/.genie_workspace_instructions.md
```

Instructions must be under 20,000 characters. Chat reads this file automatically with no additional configuration required. Instructions apply to chat only and do not affect Genie Spaces or Genie Code.


For best practices on adding custom instructions, see [Best practices for Genie Code instructions](#).

Scheduled tasks

Scheduled tasks run automatically at a specified time and post the results in a chat thread. When a task runs, chat sends you an email with the results.

You can create a scheduled task in two ways:

- Type a request in natural language in chat, for example: *"Send me a daily briefing of all new customer reviews for my store location."* Chat might ask clarifying questions, such as the time or which location to use, then creates the task and adds it to the **Scheduled tasks** section.
- In the sidebar, click **Scheduled tasks**, then click the drop-down menu next to **+ Create in chat** and select **Create manually**.



Fill in the **Title**, **Instructions**, **Connections**, **Schedule**, and **Timezone**, then click **Create**.

Create scheduled task

×

Title

Instructions

Schedule

Every

Week

▼

on

Monday

▼

at

09

▼

:

00

▼

Timezone

(UTC-07:00) America/Los_Angeles

DST

▼

Cancel

Create

To view past runs, edit, or delete a scheduled task, click the task in the **Scheduled tasks** section. Each run opens in a chat thread.

Chat limitations

- You cannot specify which SQL warehouse chat uses. Databricks selects one automatically.
- Workspaces with many Genie Spaces might experience reduced routing accuracy.
- External MCP connections (such as Google Drive, SharePoint, and custom MCP servers) are only available in regions where Model Serving is supported.

See [supported regions](#).

Add a data source to a conversation

 Ask Genie

You can connect external data sources such as Google Drive, SharePoint, GitHub, Glean, and Atlassian to a chat conversation. This allows chat to search your company documents when answering questions. Each user authenticates individually. OAuth tokens are not shared between users.

Connecting external data sources requires the **Third Party Connectors for Agents Beta** to be enabled in your workspace. See [Manage Databricks previews](#).

1. On the Genie home page, click **chat**.
2. Click the  plus icon at the bottom left of the search bar.
3. Select a data source.

To connect additional data sources, click **More connections** at the bottom of the list. You can create a custom MCP connection in Unity Catalog. See [Use external MCP servers](#).

4. Click **Sign in** and complete the steps to sign in.

The connection is added to your conversation. Chat can now search your documents when answering questions. After a connection is created, metastore admins and connection owners can manage or revoke user permissions on it. See [Share the MCP server connection](#).

 NOTE

Data source tools might not always trigger automatically. If document search doesn't start, try explicitly prompting chat to use the tool, for example "use Google Docs" or "use SharePoint."

Google Drive limitations

- When authorizing Google Drive, you might see an "unverified app" screen. Click **Advanced** and continue the authorization process.
- Maximum file size is 10MB.
- Only built-in Google Docs files are supported. PDFs, images, and other binary formats are not supported.

- Connection or token expiration errors might appear in the agent output. Re-authenticate to the connection to resolve.

SharePoint limitations

- Maximum file size is 10MB.
- Supported file types include built-in SharePoint documents, spreadsheets, and presentations, as well as common text-based formats such as `.txt`, `.csv`, `.json`, `.md`, and others. PDFs, images, and other binary formats are not supported.

GitHub limitations

- By default, the Databricks GitHub MCP connector can access only public repositories. To give the connector read access to your private enterprise repositories, a GitHub organization admin must complete additional setup. See [Enable private repository access](#).
- GitHub Enterprise Server (the self-hosted version of GitHub) is not supported.

Glean limitations

- A workspace admin must first configure the Glean tenant ID before non-admin users can use the connection. The admin can enter the tenant ID when first connecting to Glean.

Next steps


- [Use the Genie interface](#)
- [Create a connection](#)

Last updated on **May 11, 2026**

Account-level Genie

Account-level Genie is a unified analytics view across all workspaces in your Databricks account. Business users can discover and interact with shared assets (such as AI/BI dashboards, Genie Spaces, and Databricks Apps) from multiple workspaces in a single entry point.

Unlike the workspace-level Genie experience, which is scoped to a single workspace, account-level Genie lets users view and navigate assets from any workspace they have access to in the account.



Features

Account-level Genie brings together the features in individual workspace-level Genie into an account-wide experience. It includes the following features:

 Ask Genie

- **Homepage:** A unified view of assets across all workspaces in your account. Surfaces recently accessed content, trending assets, and your favorites, regardless of which workspace the assets belong to.
- **Cross-workspace search:** Find assets shared across all workspaces in your account. Search results include dashboards, Genie Spaces, and Databricks Apps from any workspace you have access to, scoped to your permissions.
- **Recommendations and favorites:** The homepage surfaces recommended assets based on your usage patterns across workspaces. Mark an asset as a favorite by clicking the star icon next to its name. Favorites are available across all workspaces from the account-level view.
- **Chat and Genie Spaces:** Ask natural language questions about your data across workspaces. Genie Spaces provide a shared conversational interface where you can collaborate with teammates on data questions.

For more information on using Genie, see [Interact with data assets](#).

Enable or disable account-level Genie

Account admins can enable or disable account-level Genie in the account console. This setting applies to all users in the account and does not apply to workspace-level Genie.

1. In the [account console](#), click  **Settings**.
2. Click the **Feature enablement** tab.
3. Use toggles **On**  to enable or disable **Genie**.

Who can use account-level Genie?

All users in the account can use account-level Genie, but they can only access assets that have been explicitly shared with them. The account-level view does not grant additional permissions to workspace assets.


Access account-level Genie

You can access account-level Genie in several ways:

- **Account landing page:** From the account console, click **Genie** to open the account-level view.
- **Direct URL:** Navigate directly to your account-level Genie URL using the `/one` vanity URL:

```
https://accounts.cloud.databricks.com/one
```

- **Workspace switcher:** Use the workspace switcher within the Genie interface to and select **Account-level**.



Data handling and processing

Account-level Genie is an account-wide discovery and search surface for dashboards, Genie Spaces, Databricks Apps, and other assets that you have permission to access. When you open an asset, it opens in the originating workspace.

What data is aggregated and how it is processed

Account-level Genie aggregates set of data (such as asset identifiers, titles, and usage and audit events) to power account-wide search, recommendations, and cross-

Ask Genie

workspace discovery. Customer content (tables, dashboard data, charts, and similar objects) is not aggregated. This aggregated data is sent to US-based Databricks services, even when your workspaces run in non-US regions (such as EU deployments). Customer content remains stored in the workspace region.

If your data residency or compliance policies do not permit sending this aggregated data to US-based services, disable account-level Genie using the control described in [Enable account-level Genie](#). Disabling the feature stops account-level Genie from sending this aggregated data to US-based services. Disabling the feature does not delete existing audit and system logs that reference account-level Genie activity.

Workspaces using the compliance security profile are excluded

Account-level Genie does not aggregate data from workspaces with the compliance security profile enabled.

Next steps

- [Use the Genie interface](#)
- [AI/BI dashboards](#)

Is this page

as this page helpful?

☐ Yes

☐ No

☐ Send feedback