

Chargie

Emergency Procedures and
Compliance Documentation

2026 Edition

INDEX

Section 1 - Injury & Illness Prevention Program (IIPP)

Section 2 - OSHA300 / 300A Logs

Section 3 - Hazard Communication (HAZCOM)

Section 4 - Emergency Action & Evacuation

4.1 – Emergency Contacts

4.2 – Fire Emergency Response Plan

Section 5 - Operational Safety Training Program

Section 6 – Certifications

Section 7 - Personal Protective Equipment and Ergonomics

Section 8 - Medical & First Aid Supplies

Section 9 - Inspection reports

Section 10 – SDS

EXHIBITS



Injury and Illness Prevention Plan (IIPP)

**3947 Landmark Street
Culver City, CA. 90232
(310) 231-1000**

(This page intentionally blank.)

Table of Contents

Policy Statement	8
Responsibility	9
Compliance	10
Code of Safe Practices	10
Disciplinary Action	10
Antidiscrimination Policy	10
Communication	11
Safety Meetings	11
Hazard Assessment	12
Accident/Exposure Investigations	13
Injury to Visitors	13
Near-Miss Incident	13
Accident Investigation Procedures	Error! Bookmark not defined.
Hazard Correction	13
Corrective Actions	Error! Bookmark not defined.
Personal Protective Equipment	13
Training and Instruction	14
Recordkeeping	15

(This page intentionally blank.)

Policy Statement

The personal safety and health of each employee of Corp CHARGIE and Chargie, LLC is of primary importance. The prevention of occupational injuries and illnesses is of such consequence that safe working conditions and practices will be given precedence over operating productivity whenever necessary.

We will maintain a safety and health program conforming to the best practices of organizations in our industry. Our program will emphasize injury and illness prevention on the part of both management and employees. We promote cooperation in all safety and health matters, not only between management and employee, but also between each employee and his or her co-workers. Only through a cooperative effort can a safety program in the best interest of all be established and preserved.

Our objective is a safety and health program that will reduce injuries and illnesses, and that surpasses the best experiences of other operations similar to ours.

Responsibility

I, Zach Jennings, delegate the responsibility for the administration of this organization's IIPP to **Manfredo Aguilar *OR the managers and supervisors who are in charge of employees in their respective work areas.*** Responsibilities for protecting the safety and health of all employees are assigned according to the *Plan Administration* section of this IIPP.

Corp CHARGIE, LLC
Chargie, LLC
CEO

Date

Compliance

Managers and supervisors are responsible for establishing and maintaining good health and safety practices. To ensure compliance, the following procedures will be implemented by managers and supervisors:

- Inform all employees of the provisions of this IIPP.
- Evaluate the safety performance of all workers through job hazard analyses (JHAs), observation, interviews, and periodic testing.
- Recognize employees for following safe and healthful work practices.
- Train employees as necessary to remedy any deficiencies in employee safety performance.
- Take disciplinary actions as appropriate with employees for failure to follow safe and healthful work practices.
- Adhere to an antidiscrimination policy for employees reporting safety and health concerns.

Code of Safe Practices

All employees will comply with general workplace safety practices in addition to any site- or operation-specific work practices. See Attachment #1 for a copy of the *Code of Safe Practices* checklist.

Disciplinary Action

All employees, including all levels of management, will be held accountable for obeying site safety and health rules. The following four-step disciplinary policy will be applied to everyone by the appropriate level of supervisor:

1. Oral warning
2. Written reprimand
3. Suspension
4. Dismissal

Visitors, including contractors who violate safety and health rules and procedures, will be escorted from the site. Should the disciplined person request a review of the disciplinary action, **Robyn Chu** will review the situation and make a recommendation to management, which reserves the right for final decision.

Antidiscrimination Policy

It is the policy of this organization not to discriminate against any employee who reports a work-related fatality, injury, or illness, files a safety and health complaint, requests access to injury and illness records, or otherwise exercises any rights afforded by occupational safety and health laws.

Communication

All managers and supervisors are responsible for communicating with all workers about occupational safety and health in a form readily understandable by all workers. Our communication system encourages all workers to inform their managers and supervisors about workplace hazards without fear of reprisal.

Management ensures that at least several avenues exist for employee involvement in safety and health decision making and problem solving. These avenues include the following communication systems:

- New worker orientation, including a discussion of safety and health policies and procedures
- Review of our IIPP
- Training programs
- Regularly scheduled safety meetings
- Posted or distributed safety information
- A system for workers to anonymously inform management about workplace hazards

Management encourages employees' involvement and devises appropriate recognition for outstanding employee participation.

Safety Meetings

For employees, management will conduct safety meetings **quarterly** and more often to discuss safety issues as they come up. A safety meeting includes all employees in a work area and at least one manager or supervisor to ensure that all appropriate issues are addressed. A manager or supervisor will cover one or more of the following activities:

- Review key safety topics.
- Review safety and health inspection reports to help correct safety hazards.
- Evaluate the accident investigations conducted since the last meeting to determine if the cause(s) of the unsafe situation was identified and corrected.
- Review any observed unsafe practices and ways to correct them.
- Reaffirm the need for safe work practices.
- Answer any questions that employees may have about a safe practice, equipment operation, or other safety-related issues.

Formal safety meetings may be supplemented by "toolbox talks" of 10 or 15 minutes at the start of a work shift, or at other times as designated by a supervisor.

Hazard Assessment

A competent person will conduct hazard assessments and safety inspections for each work project and activity. Periodic inspections to identify and evaluate workplace hazards will be performed by competent person(s) in the following areas of the workplace:

Competent Person	Work Area	Inspection Frequency
Manfredo Aguilar	Office, kitchen, restrooms, shower, conference rooms, offices, copy area	weekly
George Corona	Warehouse, parking ramp, parking area, fitness center	weekly

The hazard assessment and subsequent inspections will be conducted when one or more of the following conditions apply:

- When the IIPP is initially established
- When new substances, processes, procedures, or equipment which present potential new hazards are introduced into the workplace
- When new or previously unidentified hazards are recognized
- When occupational injuries and illnesses occur
- Whenever workplace conditions warrant an inspection

See Attachment #2 *Job Hazard Analysis Worksheet (simple)* for a copy of the initial hazard assessment for a single work activity that is common to multiple work areas. For an activity with complicated tasks that require multiple steps, use Attachment #3 *Job Hazard Analysis Worksheet (detailed)*.

Management encourages employees to report hazards to their supervisor or **facilities manager Manfredo Aguilar**. Employees will use the *Employee Report of Hazard* form for this purpose. See Attachment #4 for a copy of the *Employee Report of Hazard*.

Accident/Exposure Investigations

If an employee sustains a work-related injury, the employee or a co-worker will immediately notify the supervisor of the work-related injury or illness, and the supervisor will ensure the injured or ill employee receives prompt medical treatment. The employee will complete the employee part of the accident report form. If the date and time of the injury or illness cannot be determined, such as an injury caused by cumulative or repeated stress, the date of the last time the employee worked is entered on the form.

See Attachment #5 for a copy of the *Accident Investigation Report*.

Any person who observes or causes damage to property or equipment will immediately report such damage to a supervisor.

Injury to Visitors

Injuries sustained by visitors at this facility must be reported to **Liz Goldman, Zach Jennings** or **Manfredo Aguilar**. Injured visitors will be immediately provided medical treatment, if necessary. The causes of injuries to visitors will be investigated through the same processes as for an employee accident investigation.

Near-Miss Incident

The investigation procedures for near-miss incidents will follow an abbreviated outline derived from the *Accident Investigation Report* procedures.

See Attachment #6 for a copy of the *Near-Miss Investigation Report* form.

Hazard Correction

Corrective actions recommended in the hazard assessment and inspection report(s) and approved by management will be implemented. Supervisors will inform employees of the hazards and corrective actions, and conduct employee training before the commencement of related tasks.

Management will implement the following protective measures when hazardous conditions are present:

1. Correct the hazard when observed or discovered with administrative controls, engineering controls, training, and/or PPE.
2. Remove workers from an area where an imminent hazard is present that cannot be corrected without endangering employees or property.
3. Provide workers who will correct the hazard with appropriate hazard controls and PPE.

Personal Protective Equipment

Manfredo Aguilar will provide the necessary PPE to ensure the well-being of the employee. These items include:

- Safety glasses
- Gloves
- Aprons

- Safety shoes
- Respiratory equipment
- Weight belts

Supervisors will review work areas and operations and provide the necessary protection. Employees are expected to wear such PPE. Failure to do so may lead to discipline up to and including termination.

Training and Instruction

All workers, managers, and supervisors will receive training and instruction on general and job-specific safety and health practices. Training and instruction will be provided:

- When the IIPP is initiated
- When new employees are hired
- When existing employees are reassigned to jobs for which they have not received prior safety training
- Whenever new substances, procedures, processes, equipment, or facilities are introduced and represent a new hazard
- When **CHARGIE** is aware of a new or previously unrecognized hazard
- To supervisors concerning all hazards to which employees under their direct supervision may be exposed
- To employees concerning hazards specific to their job assignment(s)
- On a regular basis to reinforce existing safety and health procedures

General job safety and health training will include:

- Implementation and maintenance of this IIPP
- Emergency action and fire prevention plan
- Provisions for medical services and first aid, including emergency procedures
- Prevention of musculoskeletal disorders, including proper lifting techniques
- Proper housekeeping, such as keeping stairways and aisles clear, work areas neat and orderly, and promptly cleaning up spills
- Prohibiting horseplay, scuffling, or other acts that tend to adversely influence safety
- Proper storage to prevent stacking goods in an unstable manner and storing goods against doors, exits, fire extinguishing equipment, and electrical panels
- The proper reporting of hazards and accidents to supervisors
- Hazard communication, including worker awareness of potential chemical hazards and proper labeling of containers
- Proper storage and handling of toxic and hazardous substances, including prohibiting eating or storing food and beverages in areas where they can become contaminated

In addition, we will provide specific instructions and training to all workers regarding the hazards that are unique to their job assignments, including wearing and caring for PPE, if required for the job.

Recordkeeping

Manfredo Aguilar will maintain all records related to this Plan. Unless otherwise noted, the records will be kept **3947 Landmark Street, Culver City, CA. 90232**. All records are available for employee and regulatory agency review upon request.

Safety meeting records. Each safety meeting will be documented with an attendee sign-in sheet and a meeting agenda that includes the supervisor's name, date of meeting, and subject(s) covered. This documentation will be maintained for at least 1 year. **Manfredo Aguilar** is responsible for maintaining these records.

Inspection records. All inspection records and forms will be kept for 1 year by **Manfredo Aguilar**.

Illness and injury reports. Our organization must record all employee injuries and illnesses on the following three forms:

- Cal/OSHA Form 301
- Cal/OSHA Form 300
- Cal/OSHA Form 300A

Following are instructions for completing the Cal/OSHA forms:

1. All supervisors are required to fill out the Cal/OSHA Form 301—Injury and Illness Incident Report for each injury or illness that is considered recordable under Cal/OSHA regulations. The supervisor must fill out the form within 7 calendar days after finding out about the injury or illness. A copy of this record will be sent to **Manfredo Aguilar**. The supervisor will keep these records for 5 years.
2. **Manfredo Aguilar** is responsible for entering the information on the Cal/OSHA Form 300—Log of Work-Related Injuries and Illnesses within 7 calendar days of receiving notice of a recordable illness or injury. This form will be retained for 5 years even if there are no recordable injuries or illnesses.
3. At the end of each calendar year, **Manfredo Aguilar** will review the Cal/OSHA 300 Log to verify that the entries are complete and accurate. This information will be summarized and entered on Cal/OSHA Form 300A—Summary of Work-Related Injuries and Illnesses. The Summary will be signed and dated by a company executive and will be posted in a conspicuous place available to all employees from February 1 to April 30. It will be mailed to each employee who does not normally report at least weekly to the worksite where the annual summary is posted.

Accident investigation records. **Manfredo Aguilar** will maintain comprehensive accident/injury records and will maintain records of all accident investigation reports and data for **three years**.

Code of Safe Practices

GENERAL

1. All persons shall follow these safe practice rules, render every possible aid to safe operations, and report all unsafe conditions or practices to the foreman or superintendent.
2. Foremen shall insist on employees observing and obeying every rule, regulation, and order as is necessary to the safe conduct of the work and shall take such action as is necessary to obtain observance.
3. All employees shall be given frequent accident prevention instructions. Instructions shall be given at least every 10 working days.
4. Anyone known to be under the influence of drugs or intoxicating substances that impair the employee's ability to safely perform the assigned duties shall not be allowed on the job while in that condition.
5. Horseplay, scuffling, and other acts that tend to have an adverse influence on the safety or well-being of the employees shall be prohibited.
6. Work shall be well planned and supervised to prevent injuries in the handling of materials and in working together with equipment.

7. No one shall knowingly be permitted or required to work while the employee's ability or alertness is so impaired by fatigue, illness, or other causes that it might unnecessarily expose the employee or others to injury.
8. Employees shall not enter manholes, underground vaults, chambers, tanks, silos, or other similar places that receive little ventilation, unless it has been determined that is safe to enter.
9. Employees shall be instructed to ensure that all guards and other protective devices are in proper places and adjusted, and shall report deficiencies promptly to the foreman or superintendent.
10. Crowding or pushing when boarding or leaving any vehicle or other conveyance shall be prohibited.
11. Workers shall not handle or tamper with any electrical equipment, machinery, or air or water lines in a manner not within the scope of their duties, unless they have received instructions from their foreman.
12. All injuries shall be reported promptly to the foreman or superintendent so that arrangements can be made for medical or first aid treatment.
13. When lifting heavy objects, the large muscles of the leg instead of the smaller muscles of the back shall be used.
14. Inappropriate footwear or shoes with thin or badly worn soles shall not be worn.
15. Materials, tools, or other objects shall not be thrown from buildings or structures until proper precautions are taken to protect others from the falling objects.

Safety Committee Tips and Considerations

Safety committees are advisory. A Safety Committee is an organizational structure where members represent a group. This gives everyone a voice but keeps the meeting size to an effective number of participants. Safety committees should not have any regulatory enforcement powers and therefore should never be assigned such responsibilities; they are advisory only. All enforcement of safety and health rules and policies within the company is the responsibility of designated employer representatives, such as supervisors.

Safety committees at multiple work sites. Companies with multiple work sites may have more than one safety committee. Each committee can operate at a single geographic location comprised of a building, group of buildings, and all surrounding facilities. The location would have both management and workers present, and one or more employees at the location would have control over a portion of a budget and would have the ability to take action on the majority of the recommendations made by a safety committee. An employer's auxiliary, mobile, or satellite locations may be combined into a single, centralized committee. This centralized committee must represent the safety and health concerns of all the locations.

Review and incorporate state regulatory requirements. This plan is based on federal requirements and/or best practices. Some states have laws and regulations that are stricter than federal requirements and may impact how you customize this plan. Click on the link below to view state requirements on this topic. After reviewing the specific information for your state(s), you can edit the plan accordingly.

Corp CHARGIE, LLC and Chargie, LLC Safety Committee Plan

Program last updated: 01/01/2026

Policy Statement

Corp CHARGIE, LLC and Chargie (“CHARGIE” collectively) is dedicated to protecting the safety and health of its employees. **CHARGIE** has established a safety and health program to prevent injuries and illnesses due to hazards. Employee involvement at all levels of the company is critical for us to be successful in this effort. To accomplish this task, a joint worker/management safety committee has been established to bring workers and management together in a nonadversarial, cooperative effort to promote safety and health in the workplace. This safety committee will provide information and recommendations to management about occupational safety and health conditions and practices at **CHARGIE**, and will provide a forum for information exchange.

Program Administration

Table 2 provides contact information for the safety committee.

Safety Committee Contact Information

Task	Name, job title, and/or department	Phone
Committee Administrator	Manfredo Aguilar	Work phone: (424)274-7416 Cell phone: (310)490-7587
Committee Chairperson(s)	Zach Jennings	Work phone: (310)929-4825 Cell phone: (310) 621-0024
Committee Members	Liz Goldman	Work phone: (323-446-3582 Cell phone: (310)990-2383

Committee Administrator. The Committee Administrator will support the activities of the Safety Committee and provide training for new members and refresher training as necessary to ensure that members are qualified and informed to carry out their responsibilities.

Committee Chairperson(s). The Committee Chairperson(s) will

- Prepare the agenda for each meeting.
- Arrange for the meeting place.
- Notify members of the meeting.
- Set time schedule for the meeting.
- Arrange all seating for members.
- Review previous minutes and material for meeting.
- Conduct the meeting.

Committee members. Committee members will carry out the committee responsibilities and functions as directed by the Committee Chairperson(s).

Safety Committee Organization

A safety committee is established as a management tool to recommend improvements to the [company name] workplace safety program and to identify corrective measures needed to eliminate or control recognized safety and health hazards. The number of safety committee management representatives will not exceed the number of employee representatives.

Committee Responsibilities and Functions

The safety committee will:

- Help management evaluate the effectiveness of control measures used to protect employees from safety and health hazards in the workplace.
- Help management review and update the workplace safety and health program by evaluating employee injury and accident records, identifying trends and patterns, accident investigation findings, inspection findings, and employee reports of unsafe conditions or work practices.
- Accept and address anonymous complaints and suggestions from employees.
- Help management formulate corrective measures to prevent recurrence of injuries, near-misses, accidents, and property damage.
- Promote safety and health awareness and co-worker participation through continuous improvements to the workplace safety program.
- Assist management in monitoring workplace safety education and training to ensure that it is in place, that it is effective, and that it is documented.
- Identify unsafe work practices and conditions and provide safety recommendations to **Manfredo Aguilar, Workplace Experience Manager, or Zach Jennings, Facilities Manager** regarding health and safety issues.
- Review incidents involving work-related fatalities, injuries and illnesses, and complaints by employees regarding safety or health hazards.
- Review the employer's work injury and illness records, other than personally identifiable medical information, and other reports or documents related to occupational safety and health.
- Conduct inspections of the worksite at least weekly and in response to complaints by employees or committee members regarding safety or health hazards.
- Conduct interviews with employees in conjunction with inspections of the worksite.
- Observe the measurement of employee exposure to toxic materials and harmful physical agents.
- Establish procedures for exercising the rights and responsibilities of the committee.
- Make recommendations on behalf of the committee, and in making recommendations, permit any members of the committee to submit separate views to the employer for improvements in the employer's safety and health program and for the correction of hazards to employee safety or health. The recommendations are advisory only and the employer will retain full authority to manage the worksite.
- Accompany, upon request, the regulatory agency representative during any physical inspection of the worksite.

Management will provide written responses to written recommendations submitted by the safety committee.

Committee Meetings

Safety committee meetings are held **quarterly** and more often as determined by management and the safety committee. Each committee member who is not a salaried employee will be compensated at his or her hourly wage when engaged in safety committee activities.

Committee Membership

The Safety Committee consists of: Manfredo Aguilar, Liz Goldman and Zach Jennings

- Committee Chairman or designee
- At least two members at **CHARGIE** work sites with 20 employees or less

Committee Procedures

Agenda items may be submitted to the chairperson by any member and will be distributed to members at least one (1) week before the next scheduled meeting.

Issues to be brought before the committee for discussion will be broad in scope or be those referred by employees or departments that have not been or cannot be resolved at the supervisor or management level. Committee recommendations will be forwarded to **Zach Jennings, Facilities Manager.**

Option 1—Hazard Assessments

Option 2—Inspections

Option 3—Accident Investigations

[Option 1]

Hazard assessments. The committee will assist **CHARGIE** to conduct evaluations of existing or potential occupational hazards, and make written recommendations to minimize or eliminate the hazards where feasible. The committee will:

- Establish procedures for workplace evaluations and inspections by the safety committee inspection team to locate and identify safety and health hazards.
- Conduct workplace inspections at least **weekly**.
- Recommend to the employer how to eliminate hazards and unsafe work practices in the workplace.

[Option 2]

Inspections. The committee inspection team or designees will conduct safety inspections as directed by management. The person or persons designated to carry out inspection activities will be selected by management and will receive training in hazard identification in the workplace.

The inspection team will include management and employee representatives and will document in writing the location and identity of the hazards and make recommendations to management regarding correction of the hazards

The designated inspection person(s) will inspect mobile worksites or locations and activities that do not lend themselves to the inspection schedule as often as safety and health rules require and/or the committee determines is necessary.

[Option 3]

Accident investigations. Safety committee members who have been trained in accident investigation procedures will participate in accident investigations upon the request of management.

Recordkeeping

Minutes that include a record of attendance will be made of each meeting, which the employer will review and maintain for **three years**. Copies of minutes will be posted or made available for all employees and will be sent to each committee member. All reports, evaluations, and recommendations of the safety committee will be made a part of the minutes of the safety committee meeting.

Committee Member Training

Manfredo Aguilar will ensure that safety committee members receive appropriate training to carry out their committee responsibilities.

Committee members will have access to copies of safety and health laws, regulations, and any company policies that apply to the particular work site and be given verbal instructions regarding their use.

All safety committee members will receive training and information regarding:

- Safety committee purpose and operation
- Basic requirements of workplace safety rules and their application
- Methods of conducting safety committee meetings
- Hazard identification in the workplace
- Principles regarding effective accident and incident investigations
- Employee and employer rights and responsibilities under applicable state and federal employment and labor laws or rules
- Injury and illness recordkeeping requirements
- Most common causes of on-the-job accidents at the work site
- Committee procedures

Chargie

Job Hazard Analysis Worksheet

JHA written by: _____ Date: _____

JHA approved by: _____

Activity/project description: _____

Task(s) performed by (job title(s) or description): _____

Special tools or equipment required: _____

Step	Description of Task Steps (in sequence)	Potential Hazard(s)	Safe Job Control/Procedure(s)
1			



Attachment

Employee Report of Hazard

Employee: _____ Date: _____

Location of hazard
(work area, department, building): _____

Date and time hazard identified: Date _____ Time: _____ AM/PM

Hazard

Recommended Corrective Action

Employee: Give this form to a supervisor

Action Taken

Supervisor name: _____

Date:

Supervisor signature: _____

Personal Protective Equipment Hazard Assessment Certificate

Job Title Assessed: _____

Date of Assessment: _____

Department: _____

Members of the Assessment Team: _____

Certification

Name & Title: _____

Signature: _____

Eye & Face Protection Assessment

Head Protection Assessment

Is there potential for eye or face injury from:	Yes/ No	Describe the Hazard	Eye or Face Protection Required or Recommended
Flying particles			
Molten metals			
Liquid chemicals			
Acids or caustic liquids			
Chemical gases or vapors			
Potentially injurious light radiation			
Other hazards			

Is there potential for head injury from:	Yes/No	Describe the Hazard	Head Protection Required or Recommended
Falling objects			
Exposed electrical conductors			
Low hanging obstructions			
Other hazards			

Foot Protection Assessment

Is there potential for foot injury from:	Yes/No	Describe the Hazard	Foot Protection Required or Recommended
Falling objects			
Rolling objects			

Objects piercing the sole			
Exposure to electrical hazards			
Slippery walking surfaces			
Wet or muddy conditions			
Hazardous chemicals			
Cold weather conditions			
Other hazards			

Hand Protection Assessment

Is there potential for hand injury from:	Yes/No	Describe the Hazard	Hand Protection Required or Recommended
Skin absorption of harmful substances			
Chemical burns			
Severe cuts or lacerations			
Punctures			
Severe abrasions			
Thermal burns			
Cold weather conditions			
Electrical hazards			
Other hazards			

Work Clothing Protection Assessment

Is there potential for bodily injury from:	Yes/No	Describe the Hazard	Work Clothing Protection Required or Recommended
Hot or cold materials or objects			
Chemicals			
Welding hazards			
Electrical shock			
Handling heavy, sharp, or rough materials			
Other hazards			

Attachment

Chargie

Accident Investigation Report

Attention: This form contains information relating to employee health and other privacy concerns and must be used in a manner that protects the confidentiality of employees to the fullest extent possible while the information is being used for occupational safety and health purposes.

Reason for report: ___ Injury ___ Illness ___ Accident ___

Fatality

Primary Investigator's name: _____

Investigation date: _____

Job title: _____ Phone: _____

Investigator(s): _____

Employee Injury/Property Damage Information

Employee name: _____

Date of birth: _____

Occupation: _____

Phone: _____

Sex: ☐ Male ☐ Female

Date and time of injury/damage: _____ Time: _____ AM /

PM

Exact location of the accident: _____

Witnesses: _____

Did the accident result in the death of one or more persons, or hospitalization of three or more? ☐ Yes ☐ No

Was medical treatment provided? ☐ Yes ☐ No

Was this a recordable injury or illness? ☐ Yes ☐ No

If so, describe the treatment _____

Did the employee lose time from work? ☐ Yes ☐ No

Was the employee placed on restricted or light duty, or transferred to another job? ☐ Yes ☐ No

If so, describe:

Amount of property damage: \$ _____

Accident Account

Describe the accident (in the sequence that events occurred):

Describe the extent of injury or illness and body parts affected/property damage:

Specify the hazardous condition (source of unsafe energy or hazardous material):

Specify the unsafe act:

Discussion

Direct Causes—Energy Sources or Hazardous Materials

Discuss the specific energy sources (e.g., moving object or machine part) or hazardous materials, including how and why the sources or materials resulted in injury or property damage:

Indirect Causes—Unsafe Acts or Hazardous Conditions

Discuss the normal or expected safe work conditions and practices, and the deviations from such conditions and practices that resulted in the injury or property damage:

Basic Causes—Management Policies, Personal or Environmental Factors

Was injury or damage caused by employee's willful misconduct, intoxication, or intent to injure self or another? ☐ Yes ☐ No

If yes, describe (use additional paper).

Was the incident a result of violation of established safety policies?

☐ Yes ☐ No

If yes, explain (use additional paper).

Has the employee received training to perform this procedure safely?

☐ Yes ☐ No

If no, explain (use additional paper).

Was adequate personal protective equipment provided for the required tasks? ☐ Yes ☐ No
If no, explain (use additional paper).

Are changes necessary in the operations or procedures to prevent this type
of incident in the future? ☐ Yes ☐ No
If yes, explain (use additional paper).

Discuss any additional policies, personal factors, and environmental factors that led to hazardous
conditions or unsafe acts:

Recommended Corrective Actions

Describe recommendations for corrective action(s):

Schedule for the completion of corrective actions:

Primary Investigator's Signature: _____

Name (print): _____

Date: _____

Distribution: Employee, Employee Supervisor, Safety Representative

[Insert Department]

Chargie

Near-Miss Incident Report

Please complete and submit this form within 24 hours of the incident.

Date: _____

Date of incident: _____ Time of incident: _____

AM / PM

Exact location: _____

Submitted by: _____ Department: _____

Job activity at the time of the near-miss:

Description of the near-miss incident (attach photos or diagrams if available):

Specify the hazardous condition:

Specify the unsafe act:

Other employees involved, if any:

Preventive action recommended:

Corrective actions taken:

Supervisor responsible:

OSHA

Forms for Recording

Work-Related Injuries and Illnesses

Dear Employer:

This booklet includes the forms needed for maintaining occupational injury and illness records. Many but not all employers must complete the OSHA injury and illness recordkeeping forms on an ongoing basis. Employers in State Plan States should check with their State Plan to see if the exemptions below apply.

Employers with 10 or fewer employees throughout the previous calendar year do not need to complete these forms. In addition to the small employer exemption, there is an exemption for establishments classified in certain industries. A complete list of exempt industries can be found on the OSHA web page at <https://www.osha.gov/recordkeeping>.

Establishments normally exempt from keeping the OSHA forms must complete the forms if they are informed in writing to do so by the Bureau of Labor Statistics or OSHA.

All employers, including those partially exempted by reason of company size or industry classification, must report to OSHA any workplace incident that results in a fatality, in-patient hospitalization, amputation, or loss of an eye. You can report to OSHA by calling OSHA's free and confidential number at 1-800-321-OSHA (6742); calling your closest Area Office during normal business hours; or by using the online reporting form at <https://www.osha.gov/pls/ser/serform.html>.



Many employers are required to electronically submit information from their Form 300A Summary to OSHA. To see if your establishment is required to submit the information, visit <https://www.osha.gov/injuryreporting/index.html>.

The Occupational Safety and Health Administration shares with you the goal of preventing injuries and illnesses in our nation's workplaces. Accurate injury and illness records will help us achieve that goal.

*Occupational Safety and Health Administration
U.S. Department of Labor*

What's Inside...

In this package, you'll find everything you need to complete OSHA's *Log* and the *Summary of Work-Related Injuries and Illnesses* for the next several years. On the following pages, you'll find:

- ▼ **An Overview: Recording Work-Related Injuries and Illnesses** — General instructions for filling out the forms in this package and definitions of terms you should use when you classify your cases as injuries or illnesses.
- ▼ **How to Fill Out the Log** — An example to guide you in filling out the *Log* properly.
- ▼ **Log of Work-Related Injuries and Illnesses** — A copy of the *Log* (but you may make as many copies of the *Log* as you need.) Notice that the *Log* is separate from the *Summary*.
- ▼ **Summary of Work-Related Injuries and Illnesses** — Removable *Summary* pages for easy posting at the end of the year. Note that you post the *Summary* only, not the *Log*.
- ▼ **Worksheet to Help You Fill Out the Summary** — A worksheet for figuring the average number of employees who worked for your establishment and the total number of hours worked.
- ▼ **OSHA's 301: Injury and Illness Incident Report** — A copy of the OSHA 301 to provide details about the incident. You may make as many copies as you need or use an equivalent form.

Take a few minutes to review this package. If you have any questions, visit us online at www.osha.gov or call your local OSHA office. We'll be happy to help you.





An Overview: Recording Work-Related Injuries and Illnesses

The Occupational Safety and Health (OSH) Act of 1970 requires certain employers to prepare and maintain records of work-related injuries and illnesses. Use these definitions when you classify cases on the Log. OSHA's recordkeeping regulation (see 29 CFR Part 1904) provides more information about the definitions below.

The *Log of Work-Related Injuries and Illnesses* (Form 300) is used to classify work-related injuries and illnesses and to note the extent and severity of each case. When an incident occurs, use the *Log* to record specific details about what happened and how it happened. The *Summary* — a separate form (Form 300A) — shows the totals for the year in each category. At the end of the year, post the *Summary* in a visible location so that your employees are aware of the injuries and illnesses occurring in their workplace.

Employers must keep a *Log* for each establishment or site. If you have more than one establishment, you must keep a separate *Log* and *Summary* for each physical location that is expected to be in operation for one year or longer.

Note that your employees have the right to review your injury and illness records. For more information, see 29 Code of Federal Regulations Part 1904.35, *Employee Involvement*.

Cases listed on the *Log of Work-Related Injuries and Illnesses* are not necessarily eligible for workers' compensation or other insurance benefits. Listing a case on the *Log* does not mean that the employer or worker was at fault or that an OSHA standard was violated.

When is an injury or illness considered work-related?

An injury or illness is considered work-related if an event or exposure in the work environment caused or contributed to the condition or significantly aggravated a preexisting condition. Work-relatedness is

presumed for injuries and illnesses resulting from events or exposures occurring in the workplace, unless an exception specifically applies. See 29 CFR Part 1904.5(b)(2) for the exceptions. The work environment includes the establishment and other locations where one or more employees are working or are present as a condition of their employment. See 29 CFR Part 1904.5(b)(1).

Which work-related injuries and illnesses should you record?

Record those work-related injuries and illnesses that result in:

- ▼ death,
- ▼ loss of consciousness,
- ▼ days away from work,
- ▼ restricted work activity or job transfer, or
- ▼ medical treatment beyond first aid. You must also record work-related injuries and illnesses that are significant (as defined below) or meet any of the additional criteria listed below.

You must record any significant work-related injury or illness that is diagnosed by a physician or other licensed health care professional. You must record any work-related case involving cancer, chronic irreversible disease, a fractured or cracked bone, or a punctured eardrum. See 29 CFR 1904.7.

What are the additional criteria?

You must record the following conditions when they are work-related:

- ▼ any needlestick injury or cut from a sharp object that is contaminated with another person's blood or other potentially infectious material;
- ▼ any case requiring an employee to be medically removed under the requirements of an OSHA health standard;
- ▼ tuberculosis infection as evidenced by a positive skin test or diagnosis by a physician or other licensed health care professional after exposure to a known case of active tuberculosis;
- ▼ an employee's hearing test (audiogram) reveals 1) that the employee has experienced a Standard Threshold Shift (STS) in hearing in one or both ears (averaged at 2000, 3000, and 4000 Hz) and 2) the employee's total hearing level is 25 decibels (dB) or more above audiometric zero (also averaged at 2000, 3000, and 4000 Hz) in the same ear(s) as the STS.

What is medical treatment?

Medical treatment includes managing and caring for a patient for the purpose of combating disease or disorder. The following are not considered medical treatments and are NOT recordable:

- ▼ visits to a doctor or health care professional solely for observation or counseling;

What do you need to do?

1. Within 7 calendar days after you receive information about a case, decide if the case is recordable under the OSHA recordkeeping requirements.
2. Determine whether the incident is a new case or a recurrence of an existing one.
3. Establish whether the case was work-related.
4. If the case is recordable, decide which form you will fill out as the injury and illness incident report.
You may use *OSHA's 301: Injury and Illness Incident Report* or an equivalent form. Some state workers compensation, insurance, or other reports may be acceptable substitutes, as long as they provide the same information as the OSHA 301.

How to work with the Log

1. Identify the employee involved unless it is a privacy concern case as described below.
2. Identify when and where the case occurred. Also describe the case, as specifically as you can.
3. Classify the seriousness of the case by recording the **most serious outcome** associated with the case, with column G (Death) being the most serious and column J (Other recordable cases) being the least serious.
4. Enter the number of days the injured or ill worker was away from work or was on job transfer or restricted work activity.
5. Identify whether the case is an injury or illness. If the case is an injury, check the injury category. If the case is an illness, check the appropriate illness category.



- ▼ diagnostic procedures, including administering prescription medications that are used solely for diagnostic purposes; and
- ▼ any procedure that can be labeled first aid. (*See below for more information about first aid.*)

What is first aid?

If the incident required only the following types of treatment, consider it first aid. Do NOT record the case if it involves only:

- ▼ using non-prescription medications at non-prescription strength;
- ▼ administering tetanus immunizations;
- ▼ cleaning, flushing, or soaking wounds on the skin surface;
- ▼ using wound coverings, such as bandages, BandAids™, gauze pads, etc., or using SteriStrips™ or butterfly bandages;
- ▼ using hot or cold therapy;
- ▼ using any totally non-rigid means of support, such as elastic bandages, wraps, non-rigid back belts, etc.;
- ▼ using temporary immobilization devices while transporting an accident victim (splints, slings, neck collars, or back boards);
- ▼ drilling a fingernail or toenail to relieve pressure, or draining fluids from blisters;
- ▼ using eye patches;
- ▼ using simple irrigation or a cotton swab to remove foreign bodies not embedded in or adhered to the eye;
- ▼ using irrigation, tweezers, cotton swab or other simple means to remove splinters or foreign material from areas other than the eye;

- ▼ using finger guards;
- ▼ using massages;
- ▼ drinking fluids to relieve heat stress.

How do you decide if the case involved restricted work?

Restricted work activity occurs when, as the result of a work-related injury or illness, an employer or health care professional keeps, or recommends keeping, an employee from doing the routine functions of his or her job or from working the full workday that the employee would have been scheduled to work before the injury or illness occurred.

How do you count the number of days of restricted work activity or the number of days away from work?

Count the number of calendar days the employee was on restricted work activity or was away from work as a result of the recordable injury or illness. Do not count the day on which the injury or illness occurred in this number. Begin counting days from the day **after** the incident occurs. If a single injury or illness involved both days away from work and days of restricted work activity, enter the total number of days for each. You may stop counting days of restricted work activity or days away from work once the total of either or the combination of both reaches 180 days.

Under what circumstances should you NOT enter the employee's name on the OSHA Form 300?

You must consider the following types of injuries or illnesses to be privacy concern cases:

- ▼ an injury or illness to an intimate body part or to the reproductive system,
- ▼ an injury or illness resulting from a sexual assault,
- ▼ a mental illness,
- ▼ a case of HIV infection, hepatitis, or tuberculosis,
- ▼ a needlestick injury or cut from a sharp object that is contaminated with blood or other potentially infectious material (see 29 CFR Part 1904.8 for definition), and
- ▼ other illnesses, if the employee independently and voluntarily requests that his or her name not be entered on the log.

You must not enter the employee's name on the OSHA 300 Log for these cases. Instead, enter "privacy case" in the space normally used for the employee's name. You must keep a separate, confidential list of the case numbers and employee names for the establishment's privacy concern cases so that you can update the cases and provide information to the government if asked to do so.

If you have a reasonable basis to believe that information describing the privacy concern case may be personally identifiable even though the employee's name has been omitted, you may use discretion in describing the injury or illness on both the OSHA 300 and 301 forms. You must enter enough information to identify the cause of the incident and the general severity of the

injury or illness, but you do not need to include details of an intimate or private nature.

What if the outcome changes after you record the case?

If the outcome or extent of an injury or illness changes after you have recorded the case, simply draw a line through the original entry or, if you wish, delete or white-out the original entry. Then write the new entry where it belongs. Remember, you need to record the most serious outcome for each case.

Classifying injuries

An injury is any wound or damage to the body resulting from an event in the work environment.

Examples: Cut, puncture, laceration, abrasion, fracture, bruise, contusion, chipped tooth, amputation, insect bite, electrocution, or a thermal, chemical, electrical, or radiation burn. Sprain and strain injuries to muscles, joints, and connective tissues are classified as injuries when they result from a slip, trip, fall or other similar accidents.



Classifying illnesses

Skin diseases or disorders

Skin diseases or disorders are illnesses involving the worker's skin that are caused by work exposure to chemicals, plants, or other substances.

Examples: Contact dermatitis, eczema, or rash caused by primary irritants and sensitizers or poisonous plants; oil acne; friction blisters; chrome ulcers; inflammation of the skin.

Respiratory conditions

Respiratory conditions are illnesses associated with breathing hazardous biological agents, chemicals, dust, gases, vapors, or fumes at work.

Examples: Silicosis, asbestosis, pneumonitis, pharyngitis, rhinitis or acute congestion; farmer's lung, beryllium disease, tuberculosis, occupational asthma, reactive airways dysfunction syndrome (RADS), chronic obstructive pulmonary disease (COPD), hypersensitivity pneumonitis, toxic inhalation injury, such as metal fume fever, chronic obstructive bronchitis, and other pneumoconioses.

Poisoning

Poisoning includes disorders evidenced by abnormal concentrations of toxic substances in blood, other tissues, other bodily fluids, or the breath that are caused by the ingestion or absorption of toxic substances into the body.

Examples: Poisoning by lead, mercury, cadmium, arsenic, or other metals; poisoning by carbon monoxide, hydrogen sulfide, or other gases; poisoning by benzene, benzol, carbon tetrachloride, or other organic solvents; poisoning by insecticide sprays, such as parathion or lead arsenate; poisoning by other chemicals, such as formaldehyde.

Hearing Loss

Noise-induced hearing loss is defined for recordkeeping purposes as a change in hearing threshold relative to the baseline audiogram of an average of 10 dB or more in either ear at 2000, 3000, and 4000 hertz, and the employee's total hearing level is 25 decibels (dB) or more above audiometric zero (also averaged at 2000, 3000, and 4000 hertz) in the same ear(s).

All other illnesses

All other occupational illnesses.

Examples: Heatstroke, sunstroke, heat exhaustion, heat stress and other effects of environmental heat; freezing, frostbite, and other effects of exposure to low temperatures; decompression sickness; effects of ionizing radiation (isotopes, x-rays, radium); effects of nonionizing radiation (welding flash, ultra-violet rays, lasers); anthrax; bloodborne pathogenic diseases, such as AIDS, HIV, hepatitis B or hepatitis C; brucellosis; malignant or benign tumors; histoplasmosis; coccidioidomycosis.

When must you post the Summary?

You must post the *Summary* only — not the *Log* — by February 1 of the year following the year covered by the form and keep it posted until April 30 of that year.

How long must you keep the Log and Summary on file?

You must keep the *Log* and *Summary* for 5 years following the year to which they pertain.

Do you have to send these forms to OSHA at the end of the year?

Many employers are required to electronically submit information from their Form 300A Summary to OSHA. To see if your establishment is required to submit the information, visit <https://www.osha.gov/injuryreporting/index.html>.

How can we help you?

If you have a question about how to fill out the *Log*,

- ▼ visit us online at www.osha.gov or
- ▼ call your local OSHA office.

Calculating Injury and Illness Incidence Rates

Note: You can type input into this form and save it.
Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

What is an incidence rate?

An incidence rate is the number of recordable injuries and illnesses occurring among a given number of full-time workers (usually 100 full-time workers) over a given period of time (usually one year). To evaluate your firm’s injury and illness experience over time or to compare your firm’s experience with that of your industry as a whole, you need to compute your incidence rate. Because a specific number of workers and a specific period of time are involved, these rates can help you identify problems in your workplace and/or progress you may have made in preventing work-related injuries and illnesses.

How do you calculate an incidence rate?

You can compute an occupational injury and illness incidence rate for all recordable cases or for cases that involved days away from work for your firm quickly and easily. The formula requires that you follow instructions in paragraph (a) below for the total recordable cases or those in paragraph (b) for cases that involved days away from work, *and* for both rates the instructions in paragraph (c).

(a) *To find out the total number of recordable injuries and illnesses that occurred during the year*, count the number of line entries on your OSHA Form 300, or refer to the OSHA Form 300A and sum the entries for columns (H), (I), and (J).

(b) *To find out the number of injuries and illnesses that involved days away from work*, count the number of line entries on your OSHA Form 300 that received a check mark in column (H), or refer to the entry for column (H) on the OSHA Form 300A.

(c) *The number of hours all employees actually worked during the year*. Refer to OSHA Form 300A and optional worksheet to calculate this number.

You can compute the incidence rate for all recordable cases of injuries and illnesses using the following formula:

$$\frac{\text{Total number of injuries and illnesses} \times 200,000}{\text{Number of hours worked by all employees}} = \text{Total recordable case rate}$$

(The 200,000 figure in the formula represents the number of hours 100 employees working 40 hours per week, 50 weeks per year would work, and provides the standard base for calculating incidence rates.)

You can compute the incidence rate for recordable cases involving days away from work, days of restricted work activity or job transfer (DART) using the following formula:

$$\frac{(\text{Number of entries in column H} + \text{Number of entries in column I}) \times 200,000}{\text{Number of hours worked by all employees}} = \text{DART incidence rate}$$

You can use the same formula to calculate incidence rates for other variables such as cases involving restricted work activity (column (I) on Form 300A), cases involving skin disorders (column (M-2) on Form 300A), etc. Just substitute the appropriate total for these cases, from Form 300A, into the formula in place of the total number of injuries and illnesses.

What can I compare my incidence rate to?

The Bureau of Labor Statistics (BLS) conducts a survey of occupational injuries and illnesses each year and publishes incidence rate data by

various classifications (e.g., by industry, by employer size, etc.). You can obtain these published data at www.bls.gov/iif or by calling a BLS Regional Office.

Worksheet

Total number of injuries and illnesses	X 200,000	÷	Number of hours worked by all employees	=	Total recordable case rate
Number of entries in Column H + Column I	X 200,000	÷	Number of hours worked by all employees	=	DART incidence rate
Reset					

How to Fill Out the Log

Note: Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

The *Log of Work-Related Injuries and Illnesses* is used to classify work-related injuries and illnesses and to note the extent and severity of each case. When an incident occurs, use the *Log* to record specific details about what happened and how it happened.

If your company has more than one establishment or site, you must keep separate records for each physical location that is expected to remain in operation for one year or longer.

If you need additional copies of the *Log*, you may photocopy the printout or insert additional form pages in the PDF, and then use as many as you need.

The *Summary* — a separate form — shows the work-related injury and illness totals for the year in each category. At the end of the year, count the number of incidents in each category and transfer the totals from the *Log* to the *Summary*. Then post the *Summary* in a visible location so that your employees are aware of injuries and illnesses occurring in their workplace.

You don’t post the Log. You post only the Summary at the end of the year.

OSHA’s Form 300 Log of Work-Related Injuries and Illnesses

Note: You can type input into this form and save it. Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year 20
U.S. Department of Labor
Occupational Safety and Health Administration
Form approved OMB no. 1218-0176

Please Record:

- Information about every work-related death and about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid.
- Significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional.
- Work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR Part 1904.12.

Reminders:

- Complete an Injury and Illness Incident Report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you’re not sure whether a case is recordable, call your local OSHA office for help.
- Feel free to use two lines for a single case if you need to.
- Complete the 5 steps for each case.

Step 1. Identify the person

(A) Case no. (B) Employee’s name (C) Job title (e.g., Welder)

Step 2. Describe the case

(D) Date of injury or onset of illness (e.g., 2/10) (E) Where the event occurred (e.g., Loading dock north end) (F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g., Second degree burns on right forearm from acetylene torch)

Step 3. Classify the case

SELECT ONLY ONE circle based on the most serious outcome:

Remained at Work

Death (G) Days away from work (H) Job transfer or restriction (I) Other recordable cases (J)

Away from work (K) On job transfer or restriction (L)

Enter the number of days the injured or ill worker was:

12 days 15 days

7 days 30 days

3 days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

Step 4.

Enter the number of days the injured or ill worker was:

12 days 15 days

7 days 30 days

3 days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

days

Step 5.

Select one column:

(M) Injury

Skin disorder

Respiratory condition

Poisoning

Hearing loss

All other illnesses

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

(1) (2) (3) (4) (5) (6)

Be as specific as possible. You can use two lines if you need more room.

Revise the log if the injury or illness progresses and the outcome is more serious than you originally recorded for the case. Cross out, erase, or white-out the original entry if hard copy. (If using the PDF’s fillable form feature, simply change your selections. You can also clear the entire case entry from the log using the Reset button.)

Choose ONLY ONE of these categories. Classify the case by recording the most serious outcome of the case, with column G (Death) being the most serious and column J (Other recordable cases) being the least serious.

Note whether the case involves an injury or an illness.



OSHA’s Form 300 (Rev. 04/2004)

Log of Work-Related Injuries and Illnesses

Note: You can type input into this form and save it.
Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Form approved OMB no. 1218-0176

Please Record:

- Information about every work-related death and about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid.
- Significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional.
- Work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR Part 1904.8 through 1904.12.

Reminders:

- Complete an Injury and Illness Incident Report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.
- Feel free to use two lines for a single case if you need to.
- Complete the 5 steps for each case.

Establishment name

City State

Step 1. Identify the person		Step 2. Describe the case			
(A) Case no.	(B) Employee’s name	(C) Job title (e.g., Welder)	(D) Date of injury or onset of illness (e.g., 2/10)	(E) Where the event occurred (e.g., Loading dock north end)	(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g., Second degree burns on right forearm from acetylene torch)
Reset			/		
			month / day		
Reset			/		
			month / day		
Reset			/		
			month / day		
Reset			/		
			month / day		
Reset			/		
			month / day		
Reset			/		
			month / day		
Reset			/		
			month / day		
Reset			/		
			month / day		

Step 3. Classify the case			
SELECT ONLY ONE circle based on the most serious outcome:			
Remained at Work			
Death (G)	Days away from work (H)	Job transfer or restriction (I)	Other recordable cases (J)

Step 4.	
Enter the number of days the injured or ill worker was:	
Away from work (K)	On job transfer or restriction (L)
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days
_____ days	_____ days

Step 5.					
Select one column:					
(M) Injury (1)	Illness				
	Skin disorder (2)	Respiratory condition (3)	Poisoning (4)	Hearing loss (5)	All other illnesses (6)

Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instructions, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any other aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistical Analysis, Room N-3644, 200 Constitution Avenue, NW, Washington, DC 20210. Do not send the completed forms to this office.

Add a Form Page

Page totals

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Summary of Work-Related Injuries and Illnesses

Note: You can type input into this form and save it.
Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#).

Form approved OMB no. 1218-0176

All establishments covered by Part 1904 must complete this Summary page, even if no work-related injuries or illnesses occurred during the year. Remember to review the Log to verify that the entries are complete and accurate before completing this summary.

Using the Log, count the individual entries you made for each category. Then write the totals below, making sure you’ve added the entries from every page of the Log. If you had no cases, write “0.”

Employees, former employees, and their representatives have the right to review the OSHA Form 300 in its entirety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR Part 1904.35, in OSHA’s recordkeeping rule, for further details on the access provisions for these forms.

Number of Cases

Total number of deaths	Total number of cases with days away from work	Total number of cases with job transfer or restriction	Total number of other recordable cases
(G)	(H)	(I)	(J)

Number of Days

Total number of days away from work	Total number of days of job transfer or restriction
(K)	(L)

Injury and Illness Types

Total number of . . . (M)	
(1) Injuries	(4) Poisonings
(2) Skin disorders	(5) Hearing loss
(3) Respiratory conditions	(6) All other illnesses

Post this Summary page from February 1 to April 30 of the year following the year covered by the form.

Public reporting burden for this collection of information is estimated to average 58 minutes per response, including time to review the instructions, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any other aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistical Analysis, Room N-3644, 200 Constitution Avenue, NW, Washington, DC 20210. Do not send the completed forms to this office.

Establishment information

Your establishment name

Street

CityStateZip

Industry description (e.g., Manufacture of motor truck trailers)

North American Industrial Classification (NAICS), if known (e.g., 336212)

Employment information (If you don't have these figures, see the Worksheet on the next page to estimate.)

Annual average number of employees

Total hours worked by all employees last year

Sign here

Knowingly falsifying this document may result in a fine.

I certify that I have examined this document and that to the best of my knowledge the entries are true, accurate, and complete.

Company executiveTitle

PhoneDate

Optional

Worksheet to Help You Fill Out the Summary

Note: You can type input into this form and save it.
Because the forms in this recordkeeping package are “fillable/ writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

At the end of the year, OSHA requires you to enter the average number of employees and the total hours your employees worked on the Summary. If you don’t have these figures, you can use the information on this page to estimate the numbers you will need to enter on the Summary page.

If you pay about the same number of employees every pay period throughout the year (e.g., about 100), then you can use that number as your annual average employment. If the number of employees fluctuates from pay period to pay period (e.g., your business is seasonal or your establishment grew or shrunk during the year), then you should use the formula below to calculate employment average.

How to figure the average number of employees who worked for your establishment during the year:

- 1

Add up and then enter the number of employees your establishment paid **IN EACH PAY PERIOD** during the year. Be sure to include all employees: full-time, part-time, temporary, seasonal, salaried, and hourly.

The total number of employees paid in all pay periods throughout the year = 1
- 2

Count and then enter the number of pay periods your establishment had during the year. Be sure to include any pay periods when you had no employees. For example, enter 26 if you have biweekly pay periods or 52 if you have weekly pay periods.

The number of pay periods during the year = 2
- 3

Divide the number of employees by the number of pay periods. (See auto-calc.)

1

2

=

3
- 4

Round the answer to the next highest whole number (See auto-calc.). Write the rounded number in the blank on the Summary page marked *Annual average number of employees*.

The number rounded = 4

For example, Acme Construction figured its average employment this way:
In this pay period . . . Acme paid this many employees . . .

1	10		
2	0	Number of employees paid = 830	1
3	15		
4	30	Number of pay periods = 26	2
5	40	<u>830</u> = 31.92	3
▼	▼	26	
24	20		
25	15	31.92 rounds to 32	4
26	+10		
	830	32 is the annual average number of employees	

Note: Review your annual average number of employees to ensure it makes sense. Is it about the same as the number of employees working at your establishment on any given day? Is it bigger than your smallest number of employees in a pay period? Is it smaller than your biggest number of employees in a pay period? If the answer to any of these questions is “no,” then the calculation may be incorrect.

Note: You **CANNOT** divide the total number of W2s by the number of pay periods to calculate average employment. You must add up the number of employees paid **IN EACH PAY PERIOD** and then divide by the number of pay periods.

How to figure the total hours all employees worked:

Include hours worked by salaried, hourly, part-time, and seasonal workers, as well as hours worked by other workers subject to day-to-day supervision by your establishment (e.g., temporary help service workers).

Do not include vacation, sick leave, holidays, or any other non-work time, even if employees were paid for it. If your establishment keeps records of only the hours paid, or if you have employees who are not paid by the hour, please estimate the hours that the employees actually worked.

If this number isn’t available, you can use this optional worksheet to estimate it.

Optional Worksheet

- Find the number of full-time employees in your establishment for the year.
- X

Multiply by the number of work hours for a full-time employee in a year.
- This is the number of full-time hours worked.
- +

Add the number of any overtime hours as well as the hours worked by other employees (part-time, temporary, seasonal).
- Round the answer to the next highest whole number. Write the rounded number in the blank on the Summary page marked *Total hours worked by all employees last year*.

Reset

OSHA’s Form 301 (Rev. 04/2004)

Injury and Illness Incident Report

Note: You can type input into this form and save it. Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.



Form approved OMB no. 1218-0176

This *Injury and Illness Incident Report* is one of the first forms you must fill out when a recordable work-related injury or illness has occurred. Together with the *Log of Work-Related Injuries and Illnesses* and the accompanying *Summary*, these forms help the employer and OSHA develop a picture of the extent and severity of work-related incidents.

Within 7 calendar days after you receive information that a recordable work-related injury or illness has occurred, you must fill out this form or an equivalent. Some state workers’ compensation, insurance, or other reports may be acceptable substitutes. To be considered an equivalent form, any substitute must contain all the information asked for on this form.

According to Public Law 91-596 and 29 CFR 1904, OSHA’s recordkeeping rule, you must keep this form on file for 5 years following the year to which it pertains.

If you need additional copies of this form, you may photocopy the printout or insert additional form pages in the PDF, and then use as many as you need.

Information about the employee

1) Full name

2) Street

CityStateZIP

3) Date of birth

MonthDayYear

4) Date hired

MonthDayYear

5) ☐ Male ☐ Female

Information about the physician or other health care professional

6) Name of physician or other health care professional

7) If treatment was given away from the worksite, where was it given?

Facility

Street

CityStateZIP

8) Was employee treated in an emergency room?

☐ Yes☐ No

9) Was employee hospitalized overnight as an in-patient?

☐ Yes☐ No

Information about the case

10) Case number from the Log (Transfer the case number from the Log after you record the case.)

11) Date of injury or illness

MonthDayYear

12) Time employee began work (HH:MM) ☐ AM ☐ PM

13) Time of event (HH:MM) ☐ AM ☐ PM ☐ Check if time cannot be determined

*** Re fields 14 to 17:** Please do not include any personally identifiable information (PII) pertaining to worker(s) involved in the incident (e.g., no names, phone numbers, or Social Security numbers).

14)* **What was the employee doing just before the incident occurred?** Describe the activity, as well as the tools, equipment, or material the employee was using. Be specific. *Examples:* “climbing a ladder while carrying roofing materials”; “spraying chlorine from hand sprayer”; “daily computer key-entry.”

15)* **What Happened? Tell us how the injury occurred.** *Examples:* “When ladder slipped on wet floor, worker fell 20 feet”; “Worker was sprayed with chlorine when gasket broke during replacement”; “Worker developed soreness in wrist over time.”

16)* **What was the injury or illness?** Tell us the part of the body that was affected and how it was affected. *Examples:* “strained back”; “chemical burn, hand”; “carpal tunnel syndrome.”

17)* **What object or substance directly harmed the employee?** *Examples:* “concrete floor”; “chlorine”; “radial arm saw.” *If this question does not apply to the incident, leave it blank.*

18) If the employee died, when did death occur? Date of death

MonthDayYear

Add a Form Page

Reset

OSHA’s Form 301 (Rev. 04/2004)

Injury and Illness Incident Report

Note: You can type input into this form and save it. Because the forms in this recordkeeping package are “fillable/writable” PDF documents, you can type into the input form fields and then save your inputs using the [free Adobe PDF Reader](#). In addition, the forms are programmed to auto-calculate as appropriate.

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.



Form approved OMB no. 1218-0176

This *Injury and Illness Incident Report* is one of the first forms you must fill out when a recordable work-related injury or illness has occurred. Together with the *Log of Work-Related Injuries and Illnesses* and the accompanying *Summary*, these forms help the employer and OSHA develop a picture of the extent and severity of work-related incidents.

Within 7 calendar days after you receive information that a recordable work-related injury or illness has occurred, you must fill out this form or an equivalent. Some state workers’ compensation, insurance, or other reports may be acceptable substitutes. To be considered an equivalent form, any substitute must contain all the information asked for on this form.

According to Public Law 91-596 and 29 CFR 1904, OSHA’s recordkeeping rule, you must keep this form on file for 5 years following the year to which it pertains.

If you need additional copies of this form, you may photocopy the printout or insert additional form pages in the PDF, and then use as many as you need.

Information about the employee

1) Full name

2) Street

CityStateZIP

3) Date of birth

MonthDayYear

4) Date hired

MonthDayYear

5) ☐ Male ☐ Female

Information about the physician or other health care professional

6) Name of physician or other health care professional

7) If treatment was given away from the worksite, where was it given?

Facility

Street

CityStateZIP

8) Was employee treated in an emergency room?

☐ Yes ☐ No

9) Was employee hospitalized overnight as an in-patient?

☐ Yes ☐ No

Information about the case

10) Case number from the Log (Transfer the case number from the Log after you record the case.)

11) Date of injury or illness

MonthDayYear

12) Time employee began work ☐ AM ☐ PM

13) Time of event ☐ AM ☐ PM ☐ Check if time cannot be determined

*** Re fields 14 to 17:** Please do not include any personally identifiable information (PII) pertaining to worker(s) involved in the incident (e.g., no names, phone numbers, or Social Security numbers).

14)* **What was the employee doing just before the incident occurred?** Describe the activity, as well as the tools, equipment, or material the employee was using. Be specific. *Examples:* “climbing a ladder while carrying roofing materials”; “spraying chlorine from hand sprayer”; “daily computer key-entry.”

15)* **What Happened? Tell us how the injury occurred.** *Examples:* “When ladder slipped on wet floor, worker fell 20 feet”; “Worker was sprayed with chlorine when gasket broke during replacement”; “Worker developed soreness in wrist over time.”

16)* **What was the injury or illness?** Tell us the part of the body that was affected and how it was affected. *Examples:* “strained back”; “chemical burn, hand”; “carpal tunnel syndrome.”

17)* **What object or substance directly harmed the employee?** *Examples:* “concrete floor”; “chlorine”; “radial arm saw.” *If this question does not apply to the incident, leave it blank.*

18) If the employee died, when did death occur? Date of death

MonthDayYear

Add a Form Page

Reset

If You Need Help...

If you need help deciding whether a case is recordable, or if you have questions about the information in this package, feel free to contact us. We'll gladly answer any questions you have.

▼ Visit us online at www.osha.gov

▼ Call your OSHA Regional office and ask for the recordkeeping coordinator

or

▼ Call your State Plan office

www.osha.gov/stateplans

Federal Jurisdiction

Region 1 - 617 / 565-9860
Connecticut; Massachusetts; Maine; New Hampshire; Rhode Island

Region 2 - 212 / 337-2378
New York; New Jersey

Region 3 - 215 / 861-4900
DC; Delaware; Pennsylvania; West Virginia

Region 4 - 678 / 237-0400
Alabama; Florida; Georgia; Mississippi

Region 5 - 312 / 353-2220
Illinois; Ohio; Wisconsin

Region 6 - 972 / 850-4145
Arkansas; Louisiana; Oklahoma; Texas

Region 7 - 816 / 283-8745
Kansas; Missouri; Nebraska

Region 8 - 720 / 264-6550
Colorado; Montana; North Dakota; South Dakota

Region 9 - 415 / 625-2547

Region 10 - 206 / 553-5930
Idaho

State Plan States

Alaska	Oregon
Arizona	Puerto Rico
California	South Carolina
*Connecticut	Tennessee
Hawaii	Utah
*Illinois	Vermont
Indiana	Virginia
Iowa	*Virgin Islands
Kentucky	Washington
*Maine	Wyoming
Maryland	
Michigan	*Public Sector only
Minnesota	
Nevada	
*New Jersey	
New Mexico	
*New York	
North Carolina	



Have questions?

If you need help in filling out the *Log* or *Summary*, or if you have questions about whether a case is recordable, contact us. We'll be happy to help you. You can:

- ▼ Visit us online at: www.osha.gov
- ▼ Call your regional or state plan office. You'll find the phone number listed on the previous page.

Hazard Communication Overview

Purpose

The purpose of this Hazard Communication program is to ensure that employees are informed about hazardous chemicals present in the workplace, understand associated risks, and know how to respond safely in the event of exposure or an emergency. This program complies with OSHA's Hazard Communication Standard (29 CFR 1910.1200).

Scope

This program applies to all employees who may use, handle, or be exposed to cleaning chemicals, disinfectants, or other chemical products stored or used on site.

Chemical Inventory

A current inventory of all workplace chemicals is maintained and reviewed regularly. The inventory list is located at the front of the Safety Binder, directly before the Safety Data Sheets (SDS).

Safety Data Sheets (SDS)

Safety Data Sheets are available for all applicable workplace chemicals. SDS are located in the Safety Binder SDS section and may be reviewed by employees at any time. SDS provide information on hazards, safe handling, required PPE, and emergency response procedures.

Labeling

All chemical containers must remain labeled by the manufacturer. Secondary containers must be clearly labeled with the product name and general hazard information. Unlabeled or damaged containers must be reported immediately.

Employee Responsibilities

Employees are expected to follow manufacturer instructions, review SDS before using unfamiliar chemicals, use appropriate PPE, report spills or exposures, and ask questions if hazards are unclear.


Emergency Response

Quick Action sheets are provided in the Safety Binder for chemical exposure, major bleeding, and AED use. In the event of a serious exposure or medical emergency, call 911, follow posted instructions, and notify management.

Program Maintenance

This program is maintained by management and updated when new chemicals are introduced, removed, or revised. The program is reviewed periodically to ensure accuracy and effectiveness.

PSC SCHOOL



Emergency Contact

1. **Emergency Services (Fire/Police/Medical):** 911
2. **City of Culver City Info:** (310) 253-6000
3. **Concentra (Workers' Comp Provider):** (310) 215-1600,
6033 West Century Boulevard, #200, Los Angeles, CA 90045
4. **Safety Officer:** Manfredo Aguilar, (310) 490-7587

Fire Emergency Response Plan

1. Alert and Evacuate:

- If you see fire or smoke, immediately pull the nearest fire alarm and shout “fire” to alert others.
- Evacuate the building using the nearest safe exit.

2. Call 911:

- Once you are in a safe location, call emergency services (dial 911) and provide them with the building address and details of the fire.

3. Use Fire Extinguishers if Trained and Safe:

- If the fire is small and you have been trained, you may attempt to use a fire extinguisher. Remember the PASS technique (Pull, Aim, Squeeze, Sweep).
- If you are unable to control the fire quickly, evacuate immediately.

4. Meet at the Designated Assembly Point:

- Proceed to the designated assembly area outside the building (e.g., the parking lot or a specific landmark).
- Do a headcount if possible and report any missing persons to the safety officer or emergency personnel.

5. Wait for the All-Clear:

- Do not re-enter the building until emergency services have given the all-clear and it is safe to do so.

Training Development, Distribution, and Tracking

Training Development

Safety training content is developed internally and tailored to company operations. Each training topic is supported by a short written study guide designed to highlight key safety expectations, common hazards, and required behaviors. Study guides are typically two pages in length and written in clear, practical language appropriate for the intended audience (drivers, field technicians, or other personnel).

Training topics are selected based on operational needs, observed hazards, incident trends, and seasonal considerations.

Training Delivery

Training is delivered on a recurring monthly schedule and separated by audience:

- **Driver Safety Training** is issued monthly at the beginning of the month.
- **Job Site / Field Safety Training** is issued approximately two weeks later and applies to field personnel, including electricians and field technicians.

Each training assignment includes:

- A written study guide distributed electronically
- A corresponding online quiz accessed through a company-managed training website

Employees are instructed to review the study guide prior to completing the quiz.

Online Training Platform

Online quizzes are hosted on a company-managed website specifically created for safety training. Each quiz corresponds directly to the assigned study guide and is designed to reinforce key concepts through short, scenario-based questions.

Quiz access links are distributed with the study guide or made available through the training website.

Assessment and Completion

Each training quiz consists of a short assessment (typically five questions). Completion of the quiz serves as acknowledgment that the employee has reviewed the training material.

Training is considered complete upon quiz submission.

Recordkeeping and Tracking

Training participation and completion data are collected electronically. Quiz responses are automatically logged to a centralized recordkeeping system, allowing management to verify participation and monitor completion status.

Training records are reviewed periodically, and follow-up is conducted for employees who have not completed assigned training.

Records are retained as part of the company's safety documentation.

Program Oversight

The Operational Safety Training Program is administered by management. Training materials, delivery methods, and records are reviewed periodically to ensure continued relevance, effectiveness, and compliance with safety requirements.

Operational Safety Training Program

Program Overview

The Operational Safety Training Program is designed to provide consistent, practical safety instruction to employees whose job duties involve driving, field work, or job site activities. The goal of the program is to reduce risk, reinforce safe work practices, and ensure employees understand how to identify hazards and respond appropriately.

Training is delivered on a recurring monthly basis and is tailored by role. Content is provided in short, focused study guides supported by brief online assessments to verify participation and understanding.

Training materials are developed internally and distributed electronically. Completion of assigned training is tracked and maintained as part of the company's safety records.

Training Structure

The program consists of two primary training tracks:

- **Driver Safety Training**, issued monthly
- **Job Site / Field Safety Training**, issued approximately two weeks after the driver training each month

Each training assignment includes:

- A written study guide (typically two pages)
- An online quiz associated with the training topic

Completion of the quiz serves as acknowledgment of training participation.

Job Site Safety Training – Assigned Personnel

The following employees are included in Job Site / Field Safety Training:

- Maynor Morales
 - Alvaro Lopez
 - Christopher Jaramillo Rivera
 - Diego Platero
 - Kevin Rodriguez
 - Richard Rivera
 - Andrew Montoya
 - Damian Gallegos
 - Gabriel Hernandez
 - Marco Perez Armijo
 - Yonathan Rodriguez
 - Josue Rojas Barajas
 - Natasha Huckaby
 - Ryan Hill
 - Diego Rivas
 - Julian Ornelas
 - Jerry Ramirez
-

Driver Safety Training – Assigned Personnel

The following employees are included in Driver Safety Training:

- Alan Braden
- Jerry Ramirez
- Julian Ornelas
- Ken Jang
- Manfredo Aguilar
- Ryan Hill
- Robyn Chu
- Diego Rivas
- Kevin Rodriguez
- Galib Qureshi
- Josue Rojas Barajas
- Maynor Morales
- Yonathan Rodriguez
- Kinh Cun

Recordkeeping

Training completion is collected electronically through online assessments. Participation records are reviewed periodically by management, and follow-up is conducted as needed for incomplete assignments. Training records are retained as part of the company's safety documentation.

Van Cleanliness & Organization

Work Van Safety Module

Why a Clean, Organized Van Matters

A clean work van isn't just about appearances. Poor housekeeping increases the risk of slips, trips, and falls. Loose items can become dangerous projectiles in a sudden stop or crash. Safety agencies consistently link good housekeeping with fewer injuries and better efficiency.

The Hidden Dangers of Clutter

- **Projectiles:** Loose tools or boxes can fly forward in a collision and strike the driver or passengers.
- **Pedal Obstruction:** Objects on the floor can roll under the pedals, interfering with braking or acceleration.
- **Hidden Hazards:** Trash and spills can hide sharp objects, create bad odors, and attract pests.

A CLEAN VAN = SAFER DRIVER + TIME SAVED + PROFESSIONAL IMAGE

Main Risk Areas Inside the Van

1. FLOOR & WALKWAY

- Keep the floor clear of tools, cords, and loose parts.
- Immediately clean or wipe up spills when safe to do so.
- **Never** leave items where your feet or pedals need to move.

2. DRIVER AREA / CAB

- Keep dashboard, seats, and footwells free of loose items.
- Secure small items (phones, tablets, clipboards) to prevent sliding.

- Only keep what you actually need for the current day within reach.

3. CARGO AREA & TOOLS

- Store heavy items low and as far forward/secured as possible.
- Use bins and racks for small tools.
- Ensure materials won't fall out when doors are opened.
- Keep chemicals in sealed containers.

4. TRASH & PERSONAL ITEMS

- Use a small trash bag—empty it daily.
- Remove food containers and cups immediately to prevent odors/pests.
- Remove unnecessary personal items to reduce clutter.

Daily Routines & Expectations

A regular cleaning and removal schedule makes good housekeeping easier and keeps the workplace safer and more efficient.

Daily Cleanliness Routine

START OF SHIFT

- ✓ Do a quick walk-through of the van.
- ✓ Remove any trash or items that do not belong.
- ✓ Make sure your main tools are in their proper spots.
- ✓ **Critical Check:** Confirm the driver area is clear (nothing loose on floor, seat, or dash).

DURING THE DAY

- ✓ Put tools back where they belong after *each* job.
- ✓ Close bins, drawers, and doors fully before driving.
- ✓ Wipe up any spills as soon as possible.

END OF SHIFT

- ✓ Throw away all trash.
- ✓ Put every tool and part back in its place.
- ✓ Check that heavy items are secured and cannot shift.
- ✓ Take home or remove personal items you do not need for tomorrow.

Behavior Expectations

Every driver is responsible for the condition of the van they operate. The van should be:

- **Safe to drive:** No loose items interfering with pedals or visibility.
- **Clean enough for inspection:** A supervisor or customer should be able to look inside at any time.
- **Organized:** Tools and materials can be found quickly without digging through piles.

Remember:

"A clean, organized van protects you, protects company equipment, and shows respect for the job."

Driver Safety Training Record

Van Cleanliness & Organization

Training Type: Driver Safety Training

Training Topic: Van Cleanliness & Organization

Training Date Issued: 11/25

Audience: Company Drivers

Delivery Method: Study Guide + Online Quiz

Training Description

This driver safety training focused on the importance of maintaining clean and organized work vans to reduce safety risks, prevent injuries, and promote professional standards. The training emphasized how poor housekeeping can contribute to hazards such as loose tools becoming projectiles, pedal obstruction, reduced visibility, and unsanitary conditions.

Drivers were provided with a written study guide outlining expectations, risk areas within the vehicle, and daily cleanliness routines. An online quiz was used to reinforce key concepts and document participation.

Training Materials

- **Study Guide:** *Van Cleanliness & Organization – Work Van Safety Module*
 - **Online Quiz:** Hosted on the company training website
 - <https://sites.google.com/view/cleanvan/home>
-

Completion Tracking

Training completion was tracked electronically through the online quiz platform. Participation status was recorded automatically upon quiz submission.

Completion Status (as of 11/25)

Completed:

- Alan Braden
- Jerry Ramirez
- Julian Ornelas
- Ken Jang
- Manfredo Aguilar
- Ryan Hill
- Robyn Chu
- Diego Rivas
- Kevin Rodriguez
- Galib Qureshi
- Josue Rojas Barajas
- Maynor Morales
- Kinh Cun

Not Completed:

- Yonathan Rodriguez

Follow-Up

Employees who did not complete the assigned training by the due date are subject to follow-up to ensure completion and understanding of the material.

Record Retention

Training records, including quiz completion data, are retained electronically as part of the company's Operational Safety Training Program documentation.

Certifications

OSHA 10

OSHA 30

First Aid

AED

Forklift

Boom Lift

Personal Protective Equipment and Ergonomics

Electricians

- High Visibility Safety Vest – (Brand)
- Hard Hat – (Brand)
- Head Lamp – (Brand)

Drivers

- Fire Extinguisher – (Brand)
- Emergency Escape Tool – (Brand)
- Reflective Cones (Brand)

Upon Request

- N95 Mask – (Generic)

Ergonomic Equipment

- Lumbar Support – (Generic)
- Standing Mat – (Generic)
- Heavy Lift Belt – (Generic)
- Vertical Mouse – (Generic)

Medicine Cabinets & First Aid Supplies

Safety Binder Entry

Purpose

This section documents the inventory, inspection procedure, and rotation policy for all on-site medicine cabinets, including associated AED and eyewash equipment. The objective is to ensure compliance, readiness, and consistency across all first aid resources.

Scope

This policy applies to all medicine cabinets (Cabinet 1, Cabinet 2, Cabinet 3), the Automated External Defibrillator (AED), and the wall-mounted eyewash station.

Inventory Summary (Minimum Stock)

Item	Applies To	Notes
Tylenol Extra Strength	All Cabinets	Adult, packeted
Motrin / Ibuprofen	All Cabinets	Adult, packeted
Antacid (Calcium Carbonate)	Cabinet 2	Packeted
Triple Antibiotic Ointment	All Cabinets	Single-use packets
Burn Relief Gel	Cabinet 1	Single-use packets
First Aid Spray	Cabinet 2	Topical spray
Alcohol Wipes	All Cabinets	Antiseptic
Wound Cleansing Wipes	All Cabinets	Antiseptic
Gauze Pads & Bandages	All Cabinets	Assorted sizes
Cold Packs	All Cabinets	Instant
Eyewash Solution	Cabinets & Station	Sealed bottles
AED Pads	AED	Phillips HeartStart
AED Battery	AED	Replace per install-by date

Inspection Procedure

Monthly Inspection

- Verify cabinets are accessible and stocked
- Confirm no expired items are present
- Check AED status indicator (READY)
- Ensure eyewash station is unobstructed and sealed
- Log inspection date and initials

Semi-Annual Inspection (March & September)

- Review expiration dates for all medications and solutions
- Flag items expiring within 6 months for replacement

Biennial Rotation

- Replace all Triple Antibiotic, Burn Gel, and First Aid Spray every 2 years regardless of date
- Replace any item with damaged or unreadable packaging

Replacement Cycle Summary

Item	Replacement Cycle
Triple Antibiotic	March 2027
Motrin / Ibuprofen	July 2027
First Aid Spray	March 2028
Antacid	September 2028
Tylenol Extra Strength	February 2029
AED Pads	May 2027



Weekly Safety Walkthrough

Facility / Area: _____ Inspector: _____

General Conditions

Item	OK	Needs Attention	Notes
Floors clean and dry (no spills, trip hazards)			
Walkways and aisles clear			
Stairways and handrails secure and unobstructed			
Adequate lighting in work areas			

Housekeeping & Storage

Item	OK	Needs Attention	Notes
Materials stored safely (no overstacking)			
Cleaning supplies properly stored			
Trash and debris removed			

Emergency & Life Safety

Item	OK	Needs Attention	Notes
Exit routes clear and clearly marked			
Fire extinguishers accessible and unobstructed			
Emergency lighting appears functional			
Eyewash / emergency equipment accessible			

Electrical Safety

Item	OK	Needs Attention	Notes
Electrical panels accessible (36" clearance)			
No damaged cords or exposed wiring observed			

Issues Identified This Week

Corrective Actions

Issue	Action Needed	Responsible	Target Date

Inspector Signature: _____ Date: _____



Monthly Safety Report

Facility: _____ Month / Year: _____ Prepared By: _____

Purpose

This report summarizes weekly safety walkthrough findings, corrective actions, and overall safety conditions for the reporting month. It is intended to identify trends, verify follow-through, and document management oversight.

Weekly Walkthrough Summary

Week	Walkthrough Completed	Key Issues Identified
Week 1	■ Yes ■ No	
Week 2	■ Yes ■ No	
Week 3	■ Yes ■ No	
Week 4	■ Yes ■ No	
Week 5 (if applicable)	■ Yes ■ No	

Recurring Issues / Trends

Corrective Actions Status

Issue	Action Taken	Status	Completion Date
		■ Open ■ Closed	
		■ Open ■ Closed	
		■ Open ■ Closed	

Overall Safety Assessment

■ Satisfactory ■ Needs Improvement ■ Immediate Attention Required

Management Review & Sign-Off

Reviewed By: _____ Title: _____ Date: _____

Chargie

Facility Safety Inspection Checklist for Work Spaces and Surfaces

This checklist is to be used to identify and prevent work space and surface hazards in your work location. Once all items have passed final inspection, keep the final checklist (with the latest date) as a record of passed inspection for five years after the completion date. If any of the inspection options do not apply to your specific location, cross them off the list.

Inspection Date: ____/____/____

Inspection Type:

- ☐ Initial ☐ Post-incident
- ☐ Periodic ☐ Change in Process
- ☐ Final [upon completion of corrective action(s) – **keep only this copy in the file**]

General Safe Work Practices

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Are office work sites clean and orderly?
		Are work surfaces kept dry or are appropriate means taken to ensure the surfaces are slip-resistant?
		Are covered metal waste cans used for oily and paint-soaked waste?
		Are all work areas adequately illuminated?
		Are all spilled materials or liquids cleaned up immediately?
		Are combustible scrap, debris and waste stored safely and removed promptly from the work areas?
		Are all oil- and gas-fired devices equipped with flame failure controls that will prevent flow of fuel if pilots or main burners are not working?

Corrective Action Required [based on your answers above]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

Walkways

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Are aisles and passageways kept clear?
		Is there safe clearance for walking in aisles where motorized or mechanical handling equipment is operating?
		Are aisles or walkways that pass near moving or operating machinery arranged so employees will not be subjected to potential hazards?
		Is adequate headroom provided for the entire length of any aisle or walkway?

Walkways *continued*

Pass	Fail	Checklist Question
		Are aisles and walkways marked as appropriate?
		Are materials or equipment stored in such a way that sharp projections will not interfere with the walkway?
		Are standard guardrails provided wherever aisle or walkway surfaces are elevated more than 30-inches above any adjacent floor or the ground?
		Are changes of direction or elevation readily identifiable?

Corrective Action Required [based on your answers above]

Action to be taken	By Whom?	By When?

Floor and Wall Openings

Pass	Fail	Checklist Question
		Are skylight screens of such construction and mounting that they will withstand a load of at least 200 pounds?
		Is the glass in windows, doors and glass walls of sufficient thickness and type for the condition of use?

Corrective Action Required [based on your answers above]

Action to be taken	By Whom?	By When?

Stairs and Stairways

Pass	Fail	Checklist Question
		Are standard handrails used on all stairways having four or more risers?
		Do stairs have at least a 6'6" overhead clearance?
		Are step risers on stairs uniform from top to bottom, with no riser spacing greater than 7.5 inches?
		Are stairway handrails located between 30 and 34 inches above the leading edge of stair treads?
		Is the vertical distance between stairway landings limited to 12 feet or less?
		Are all stairways at least 22 inches wide?
		Do stairs angle no more than 50 and no less than 30 degrees?
		Are steps on stairs and stairways designed with a surface that renders them slip-resistant?
		Do stairway handrails have at least 1.5 inches of clearance between the handrail and the wall or surface they are mounted on and capable of withstanding a load of 300 pounds applied in any direction?
		Do stairway landings have a dimension measured in the direction of travel, at least equal to the width of the stairway?

Corrective Action Required [based on your answers above]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

Elevated Surfaces

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Are surfaces elevated more than 30 inches above the floor or ground provided with standard guardrails?
		Is a permanent means of access and egress provided to elevated storage and work surfaces?
		Are all elevated surfaces [beneath which people or machinery could be exposed to falling objects] provided with standard 4-inch toe boards?
		Is required headroom provided where necessary?
		Is material on elevated surfaces piled, stacked or racked in a manner to prevent it from tipping, falling, collapsing, rolling or spreading?

Corrective Action Required [based on your answers above]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

Workstations

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Are computer video display terminals [VDTs] positioned and movable to afford operator comfort?
		Is there excessive screen glare due to background lighting on VDT screens? Are filters available if requested by employees?
		Do employees complain of eyestrain or fatigue?
		Are keyboards moveable to allow operators to find comfortable positions?
		Are wrist rests and other protective devices available?
		Are chairs and other work station furniture capable of being adjusted to accommodate person dimensions and comfort preferences?
		Are any employees complaining of physical discomfort due to a workstation or repetitive task problem?

Corrective Action Required [based on your answers above]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

Exiting or Egress

Pass	Fail	Checklist Question
		Are all exits kept free of obstructions?
		Are all exits marked with an exit sign and illuminated by a reliable light source?
		Are doors, passageways or stairways that are neither exits nor access to exits and which could be mistaken for exits appropriately marked "NOT AN EXIT," "STOREROOM" and the like?
		Are exit signs provided with the word "EXIT" in lettering at least 5-inches high and the stroke of the lettering at least 1/2 inch wide?
		Is the number of exits from each floor of a building, and the number of exits from the building itself appropriate for the building occupancy load?
		When ramps are used as part of required exiting from a building, is the ramp slope limited to 1 foot vertical and 12 feet horizontal?
		Are there sufficient exits to permit prompt escape in case of emergency?
		Are the directions to exits, when not immediately apparent, marked with visible signs?
		Are special precautions taken to protect employees during construction and repair operations?
		When exiting will be through frameless glass doors, glass exit doors, storm doors and such, are the doors fully tempered and designed to meet the safety requirements for human impact?

Corrective Action Required [based on your answers on the previous page]

Action to be taken	By Whom?	By When?

Exit Doors

Pass	Fail	Checklist Question
		Are doors that are required to serve as exits designed and constructed so that the way of exit travel is obvious and direct?
		Can exit doors be opened from the direction of exit travel without use of a key or any special knowledge or effort when the building is occupied?
		Where exit doors open directly onto any street, alley or other area where vehicles may be operated, are adequate barriers and warnings provided to prevent employees from stepping into the path of traffic?

Corrective Action Required [based on your answers above]

Action to be taken	By Whom?	By When?

Environmental Controls

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Are all work areas properly illuminated?
		Does the HVAC system provide at least the quantity of outdoor air required by the state Building Standards Code, Title 24, Part 2 at the time the building was constructed?
		Are inspection records retained for at least 5 years?
		Is the work area's ventilation system appropriate for the work being performed?
		Is the HVAC system inspected at least annually, and problems corrected?

Corrective Action Required [based on your answers on the previous page]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

General Items

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Flooring in good condition; free of trip, slip, or fall hazards?
		Are all aisles and walkways clear, unobstructed?
		Are all exits free of storage, obstructions, and trip hazards?
		Is there good illumination in all areas?
		Are materials stacked neat and orderly; not in danger of falling?
		Any storage drums stored in contained areas, capped and not leaking?
		Is hearing protection provided and worn when operating noisy equipment?
		First aid kits easily accessible, stocked?
		<i>Other Items not mentioned above:</i>

Corrective Action Required [based on your answers above]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

Equipment

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Equipment guards in place?
		Electrical panels accessible, all circuits marked?
		Electrical junction boxes not missing knockouts?
		Electrical outlets not overloaded; wiring not strung across aisles; wiring in good condition?

Equipment *continued*

		Equipment being repaired, replaced, cleaned / maintained locked / blocked out; only key with person working on equipment?
		<i>Other Items not mentioned above:</i>

Corrective Action Required [based on your answers above and on the previous page]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

Emergency Equipment

<i>Pass</i>	<i>Fail</i>	<i>Checklist Question</i>
		Fire Extinguishers accessible, location marked, checked monthly and documented on tag? _____ Class A: Ordinary combustible material fires? _____ Class B: Flammable liquid, gas or grease fires? _____ Class C: Energized-electrical equipment fires?
		Are appropriate fire extinguishers mounted within 75 feet of outside areas containing flammable liquids, and within 10 feet of any inside storage area for such material?
		Are all extinguishers fully charged and in their designated places?
		Is a record of required monthly checks of extinguishers maintained?
		Are exits and fire extinguishers free of obstructions or blockage?
		Emergency lighting checked monthly; operational?
		Eyewash station unobstructed, tested and working properly?
		<i>Other Items not mentioned above:</i>

Corrective Action Required [based on your answers above]

<i>Action to be taken</i>	<i>By Whom?</i>	<i>By When?</i>

General Notes:

--

Date: _____

Inspector's Name and Signature

Chemical Inventory – SDS On File

Product Name	Manufacturer	Primary Use	Location	SDS On File
Amerex Fire Extinguisher	Amerex	Fire suppression	Facility / Common Areas	Yes
Clorox Multi-Surface Cleaner + Bleach	The Clorox Company	Surface disinfection	Janitorial Storage	Yes
Dawn Ultra Dishwashing Liquid	Procter & Gamble	Dishwashing / degreasing	Breakroom / Janitorial	Yes
ECOS Window Cleaner (Vinegar)	ECOS / Earth Friendly Products	Glass & window cleaning	Janitorial Storage	Yes
IP Hair & Grease Drain Opener	IP Products	Drain maintenance	Maintenance Storage	Yes
Lysol Advanced Power Clinging Gel	Reckitt	Toilet bowl cleaning	Janitorial Storage	Yes
Professional Lysol Disinfectant	Reckitt	Surface disinfection	Janitorial Storage	Yes
Clean-X Invisible Shield	Clean-X	Limescale / stain removal	Janitorial Storage	Yes
Softsoap Liquid Hand Soap	Colgate-Palmolive	Hand washing	Restrooms	Yes
Squeegee-Off Glass Cleaner	Squeegee-Off	Glass & surface cleaning	Janitorial Storage	Yes
Weiman Stainless Steel Wipes	Weiman Products	Stainless steel cleaning	Janitorial Storage	Yes



Quality is Behind the Diamond®

SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ABC Dry Chemical Fire Extinguishant-
(Pressurized and Non-pressurized)
Other Identifiers: Multi-purpose Dry Chemical
Product Code(s): CH550, F15, F18
Model Code(s) for Extinguishers: 411, 417, 419, 423, 424, 425, 441, 443, 450, 456,
461, 464, 467, 470, 473, 476, 481, 487, 488, 491,
495, 500, 564, 567, 573, 581, 589, 592, 594, 668,
692, 713, 714, 715, 720, 756, 760, 763, 781, 790,
791, 792.
Recommended Use: Fire suppression, not for human
or animal drug use.
Manufacturer: AMEREX CORPORATION
Internet Address: www.amerex-fire.com
Address: 7595 Gadsden Highway, P.O. Box 81
Trussville, AL 35173-0081
Company Telephone: (205) 655-3271
E-mail Address: customer.service@amerex-fire.com
Emergency Contacts: Chemtrec 1(800) 424-9300 or
(703) 527-3887
Revised: July 8, 2020; Revision B

Section 2. HAZARDS IDENTIFICATION

GHS – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2A	None	Warning
STOT –Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):



If Pressurized: Gas Under Pressure



GHS – Signal Word(s):

Warning

Other Hazards Not Resulting in Classification: Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5µm; therefore, the clay is not considered to be carcinogenic to animals or humans.

GHS – Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Contents under pressure; may explode if heated.
Health	303 315 319 335	May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Environmental	411	Toxic to aquatic life with long-lasting effects.
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand.
Prevention	P251 261 264 270 273 280	Do not pierce or burn, even after use. [As modified by IV ATP] Avoid breathing dust/fumes/gas/mist/vapours/spray. [As modified by IV ATP] Wash ... thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312 321 362 391 301+312 302+352 304+340 305+351+338 332+313 342+313 337+313	Call a POISON CENTER/doctor/.../if you feel unwell [As modified by IV ATP] Specific treatment (see... on this label) Take off contaminated clothing. [As modified by IV ATP] Collect spillage. IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell IF ON SKIN: Wash with plenty of water/...[As modified by IV ATP] IF INHALED, remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation occurs: Get medical advice/attention. If experiencing respiratory symptoms, call a doctor. If eye irritation persists, get medical advice/attention.
Storage	P410+403	*- Protect from sunlight. Store in well-ventilated place.
Disposal	P501	Dispose of contents/container to ... [... in accordance with local/regional/national/international regulation (to be specified)].

*- If under pressure

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Mono-ammonium phosphate	231-764-5	01-2119488166-29	7722-76-1	55-77
Ammonium sulfate	231-984-1	01-2119455044-46	7783-20-2	15-45
Attapulgite clay	601-805-5	Not Available	12174-11-7	3-8
Mica-potassium aluminum silicate	310-1276	Not Available	12001-26-2	<1
Silicone oil methyl hydrogen polysiloxane	613-152-3	Not Available	63148-57-2	<1
Calcium carbonate	207-439-9	Not Available	1317-65-3	<1
Amorphous silica precipitated synthetic zeoliteghs	231-545-4	01-2119379499-16-0036	7631-86-9	<1
Yellow 14 pigment – diazo dye	226-789-3	Not Available	5468-75-7	<1

Adverse health effects and symptoms:

Irritant to the respiratory system; Irritating to eyes and skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

Section 4. FIRST AID MEASURES

Eye Exposure:

May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.

Skin Exposure:

May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.

Inhalation:

May cause irritation, along with coughing. If respiratory irritation or distress occurs, remove victim to fresh air. Give oxygen and artificial respiration if needed. Seek medical attention if irritation persists.

Ingestion:

Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties:

Not flammable

Flash Point:

Not determined

Suitable Extinguishing Media:

Non-combustible. Use extinguishing media suitable for surrounding conditions.

Hazardous Combustion Products:

Carbon and sulfur oxides

Explosion Data:

Sensitivity to Mechanical Impact:

Not sensitive

Sensitivity to Static Discharge:

Not sensitive

Unusual fire/explosion hazards:

In a fire this material may decompose, releasing toxic and irritating oxides of carbon, sulfur, potassium, ammonia and nitrogen (see Section 10).

Protective Equipment and

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus in pressure-demand, NIOSH approved or equivalent and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid inhalation, and contact with skin, eyes, and clothing.

Personal Protective Equipment:

Minimum - safety glasses, gloves, and a dust respirator.

Emergency Procedures:

NA

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for Clean Up:

Avoid dust formation. Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete.

Environmental Precautions:

Prevent material from entering waterways.

Other:

If product is contaminated, use PPE and containment appropriate to the nature of the most toxic chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions:

Use appropriate PPE when handling or maintaining equipment and wash thoroughly after handling (see Section 8).

Conditions for Safe Storage/Handling:

Keep product in original container or extinguisher. Contents may be under pressure – inspect extinguisher consistent with product labeling to ensure container integrity.

Incompatible Products:

Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono-ammonium phosphate	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC** Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC** Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Ammonium Sulfate	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC** Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC** Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Mica	PNOC** Total dust, 15 mg/m ³ 50 ug/m ³ Silica	PNOC** Total dust, 15 mg/m ³ 25 ug/m ³ Silica	PNOC** Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Attapulgate Clay	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC** Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	
Silicone oil	NR**	NR**	NR**	NA
Calcium carbonate	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC** Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	-----	NA
Amorphous silica	80 mg/m ³ % silica	10 mg/m ³	4 mg/m ³	NA
Yellow 14 pigment	NR	NR	NR	NA

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.



Eye/Face Protection:
Skin and Body Protection:
Respiratory Protection:

Tightly fitting safety goggles
Wear protective gloves/coveralls
If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Hygiene Measures:

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light yellow powder, finely divided odorless solid
Molecular Weight:	NH ₄ H ₂ PO ₄ : 115.03; (NH ₄) ₂ SO ₄ : 132.14
Odor:	Odorless
Odor Threshold:	No information available
Decomposition Temperature °C:	100 - 120

Freezing Point °C:	No information available
Initial Boiling Point °C:	No information available
Physical State:	Crystalline Powder
pH:	Mixture approximately 4 to 5; NH ₄ H ₂ PO ₄ : 4.2 in 0.2 molar solution; (NH ₄) ₂ SO ₄ : 5.5 in 0.1 molar solution
Flash Point °C:	None
Auto-ignition Temperature °C:	None
Boiling Point/Range °C:	No information available
Melting Point/Range °C:	NH ₄ H ₂ PO ₄ : 190; (NH ₄) ₂ SO ₄ : 280
Flammability:	Not Flammable
Flammability/Explosive Limits in Air °C:	Upper – No; Lower-No
Explosive Properties:	None
Oxidizing Properties:	None
Volatile Component (%vol)	Not Applicable
Evaporation Rate:	No information available
Vapor Density:	No information available
Vapor Pressure at 25 °C:	NH ₄ H ₂ PO ₄ : 1.41 mm/Hg; (NH ₄) ₂ SO ₄ : 2.573 kPa
Specific gravity at 25 °C:	NH ₄ H ₂ PO ₄ : 1.80; (NH ₄) ₂ SO ₄ : 1.77
Solubility:	Coated-Not Immediately Soluble in Water
Partition Coefficient:	NH ₄ H ₂ PO ₄ Est: -4.11; (NH ₄) ₂ SO ₄ : Est: -0.48
Viscosity:	No information available

NOTE: NH₄H₂PO₄ – Monoammonium Phosphate; (NH₄)₂SO₄: – Ammonium Sulfate

Section 10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage and handling conditions.
Reactivity:	No reactivity for these chemicals is expected.
Incompatibles:	Strong alkalis (bases), magnesium, strong oxidizers, isocyanuric acids and chlorine compounds.
Conditions to Avoid:	Storage or handling near incompatibles.
Hazardous Decomposition Products:	Heat of fire may release carbon monoxide, carbon dioxide, and sulfur dioxide. Also, ammonia, oxides of phosphorous and nitrogen oxides may be released during decomposition.
Possibility of Hazardous Reactions:	Slight
Hazardous Polymerization	Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation, skin, and eye contact.
Symptoms:	
Immediate:	
Inhalation:	Irritation, coughing.
Eyes:	Irritation.
Skin:	Irritation.
Delayed:	Symptoms appear to be relatively immediate
Acute Toxicity:	Relatively non-toxic.
Chronic Toxicity:	
Short-term Exposure:	None known.
Long-term Exposure:	As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure.

Acute Toxicity Values - Health

Chemical Name	LD50		LC50 (Inhalation)
	Oral	Dermal	
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Ammonium Sulfate	2840 mg/kg (rat)	>2000 mg/kg (rat)	>1000 mg/m ³ (rat)
Mica	None	None	None
Attapulgite clay	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m ³ (rat)

Reproductive Toxicity:	This product's ingredients are not known to have reproductive or teratogenic effects.
Target Organs and Effects (TOST):	Respiratory system irritant). This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.

Other Toxicity Categories

Chemical Name	Germ Cell Mutagenicity	Carcinogenicity	Reproductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Ammonium Sulfate	None	None	None	Cat 3	None	None
Attapulgite clay	None	None	None	None	Kidney	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None
Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:	Harmful effects to aquatic organisms after long-term exposure. Provides nutrient nitrogen and phosphorus to plant life.
Persistence/Degradability:	Degrades rapidly in humid/wet environment.
Probability of rapid biodegradation:	NH ₄ H ₂ PO ₄ Est: 0.693 (Rapid); (NH ₄) ₂ SO ₄ : Est: 0.684 (Rapid)
Anaerobic biodegradation probability:	NH ₄ H ₂ PO ₄ Est: 0.398 (Slow); (NH ₄) ₂ SO ₄ : Est: 0.398 (Slow)
Bioaccumulation potential:	Low.
Bioconcentration factor:	NH ₄ H ₂ PO ₄ : 3.16 L/kg; (NH ₄) ₂ SO ₄ : 3.16 L/kg (wet weight) (Low BCF)
Bioaccumulation factor:	NH ₄ H ₂ PO ₄ : 63.04 L/kg; (NH ₄) ₂ SO ₄ : 1.03 L/kg (wet weight)
Mobility in soil:	Slow evaporation rate; water soluble, may leach to groundwater
Log Koc:	NH ₄ H ₂ PO ₄ Est: -1.25; (NH ₄) ₂ SO ₄ Est: 1.35
Log Koa:	NH ₄ H ₂ PO ₄ Est: 16.72; (NH ₄) ₂ SO ₄ Est: 20.10
Log Kaw:	NH ₄ H ₂ PO ₄ Est: -20.86; (NH ₄) ₂ SO ₄ Est: -19.62

NOTE: NH₄H₂PO₄ – Mono-ammonium Phosphate; (NH₄)₂SO₄: – Ammonium Sulfate

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Ammonium Sulfate	N/A	N/A
Mica	N/A	N/A
Attapulgit clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	EC50
Mono-ammonium phosphate	2,91e+07 mg/l Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr;	6.70e+05 mg/l Gr. Algae 96 hr
Ammonium Sulfate	2521 mg/l Fish 96 hr; 1244 mg/l Daphnid 48 hr;	518 mg/l Gr. Algae 96 hr
Mica	N/A	N/A
Attapulgit clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling	Use appropriate PPE when handling and wash thoroughly after handling (see Section 8).
Waste Disposal Considerations	Dispose in accordance with federal, state, and local regulations.
Contaminated Packaging	Dispose in accordance with federal, state, and local regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

UN Number:	NA
UN Proper Shipping Name:	NA
Transport Hazard Class:	NA
Packing Group:	NA
Marine Pollutant?:	NO
IATA	Not regulated
DOT	Not regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

The transportation information above covers the ABC 550 dry chemical extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

REACH Title XVII Restrictions: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Mono-ammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulfate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Mono-ammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulphate 7783-20-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgite clay	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mica-potassium aluminum silicate 120001-26-2 (>2)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Calcium carbonate 471-34-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amorphous silica 69012-64-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Yellow 14 pigment 5468-75-7	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

European Risk and Safety phrases:

EU Classification: XN Irritant
R Phrases: 20 Harmful by inhalation.
 22 Harmful if swallowed

S Phrases:	36/37/38	Irritating to eyes, respiratory system, and skin.
	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.
	37/39	Wear suitable gloves and eye protection.

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
*-Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

* - Only applicable if material is in a pressurized extinguisher.

Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: Mica Dust

Illinois – Toxic Substance List: None

Kansas – Section 302/303 List: None

Massachusetts – Substance List: Mica Dust

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None

New Jersey – Right to Know Hazardous Substance List: None

North Dakota – List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None

Rhode Island – Hazardous Substance List: Mica Dust

Texas – Hazardous Substance List: None

West Virginia – Hazardous Substance List: None

Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

Mexico – Grade

No component listed

Canada – WHMIS Hazard Class

Ammonium Sulfate listed as not a dangerous product according to HPR classification criteria

Section 16. OTHER INFORMATION

This Information Sheet complies with the requirements of US, UK, Canadian, Australian and European regulations or standards, and conforms to the proposed format, ANSI Z400.1, 2003. No modification of this safety data sheet is permitted by AMEREX Corporation. Questions or comments should be directed to AMEREX Corporation (see section 1).

Issuing Date

20-June-2012

Revision Date

8-July-2020; Revision B

Revision Notes

None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.



SAFETY DATA SHEET

Issuing Date May 30, 2018

Revision Date New

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Clorox® Multi-Surface Cleaner + Bleach

Other means of identification

EPA Registration Number 5813-105

Recommended use of the chemical and restrictions on use

Recommended use Disinfecting bleach spray

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

The Clorox Company
1221 Broadway
Oakland, CA 94612

Phone: 1-510-271-7000

Emergency telephone number

Emergency Phone Numbers

For Medical Emergencies call: 1-800-446-1014
For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Appearance	Clear, colorless	Physical State	Thin liquid	Odor	Fruity, floral, bleach
-------------------	------------------	-----------------------	-------------	-------------	------------------------

Precautionary Statements - Prevention

None

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.065% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

Reacts with ammonia or acids such as vinegar, rust removers, or toilet bowl cleaners to produce hazardous gases, such as chlorine and other chlorinated compounds.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no substances that at their given concentrations are considered to be hazardous to health.

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Hold eye open and rinse slowly and gently with water for 15–20 minutes. If present, remove contact lenses after the first 5 minutes of rinsing, then continue rinsing eye. Call a poison control center or doctor for further treatment advice if irritation develops and persists.
Skin Contact	Rinse skin with plenty of water. If irritation develops and persists, call a doctor.
Inhalation	Move to fresh air. If breathing problems develop and persist, call a doctor.
Ingestion	Drink a glassful of water. Call a doctor or poison control center.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	May cause eye irritation.
--	---------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Hazardous Combustion Products

Oxides of carbon.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes.
Other Information	Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions	See Section 12 for additional ecological information.
---------------------------	---

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using this product.
----------	--

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool, and well-ventilated place.
Incompatible Products	Ammonia or acids such as vinegar, rust removers, or toilet bowl cleaners.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	This product does not contain any ingredients with occupational exposure limits that are at concentrations below their cut-off values/concentrations and that contribute to the hazard classification of the product.
---------------------	---

Appropriate engineering controls

Engineering Measures	None under normal user conditions.
----------------------	------------------------------------

Individual protection measures, such as personal protective equipment

Eye/Face Protection	No special protective equipment required.
Skin and Body Protection	No special protective equipment required.
Respiratory Protection	No protective equipment is needed under normal use conditions. If irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Thin liquid	Odor	Fruity, floral, bleach
Appearance	Clear	Odor Threshold	No information available
Color	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	12 - 12.7	None known
Melting/freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
Upper flammability limit	No data available	None known
Lower flammability limit	No data available	None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	~1.0	None known
Water Solubility	Complete	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive Properties	Not explosive	
Oxidizing Properties	No data available	

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

10. STABILITY AND REACTIVITY

Reactivity

Reacts with ammonia or acids such as vinegar, rust removers, or toilet bowl cleaners to produce hazardous gases, such as chlorine and other chlorinated compounds.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Ammonia or acids such as vinegar, rust removers, or toilet bowl cleaners.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Exposure to vapor or mist may irritate respiratory tract.
Eye Contact	May cause irritation.
Skin Contact	May cause slight irritation.
Ingestion	Ingestion may cause slight irritation to mucous membranes and gastrointestinal tract.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hypochlorite 7681-52-9	8200 mg/kg (Rat)	>10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms Liquid may cause redness and tearing of eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

*IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects Respiratory system, eyes, skin, gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

No information available.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated.

TDG Not regulated.

ICAO Not regulated.

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION**Chemical Inventories**

TSCA All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.

DSL/NDSL All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb			X
Sodium hydroxide 1310-73-2	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite 7681-52-9	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	X	X	X	X	
Sodium hydroxide 1310-73-2	X	X	X	X	

International Regulations**Canada****WHMIS Hazard Class**

Non-controlled

16. OTHER INFORMATION

NFPA Health Hazard 0 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 0 Flammability 0 Physical Hazard 0 Personal Protection -

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Preparation/Revision Date May 30, 2018

Revision Note New

Reference No information available

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Issuing Date: 05-Oct-2015

Revision Date: 05-Oct-2015

Version 1

1. IDENTIFICATION

Product Name	Dawn Ultra Dishwashing Liquid, Lemon Scent
Product ID:	97591966_RET_NG
Product Type:	Finished Product - Consumer (Retail) Use Only
Recommended use	Dish Care
Restrictions on Use	Use only as directed on label.
Manufacturer	PROCTER & GAMBLE - Fabric and Home Care Division Ivorydale Technical Centre 5289 Spring Grove Avenue Cincinnati, Ohio 45217-1087 USA Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5 1-800-331-3774
E-mail Address	pgsds.im@pg.com
Emergency Telephone	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:

Hazard Category

Eye Damage / Irritation	Category 2B
--------------------------------	-------------

Signal Word	WARNING
--------------------	---------

Hazard Statements	Causes eye irritation
--------------------------	-----------------------

Hazard pictograms	None
--------------------------	------

Precautionary Statements - Prevention	Wash hands thoroughly after handling
--	--------------------------------------

Precautionary Statements - Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF SWALLOWED: Drink 1 or 2 glasses of water
Precautionary Statements - Storage	None
Precautionary Statements - Disposal	None
Hazards not otherwise classified (HNOC)	None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	No	68585-47-7	15 - 20
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	No	68585-34-2	5 - 10
Amine oxides, C10-16-alkyldimethyl	Amine oxides, C10-16-alkyldimethyl	No	70592-80-2	5 - 10
Ethanol	Ethanol	No	64-17-5	1 - 5
Limonene	Limonene	No	5989-27-5	0.1 - 1.0

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact	Rinse with plenty of water. Get medical attention immediately if irritation persists.
Skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Most important symptoms/effects, acute and delayed	None under normal use conditions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray.
Unsuitable Extinguishing Media	None.

Special hazard	None known.
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific hazards arising from the chemical	None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment. Do not get in eyes, on skin, or on clothing.
Advice for emergency responders	Use personal protective equipment as required.

Methods and materials for containment and cleaning up

Methods for containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible products	None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Ethanol	64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Ethanol	64-17-5	TWA: 1000 ppm TWA: 1880 mg/m ³	TWA: 1000 ppm TWA: 1880 mg/m ³	STEL: 1000 ppm	STEL: 1000 ppm

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures	Distribution, Workplace and Household Settings: Ensure adequate ventilation
-----------------------------	---

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction

Personal Protective Equipment**Eye Protection****Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Use appropriate eye protection

Hand Protection**Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection**Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Respiratory Protection**Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of insufficient ventilation wear suitable respiratory equipment

9. PHYSICAL AND CHEMICAL PROPERTIES
--

Physical State @20°C

liquid

Appearance

Various color by product

Odor

Scented

Odor threshold

No information available

Property**Values****Note****pH value**

9.0 - 9.2

10% aqueous solution

Melting/freezing point

No information available

Boiling point/boiling range

100 - 104 °C / 212 - 219 °F

Flash point

No Flash to Boiling (NFTB)

Evaporation rate

No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air**Upper flammability limit**

No information available

Lower Flammability Limit

No information available

Vapor pressure

No information available

Vapor density

No information available

Relative density

1.04

Water solubility

100%

Solubility in other solvents

No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition temperature No information available

Viscosity of Product No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Stability	Stable under normal conditions.
Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
Conditions to Avoid	None under normal processing.
Materials to avoid	None in particular.
Hazardous Decomposition Products	None under normal use.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

Inhalation	No known effect.
Skin contact	No known effect.
Ingestion	No known effect.
Eye contact	Irritating to eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity	No known effect.
Skin corrosion/irritation	No known effect.
Serious eye damage/eye irritation	Irritating to eyes.
Skin sensitization	No known effect.
Respiratory sensitization	No known effect.
Germ cell mutagenicity	No known effect.
Neurological Effects	No known effect.
Reproductive toxicity	No known effect.
Developmental toxicity	No known effect.
Teratogenicity	No known effect.
STOT - single exposure	No known effect.
STOT - repeated exposure	No known effect.
Target Organ Effects	No known effect.
Aspiration hazard	No known effect.
Carcinogenicity	No known effect.

Component Information

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	68585-34-2	>2001 mg/kg	-	-

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Codes (non-household setting) 331

14. TRANSPORT INFORMATION

DOT Not regulated

IMDG Not regulated

IATA Not regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium hydroxide	1310-73-2	1000 lb	-	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Chemical Name	CAS-No	CAA (Clean Air Act) - 1990 Hazardous Air Pollutants
Phenoxyethanol	122-99-6	X

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1310-73-2	1000 lb	-	-	X

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Ethanol	64-17-5	X

Chemical Name	CAS-No	Massachusetts
Ethanol	64-17-5	X

Chemical Name	CAS-No	Pennsylvania
Ethanol	64-17-5	X
Sodium hydroxide	1310-73-2	X
Phenoxyethanol	122-99-6	X

International Inventories**United States**

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

Canada

This product is in compliance with CEPA for import by P&G.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

16. OTHER INFORMATION

Issuing Date: 05-Oct-2015

Revision Date: 05-Oct-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** ECOS Window Cleaner Vinegar**Description / Product Code:** 9300**Registration number:** Substances contained in the mixture have already (pre)-registered by the suppliers.**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Cleaning Product/ Detergent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Venus Labs/dba Earth Friendly Products

111. S Rohlwing Rd Addison, IL 60101

Phone: 800-451-9304

Chemtrec: 800-424-9300

1.4 Emergency telephone number:

Emergency telephone number: 112

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:** Void**Hazard pictograms:** Void**Signal word:** Void**Hazard statements:** Void**Precautionary statements** P102 Keep out of reach of children.**Additional information:** National Poisoning Centre**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 1)

SECTION 3: Composition/information on ingredients**3.2 Chemical characterisation: Mixtures****Description:**

Mixture consisting of substances that either not classified or not required to be stated in the Safety Data Sheet according to Reg. (EU) 830/2015.

Ingredients according Regulation (EU) 830/2015:

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol	 Flam. Liq. 2, H225	0.1-≤2.5%
---	---------	--	-----------

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

No special measures required.

Take affected persons out into the fresh air.

After inhalation: Seek medical treatment in case of complaints.

After skin contact:

Remove contaminated clothing.

In case of skin irritation, consult a physician.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB
(Contd. on page 3)



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 2)

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

6.1.2 For emergency responders Wear protective equipment. Keep unprotected persons away.**6.2 Environmental precautions:** No special measures required.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:** Store in cool, dry conditions in well sealed receptacles.**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****64-17-5 ethanol**WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm**DNELs**

Ethanol cas number: 64-17-5

Workers long-term exposure systemic effects via inhalation route: 950 mg/m³Workers acute/short term exposure local effects: 1900 mg/m³

Workers systemic effects long-term exposure via dermal route: 343 mg/kg bw/day

General Population systemic effects long-term exposure via inhalation route : 114 mg/m³General Population local effects acute/short term exposure via inhalation route : 950 mg/m³

General Population systemic effects long term exposure via dermal route : 206 mg/kg bw/day

General Population systemic effects long term exposure via oral route : 87 mg/kg bw/day

PNECs

Ethanol cas number: 64-17-5

Freshwater : 0.96 mg/l

Marine water : 0.79 mg/l

Intermittent releases : 2.75 mg/l

STP : 580 mg/l

Sediment (freshwater) : 3.6 mg/kg sediment dw

(Contd. on page 4)



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 3)

Sediment (marine water) : 2.9

Soil : 0.63 mg/kg soil dw

DNEL Workers Long term exposure local effects

Ethanol (CAS 64-17-5)

Inhalation: 1900 mg/m³**DNEL Workers Long term exposure systemic effects**

Ethanol (CAS 64-17-5)

Inhalation: 950 mg/m³

Skin Contact: 343 mg/kg bw/day

DNEL consumers Acute/short term exposure Local effects

Ethanol (CAS 64-17-5)

Inhalation : 950 mg/m³**DNEL Consumers Long-term exposure systemic effects**

Ethanol (CAS 64-17-5)

Inhalation: 114 mg/m³

Skin Contact: 206 mg/kg bw/day

8.2 Exposure controls**Personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.**Protection of hands:** Not required under normal conditions of use.**Penetration time of glove material**

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Not required under normal conditions of use.**Body protection:** Not required under normal conditions of use.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	Not determined
Odour:	Characteristic
Odour threshold:	Not determined

pH value: 2.75-3.50**Melting point/Melting range:** Not determined**Boiling point/Boiling range:** Not determined**Flash point:** Not Flammable

(Contd. on page 5)

GB



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 4)

Flammability (solid, gaseous):	Not applicable
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Oxidising properties	Not considered as oxidising.
Vapour pressure:	Not determined
Density:	Not determined
Relative density	Not determined
Vapour density	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with water:	Fully miscible
Partition coefficient (n-octanol/water):	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability** Material is stable under normal conditions.**Thermal decomposition / conditions to be avoided**

No decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials** No further relevant information available.**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 5)

LD/LC50 values relevant for classification:**64-17-5 ethanol**

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	20000 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:**

Ethanol, cas: 64-17-5

Fish toxicity LC50:> 10000 mg / l

Daphnia toxicity, CEE0:> 7800 mg / l

Bacterial toxicity (Ps putida) CEE0:> 6500 mg / l

Algal toxicity (SC. Quadricauda), CEE0:> 5000 mg / l

Algal toxicity (M. Acruginosa), CEE0:> 1450 mg / l

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Generally not hazardous for water

Not known to be hazardous to water.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 7)



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 6)

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.

Contact manufacturer for recycling information.

Uncleaned packaging:**Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information**14.1 UN-Number**

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)ADR, ADN, IMDG, IATA
Class Void**14.4 Packing group**

ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.**14.6 Special precautions for user** Not applicable.**14.7 Transport in bulk according to Annex II of
Marpol and the IBC Code** Not applicable.**UN "Model Regulation":** Void**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Detergent Regulation No. 648/2004/EC

CLP Regulation No. 1272/2008/EC

Regulation (EU) 2015/830

Regulation REACH (EC) 1907/2006

(Contd. on page 8)

GB



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 7)

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 9)

GB



Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation), EU
2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 29.07.2016

Version number 1

Revision: 29.07.2016

Trade name: ECOS Window Cleaner Vinegar

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2

*** Data compared to the previous version altered.**

GB



Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Instant Power® Hair and Grease® Drain Opener

Product Code • MSDS No.: 1969/1970/1971/1972

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Drain opener

1.3 Details of the supplier of the safety data sheet

Manufacturer • Instant Power Corporation

1255 Viceroy
Dallas, TX 75247 United
States
www.myinstantpower.com
mail@myinstantpower.com

Telephone (General) • 1-800-334-2077

EU Supplier

• Robimatic Ltd.
Sandall Stones Road
Kirk Sandall Industrial Estate Doncaster DN3 1QR United
Kingdom

robimatic@polypipe.com

Telephone (General) • +44 (0) 1302-790-790

Fax • +44 (0) 1302-790-088

1.4 Emergency telephone number

- 1-800-424-9300 - CHEMTREC (USA)
- 1-703-527-3887 - CHEMTREC (International)

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Serious Eye Damage 1 - H318
Skin Corrosion 1A - H314

DSD/DPD • Corrosive (C)
R35

2.2 Label Elements

CLP

DANGER



Hazard statements • H318 -May cause serious eye damage
H314 - May cause severe skin burns and eye damage.

Precautionary statements

- Prevention** • P260 - Do not breathe mist/vapours/spray.
P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P102 - Keep out of reach of children.
- Response** • P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P321 - Specific treatment, see supplemental first aid information.
P363 - Wash contaminated clothing before reuse.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage/Disposal • P102 - Keep out of reach of children.
P405 - Store locked up.
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases • R35 - May cause severe burns.

Safety phrases • S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37 - Wear suitable gloves.
S36 - Wear suitable protective clothing.
S39 - Wear eye/face protection.
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S1/2 - Keep locked up and out of the reach of children.

2.3 Other Hazards

- CLP** • According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD** • According to European Directive 1999/45/EC this preparation is considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 • Serious Eye Damage 1 - H318
Skin Corrosion 1B - H314

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- May cause serious eye damage - H318
 - May cause severe skin burns and eye damage. - H314

Precautionary statements

- Prevention**
- Do not breathe mist/vapours/spray. - P260
 - Wash thoroughly after handling. - P264
 - Wear protective gloves/protective clothing/eye protection/face protection. - P280
 - Keep out of reach of children. - P102
- Response**
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353
 - Specific treatment, see supplemental first aid information. - P321
 - Wash contaminated clothing before reuse. - P363
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338
 - Immediately call a POISON CENTER or doctor/physician. - P310
 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331

- Storage/Disposal**
- Keep out of reach of children. - P102
 - Store locked up. - P405
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS • Corrosive - E

2.2 Label elements

WHMIS



- Corrosive - E

2.3 Other hazards

WHMIS • In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Sodium hydroxide	CAS:1310-73-2 EC Number:215-185-5	34% TO 50%	NDA	EU DSD/DPD: Annex I - C; R35 EU CLP: Annex VI - Skin Corr. 1A; H314 OSHA HCS 2012: Skin Corr 1B	REACH Pre-Registration Number: 05-2114579158-36-xxxx
Potassium hydroxide	CAS:1310-58-3 EC Number:215-181-3	1% TO 3%	Ingestion/Oral-Rat LD50 • 273 mg/kg	EU DSD/DPD: Annex I - Xn; R22 C; R35 EU CLP: Annex VI - Acute Tox. 3; H301 Skin Corr. 1A, H314 OSHA HCS 2012: Acute Tox 3 (orl), Skin Corr 1B, Eye Dam. 1	REACH Pre-Registration Number: 05-2114579206-43-xxxx

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- Inhalation** • Move victim to fresh air. Administer oxygen if breathing is difficult. Call a physician or poison control center immediately.
- Skin** • Immediately flush skin with water and vinegar for at least 20 minutes. Remove contaminated clothing. Call a physician or poison control center immediately.
- Eye** • Immediately flush with water for at least 20 minutes. If wearing contact lenses, remove first. Call a physician or poison control center immediately.
- Ingestion** • Do NOT induce vomiting. Obtain medical attention immediately. Drink a couple of glasses of water or milk. If vomiting occurs, keep airway clear.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician** • All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

- Suitable Extinguishing Media** • NFPA Class B extinguishers (Carbon Dioxide or foam).
Material is non-combustible. In case of fire use media as appropriate for surrounding fire.
- Unsuitable Extinguishing Media** • None known.

5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards** • Isolate from acids.
Keep container tightly closed.
Containers may rupture when heated.
Applying to hot surfaces requires special precautions.

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive fumes.

Hazardous Combustion Products • None known.

5.3 Advice for firefighters

- Do not enter confined fire-space without full bunker gear.
SMALL FIRES: Move containers from fire area if you can do it without risk. Structural firefighters' protective clothing may provide limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible. Water spray may be ineffective on fire but can protect fire-fighters. Use fog nozzles if water is used.
Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions** • Wear appropriate protective clothing. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.
- Emergency Procedures** • Stop spill at source. Dike area and contain. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away.

6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures** • Neutralize with weak acid & dilute with plenty of water.
Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Flush area with large quantities of water and remove immediately.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

- Handling** • Wear appropriate protective clothing. Avoid breathing . Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Do not take internally. Handle and open container with care. Keep container closed when not in use. Treat empty containers as hazardous.

7.2 Conditions for safe storage, including any incompatibilities

- Storage** • Keep away from incompatible materials. Store locked up. Keep container/package tightly closed and stored upright in a cool, well-ventilated place. Do not store above 49 C/120 F.

7.3 Specific end use(s)

- Drain opener.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	NIOSH	OSHA

Potassium hydroxide (1310-58-3)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	Not established
Sodium hydroxide (1310-73-2)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	Not established
	TWAs	Not established	Not established	Not established	Not established	2 mg/m3 TWA
Exposure Limits/Guidelines (Con't.)						
	Result	United Kingdom				
Potassium hydroxide (1310-58-3)	STELs	2 mg/m3 STEL				
Sodium hydroxide (1310-73-2)	STELs	2 mg/m3 STEL				

8.2 Exposure controls

Engineering

Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear chemical splash safety goggles.

Hands

- Wear protective gloves impervious to this material.

Skin/Body

- Wear protective clothing impervious to this material.

General Industrial

Hygiene Considerations

- Provide readily accessible eye wash stations & safety showers. Handle in accordance with good industrial hygiene and safety practice. Do not get in eyes or on skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Destroy contaminated leather articles. Launder or discard contaminated clothing.

Environmental

Exposure Controls

- Follow best practice for site management and disposal of waste. Avoid release to the environment.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear liquid with no odor.
Color	Clear	Odor	Odorless
Odor Threshold	Data not determined		
General Properties			
Boiling Point	Data not determined	Melting Point	Data not determined
Decomposition Temperature	Data not determined	pH	14
Specific Gravity/Relative Density	1.445 to 1.53 Water=1	Water Solubility	Miscible
Solvent Solubility	Data not determined	Viscosity	Data not determined
Explosive Properties	Data not determined	Oxidizing Properties:	Data not determined
Volatility			
Vapor Pressure	17.5 mmHg (torr)	Vapor Density	0.6 Air=1
Evaporation Rate	Data not determined		

Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Data not determined		
Environmental			
Octanol/Water Partition coefficient	Data not determined		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- Reacts with - Acids.

10.2 Chemical stability

- Stable

10.3 Possibility of hazardous reactions

- May react violently with: Acids. Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Incompatible materials.

10.5 Incompatible materials

- Acids. Strong oxidizing agents such as permanganates,chromates & peroxides.

10.6 Hazardous decomposition products

- Sodium Oxide & Hydroxide, Potassium Oxide & Hydroxide from heating.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data
Sodium hydroxide (34% TO 50%)	1310-73-2	Irritation: eye-rbt 1 mg/30S rinse SEV; skn-rbt 500 mg/24H SEV
Potassium hydroxide (1% TO 3%)	1310-58-3	Acute Toxicity: orl-rat LD50:273 mg/kg; Irritation: eye-rbt 1 mg/24H rinse MOD; skn-hmn 50 mg/24H SEV

GHS Properties	Classification
Acute toxicity	EU/CLP •Acute Toxicity - Oral - Classification criteria not met OSHA HCS 2012 •Acute Toxicity - Oral - Classification criteria not met
Aspiration Hazard	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
Carcinogenicity	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
Germ Cell Mutagenicity	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
Skin corrosion/Irritation	EU/CLP •Skin Corrosion 1A OSHA HCS 2012 •Skin Corrosion 1B
Skin sensitization	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
STOT-RE	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
STOT-SE	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
Toxicity for Reproduction	EU/CLP •Classification criteria not met

	OSHA HCS 2012 •Classification criteria not met
Respiratory sensitization	EU/CLP •Classification criteria not met OSHA HCS 2012 •Classification criteria not met
Serious eye damage/Irritation	EU/CLP •Serious Eye Damage 1 OSHA HCS 2012 •Serious Eye Damage 1

Route(s) of entry/exposure • Inhalation, Skin, Eye, Ingestion

Potential Health Effects

Inhalation

- Acute (Immediate)** • May cause corrosive burns - irreversible damage. May cause damage to upper respiratory tract and lung tissue. Can cause difficulty breathing, low blood pressure, dizziness, bluish skin color and lung congestion.
- Chronic (Delayed)** • Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

Skin

- Acute (Immediate)** • May cause severe skin burns and eye damage.
- Chronic (Delayed)** • Repeated or prolonged exposure to corrosive materials may cause dermatitis.

Eye

- Acute (Immediate)** • May cause serious eye damage including severe burns, redness, tearing, blurred vision and blindness.
- Chronic (Delayed)** • Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Ingestion

- Acute (Immediate)** • Harmful or fatal if swallowed. May cause irreversible damage to mucous membranes. May cause serious burns to the mouth, esophagus, stomach and other tissues.
- Chronic (Delayed)** • Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

Carcinogenic Effects

- The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP and IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Key to abbreviations

LD = Lethal Dose
MOD = Moderate
SEV = Severe
TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

Instant Power® Hair and Grease Drain Opener					
Dosage	Species	Duration	Results	Exposure Conditions	Comments
= 196 mg/L	Fish: NDA	96 Hour(s)	NDA	NDA	Sodium hydroxide
= 40.4 mg/L	Crustacea: NDA	48 Hour(s)	NDA	NDA	Sodium hydroxide

- WGK Classification = 1.

12.2 Persistence and degradability

- Not applicable.

12.3 Bioaccumulative potential

- The product has no potential for bioaccumulation.

12.4 Mobility in Soil

- Data not determined.

12.5 Results of PBT and vPvB assessment

- Not classified as PBT or vPvB.

12.6 Other adverse effects

- No information available.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN3266	Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Potassium Hydroxide)	8	II	NDA
TDG	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide, Potassium Hydroxide)	8	II	NDA
IMO/IMDG	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide, Potassium Hydroxide)	8	II	NDA
ADR/RID	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide, Potassium Hydroxide)	8	II	NDA
IATA/ICAO	UN3266	Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Potassium Hydroxide)	8	II	NDA

14.6 Special precautions for user • None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Not relevant.

14.8 Other information

DOT • According to 49 CFR 172.101 Appendix A Sodium Hydroxide has a reportable quantity of 1000lbs (454kg). According to 49 CFR 172.101 Appendix A Potassium Hydroxide has a reportable quantity of 1000lbs (454kg).

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

- Acute

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H301 - Toxic if swallowed
- R22 - Harmful if swallowed.

Last Revision Date

- 1/July/2020

Preparation Date

- 19/June/2013

Disclaimer/Statement of Liability

- The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. It is the responsibility of the end user to determine the applicability and use of this material prior to its use. Consult with your HSE officer prior to use of this or any other product. Always wear the proper PPE when handling chemicals

Key to abbreviations

NDA = No data available

SAFETY DATA SHEET

LYSOL® Advanced Power Clinging Gel Toilet Bowl Cleaner



HEALTH • HYGIENE • HOME

1. Product and company identification

Product name : LYSOL® Advanced Power Clinging Gel Toilet Bowl Cleaner**Distributed by** : Reckitt Benckiser LLC.
Morris Corporate Center IV
399 Interpace Parkway (P.O. Box 225)
Parsippany, New Jersey 07054-0225
+1 973 404 2600Reckitt Benckiser (Canada) Inc.
1680 Tech Avenue, Unit #2
Mississauga, Ontario L4W 5S9
CANADA
Telephone: +1 905 283 7000**Emergency telephone number (Medical)** : 1-800-338-6167**Emergency telephone number (Transport)** : 1-800-424-9300 (U.S. & Canada) CHEMTREC
Outside U.S. and Canada (North America), call Chemtrec:703-527-3887**Website:** : <http://www.rbnainfo.com>**Product use** : Toilet bowl cleaner Consumer use

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D0371904 v13.0**Formulation #** : 3071987 v1.0**EPA ID No.** : 777-104-675**DIN #** : 02392070

Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Toilet bowl cleaner Consumer use

D0371904 v13.0

2. Hazards identification

Classification of the substance or mixture : CORROSIVE TO METALS - Category 1
 ACUTE TOXICITY (oral) - Category 4
 ACUTE TOXICITY (dermal) - Category 4
 SKIN CORROSION - Category 1
 SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : May be corrosive to metals.
 Harmful if swallowed or in contact with skin.
 Causes severe skin burns and eye damage.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep only in original container. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Response : Absorb spillage to prevent material damage. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you feel unwell. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Storage : Store locked up. Store in a corrosion resistant container with a resistant inner liner.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : None known.

Hazards not otherwise classified : None known.

3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
Hydrochloric acid	10 - 30	7647-01-0
Amines, tallow alkyl, ethoxylated	1 - 5	61791-26-2
Alcohols, C12-16, ethoxylated	1 - 5	68551-12-2
Methyl salicylate	0.1 - 1	119-36-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

D0371904 v13.0

3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

- | | |
|---------------------|--|
| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

- | | |
|---------------------|--|
| Eye contact | : Causes serious eye damage. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Causes severe burns. Harmful in contact with skin. |
| Ingestion | : Harmful if swallowed. |

Over-exposure signs/symptoms

- | | |
|---------------------|--|
| Eye contact | : Adverse symptoms may include the following:
pain
watering
redness |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur |

D0371904 v13.0

4. First aid measures

Ingestion : Adverse symptoms may include the following:
stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : No specific fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
halogenated compounds

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

D0371904 v13.0

6. Accidental release measures

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name	Exposure limits
hydrochloric acid	ACGIH TLV (United States, 3/2018). C: 2 ppm OSHA PEL 1989 (United States, 3/1989). CEIL: 5 ppm CEIL: 7 mg/m ³ NIOSH REL (United States, 10/2016). CEIL: 5 ppm CEIL: 7 mg/m ³ OSHA PEL (United States, 5/2018). CEIL: 5 ppm CEIL: 7 mg/m ³

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

D0371904 v13.0

8. Exposure controls/personal protection

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection : Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

Appearance

Physical state : Liquid. [Viscous liquid.]

Color : Blue. [Dark]

Odor : Wintergreen

Odor threshold : Not available.

pH : <1

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: >93.3°C (>199.9°F)

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive (flammable) limits : Not available.

Vapor pressure : Not available.

Vapor density : Not available.

D0371904 v13.0

9. Physical and chemical properties

Relative density	: 1.025 to 1.045
Solubility	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Dynamic (room temperature): 90 to 300 mPa·s (90 to 300 cP)

Aerosol product

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
hydrochloric acid	LC50 Inhalation Gas.	Rabbit	4695 mg/l	30 minutes
	LD50 Dermal	Rat	5050 mg/kg	-
	LD50 Oral	Rat	700 mg/kg	-
Amines, tallow alkyl, ethoxylated	LD50 Dermal	Rat	>10 g/kg	-
	LD50 Oral	Rat	500 mg/kg	-
	LD50 Dermal	Rat	2000 mg/kg	-
LYSOL BRAND II COMPLETE CLEAN TOILET BOWL CLEANER WITH LIME AND RUST REMOVER _D0371904 (NA)	LD50 Oral	Rat	1350 mg/kg	-

Conclusion/Summary : Harmful if swallowed or in contact with skin. Information is based on toxicity test result of a similar product.

Irritation/Corrosion

D0371904 v13.0

11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
hydrochloric acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 milligrams 24 hours 4 Percent 100 milligrams 24 hours 100 microliters 24 hours 100 microliters 240 minutes	-
	Skin - Mild irritant	Human	-		-
Amines, tallow alkyl, ethoxylated	Eyes - Moderate irritant	Rabbit	-		-
	Eyes - Severe irritant	Rabbit	-		-
Alcohols, C12-16, ethoxylated	Eyes - Moderate irritant	Rabbit	-		-
LYSOL BRAND II COMPLETE CLEAN TOILET BOWL CLEANER WITH LIME AND RUST REMOVER_D0371904 (NA)	Skin - Visible necrosis	Rat	-		14 days
	Eyes - Cornea opacity	Rat	>3	-	-

Conclusion/Summary

Skin

: Corrosive to the skin. Causes burns. * Information is based on toxicity test result of a similar product.

Eyes

: Corrosive to eyes. Direct contact with the eyes can cause irreversible damage, including blindness. *Information is based on toxicity test result of a similar product.

Respiratory

: Based on available data, the classification criteria are not met.

Sensitization

Not available.

Conclusion/Summary

Skin

: Based on available data, the classification criteria are not met.

Respiratory

: Based on available data, the classification criteria are not met.

Mutagenicity

Not available.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Classification

Product/ingredient name	OSHA	IARC	NTP
hydrochloric acid	-	3	-

Reproductive toxicity

Not available.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

D0371904 v13.0

11. Toxicological information

Name	Category	Route of exposure	Target organs
hydrochloric acid	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.
Inhalation : No known significant effects or critical hazards.
Skin contact : Causes severe burns. Harmful in contact with skin.
Ingestion : Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 pain
 watering
 redness
Inhalation : No specific data.
Skin contact : Adverse symptoms may include the following:
 pain or irritation
 redness
 blistering may occur
Ingestion : Adverse symptoms may include the following:
 stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.
General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.

D0371904 v13.0

11. Toxicological information

Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Professional Lysol Brand Kills 99.9% of Viruses & Bacteria Advanced Deep Cleaning_FF0371900_D0371904 (US)	1350	2000	N/A	N/A	N/A
hydrochloric acid	700	5050	N/A	N/A	N/A
Amines, tallow alkyl, ethoxylated	500	N/A	N/A	N/A	N/A
Alcohols, C12-16, ethoxylated	500	N/A	N/A	N/A	N/A

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
hydrochloric acid	Acute LC50 240000 µg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
Amines, tallow alkyl, ethoxylated	Acute LC50 282 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
	Acute LC50 2.6 µg/l Fresh water	Crustaceans - Thamnocephalus platyurus - Nauplii	48 hours
	Acute LC50 2350 µg/l Fresh water	Daphnia - Daphnia pulex	48 hours
	Acute LC50 650 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
hydrochloric acid	0.25	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

D0371904 v13.0

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA
UN number	UN1760	UN1760	UN1760	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid; Amines, tallow alkyl, ethoxylated)	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid; Amines, tallow alkyl, ethoxylated)	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid; Amines, tallow alkyl, ethoxylated)	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid; Amines, tallow alkyl, ethoxylated)
Transport hazard class(es)	8 	8 	8 	8 
Packing group	II	II	II	II
Environmental hazards	No.	No	No.	No

Additional information

DOT Classification : **Limited quantity**

TDG Classification : **Limited quantity**

IMDG : **Limited quantity**

IATA : **See DG List**

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

D0371904 v13.0

15. Regulatory information

U.S. Federal regulations : Clean Water Act (CWA) 311: Hydrochloric acid

Clean Air Act (CAA) 112 regulated toxic substances: Hydrochloric acid

Clean Air Act Section 112 : Listed
(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Listed
(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
hydrochloric acid	10 - 30	Yes.	500	59940.1	5000	599400.8

SARA 304 RQ : 41666.7 lbs / 18916.7 kg [4828.3 gal / 18277 L]

SARA 311/312

Classification : CORROSIVE TO METALS - Category 1
ACUTE TOXICITY (oral) - Category 4
ACUTE TOXICITY (dermal) - Category 4
SKIN CORROSION - Category 1
SERIOUS EYE DAMAGE - Category 1

Composition/information on ingredients

Name	%	Classification
hydrochloric acid	10 - 30	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
Amines, tallow alkyl, ethoxylated	1 - 5	ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2A
Alcohols, C12-16, ethoxylated	1 - 5	ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1
Methyl salicylate	0.1 - 1	ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2A

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Hydrochloric acid	7647-01-0	10 - 30
Supplier notification	Hydrochloric acid	7647-01-0	10 - 30

D0371904 v13.0

15. Regulatory information

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

- Massachusetts** : The following components are listed: HYDROGEN CHLORIDE; HYDROCHLORIC ACID
- New York** : The following components are listed: Hydrochloric acid
- New Jersey** : The following components are listed: HYDROGEN CHLORIDE; HYDROCHLORIC ACID
- Pennsylvania** : The following components are listed: HYDROCHLORIC ACID
- California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

Label elements

CCCR

- Signal word** : DANGER
- Hazard statements** : CORROSIVE TO EYES AND SKIN.
HARMFUL OR FATAL IF SWALLOWED.

- Precautionary measures** :
KEEP OUT OF REACH OF CHILDREN
Avoid contact with eyes, skin or clothing. DO NOT breathe vapour. DO NOT mix with bleach or other chlorinating compounds. This product should not be used or placed on toilet lids, vanities, sinks, bathtubs, cabinets, countertops, rugs, floors etc.

EPA

- Signal word:** : DANGER
- Hazard statements** : CORROSIVE.
Causes irreversible eye damage and skin burns.
Harmful if swallowed.

- Special Inert substance.** : No known significant effects or critical hazards.
- Precautionary measures** : KEEP OUT OF REACH OF THE CHILDREN.
Do not get in eyes, on skin or on clothing. Wear protective eyewear [safety glasses/goggles], protective gloves and protective clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Do not breathe vapor or fumes.

- Skin sensitizer** : No known significant effects or critical hazards.

Additional information / Recommendations

- Additional information** : Not applicable
- Recommendations** : No known significant effects or critical hazards.

D0371904 v13.0

16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	3
Flammability		0
Physical hazards		1

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability Not applicable

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations

- : ATE = Acute Toxicity Estimate
- : BCF = Bioconcentration Factor
- : GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- : IATA = International Air Transport Association
- : IBC = Intermediate Bulk Container
- : IMDG = International Maritime Dangerous Goods
- : LogPow = logarithm of the octanol/water partition coefficient
- : MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- : UN = United Nations

Date of issue : 8/20/2020

Date of previous issue : 29/04/2020

Version : 13

Prepared by : Reckitt Benckiser LLC.
Product Safety Department
1 Philips Parkway
Montvale, New Jersey 07646-1810 USA.
FAX: 201-476-7770

D0371904 v13.0

16. Other information

Revision comments : Updated section 3, & 15.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

SAFETY DATA SHEET



HEALTH • HYGIENE • HOME

Professional Lysol® Brand III Kills 99.9% of Viruses & Bacteria** Disinfectant Spray,
All Scents

1. Product and company identification

- Product name** : Professional Lysol® Brand III Kills 99.9% of Viruses & Bacteria** Disinfectant Spray, All Scents
- Distributed by** : Reckitt Benckiser LLC.
Morris Corporate Center IV
399 Interpace Parkway (P.O. Box 225)
Parsippany, New Jersey 07054-0225
+1 973 404 2600
- Emergency telephone number (Medical)** : 1-800-338-6167
- Emergency telephone number (Transport)** : 1-800-424-9300 (U.S. & Canada) CHEMTREC
Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
- Website:** : <http://www.rbnainfo.com>

Product use : Disinfectant.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

- SDS #** : D0224478 v5.0
- Formulation #:** : 1338-022 (0175933) Original
1544-106 (0175940) Fresh
1338-019 (0175919) Country
1178-172 (0175917) Crisp Linen / Crystal Waters
1338-015 (0175918) Spring Waterfall
1338-026 (0175929) Early Morning Breeze / Lavender
- EPA ID No.** : 777-99-675
- UPC Code / Sizes** : 19 oz. Aerosol Cans
Original Scent, 36241-04650
Fresh, 36241-04675
Country Scent®, 36241-74276
Crisp Linen®, 36241-74828
Spring Waterfall®, 36241-76075
Crystal Waters, 36241-84044
Early Morning Breeze, 36241-81737
Lavender, 36241-89097

D0224478 v5.0

2. Hazards identification

Classification of the substance or mixture : FLAMMABLE AEROSOLS - Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : Flammable aerosol.
Pressurized container: may burst if heated.

Precautionary statements

General : Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Response : Not applicable.

Storage : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Disposal : Not applicable.

Supplemental label elements : None known.

Hazards not otherwise classified : None known.

3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
Ethyl alcohol	30 - 60	64-17-5
butane	1 - 5	106-97-8
propane	< 2.5	74-98-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

4. First aid measures

- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : May cause eye irritation upon direct contact with eyes.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
irritation
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

D0224478 v5.0

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

D0224478 v5.0

6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

- Conditions for safe storage, including any incompatibilities** : Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name	Exposure limits
Ethyl alcohol	ACGIH TLV (United States, 6/2013). STEL: 1000 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 1000 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours.
butane	OSHA PEL 1989 (United States, 3/1989). TWA: 800 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 800 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. ACGIH TLV (United States, 6/2013). STEL: 1000 ppm 15 minutes.

D0224478 v5.0

8. Exposure controls/personal protection

propane

OSHA PEL 1989 (United States, 3/1989).

TWA: 1000 ppm 8 hours.

TWA: 1800 mg/m³ 8 hours.**NIOSH REL (United States, 10/2013).**

TWA: 1000 ppm 10 hours.

TWA: 1800 mg/m³ 10 hours.**OSHA PEL (United States, 2/2013).**

TWA: 1000 ppm 8 hours.

TWA: 1800 mg/m³ 8 hours.

Appropriate engineering controls

- : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection

- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

- : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

D0224478 v5.0

9. Physical and chemical properties

Appearance

Physical state : Liquid. [Aerosol.]

Color : Clear.

Odor : Characteristic.

Odor threshold : Not available.

pH : 10.8 to 11.8 [Conc. (% w/w): 100%]

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: 25.6°C (78.1°F)

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive (flammable) limits : Not available.

Vapor pressure : Not available.

Vapor density : Not available.

Relative density : 0.8667 to 0.8967 g/cm³ [20 to 25°C]

Solubility : Easily soluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/water : Not available.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Not available.

Aerosol product

Type of aerosol : Spray

Heat of combustion : 17.99 kJ/g

Ignition distance : <45.72 cm

10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid all possible sources of ignition (spark or flame).

Incompatible materials : Do not mix with household chemicals.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

D0224478 v5.0

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethyl alcohol	LC50 Inhalation Vapor	Rat	124700 mg/m ³	4 hours
*Professional Lysol® Disinfectant Spray, All Scents (Aerosol)	LD50 Oral	Rat	7 g/kg	-
	LC50 Inhalation Vapor	Rat	>2.12 mg/l	4 hours
				Maximum attainable concentration

Conclusion/Summary : Not classified Harmful. *Information is based on toxicity test result of the concentrate of a similar product.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethyl alcohol	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
*Professional Lysol® Disinfectant Spray, All Scents (Aerosol)	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Eyes - Severe irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Eyes - Cornea opacity	Rabbit	< 1	72 hours	4 days
	Skin - Primary dermal irritation index (PDII)	Rabbit	0.3	4 hours	72 hours

Conclusion/Summary

Skin : Slightly irritating to the skin. *Information is based on toxicity test result of the concentrate of a similar product.

Eyes : Moderately irritating to eyes. *Information is based on toxicity test result of the concentrate of a similar product.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Ethyl alcohol	-	1	-

Reproductive toxicity

D0224478 v5.0

11. Toxicological information

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : May cause eye irritation upon direct contact with eyes.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 irritation
 redness
Inhalation : Adverse symptoms may include the following:
 respiratory tract irritation
 coughing
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.

D0224478 v5.0

11. Toxicological information

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Ethyl alcohol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 0.375 ul/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Ethyl alcohol	-0.35	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

D0224478 v5.0

13. Disposal considerations

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1950	Aerosols, flammable	2.1	-		Limited quantity
TDG Classification	UN1950	Aerosols, flammable	2.1	-		Limited quantity
Mexico Classification	UN1950	AEROSOL	2.1	-		Limited quantity
IMDG Class	UN1950	Aerosols, flammable	2.1	-		Limited quantity
IATA-DGR Class	UN1950	Aerosols, flammable	2.1	-		See DG List

PG* : Packing group

15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: 2-methylpropan-2-ol
 TSCA 8(a) CDR Exempt/Partial exemption: Not determined
 United States inventory (TSCA 8b): All components are listed or exempted.
 Clean Water Act (CWA) 311: ammonia
 Clean Air Act (CAA) 112 regulated flammable substances: butane; propane

Clean Air Act Section 112 : Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

D0224478 v5.0

15. Regulatory information

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Fire hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Ethyl alcohol	30 - 60	Yes.	No.	No.	Yes.	No.

State regulations

Massachusetts : The following components are listed: ETHYL ALCOHOL; BUTANE; PROPANE

New York : None of the components are listed.

New Jersey : The following components are listed: ETHYL ALCOHOL; ALCOHOL; BUTANE; PROPANE

Pennsylvania : The following components are listed: DENATURED ALCOHOL; BUTANE; PROPANE

Label elements

Signal word: : CAUTION

Hazard statements : Causes moderate eye irritation

Precautionary measures : Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Wash with soap and water.

Keep out of the reach of children.

CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F. Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Hazard statements :



Flammable

16. Other information

Hazardous Material :
Information System (U.S.A.)

Health	1
Flammability	3
Physical hazards	0
Personal protection	B

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Code # : D0224478_US
Professional

SDS # : D0224478 v5.0

Date of issue : 26/06/2015.

12/14

D0224478 v5.0

16. Other information

National Fire Protection :
Association (U.S.A.)



NFPA (30B) aerosol Flammability Level 1

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations :

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- UN = United Nations

Date of issue : 26/06/2015.

Date of previous issue : 09/04/2015.

Version : 5

Prepared by : Reckitt Benckiser LLC.
Product Safety Department
1 Philips Parkway
Montvale, New Jersey 07646-1810 USA.
FAX: 201-476-7770

Revision comments : Revision as per US GHS. Correction to NFPA 30B level.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

D0224478 v5.0

16. Other information



RB is a member of the CSPA Product Care Product Stewardship Program.



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

Product code : 200000024148

: B02935070001

Manufacturer or supplier's details

Company : Colgate-Palmolive Co
300 Park Avenue
New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Medical Emergency (24HR): For MEDICAL EMERGENCIES involving this product call: (888) 489-3861

Recommended use of the chemical and restrictions on use

Recommended use : Personal care
A formulated liquid hand soap

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	orange

GHS Classification

Skin irritation : Category 2

Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

- Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.
- Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Potential Health Effects

- Inhalation : No adverse effects due to inhalation are expected.
- Skin : Prolonged or repeated skin contact may cause irritation.
- Eyes : Causes eye irritation on direct contact.
- Ingestion : May be harmful if swallowed in large quantities.
- Aggravated Medical Condition : None known.

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
C14-16 ALCOHOL SODIUM SULFONATE	68439-57-6	>= 5 - < 10

SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

LAURAMIDE DEA	120-40-1	>= 1 - < 5
SODIUM CHLORIDE	7647-14-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

- If inhaled : Remove victim to fresh air. Get medical attention, if symptoms persist.
- In case of skin contact : Flush skin with large amounts of water. If irritation develops and persists, get medical attention.
- In case of eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.
- If swallowed : Drink 8 ounces of clear water. Get medical attention.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye damage.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Hazardous combustion products : No hazardous combustion products are known
- Special protective equipment for firefighters : Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protection recommended in Section 8 of the SDS.
- Methods and materials for containment and cleaning up : Cover with inert, absorbent material and remove to disposal container. Spill area may be slippery. Flush with plenty of water.

SECTION 7. HANDLING AND STORAGE

- Conditions for safe storage : Store at controlled room temperature at 20-25°C (68-77°F).



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : In an industrial work environment, no special precautions or control measures are required.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : In an industrial work environment, if a splash is likely, chemical goggles may be needed. Prolonged skin contact may require protective gloves. For consumer use, no unusual precautions are necessary.

Hygiene measures : In an industrial work environment, avoid eye and prolonged skin contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : orange
pH : 6.7
Flash point : > 200 °F
Density : 1.03 g/cm³

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : Hazardous polymerisation does not occur.
Incompatible materials : Strong oxidizing agents
Hazardous decomposition products : None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:

C14-16 ALCOHOL SODIUM SULFONATE:

Acute oral toxicity : LD50 (Rat): 1,690 - 3,270 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 6,300 mg/kg
Method: OECD Test Guideline 402

LAURAMIDE DEA:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: No information available.

SODIUM CHLORIDE:

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 42,000 mg/l
Exposure time: 1 h
Test atmosphere: No information available.
Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg
Method: No information available.

Skin corrosion/irritation

Causes skin irritation.

Components:

C14-16 ALCOHOL SODIUM SULFONATE:

Result: Severe skin irritation

LAURAMIDE DEA:

Result: Severe skin irritation

SODIUM CHLORIDE:

Result: No skin irritation



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

C14-16 ALCOHOL SODIUM SULFONATE:

Result: Irritation to eyes, reversing within 21 days

LAURAMIDE DEA:

Result: Irreversible effects on the eye

SODIUM CHLORIDE:

Result: Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

C14-16 ALCOHOL SODIUM SULFONATE:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

LAURAMIDE DEA:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

SODIUM CHLORIDE:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental, Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable) or testing conducted on the final product (i.e., This product is biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environment agency for specific rules). Do not dump in sewers, any body of water or on the ground.

SECTION 14. TRANSPORT INFORMATION

DOT : Not regulated.

TDG : Not regulated.

IATA : Not regulated.

IMDG : Not regulated.

ADR :

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

National Regulations

SECTION 15. REGULATORY INFORMATION

TSCA list : Not relevant
Not relevant

OSHA Hazards : Harmful by ingestion., Severe skin irritant, Moderate eye irritant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
FORMALDEHYDE	50-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
FORMALDEHYDE	50-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 景 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
册
乾

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

LAURAMIDE DEA 120-40-1

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

FORMALDEHYDE 50-00-0

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

FORMALDEHYDE 50-00-0



SOFTSOAP LIQUID HAND SOAP CLEAN PROTECTION

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 0.0

SDS Number: 660000000115

Revision Date: 00/00/0000

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

FORMALDEHYDE

50-00-0

Pennsylvania Right To Know

WATER

Water

C14-16 ALCOHOL SODIUM SULFONATE

68439-57-6

LAURAMIDE DEA

120-40-1

New Jersey Right To Know

WATER

Water

C14-16 ALCOHOL SODIUM SULFONATE

68439-57-6

LAURAMIDE DEA

120-40-1

SODIUM CHLORIDE

7647-14-5


California Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Disclaimer: The information on this sheet is limited to the material identified and is believed by the Colgate-Palmolive Company to be correct based on its knowledge and information as of the date noted. Colgate makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.



SAFETY DATA SHEET

Squeegee Off Concentrate

Page: 1
Printed: 09/30/2015
Revision: 09/30/2015
Supersedes Revision: 05/18/2015

1. Product and Company Identification

Product Code: #30116
Product Name: Squeegee Off Concentrate
Company Name: Ettore Products Company
2100 North Loop Rd.
Alameda, CA 94502
Phone Number: (510)748-4130
Web site address: www.ettore.com
Emergency Contact: Domestic & Canada (800)535-5053
International (352)323-3500
Additional Information: #30116L, #30130

2. Hazards Identification

Acute Toxicity: Oral, Category 5

Serious Eye Damage/Eye Irritation, Category 2B

GHS Signal Word: Warning

GHS Hazard Phrases: May be harmful if swallowed.
Causes eye irritation.

GHS Precaution Phrases: Wash hands thoroughly after handling.
Keep out of reach of children.

GHS Response Phrases: Call a POISON CENTER/doctor/... if you feel unwell.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal Phrases: Store in cool dry place at room temperature away from direct sunlight.
Dispose of contents and container according to the local, city, state and federal regulations.

**Potential Health Effects
(Acute and Chronic):**

Inhalation: Not expected to be a problem.
Skin Contact: Not expected to be a problem.
Eye Contact: Contact may cause eye irritation.
Ingestion: Ingestion may cause headache, nausea, and vomiting.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	Proprietary
68439-46-3	Alcohol ethoxylate	Proprietary



SAFETY DATA SHEET

Squeegee Off Concentrate

Page: 2
Printed: 09/30/2015
Revision: 09/30/2015
Supersedes Revision: 05/18/2015

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Not expected to be a problem.

In Case of Skin Contact: Flush with water for 15 minutes. If irritation persists, call a physician.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes.

In Case of Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical attention immediately.

5. Fire Fighting Measures

Flash Pt: 230.00 F

Explosive Limits: LEL: N/A UEL: N/A

Autoignition Pt: NE

Suitable Extinguishing Media: Water spray, fog or regular foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and Hazards: No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Safety glasses. Protective gloves. Respiratory protection is not required.

Environmental Precautions: Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Avoid release to the environment.

Steps To Be Taken In Case Material Is Released Or Spilled: Avoid runoff into storm sewers and ditches which lead to waterways. Dike for later disposal and cover with wet sand or earth. Absorb on sand or vermiculite and place in closed containers for disposal.

7. Handling and Storage

Precautions To Be Taken in Handling: Avoid contact with skin and eyes. Wash hands before eating.

Precautions To Be Taken in Storing: Store in cool dry place at room temperature away from direct sunlight.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate	No data.	No data.	No data.



SAFETY DATA SHEET

Squeegee Off Concentrate

Page: 3

Printed: 09/30/2015

Revision: 09/30/2015

Supersedes Revision: 05/18/2015

Respiratory Equipment (Specify Type): Respiratory protection is not required.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: None.

Engineering Controls (Ventilation etc.): No special ventilation requirements.

9. Physical and Chemical Properties

Physical States: ☐ Gas ☒ Liquid ☐ Solid

Appearance and Odor: Blue Color Liquid with Citrus and Alcohol Fragrance.

Melting Point: NE

Boiling Point: > 212.00 F

Decomposition Temperature: NE

Autoignition Pt: NE

Flash Pt: 230.00 F

Explosive Limits: LEL: N/A UEL: N/A

Specific Gravity (Water = 1): 1.020

Density: 8.5 LB/GA

Vapor Pressure (vs. Air or mm Hg): NE

Vapor Density (vs. Air = 1): NE

Evaporation Rate: NE

Solubility in Water: 100%

Saturated Vapor Concentration: NE

Viscosity: NP

pH: 7 - 10

Percent Volatile: No data.

VOC / Volume: 0.0000 G/L

10. Stability and Reactivity

Stability: Unstable ☐ Stable ☒

Conditions To Avoid - Instability: None.

Incompatibility - Materials To Avoid: Strong oxidizing agents.

Hazardous Decomposition Or Byproducts: Carbon monoxide, Carbon dioxide.

Possibility of Hazardous Reactions: Will occur ☐ Will not occur ☒

Conditions To Avoid - Hazardous Reactions: None.



SAFETY DATA SHEET

Squeegee Off Concentrate

Page: 4
Printed: 09/30/2015
Revision: 09/30/2015
Supersedes Revision: 05/18/2015

11. Toxicological Information

Toxicological Information: No data available.
CAS# 68439-46-3:
Carcinogenicity: Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.
Results:
Vascular: Measurement of regional blood flow.
Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels:
Dehydrogenases.
Biochemical: Metabolism (Intermediary): Lipids including transport.
- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,
Vol/p/yr: 10(4), 427, 1991
NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Results of PBT and vPvB assessment: No data available.
CAS# 68439-46-3:
LC50, Fathead Minnow (Pimephales promelas), 11000. UG/L, 96 H, Mortality, Water temperature: 22.00 C C.
Results:
Morphological changes.
- Acute Toxicity and Structure-Activity Relationships of Nine Alcohol Ethoxylate Surfactants to Fathead Minnow and Daphnia magna, Wong, D.C.L., P.B. Dorn, and E.Y. Chai, 1997

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No	No	No
68439-46-3	Alcohol ethoxylate	No	No	No



SAFETY DATA SHEET

Squeegee Off Concentrate

Page: 5
Printed: 09/30/2015
Revision: 09/30/2015
Supersedes Revision: 05/18/2015


CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	CA PROP.65: No; CA TAC, Title 8: No
68439-46-3	Alcohol ethoxylate	CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Hazard Rating System:

HEALTH		0
FLAMMABILITY		0
PHYSICAL		0
PPE		B

HMIS:



Revision Date: 09/30/2015

Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Stainless Steel Wipes- 92, 92A, 50WM, 50WMA, 653

Revision Date: 07-Jan-2020

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Stainless Steel Wipes

Product Code: 92, 92A, 50WM, 50WMA, 653

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Cleaning wipes

Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: Weiman Products
755 Tri-State Parkway
Gurnee, IL 60031
847-263-3500

Emergency Phone Number

24-Hour Number: 1-800-535-5053

International: 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Hazard Class	Category
Eye irritation	2A

Label Elements

Hazard Symbols(s):



Signal Word(s): Warning

Hazard Statement(s): Cause serious eye irritation.

Precautionary Statement(s): Wash hands thoroughly after handling. Wear eye protection/face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Other Hazards

2% of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	34398-01-1	1-2
Alcohols, C12-15, ethoxylated	68131-39-5	0.5-1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: Not a normal route of exposure. If symptoms develop, remove to fresh air. Get medical attention if condition worsens.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.

Ingestion: May result in obstruction and irritation if ingested. If large amounts of liquid are swallowed see medical attention immediately.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Stainless Steel Wipes- 92, 92A, 50WM, 50WMA, 653

Revision Date: 07-Jan-2020

Skin: If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory tract irritation.

Eye Contact: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea, or vomiting.

Skin: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing Media

Suitable: Treat for surrounding material.

Unsuitable: None known.

Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Pick up large pieces, then lace in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Avoid contact with eyes. Avoid breathing vapor. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep out of the reach of children. Keep container tightly closed.

Incompatible Materials: None known.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1)	Not available	Not available	Not available
Alcohols, C12-15, ethoxylated (68131-36-5)	Not available	Not available	Not available

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Stainless Steel Wipes- 92, 92A, 50WM, 50WMA, 653

Revision Date: 07-Jan-2020

Individual Protection Measures

Respiratory Protection: None necessary under normal conditions of use.

Skin and Body Protection: None necessary under normal conditions of use.

Eye/Face Protection: Wear eye protection.

General Work/Hygienic Practices: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White wipes saturated with liquid

Odor: Fresh

Odor threshold: Not determined

pH: 7.5

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: > 93.3 °C (200 °F) TCC (liquid)

Evaporation rate: Not determined

Flammability (solid, gas): Not flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Relative density: 0.85

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials.

Incompatible materials: None known.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: N/A IARC: N/A OSHA: N/A

Numerical Measures of Toxicity

Product

SAFETY DATA SHEET

Conforms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Stainless Steel Wipes- 92, 92A, 50WM, 50WMA, 653

Revision Date: 07-Jan-2020

ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	Not available

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1)	Not available	Not available	Not available
Alcohols, C12-15, ethoxylated (68131-36-5)	>5000 mg/kg (rat)	2500 mg/kg (rabbit)	Not available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established

Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

DOT (Ground): Not regulated

IATA (Air): Not regulated

IMDG (Vessel): Not regulated

SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

SECTION 16 – OTHER INFORMATION

Issue Date: 09-Feb-2015

Revision Date: 07-Jan-2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EXHIBITS