```
{
"name": "time-productivity-tool",
"private": true,
"version": "1.0.0",
"type": "module",
"scripts": {
"dev": "vite",
"build": "vite build",
"preview": "vite preview"
},
"dependencies": {
"react": "^18.3.1",
"react-dom": "^18.3.1",
"lucide-react": "^0.460.0"
},
"devDependencies": {
"@vitejs/plugin-react": "^4.3.4",
"autoprefixer": "^10.4.20",
"postcss": "^8.4.49",
"tailwindcss": "^3.4.16",
"vite": "^6.0.3"
}
}
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'
export default defineConfig({
plugins: [react()],
}
/** @type {import('tailwindcss').Config} */
export default {
content: [
"./index.html",
```

```
"./src/**/*.{js,ts,jsx,tsx}",
],
theme: {
extend: {},
},
plugins: [],
}
export default {
plugins: {
tailwindcss: {},
autoprefixer: {},
},
}
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<link rel="icon" type="image/svg+xml" href="/vite.svg" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>ProFlow — Time & Productivity</title>
</head>
<body class="bg-slate-50 text-slate-900 antialiased">
<div id="root"></div>
<script type="module" src="/src/main.jsx"></script>
</body>
</html>
@tailwind base;
@tailwind components;
@tailwind utilities;
@layer base {
* {
@apply border-slate-200;
}
body {
@apply bg-slate-50 text-slate-800;
}
```

```
}

@layer utilities {

.scrollbar-thin::-webkit-scrollbar {

width: 6px;

}

.scrollbar-thin::-webkit-scrollbar-track {

@apply bg-transparent;

}

.scrollbar-thin::-webkit-scrollbar-thumb {

@apply bg-slate-300 rounded-full;

}

}

import React from 'react'

import ReactDOM from 'react-dom/client'

import App from './App.jsx'

import './index.css'

ReactDOM.createRoot(document.getElementById('root')).render(

<React.StrictMode>

<App />

</React.StrictMode>,

)

import { useState } from 'react'

import { CheckCircle, X } from 'lucide-react'

export default function Toast({ message, onClose }) {

if (!message) return null

return (

<div className="fixed bottom-6 right-6 z-50 animate-slide-up">

<div className="flex items-center gap-3 bg-white border border-green-200 shadow-lg shadow-green-100/50 rounded-xl px-5 py-4 min-w-[300px]">

<div className="flex-shrink-0 w-8 h-8 bg-green-100 rounded-full flex items-center justify-center">

<CheckCircle className="w-5 h-5 text-green-600" />

</div>

<p className="text-sm font-medium text-slate-700 flex-1">{message}</p>

<button

onClick={onClose}

className="flex-shrink-0 text-slate-400 hover:text-slate-600 transition-colors"

>
```

```
<X className="w-4 h-4" />
</button>
</div>
<style>{`
@keyframes slide-up {
from { opacity: 0; transform: translateY(16px); }
to { opacity: 1; transform: translateY(0); }
}
.animate-slide-up {
animation: slide-up 0.3s ease-out;
}
import {
LayoutDashboard,
Settings,
Plug,
BarChart3,
Clock,
Brain,
Sparkles,
ChevronLeft,
ChevronRight,
X,
} from 'lucide-react'
const navItems = [
{ id: 'tracker', label: 'Time Tracker', icon: Clock },
{ id: 'insights', label: 'My Insights', icon: Brain },
{ id: 'suggestions', label: 'Suggestions', icon: Sparkles },
{ id: 'analytics', label: 'Analytics', icon: BarChart3 },
{ id: 'settings', label: 'Settings', icon: Settings },
{ id: 'integrations', label: 'Integrations', icon: Plug },
]
export default function Sidebar({ activeSection, onSectionChange, collapsed, onToggleCollapse, mobileOpen, onMobileClose }) {
return (
<>
{/* Mobile overlay */}
{mobileOpen && (
```

```
<div
className="fixed inset-0 bg-black/30 backdrop-blur-sm z-40 lg:hidden"
onClick={onMobileClose}
/>
)}
<aside
className={`
fixed top-0 left-0 h-full bg-white border-r border-slate-200 z-50
${isActive
? 'bg-indigo-50 text-indigo-700 shadow-sm'
: 'text-slate-600 hover:bg-slate-50 hover:text-slate-900'
}
${collapsed ? 'justify-center' : ''}
`}
title={collapsed ? item.label : undefined}
>
<Icon className={`w-5 h-5 flex-shrink-0 ${isActive ? 'text-indigo-600' : 'text-slate-400'}`} />
{!collapsed && <span>{item.label}</span>}
</button>
)
})}
</nav>
{/* Collapse toggle (desktop only) */}
<div className="hidden lg:block border-t border-slate-100 p-3">
<button
onClick={onToggleCollapse}
className="w-full flex items-center justify-center gap-2 px-3 py-2 rounded-lg text-sm text-slate-500 hover:bg-slate-50 hover:text-slate-700 transition-colors"
>
{collapsed ? <ChevronRight className="w-4 h-4" /> : <ChevronLeft className="w-4 h-4" />}
{!collapsed && <span>Collapse</span>}
</button>
</div>
</aside>
</>
)
}
```

```
import { useState, useEffect, useRef } from 'react'
import { Menu, Bell, User, Mail, Phone, Camera, LogOut, Check } from 'lucide-react'
import Sidebar from './components/Sidebar.jsx'
import Toast from './components/Toast.jsx'
import Login from './components/Login.jsx'
// Components
import ProductivitySettings from './components/admin/ProductivitySettings.jsx'
import IntegrationStatus from './components/admin/IntegrationStatus.jsx'
import ProductivityAnalytics from './components/admin/ProductivityAnalytics.jsx'
import TimeTracker from './components/user/TimeTracker.jsx'
import PersonalInsights from './components/user/PersonalInsights.jsx'
import ImprovementSuggestions from './components/user/ImprovementSuggestions.jsx'
export default function App() {
const [isLoggedIn, setIsLoggedIn] = useState(false)
const [activeSection, setActiveSection] = useState('tracker')
const [sidebarCollapsed, setSidebarCollapsed] = useState(false)
const [mobileMenuOpen, setMobileMenuOpen] = useState(false)
const [toastMessage, setToastMessage] = useState('')
// Dropdown states
const [showNotifications, setShowNotifications] = useState(false)
const [showProfile, setShowProfile] = useState(false)
// Profile state mock
const [profilePhoto, setProfilePhoto] = useState(null)
const fileInputRef = useRef(null)
</div>
</div>
<div className="border-t border-slate-100 pt-2">
<button
onClick={handleLogout}
className="w-full flex items-center gap-3 px-3 py-2 text-sm font-medium text-red-600 hover:bg-red-50 rounded-lg transition-colors"
>
<LogOut className="w-4 h-4" />
Sign Out
</button>
</div>
</div>
```

```
</div>
)}
</div>
</div>
</header>
<main className="flex-1 overflow-y-auto p-4 lg:p-8">
<div className="max-w-6xl mx-auto">
{renderContent()}
</div>
</main>
</div>
<Toast message={toastMessage} onClose={() => setToastMessage('')} />
</div>
)
}
import React, { useState } from 'react';
import { LayoutDashboard, Lock, Mail, ArrowRight } from 'lucide-react';
export default function Login({ onLogin }) {
const [email, setEmail] = useState('');
const [password, setPassword] = useState('');
const handleSubmit = (e) => {
e.preventDefault();
if (email && password) {
onLogin();
}
};
return (
<div className="min-h-screen bg-slate-50 flex flex-col justify-center py-12 sm:px-6 lg:px-8">
<div className="sm:mx-auto sm:w-full sm:max-w-md">
<div className="flex justify-center">
<div className="w-12 h-12 bg-indigo-600 rounded-xl flex items-center justify-center shadow-sm">
<LayoutDashboard className="w-6 h-6 text-white" />
</div>
</div>
<h2 className="mt-6 text-center text-3xl font-extrabold text-slate-900">
Sign in to ProFlow
```

```
</h2>

id="remember-me"

name="remember-me"

type="checkbox"

className="h-4 w-4 text-indigo-600 focus:ring-indigo-500 border-slate-300 rounded cursor-pointer"

/>

<label htmlFor="remember-me" className="ml-2 block text-sm text-slate-700 cursor-pointer">

Remember me

</label>

</div>

<div className="text-sm">

<a href="#" className="font-medium text-indigo-600 hover:text-indigo-500">

Forgot your password?

</a>

</div>

</div>

<div>

<button

type="submit"

className="w-full flex justify-center items-center gap-2 py-2.5 px-4 border border-transparent rounded-lg shadow-sm text-sm font-medium text-white bg-indigo-600 hover:bg-indigo-700 focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-indigo-500 transition-colors"

>

Sign in

<ArrowRight className="w-4 h-4" />

</button>

</div>

</form>

</div>

</div>

</div>

);

}

}

import React from 'react';

import { BarChart3, Lightbulb, Zap } from 'lucide-react';

import React, { useState } from 'react';
```

```
import { BarChart3, Lightbulb, Zap, ChevronDown } from 'lucide-react';

const mockData = {
'this-week': {
score: 78,
trend: '+2% this week',
distribution: [
{ label: 'Deep Work', value: 35, color: 'bg-indigo-600' },
{ label: 'Meetings', value: 25, color: 'bg-indigo-400' },
{ label: 'Admin Tasks', value: 15, color: 'bg-slate-600' },
{ label: 'Communication', value: 15, color: 'bg-slate-400' },
{ label: 'Breaks', value: 10, color: 'bg-slate-300' },
],
daily: [
{ day: 'Mon', height: '55%' },
{ day: 'Tue', height: '60%' },
{ day: 'Wed', height: '62%' },
{ day: 'Thu', height: '70%' },
{ day: 'Fri', height: '65%' },
{ day: 'Sat', height: '20%' },
{ day: 'Sun', height: '10%' },
]
},
'this-month': {
score: 82,
trend: '+5% this month',
distribution: [
{ label: 'Deep Work', value: 45, color: 'bg-indigo-600' },
{ label: 'Meetings', value: 20, color: 'bg-indigo-400' },
{ label: 'Admin Tasks', value: 10, color: 'bg-slate-600' },
{ label: 'Communication', value: 15, color: 'bg-slate-400' },
{ label: 'Breaks', value: 10, color: 'bg-slate-300' },
],
daily: [
{ day: 'W1', height: '75%' },
{ day: 'W2', height: '80%' },
{ day: 'W3', height: '85%' },
```

```
{ day: 'W4', height: '90%' },
{ day: 'W5', height: '0%' },
{ day: 'W6', height: '0%' },
{ day: 'W7', height: '0%' },
]
}
};
const ProductivityAnalytics = () => {
const [timeframe, setTimeframe] = useState('this-week');
const currentData = mockData[timeframe];
const offset = 251.2 - (251.2 * currentData.score) / 100;
return (
<div className="space-y-6">
<div className="flex items-center gap-2">
<BarChart3 className="w-6 h-6 text-indigo-600" />
<h2 className="text-xl font-bold text-slate-800">Productivity Insights & Analytics</h2>
<div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">
<div className="flex items-center gap-2">
<BarChart3 className="w-6 h-6 text-indigo-600" />
<h2 className="text-xl font-bold text-slate-800">Productivity Insights & Analytics</h2>
</div>
<div className="relative">
<select
value={timeframe}
onChange={(e) => setTimeframe(e.target.value)}
className="appearance-none bg-white border border-slate-300 text-slate-700 py-2 pl-4 pr-10 rounded-lg focus:outline-none focus:ring-2 focus:ring-indigo-500 focus:border-indigo-500 shadow-sm font-medium text-sm cursor-pointer"
>
<option value="this-week">This Week</option>
<option value="last-week">Last Week</option>
<option value="this-month">This Month</option>
</select>
<ChevronDown className="w-4 h-4 text-slate-500 absolute right-3 top-1/2 transform -translate-y-1/2 pointer-events-none" />
</div>
</div>
<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
{/* Card 1: Team Productivity Score */}
```

```
<div className="bg-white p-6 rounded-xl shadow-sm border border-slate-200 flex flex-col items-center justify-center">
<h3 className="text-sm font-semibold text-slate-700 w-full mb-6">Team Productivity Score</h3>
<div className="relative w-40 h-40 flex items-center justify-center">
<svg className="w-full h-full transform -rotate-90" viewBox="0 0 100 100">
<svg className="w-full h-full transform -rotate-90 transition-all duration-1000 ease-in-out" viewBox="0 0 100 100">
<circle
cx="50"
cy="50"
r="40"
fill="transparent"
stroke="#e2e8f0"
strokeWidth="10"
/>
<circle
cx="50"
cy="50"
r="40"
fill="transparent"
stroke="#4f46e5"
strokeWidth="10"
strokeDasharray="251.2"
strokeDashoffset={251.2 - (251.2 * 78) / 100}
strokeDashoffset={offset}
strokeLinecap="round"
className="transition-all duration-1000 ease-out"
/>
</svg>
<div className="absolute flex flex-col items-center justify-center">
<span className="text-3xl font-bold text-slate-800">78%</span>
<span className="text-xs text-slate-500 font-medium">+2% this week</span>
<span className="text-3xl font-bold text-slate-800">{currentData.score}%</span>
<span className={` text-xs font-medium ${currentData.trend.startsWith('+') ? 'text-green-500' : 'text-red-500'}` }>
{currentData.trend}
</span>
</div>
</div>
```

```
</div>

{/* Card 2: Weekly Time Distribution */}

{/* Card 2: Time Distribution */}

<div className="bg-white p-6 rounded-xl shadow-sm border border-slate-200">

<h3 className="text-sm font-semibold text-slate-700 mb-6">Weekly Time Distribution</h3>

<h3 className="text-sm font-semibold text-slate-700 mb-6">Time Distribution</h3>

<div className="space-y-4">

{[

{ label: 'Deep Work', value: 35, color: 'bg-indigo-600' },

{ label: 'Meetings', value: 25, color: 'bg-indigo-400' },

{ label: 'Admin Tasks', value: 15, color: 'bg-slate-600' },

{ label: 'Communication', value: 15, color: 'bg-slate-400' },

{ label: 'Breaks', value: 10, color: 'bg-slate-300' },

].map((item) => (

{currentData.distribution.map((item) => (

<div key={item.label} className="space-y-1">

<div className="flex justify-between text-xs font-medium">

<span className="text-slate-600">{item.label}</span>

<span className="text-slate-800">{item.value}%</span>

</div>

<div className="w-full bg-slate-100 rounded-full h-2">

<div className="w-full bg-slate-100 rounded-full h-2 overflow-hidden">

<div

className={` ${item.color} h-2 rounded-full` }

className={` ${item.color} h-2 rounded-full transition-all duration-700 ease-out` }

style={{ width: ` ${item.value}%` }}

></div>

</div>

</div>

))}

</div>

</div>

{ day: 'Sat', height: '30%' },

{ day: 'Sun', height: '20%' },

].map((bar) => (

{currentData.daily.map((bar) => (
```

```
<div key={bar.day} className="flex flex-col items-center w-full gap-2">

<div className="w-full bg-indigo-100 rounded-t-sm flex items-end h-36">

<div

className="w-full bg-indigo-600 rounded-t-sm transition-all duration-500 hover:bg-indigo-700"

style={{ height: bar.height }}

></div>

{bar.height !== '0%' && (

<div

className="w-full bg-indigo-600 rounded-t-sm transition-all duration-700 ease-out hover:bg-indigo-700 relative group cursor-pointer"

style={{ height: bar.height }}

>

{/* Tooltip */}

<div className="opacity-0 group-hover:opacity-100 absolute -top-8 left-1/2 transform -translate-x-1/2 bg-slate-800 text-white text-[10px] font-bold py-1 px-2 rounded pointer-events-none transition-opacity whitespace-nowrap z-10">

{bar.height}

</div>

</div>

)}

</div>

<span className="text-xs text-slate-500 font-medium">{bar.day}</span>

<span className="text-xs text-slate-500 font-medium truncate">{bar.day}</span>

</div>

))}

</div>

</div>

</div>

{/* Card 4: System Recommendations */}

<div className="bg-white p-6 rounded-xl shadow-sm border border-slate-200">

<h3 className="text-sm font-semibold text-slate-700 mb-4 flex items-center gap-2">

<Lightbulb className="w-4 h-4 text-amber-500" />

System Recommendations

</h3>

<div className="grid grid-cols-1 md:grid-cols-2 gap-4">

{[

{ text: 'Schedule deep work blocks in the morning for 23% higher output', priority: 'High', color: 'bg-red-100 text-red-700' },

{ text: 'Reduce meeting overlap — 3 teams have conflicting slots', priority: 'Medium', color: 'bg-amber-100 text-amber-700' },
```

```
{ text: 'Enable focus mode for users with <60% productivity score', priority: 'High', color: 'bg-red-100 text-red-700' },

{ text: 'Consider async standups to save 2.5 hrs/week per team', priority: 'Low', color: 'bg-emerald-100 text-emerald-700' },

].map((rec, index) => (

<div key={index} className="flex items-start gap-3 p-4 bg-slate-50 rounded-lg border border-slate-100">

<div key={index} className="flex items-start gap-3 p-4 bg-slate-50 rounded-lg border border-slate-100 transition-colors hover:bg-slate-100">

<Zap className="w-4 h-4 text-indigo-500 mt-0.5 shrink-0" />

<div className="flex-1">

<p className="text-sm text-slate-700">{rec.text}</p>

<span className={` inline-block mt-2 px-2 py-0.5 text-[10px] font-bold rounded uppercase tracking-wider ${rec.color}` }>

{rec.priority} Priority

</span>

</div>

</div>

))}

</div>

</div>

</div>

);

};

export default ProductivityAnalytics;

import React from 'react';

import { Brain, TrendingUp, CheckCircle, Target, Flame, Clock, Coffee } from 'lucide-react';

import React, { useState } from 'react';

import { Brain, TrendingUp, CheckCircle, Target, Flame, Clock, Coffee, ChevronRight, X, BarChart2, CalendarDays } from 'lucide-react';

const PersonalInsights = () => {

const [activeInsight, setActiveInsight] = useState(null);

const insightsData = [

{

id: 'hours',

icon: Clock,

color: 'indigo',

title: 'Most productive hours: 10:00 AM – 12:00 PM',

preview: (

<>

<div className="w-full h-1.5 bg-slate-200 rounded-full overflow-hidden flex mb-1 mt-2">
```

<div className="h-full bg-indigo-200" style={{ width: '20%' }}>

<div className="h-full bg-indigo-600" style={{ width: '30%' }}>

<div className="h-full bg-indigo-400" style={{ width: '50%' }}>

8 AM

10 AM

12 PM

</>

),

details: {

heading: 'Peak Productivity Analysis',

description: 'You consistently hit your highest flow state mid-morning. During this 2-hour window, you complete tasks 40% faster than your afternoon average.',

stats: [

id: 'breaks',

icon: Coffee,

color: 'green',

title: 'Break compliance: 85% — You took 5 of 6 recommended breaks',

preview: (

<div className="h-full bg-green-500" style={{ width: '85%' }}>

),

details: {

heading: 'Rest & Recovery',

description: 'Excellent break compliance. Taking regular breaks prevents burnout and maintains your cognitive endurance throughout the day.',

stats: [

{ label: 'Avg break duration', value: '6 mins' },

{ label: 'Longest sprint', value: '85 mins' },

]

}

},

{

id: 'trend',

```
icon: TrendingUp,
color: 'green',
title: 'Weekly trend: +12% vs last week',
preview: (
<div className="mt-2">
<span className="px-2 py-1 bg-green-100 text-green-700 text-xs font-bold rounded">+12%</span>
</div>
),
details: {
heading: 'Week-over-Week Progress',
description: 'Your productivity score has increased significantly this week. This correlates with fewer context switches and longer focus blocks.',
stats: [
{ label: 'Last week score', value: '70%' },
{ label: 'This week score', value: '82%' },
]
}
}
];
return (
<div className="bg-white rounded-xl shadow-md border border-slate-200 overflow-hidden">
<div className="bg-white rounded-xl shadow-md border border-slate-200 overflow-hidden relative">
<div className="p-5 border-b border-slate-200 flex items-center gap-2 bg-slate-50">
<Brain className="w-5 h-5 text-indigo-600" />
<h2 className="text-lg font-semibold text-slate-800">Personal Productivity Insights</h2>
<div className="p-4 bg-slate-50 rounded-lg border border-slate-100 flex flex-col items-center justify-center text-center">
<TrendingUp className="w-6 h-6 text-green-500 mb-2" />
<div className="text-2xl font-bold text-slate-800">4h 32m</div>
<div className="text-xs font-medium text-slate-500 uppercase tracking-wide mt-1">Today's Focus Time</div>
</div>
{/* Stat 2 */}
<div className="p-4 bg-slate-50 rounded-lg border border-slate-100 flex flex-col items-center justify-center text-center">
<CheckCircle className="w-6 h-6 text-indigo-500 mb-2" />
<div className="text-2xl font-bold text-slate-800">12</div>
<div className="text-xs font-medium text-slate-500 uppercase tracking-wide mt-1">Tasks Completed</div>
</div>
{/* Stat 3 */}
```

```
<div className="p-4 bg-slate-50 rounded-lg border border-slate-100 flex flex-col items-center justify-center text-center">
<Target className="w-6 h-6 text-green-500 mb-2" />
<div className="text-2xl font-bold text-slate-800">82%</div>
<div className="text-xs font-medium text-slate-500 uppercase tracking-wide mt-1">Productivity Score</div>
</div>
{/* Stat 4 */}
<div className="p-4 bg-slate-50 rounded-lg border border-slate-100 flex flex-col items-center justify-center text-center">
<Flame className="w-6 h-6 text-orange-500 mb-2" />
<div className="text-2xl font-bold text-slate-800">5 days</div>
<div className="text-xs font-medium text-slate-500 uppercase tracking-wide mt-1">Streak</div>
</div>
</div>
<div>
<h3
<div className="h-full bg-indigo-200" style={{ width: '20%' }}></div>
<div className="h-full bg-indigo-600" style={{ width: '30%' }}></div>
<div className="h-full bg-indigo-400" style={{ width: '50%' }}></div>
<div className="space-y-3">
{insightsData.map((insight) => (
<button
key={insight.id}
onClick={() => setActiveInsight(insight)}
className="w-full text-left p-4 rounded-xl border border-slate-200 hover:border-indigo-300 hover:shadow-md hover:bg-indigo-50/30 transition-all duration-200 group flex gap-4 items-center"
>
<div className={` p-3 rounded-lg ${insight.color === 'indigo' ? 'bg-indigo-100 text-indigo-600' : 'bg-green-100 text-green-600'} ` }>
<insight.icon className="w-5 h-5" />
</div>
<div className="flex justify-between text-[10px] text-slate-400 mt-1">
<span>8 AM</span>
<span>10 AM</span>
<span>12 PM</span>
<div className="flex-1">
<p className="text-sm text-slate-800 font-medium group-hover:text-indigo-900 transition-colors">{insight.title}</p>
{insight.preview}
</div>
</div>
```

```
</div>

{/* Insight 2 */}

<div className="py-4 border-b border-slate-100 flex gap-4 items-start last:border-0">

<div className="p-2 bg-indigo-50 rounded-lg">

<Brain className="w-5 h-5 text-indigo-600" />

</div>

<div className="flex-1">

<p className="text-sm text-slate-800 font-medium mb-2">Deep work logged today: 4 hours (Goal: 6 hours)</p>

<div className="w-full h-2 bg-slate-200 rounded-full overflow-hidden">

<div className="h-full bg-indigo-500" style={{ width: '67%' }}></div>

<div className="text-slate-300 group-hover:text-indigo-500 transition-colors pr-2">

<ChevronRight className="w-5 h-5" />

</div>

</div>

</div>

</button>

))}

</div>

</div>

</div>

{/* Insight 3 */}

<div className="py-4 border-b border-slate-100 flex gap-4 items-start last:border-0">

<div className="p-2 bg-green-50 rounded-lg">

<Coffee className="w-5 h-5 text-green-600" />

</div>

<div className="flex-1">

<p className="text-sm text-slate-800 font-medium mb-2">Break compliance: 85% — You took 5 of 6 recommended breaks</p>

<div className="w-full h-2 bg-slate-200 rounded-full overflow-hidden">

<div className="h-full bg-green-500" style={{ width: '85%' }}></div>

{/* Detail Modal Overlay */}

{activeInsight && (

<div className="absolute inset-0 bg-white/80 backdrop-blur-sm z-10 flex items-center justify-center p-6 animate-in fade-in duration-200">

<div className="bg-white rounded-2xl shadow-2xl border border-slate-200 w-full max-w-md overflow-hidden relative">

<div className={`h-2 w-full ${activeInsight.color === 'indigo' ? 'bg-indigo-500' : 'bg-green-500'}`}></div>

<button

onClick={() => setActiveInsight(null)}
```

```
className="absolute top-4 right-4 p-2 text-slate-400 hover:text-slate-700 hover:bg-slate-100 rounded-full transition-colors"
>
<X className="w-5 h-5" />
</button>
<div className="p-6">
<div className="flex items-center gap-3 mb-4">
<div className={` p-2 rounded-lg ${activeInsight.color === 'indigo' ? 'bg-indigo-100 text-indigo-600' : 'bg-green-100 text-green-600'}` }>
<activeInsight.icon className="w-6 h-6" />
<h3 className="text-xl font-bold text-slate-800">{activeInsight.details.heading}</h3>
</div>
</div>
{/* Insight 4 */}
<div className="py-4 flex gap-4 items-center last:border-0">
<div className="p-2 bg-green-50 rounded-lg">
<TrendingUp className="w-5 h-5 text-green-600" />
<p className="text-slate-600 text-sm leading-relaxed mb-6">
{activeInsight.details.description}
</p>
<div className="bg-slate-50 rounded-xl border border-slate-100 p-4 space-y-4">
{activeInsight.details.stats.map((stat, i) => (
<div key={i} className="flex justify-between items-center">
<div className="flex items-center gap-2 text-slate-600 text-sm font-medium">
<BarChart2 className="w-4 h-4 text-slate-400" />
{stat.label}
</div>
<span className="font-bold text-slate-800">{stat.value}</span>
</div>
))}
</div>
<div className="flex-1 flex justify-between items-center">
<p className="text-sm text-slate-800 font-medium">Weekly trend: +12% vs last week</p>
<span className="px-2 py-1 bg-green-100 text-green-700 text-xs font-bold rounded">+12%</span>
</div>
<button
onClick={() => setActiveInsight(null)}
className="w-full mt-6 py-2.5 bg-slate-900 hover:bg-slate-800 text-white font-medium rounded-lg transition-colors"
```

```
>
Close Analysis
</button>
</div>
</div>
</div>
</div>
)}
</div>
);
};
export default PersonalInsights;
```