
Cucumber Report

Jan 7, 2026, 9:56:40 PM

Start : Jan 07, 9:56:17.887 PM	End : Jan 07, 9:56:39.401 PM	Duration : 21.514 s


Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 42















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Activity POS Tests	21.514 s	4	0	4	0	46	2	2	42

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ecubePoS	4	0	4	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Activity POS Tests	4	0	4	0	21.514 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity POS Tests	Verify Gate entry for Member, Sub-Member(s) and Guest(s) their total Amount and Reports.	5	1	1	3	6.872 s
2	Activity POS Tests	Verify any Amenity Access for Member, Sub-Member(s) and Guest(s) their total Amount and Reports for Helath Club	5	0	0	5	4.881 s
3	Activity POS Tests	Verify any Amenity Access for Member, Sub-Member(s) and Guest(s) their total Amount and Reports for Badminton	5	1	1	3	4.985 s
4	Activity POS Tests	Verify any Badminton for Member, Sub-Member(s) with Discount, their total Amount and Reports.	31	0	0	31	4.699 s

Activity POS Tests

FAILED	DURATION - 21.514 s	Scenarios		Steps	
/ 9:56:17.887 PM // 9:56:39.401 PM /		Total - 4 Pass - 0 Fail - 4 Skip - 0		Total - 46 Pass - 2 Fail - 2 Skip - 42	

Verify Gate entry for Member, Sub-Member(s) and Guest(s) their total Amount and Reports.


FAILED	DURATION - 6.872 s		Steps	
/ 9:56:17.894 PM // 9:56:24.766 PM /			Total - 5 Pass - 1 Fail - 1 Skip - 3	
Activity POS Tests				
@ecubePoS				

#	Step / Hook Details	Status	Duration
1	Given Activity POS application is launched	PASSED	0.043 s
2	When user logs in to Activity POS	FAILED	0.151 s
	org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'RYSUNLAP5330', ip: '192.168.1.11', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.windows.WindowsDriver Capabilities {appTopLevelWindow: 0xD11F0, javascriptEnabled: true, platform: WINDOWS, platformName: Windows} Session ID: E0AE8386-931D-471C-8A40-366CAD869959 *** Element info: {Using=xpath, value=//*[contains(@HelpText, 'Username')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue(JsonHttpResponseCodec.java:40) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCodec.java:80) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCodec.java:44)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElement(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElementByXPath(WindowsDriver.java:1) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElement(WindowsDriver.java:1) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy30.sendKeys(Unknown Source) at pageObjectsPages.LoginPage.login(LoginPage.java:38) at pageObjectsPages.LoginPage.loginBasedOnClub(LoginPage.java:57) at stepDefinitions.ActivityPOSSteps.user_logs_in_to_Activity_POS(ActivityPOSSteps.java:68) at ?.user logs in to Activity POS(file:///D:/EcubeDesktop/eCubeDesktopAppAutomation/src/test/resources/features/activity.feature:5) * Not displayable characters are replaced by '?'.		
3	And user select the activity on Dashboard page	SKIPPED	0.002 s
4	And user enters member code and submit it	SKIPPED	0.001 s
5	And user select the activity on Dashboard page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.169 s
	Verify Gate entry for Member, Sub-Member(s) and Guest(s) their total Amount and Reports.		

Verify any Amenity Access for Member, Sub-Member(s) and Guest(s) their total Amount and Reports for Helath Club

FAILED	DURATION - 4.881 s
/ 9:56:24.788 PM // 9:56:29.669 PM /	
Activity POS Tests	
@ecubePoS	




Steps
Total - 5
Pass - 0
Fail - 0
Skip - 5




#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchWindowsApp() java.lang.RuntimeException: Could not get MainWindowHandle for eCubePOS at hooks.Hooks.launchWindowsApp(Hooks.java:117)	FAILED	4.868 s
1	Given Activity POS application is launched	SKIPPED	0.000 s
2	When user logs in to Activity POS	SKIPPED	0.002 s
3	And user select the activity on Dashboard page	SKIPPED	0.000 s
4	And user enters member code and submit it	SKIPPED	0.000 s
5	And user select the activity on Dashboard page	SKIPPED	0.000 s

Verify any Amenity Access for Member, Sub-Member(s) and Guest(s) their total Amount and Reports for Badminton

FAILED	DURATION - 4.985 s
/ 9:56:29.694 PM // 9:56:34.679 PM /	
Activity POS Tests	
@ecubePoS	



Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3




#	Step / Hook Details	Status	Duration
1	Given Activity POS application is launched	PASSED	0.003 s
2	When user logs in to Activity POS org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please	FAILED	0.078 s

#	Step / Hook Details	Status	Duration
	visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'RYSUNLAP5330', ip: '192.168.1.11', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.windows.WindowsDriver Capabilities {appTopLevelWindow: 0xB1214, javascriptEnabled: true, platform: WINDOWS, platformName: Windows} Session ID: C1437487-4D98-4A67-95EC-A34026E70956 *** Element info: {Using=xpath, value=//*[contains(@HelpText, 'Username')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue(JsonHttpResponseCodec.java:40) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCodec.java:80) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCodec.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElement(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElementByXPath(WindowsDriver.java:1) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElement(WindowsDriver.java:1) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy30.sendKeys(Unknown Source) at pageObjectsPages.LoginPage.login(LoginPage.java:38) at pageObjectsPages.LoginPage.loginBasedOnClub(LoginPage.java:57) at stepDefinitions.ActivityPOSSteps.user_logs_in_to_Activity_POS(ActivityPOSSteps.java:68) at ?.user logs in to Activity POS(file:///D:/EcubeDesktop/eCubeDesktopAppAutomation/src/test/resources/features/activity.feature:5) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
3	And user select the activity on Dashboard page	SKIPPED	0.000 s
4	And user enters member code and submit it	SKIPPED	0.001 s
5	And user select the activity on Dashboard page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.126 s
	Verify any Amenity Access for Member, Sub-Member(s) and Guest(s) their total Amount and Reports for Badminton		

Verify any Badminton for Member, Sub-Member(s) with Discount, their total Amount and Reports.

FAILED	*DURATION - 4.699 s*
/ 9:56:34.702 PM // 9:56:39.401 PM /	
Activity POS Tests	
@ecubePoS	



Steps
Total - 31
Pass - 0
Fail - 0
Skip - 31



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchWindowsApp()	FAILED	4.677 s
	java.lang.RuntimeException: Could not get MainWindowHandle for eCubePOS at hooks.Hooks.launchWindowsApp(Hooks.java:117)		
1	Given Activity POS application is launched	SKIPPED	0.001 s
2	When user logs in to Activity POS	SKIPPED	0.000 s
3	And user select the activity on Dashboard page	SKIPPED	0.000 s
4	And user enters member code and submit it	SKIPPED	0.001 s
5	And user select the activity on Dashboard page	SKIPPED	0.000 s
6	And user enters member code and submit it	SKIPPED	0.000 s
7	And user selects an available sub member	SKIPPED	0.000 s
8	And user select the club service for Gate Entry	SKIPPED	0.001 s
9	And user click on Proceed button with user details and completes the Gate Entry and Verifies it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	And user select the activity "Badminton Sports" on Dashboard page	SKIPPED	0.001 s
11	And user enters member code and submit it	SKIPPED	0.000 s
12	And user selects an available sub member	SKIPPED	0.000 s
13	And user select and verify the services as per the activity selection	SKIPPED	0.001 s
14	And user verifies and gets the net amount	SKIPPED	0.000 s
15	Then user click on Proceed button with user details and completes the Gate Entry and Verifies it	SKIPPED	0.000 s
16	Then user fetch the member data from database	SKIPPED	0.000 s
17	And user navigate to web Admin portal	SKIPPED	0.000 s
18	When user opens the Web Admin URL and logs in successfully	SKIPPED	0.001 s
19	And user Navigate to the Report section	SKIPPED	0.000 s
20	And user select the Report Header "finances"	SKIPPED	0.001 s
21	And user select the report list "Member Statements"	SKIPPED	0.000 s
22	And user enters the member code on the admin portal to access the report	SKIPPED	0.001 s
23	And user opens the new tab and verify the reports header	SKIPPED	0.000 s
24	Then user verifies the report, service, and sub-service details against the Activity "Badminton Sports"	SKIPPED	0.000 s
25	When user click on ecube logo icon	SKIPPED	0.000 s
26	And user Navigate to the Report section	SKIPPED	0.000 s
27	And user select the Report Header "sales"	SKIPPED	0.000 s
28	And user select the report list "Service Sales Detail"	SKIPPED	0.000 s
29	And user enters the member code on the admin portal to access the report	SKIPPED	0.000 s
30	And user opens the new tab and verify the reports header	SKIPPED	0.000 s
31	Then user verifies the report, service, and sub-service details against the Activity "Badminton Sports"	SKIPPED	0.001 s