
Cucumber Report


Jan 20, 2026, 11:57:05 AM

Start : Jan 20, 11:56:42.886 AM	End : Jan 20, 11:57:04.265 AM	Duration : 21.379 s


Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 21















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Activity POS Tests	21.379 s	1	0	1	0	24	2	1	21

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ecubePoS1	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Activity POS Tests	1	0	1	0	21.379 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Activity POS Tests	Verify Gate entry for Member, Sub-Member(s) and Guest(s) their total Amount and Reports.	24	2	1	21	21.374 s

Activity POS Tests

FAILED	DURATION - 21.379 s	Scenarios		Steps	
/ 11:56:42.886 AM // 11:57:04.265 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 24 Pass - 2 Fail - 1 Skip - 21	

Verify Gate entry for Member, Sub-Member(s) and Guest(s) their total Amount and Reports.

FAILED	DURATION - 21.374 s		Steps	
/ 11:56:42.891 AM // 11:57:04.265 AM /			Total - 24 Pass - 2 Fail - 1 Skip - 21	
Activity POS Tests				
@ecubePoS1				

#	Step / Hook Details	Status	Duration
1	Given Activity POS application is launched	PASSED	0.091 s
2	When user logs in to Activity POS	PASSED	2.374 s
3	And user enters member code and submit it	FAILED	10.617 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[io.appium.java_client.windows.WindowsDriver, Capabilities: {appTopLevelWindow=0x70EF2, javascriptEnabled=true, platform=WINDOWS, platformName=Windows}] -> xpath: //*[contains(@AutomationId, 'CodeEntry')]] (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at utilities.CommonFunctions.waitForElement(CommonFunctions.java:47) at pageObjectsPages.ActivityPOSLocators.enterMemberCodeAndSubmit(ActivityPOSLocators.java:414) at stepDefinitions.ActivityPOSSteps.user_enters_member_code(ActivityPOSSteps.java:74) at ?.user enters member code and submit it(file:///D:/EcubeDesktop/eCubeDesktopAppAutomation/src/test/resources/features/activity.feature:8) Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'RYSUNLAP5330', ip: '10.0.8.75', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: io.appium.java_client.windows.WindowsDriver Capabilities {appTopLevelWindow: 0x70EF2, javascriptEnabled:		

#	Step / Hook Details	Status	Duration
	true, platform: WINDOWS, platformName: Windows} Session ID: F971D533-FE44-489E-8CF2-8DF6EEB2DA7E *** Element info: {Using=xpath, value=//*[contains(@AutomationId, 'CodeEntry')]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue(JsonHttpResponseCodec.java:40) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCodec.java:80) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCodec.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:61) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElement(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:151) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElementByXPath(WindowsDriver.java:1) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:57) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.findElement(WindowsDriver.java:1) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at utilities.CommonFunctions.waitForElement(CommonFunctions.java:47) at pageObjectsPages.ActivityPOSLocators.enterMemberCodeAndSubmit(ActivityPOSLocators.java:414) at stepDefinitions.ActivityPOSSteps.user_enters_member_code(ActivityPOSSteps.java:74)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) * Not displayable characters are replaced by '?'.		
4	And user select the activity on Dashboard page	SKIPPED	0.001 s
5	And user adds a new guest, enters the guest name, and verifies the name successfully	SKIPPED	0.000 s
6	And user select the club service for Gate Entry	SKIPPED	0.000 s
7	And user verifies and gets the net amount	SKIPPED	0.000 s
8	When user click on Proceed button with user details and completes the Gate Entry and Verifies it	SKIPPED	0.000 s
9	Then user fetch the member data from database	SKIPPED	0.001 s
10	And user navigate to web Admin portal	SKIPPED	0.000 s
11	When user opens the Web Admin URL and logs in successfully	SKIPPED	0.001 s
12	And user Navigate to the Report section	SKIPPED	0.000 s
13	And user select the Report Header "finances"	SKIPPED	0.003 s
14	And user select the report list "Member Statements"	SKIPPED	0.002 s
15	And user enters the member code on the admin portal to access the report	SKIPPED	0.001 s
16	And user opens the new tab and verify the reports header	SKIPPED	0.001 s
17	Then user verifies the report, service, and sub-service details against the Activity	SKIPPED	0.001 s
18	When user click on ecube logo icon	SKIPPED	0.000 s
19	And user Navigate to the Report section	SKIPPED	0.000 s
20	And user select the Report Header "sales"	SKIPPED	0.001 s
21	And user select the report list "Service Sales Detail"	SKIPPED	0.000 s
22	And user enters the member code on the admin portal to access the report	SKIPPED	0.000 s
23	And user opens the new tab and verify the reports header	SKIPPED	0.000 s
24	Then user verifies the report, service, and sub-service details against the Activity	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.574 s
	Verify Gate entry for Member, Sub-Member(s) and Guest(s) their total Amount and Reports.		
	