

# T2 搜集微光娘足迹

## 1、查看排行榜页面console内容

微光工作室24级招新

个人界面

TOP10 of Computer System

ID	PLACE	TA
dwdyy	1	
My_hanshaung	2	
逐影	3	
hurundong	4	
FriedrichC	5	
不是山谷	6	
ASZJZN629	7	
Ghin	8	
Andue	9	
谢洪鸣	10	

曾秋瑶

PLACE 62 TASKS 未完成 POINT 0

计系 ML 前端 后端

DevTools is now available in Chinese!

Always match Chrome's language Switch DevTools to Chinese

Don't show again

Elements Console Sources Network

top Filter Default levels No issues 1 hidden

```
▶ shift: / shift()
▶ slice: / slice()
▶ some: / some()
▶ sort: / sort()
▶ splice: / splice()
▶ toLocaleString: / toLocaleString()
▶ toLowerCase: / toLowerCase()
▶ toISOString: / toISOString()
▶ toISOString: / toISOString()
▶ toString: / toString()
▶ unshift: / unshift()
▶ values: / values()
▶ with: / with()
▶ Symbol(Symbol.iterator): / values()
▶ Symbol(Symbol.unscopables): {set: true, copyWithin: true, entries: true}
[[Prototype]]: Object
▶ Java: Array(12)
  0: -1
  1: -1
  2: -1
  3: -1
  4: -1
  5: -1
  6: -1
  7: -1
  8: -1
  9: -1
  10: -1
  11: -1
  length: 12
  [[Prototype]]: Array(0)
▶ m1: Array(12)
  0: -1
  1: -1
  2: -1
  3: -1
  4: -1
  5: -1
  6: -1
  7: -1
  8: -1
  9: -1
  10: -1
  11: -1
  length: 12
  [[Prototype]]: Array(0)
▶ at: / at()
```

微光工作室24级招新

个人界面

TOP10 of Computer System

ID	PLACE	TA
dwdyy	1	
My_hanshaung	2	
逐影	3	
hurundong	4	
FriedrichC	5	
不是山谷	6	
ASZJZN629	7	
Ghin	8	
Andue	9	
谢洪鸣	10	

曾秋瑶

PLACE 62 TASKS 未完成 POINT 0

计系 ML 前端 后端

DevTools is now available in Chinese!

Always match Chrome's language Switch DevTools to Chinese

Don't show again

Elements Console Sources Network

top Filter Default levels No issues 1 hidden

```
▶ concat: / concat()
▶ constructor: / Array()
▶ copyWithin: / copyWithin()
▶ entries: / entries()
▶ every: / every()
▶ fill: / fill()
▶ filter: / filter()
▶ find: / find()
▶ findIndex: / findIndex()
▶ findLast: / findLast()
▶ findLastIndex: / findLastIndex()
▶ flat: / flat()
▶ flatMap: / flatMap()
▶ forEach: / forEach()
▶ include: / include()
▶ indexOf: / indexOf()
▶ join: / join()
▶ last: / last()
▶ lastIndexOf: / lastIndexOf()
▶ length: 0
▶ map: / map()
▶ pop: / pop()
▶ push: / push()
▶ reduce: / reduce()
▶ reduceRight: / reduceRight()
▶ reverse: / reverse()
▶ shift: / shift()
▶ slice: / slice()
▶ some: / some()
▶ sort: / sort()
▶ splice: / splice()
▶ toLocaleString: / toLocaleString()
▶ toLowerCase: / toLowerCase()
▶ toISOString: / toISOString()
▶ toString: / toString()
▶ unshift: / unshift()
▶ values: / values()
▶ with: / with()
▶ Symbol(Symbol.iterator): / values()
▶ Symbol(Symbol.unscopables): {set: true, copyWithin: true, entries: true}
[[Prototype]]: Object
▶ web: {ID: [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]}
[[Prototype]]: Object
msg: "获取用户成绩排名"
[[Prototype]]: Object
```

微光工作室24级招新

个人界面

DevTools is now available in Chinese!

Always match Chrome's language | Switch DevTools to Chinese

Don't show again

Object | code: 200

data:

- data: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]
- java: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]
- ml: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]
- web: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]

[[Prototype]]: Object

msg: 获取用户数据成功

[[Prototype]]: Object

constructor: / Object()

hasOwnProperty: / hasOwnProperty()

isPrototypeOf: / isPrototypeOf()

propertyIsEnumerable: / propertyIsEnumerable()

toLocaleString: / toLocaleString()

toString: / toString()

valueOf: / valueOf()

\_\_defineGetter\_\_: / \_\_defineGetter\_\_()

\_\_defineSetter\_\_: / \_\_defineSetter\_\_()

\_\_lookupGetter\_\_: / \_\_lookupGetter\_\_()

\_\_lookupSetter\_\_: / \_\_lookupSetter\_\_()

\_\_proto\_\_: Object

get \_\_proto\_\_: / \_\_proto\_\_

set \_\_proto\_\_: / \_\_proto\_\_

Array() | 0: 1

length: 1

concat: / concat()

constructor: / Array()

copyWithin: / copyWithin()

- entries: / entries()
- every: / every()
- fill: / fill()
- filter: / filter()
- find: / find()
- findIndex: / findIndex()
- findLast: / findLast()
- findLastIndex: / findLastIndex()
- flat: / flat()
- flatMap: / flatMap()
- forEach: / forEach()
- forEachEntry: / forEachEntry()
- includes: / includes()
- indexOf: / indexOf()
- join: / join()
- last: / last()
- lastIndexOf: / lastIndexOf()
- length: 0
- map: / map()
- pop: / pop()
- push: / push()
- reduce: / reduce()
- reduceRight: / reduceRight()
- reverse: / reverse()
- shift: / shift()
- slice: / slice()
- some: / some()
- sort: / sort()
- splice: / splice()
- toLocaleString: / toLocaleString()
- toReversed: / toReversed()
- toSorted: / toSorted()
- toSpliced: / toSpliced()
- toString: / toString()
- unshift: / unshift()
- values: / values()
- with: / with()

Symbol(Symbol.iterator): / values()

Symbol(Symbol.unscopables): {at: true, copyWithin: true, entries: true, f

[[Prototype]]: Object

成功获取的数据:

Object | code: 200

data: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]

msg: 获取数据成功

[[Prototype]]: Object

TOP10 of Computer System

ID	PLACE	TA
dwddy	1	
My_hanshaung	2	
逐影	3	
hurundong	4	
FriedrichC	5	
不是山谷	6	
ASZJZN629	7	
Ghin	8	
Andue	9	
谢洪鸣	10	

曾秋瑶

PLACE 62 TASKS 未完成 POINT 0

计系 ML 前端 后端

微光工作室24级招新

微光工作室24级招新

个人界面

DevTools is now available in Chinese!

Always match Chrome's language | Switch DevTools to Chinese

Don't show again

Object | code: 200

data:

- data: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]
- java: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]
- ml: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]
- web: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]

[[Prototype]]: Object

msg: 获取用户数据成功

[[Prototype]]: Object

constructor: / Object()

hasOwnProperty: / hasOwnProperty()

isPrototypeOf: / isPrototypeOf()

propertyIsEnumerable: / propertyIsEnumerable()

toLocaleString: / toLocaleString()

toString: / toString()

valueOf: / valueOf()

\_\_defineGetter\_\_: / \_\_defineGetter\_\_()

\_\_defineSetter\_\_: / \_\_defineSetter\_\_()

\_\_lookupGetter\_\_: / \_\_lookupGetter\_\_()

\_\_lookupSetter\_\_: / \_\_lookupSetter\_\_()

\_\_proto\_\_: Object

get \_\_proto\_\_: / \_\_proto\_\_

set \_\_proto\_\_: / \_\_proto\_\_

Array() | 0: 1

length: 1

concat: / concat()

constructor: / Array()

copyWithin: / copyWithin()

- entries: / entries()
- every: / every()
- fill: / fill()
- filter: / filter()
- find: / find()
- findIndex: / findIndex()
- findLast: / findLast()
- findLastIndex: / findLastIndex()
- flat: / flat()
- flatMap: / flatMap()
- forEach: / forEach()
- forEachEntry: / forEachEntry()
- includes: / includes()
- indexOf: / indexOf()
- join: / join()
- last: / last()
- lastIndexOf: / lastIndexOf()
- length: 0
- map: / map()
- pop: / pop()
- push: / push()
- reduce: / reduce()
- reduceRight: / reduceRight()
- reverse: / reverse()
- shift: / shift()
- slice: / slice()
- some: / some()
- sort: / sort()
- splice: / splice()
- toLocaleString: / toLocaleString()
- toReversed: / toReversed()
- toSorted: / toSorted()
- toSpliced: / toSpliced()
- toString: / toString()
- unshift: / unshift()
- values: / values()
- with: / with()

Symbol(Symbol.iterator): / values()

Symbol(Symbol.unscopables): {at: true, copyWithin: true, entries: true, f

[[Prototype]]: Object

成功获取的数据:

Object | code: 200

data: (12) [-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1]

msg: 获取数据成功

[[Prototype]]: Object

TOP10 of Computer System

ID	PLACE	TA
dwddy	1	
My_hanshaung	2	
逐影	3	
hurundong	4	
FriedrichC	5	
不是山谷	6	
ASZJZN629	7	
Ghin	8	
Andue	9	
谢洪鸣	10	

曾秋瑶

PLACE 62 TASKS 未完成 POINT 0

计系 ML 前端 后端

微光工作室24级招新

## 2、查看B站cookie、本地存储空间、会话存储空间

### cookie

应用程序

Service workers

存储

本地存储

会话存储

IndexedDB

Cookie

https://www.bilibili.com

https://message.bilibili...

专用状态令牌

兴趣组

共享存储

缓存存储

存储桶

后台服务

往返高速缓存

后台提取

后台同步

退回跟踪缓解措施

通知

付款处理程序

定期后台同步

推理加载

推送消息

报告 API

帧

top

筛选器

仅显示有问题的 Cookie

名称	值	Dom...	Path	Expir...	大小	Http...	Secure	Sam...	Partit...	Cros...	Priority
CURRENT_FNVAL	4048	.bilibi...	/	2025...	17						
DedeUserID	455267110	.bilibi...	/	2025...	19		✓	None			Medi...
DedeUserID	455267110	.bilibi...	/	2025...	19						Medi...
DedeUserID__ckMd5	e96ae11dcee5a2ac	.bilibi...	/	2025...	33		✓	None			Medi...
DedeUserID__ckMd5	e96ae11dcee5a2ac	.bilibi...	/	2025...	33						Medi...
SESSDATA	7a626ad2%2C1745148589%2C7b85b%...	.bilibi...	/	2025...	230	✓	✓	None			Medi...
SESSDATA	7a626ad2%2C1745148589%2C7b85b%...	.bilibi...	/	2025...	230	✓	✓				Medi...
_uuid	985885E3-C110C-4B910-AEBB-61A32C...	.bilibi...	/	2025...	53						Medi...
b_lsid	C10FEA156_192B92B3B58	.bilibi...	/	会话	27						Medi...
b_nut	1726742375	.bilibi...	/	2025...	15						Medi...
bili_jct	8dbd52975ddec955bd74b18ca10b5bad	.bilibi...	/	2025...	40		✓	None			Medi...
bili_jct	8dbd52975ddec955bd74b18ca10b5bad	.bilibi...	/	2025...	40						Medi...
bili_ticket	eyJhbGciOiJIUzI1NiIsImtpZCI6InMwMwYl...	.bilibi...	/	2024...	167						Medi...
bili_ticket_expires	1729855775	.bilibi...	/	2024...	29						Medi...
bmng_af_switch	1	www...	/	会话	14						Medi...
bmng_src_def_domain	i0.hdslb.com	www...	/	会话	30						Medi...
browser_resolution	634-941	.bilibi...	/	2025...	25						Medi...
bsource	search_bing	.bilibi...	/	会话	18						Medi...
buvid3	0E52D6A2-4C4E-75FC-F0D7-3EAC603A...	.bilibi...	/	2025...	52						Medi...
buvid4	F085ACD2-27A0-B2BD-7EE1-6AF21C8...	.bilibi...	/	2025...	124						Medi...
buvid_fp	9954e883a8fa71d6722ccb717b325a	.bilibi...	/	2025...	40						Medi...
enable_web_push	DISABLE	.bilibi...	/	2025...	22						Medi...
header_theme_version	CLOSE	.bilibi...	/	2025...	25						Medi...
home_feed_column	4	.bilibi...	/	2025...	17						Medi...
rpdid	0zbfAGQWu2[mjTWOFnH4wJ]3w1SRez	.bilibi...	/	2025...	37						Medi...
sid	dmket3ks	.bilibi...	/	会话	11						Medi...
sid	mcur1yaz	.bilibi...	/	2025...	11		✓	None			Medi...

选择 Cookie 以预览其值

控制台

动画

问题

100%


25%

10%

毫秒

选择以上要检查和修改的效果。

本地存储空间



## 会话存储空间

