

## Edge Standard BG Integration

### HR-XML – Final Request Sample

This document will serve as the foundation to describe the standard HR-XML response that the Edge system will return to client/vendor upon successful completion of a background check. This document should contain all XML elements that are to be sent back to properly describe the final status of the screenings.

#### Document History:

| Author       | Date     | Comment  | Version |
|--------------|----------|--|---------|
| Marc Giguere | 09/01/11 | Initial Document Creation  | 1.0     |
| Marc Giguere | 11/03/11 | Added attributes to root tag for vendor authentication elements. | 1.0     |
|              |          |  |         |

**Comments** – these are provided in orange and are informational in nature. It is not expected that these should be found in the actual XML data transmitted to Edge.

**Required** – anything found in red is considered a required element and WILL be included in the XML in order for the response to be properly processed and created.

**Optional** - these are “optional” elements that may be included, but are not required and/or used by Edge to process screenings for the applicant.

**\$value\$** - this indicates a value that can be specified by vendor or Edge. For vendor values, this may to be any text/value that they would like to use in the XML to help them identify data elements that hold information they provide/etc.

**<BackgroundReports account="\$VendorSuppliedValue\$" userId="\$VendorSuppliedValue\$" password="\$VendorSuppliedValue\$">**

**<!-- Edge unique identifier that identifies this is a status report for Customer; designates our “Account Number” for this request -->**

**<ProviderReferenceId>**

**<IdValue>\$EdgeProvidedValue\$</IdValue>**

**</ProviderReferenceId>**

**<BackgroundReportPackage type="status">**

**<!-- Unique identifier that identifies Applicant being screened; will match the top level “ReferenceID” value found in the “Initial Request” sent to Edge -->**

**<ClientReferenceId>**

**<IdValue>\$InitialRequestValue\$</IdValue>**

**</ClientReferenceId>**

**<!-- Overall screening status summary; values provided here change based on status of the overall package and when appropriate any client specific rules. Rules to be included in “Screening Response Rules” document. -->**

**<ScreeningStatus>**

**<OrderStatus>Completed</OrderStatus>**

```

    <ResultStatus>Pass</ResultStatus>
    <DateOrderReceived>01/04/2011</DateOrderReceived>
  </ScreeningStatus>

```

<!-- Individual Status of each search in the package, thus will appear 1 to x times, once for each screening included in the package for this applicant. -->

```

<Screenings>

```

```

  <!-- Any types not natively supported by HRXML will preface name with "x:" -->

```

```

  <Screening type="x:OFAC">

```

```

    <!-- Edge unique identifier for this particular screening (BatchID|ScreeningID) -->

```

```

    <ProviderReferenceId>

```

```

      <IdValue>$EdgeProvidedValue$|$EdgeProvidedValue$</IdValue>

```

```

    </ProviderReferenceId>

```

```

    <!-- Unique identifier that identifies Applicant being screened; will match the top level
    "ReferenceID" value found in the "Initial Request" sent to Edge -->

```

```

    <ClientReferenceId>

```

```

      <IdValue>$InitialRequestValue$</IdValue>

```

```

    </ClientReferenceId>

```

```

    <!-- Statuses shown here are for the initial response, final response will include
    different statuses outlined in "Screening Response Rules" sample document -->

```

```

    <ScreeningStatus>

```

```

      <OrderStatus>Completed</OrderStatus>

```

```

      <ResultStatus>Pass</ResultStatus>

```

```

      <DateOrderReceived>01/04/2011</DateOrderReceived>

```

```

    </ScreeningStatus>

```

```

    <!-- If this screening was reviewed in WebScreen and comments were added by the
    end clients, then those comments will be include here within this element. -->

```

```

    <SupportingDocumentation>

```

```

      <Documentation>

```

```

        <Text>

```

```

          <![CDATA[ None ]]>

```

```

        </Text>

```

```

      </Documentation>

```

```

    </SupportingDocumentation>

```

```

  </Screening>

```

```

</Screenings>

```

```

</BackgroundReportPackage>

```

```

</BackgroundReports>

```