JavaScript Array Search

Previous Next

Array Search Methods

Array indexOf()
Array lastIndexOf()
Array includes()
Array find()
Array findIndex()
Array findLast()
Array findLastIndex()

See Also:

JavaScript Array Tutorial

JavaScript Basic Array Methods

JavaScript Array Sort Methods

JavaScript Array Iteration Methods

JavaScript Array Reference

JavaScript Array indexOf()

The `indexOf()` method searches an array for an element value and returns its position.

Example

Search an array for the item "Apple":

```
const fruits = ["Apple", "Orange", "Apple", "Mango"];
let position = fruits.indexOf("Apple") + 1;
```

Try it Yourself »

Syntax

```
array.indexOf(item, start)
```

item	Required. The item to search for.
start	Optional. Where to start the search. Negative values will start at the given position counting from the end, and search to the end.

`Array.indexOf()` returns -1 if the item is not found.

If the item is present more than once, it returns the position of the first occurrence.

JavaScript Array lastIndexOf()

`Array.lastIndexOf()` is the same as `Array.indexOf()`, but returns the position of the last occurrence of the specified element.

Example

Search an array for the item "Apple":

```
const fruits = ["Apple", "Orange", "Apple", "Mango"];
let position = fruits.lastIndexOf("Apple") + 1;
```

Try it Yourself »

item	Required. The item to search for
start	Optional. Where to start the search. Negative values will start at the given position counting from the end, and search to the beginning

JavaScript Array includes()

ECMAScript 2016 introduced `Array.includes()` to arrays. This allows us to check if an element is present in an array (including NaN, unlike indexOf).

Example

```
const fruits = ["Banana", "Orange", "Apple", "Mango"];

fruits.includes("Mango"); // is true
```

Try it Yourself »

Syntax

```
array.includes(search-item)
```

Array.includes() allows to check for NaN values. Unlike Array.indexOf().

Browser Support

`includes()` is an ECMAScript 2016 feature.

ES 2016 is fully supported in all modern browsers since March 2017:

Chrome	Edge	Firefox	Safari	Opera
52	15	52	10.1	39

ADVERTISEMENT

JavaScript Array find()

The `find()` method returns the value of the first array element that passes a test function.

This example finds (returns the value of) the first element that is larger than 18:

Example

```
const numbers = [4, 9, 16, 25, 29];
let first = numbers.find(myFunction);

function myFunction(value, index, array) {
  return value > 18;
}
```

Try it Yourself »

Note that the function takes 3 arguments:

- The item value
- The item index
- The array itself

Browser Support

`find()` is an ES6 feature.

ES6 is fully supported in all modern browsers since June 2017:

May 2016	Apr 2017	Jun 2017	Sep 2016	Jun 2016

JavaScript Array findIndex()

The `findIndex()` method returns the index of the first array element that passes a test function.

This example finds the index of the first element that is larger than 18:

Example

```
const numbers = [4, 9, 16, 25, 29];
let first = numbers.findIndex(myFunction);

function myFunction(value, index, array) {
  return value > 18;
}
```

Try it Yourself »

Note that the function takes 3 arguments:

- The item value
- The item index
- The array itself

Browser Support

`findIndex()` is an ES6 feature.

ES6 is fully supported in all modern browsers since June 2017:

Chrome	Edge	Firefox	Safari	Opera
51	15	54	10	38
May 2016	Apr 2017	Jun 2017	Sep 2016	Jun 2016

first element that satisfies a condition.

Example

```
const temp = [27, 28, 30, 40, 42, 35, 30];
let high = temp.findLast(x => x > 40);
```

Try it Yourself »

Browser Support

`findLast()` is an ES2023 feature.

JavaScript 2023 is supported in all modern browsers since July 2023:

Chrome	Edge	Firefox	Safari	Opera
110	110	115	16.4	96
Feb 2023	Feb 2023	Jul 2023	Mar 2023	May 2023

JavaScript Array findLastIndex() Method

The findLastIndex() method finds the index of the last element that satisfies a condition.

Example

```
const temp = [27, 28, 30, 40, 42, 35, 30];
let pos = temp.findLastIndex(x => x > 40);
```

Try it Yourself »

Browser Support

`findLastIndex()` is an ES2023 feature.

Chrome 110	Edge 110	Firefox 115	Safari 16.4	Opera 96
Feb 2023	Feb 2023	Jul 2023	Mar 2023	May 2023

Complete JavaScript Reference

For a complete reference to all JavaScript properties and methods, with full descriptions and many examples, go to:

W3Schools' Full JavaScript Reference.

The reference inludes all JavaScript updates from 1999 to 2025.

❮ Previous Next ❯

Track your progress - it's free!
Sign Up Log in

ADVERTISEMENT



COLOR PICKER

ADVERTISEMENT

ADVERTISEMENT

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT ACADEMY

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.