Editorial 🖰

Practice > Python > Sets > Set .intersection() Operation

# Set .intersection() Operation ☆

Submissions

74/115 challenges solved
Rank: 3635 | Points: 1505 ①

Your Set .intersection() Operation submission got 10.00 points. Share Tweet

Try the next challenge | Try a Random Challenge

Discussions

	A B intersection(B) or A&B
internation()	By DOSHI

Leaderboard

# .intersection()

**Problem** 

The .intersection() operator returns the intersection of a set and the set of elements in an iterable. Sometimes, the & operator is used in place of the .intersection() operator, but it only operates on the set of elements in set.

The set is immutable to the .intersection() operation (or & operation).

```
>>> s = set("Hacker")
>>> print s.intersection("Rank")
set(['a', 'k'])
>>> print s.intersection(set(['R', 'a', 'n', 'k']))
set(['a', 'k'])
>>> print s.intersection(['R', 'a', 'n', 'k'])
set(['a', 'k'])
>>> print s.intersection(enumerate(['R', 'a', 'n', 'k']))
set([])
>>> print s.intersection({"Rank":1})
set([])
>>> s & set("Rank")
set(['a', 'k'])
```

Author	DOSHI
Difficulty	Easy
Max Score	10
Submitted By	23030

# NEED HELP?

- View discussions
- **W** View editorial
- View top submissions

RATE THIS CHALLENGE



## MORE DETAILS

- Suggest Edits



#### Task

The students of District College have subscriptions to *English* and *French* newspapers. Some students have subscribed only to *English*, some have subscribed only to *French*, and some have subscribed to both newspapers.

You are given two sets of student roll numbers. One set has subscribed to the *English* newspaper, one set has subscribed to the *French* newspaper. Your task is to find the total number of students who have subscribed to *both* newspapers.

#### Input Format

The first line contains  $m{n}$ , the number of students who have subscribed to the <code>English</code> newspaper.

The second line contains n space separated roll numbers of those students.

The third line contains  $\emph{b}$ , the number of students who have subscribed to the *French* newspaper.

The fourth line contains b space separated roll numbers of those students.

#### Constraints

 $0 < Total\ number\ of\ students\ in\ college < 1000$ 

#### **Output Format**

Output the total number of students who have subscriptions to both English and French newspapers.

#### Sample Input

```
9
1 2 3 4 5 6 7 8 9
9
10 1 2 3 11 21 55 6 8
```

#### **Sample Output**


5

# Explanation

The roll numbers of students who have both subscriptions:

## 1, 2, 3, 6 and 8.

Hence, the total is 5 students.



Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature