Cucumber Report

Start : Aug 24, 10:12:02.122 AM	End : Aug 24, 10:12:06.185 AM	Duration : 4.063 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 7

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Validate the General Store App	*4.063 s*	*1*	*0*	*1*	*0*	*8*	*0*	*1*	*7*

#	Feature Name	T	P	F	S	Duration
1	Validate the General Store App	1	0	1	0	4.063 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validate the General Store App	Validate the Add to Cart Funcionality before and after adding the Price	8	0	1	7	4.060 s

Validate the General Store App

FAILED	DURATION - 4.063 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:12:02.122 AM // 10:12:06.185 AM /		Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

Validate the Add to Cart Funcionality before and after adding the Price

FAILED	DURATION - 4.060 s		Steps	
			Total - 8	
/ 10:12:02.125 AM // 10:12:06.185 AM /			Pass - 0	8
			Fail - 1	
Validate the General Store App			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given User launches the General Store App	FAILED	4.037 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: The application at 'C:\Users\admin\Downloads\Manikandan\App\General-Store.apk' does not exist or is not accessible Host info: host: 'DESKTOP-CJCTPFO', ip: '172.27.224.1' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: io.appium.java_client. android.AndroidDriver Command: [null, newSession {desiredCapabilities=Capabilities {appium:app: C:\Users\admin\Downloads\Ma..., appium:automationName: UIAutomator2, appium:deviceName: Mani, platformName: ANDROID}, capabilities=[{appium:automationName=UIAutomator2, appium:deviceName=Mani, appium:app=C:\Users\admin\Downloads\Manikandan\App\General-Store.apk, platformName=ANDROID}]}] Capabilities {appium:app: C:\Users\admin\Downloads\Ma..., appium:automationName: UIAutomator2, appium:deviceName: Mani, platformName: ANDROID}
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	    at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:116)
	    at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:96)
	    at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:268) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:90) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:102) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at org.steps.BaseClass.appLaunch(BaseClass.java:40) at org.steps.StepDefinition.user_launches_the_general_store_app(StepDefinition.java:32) at ?.User launches the General Store App(file:///C:/Users/admin/eclipse-workspace/UsersSet/src/test/resources/Features/GeneralStoreApp.feature:4) * Not displayable characters are replaced by '?'.		
2	When User selects the country India	SKIPPED	0.000 s
3	And User enters the names	SKIPPED	0.001 s
4	And User clicks on Lets shop button	SKIPPED	0.000 s
5	When User picks the price of the product before adding to cart	SKIPPED	0.000 s
6	And User clicks on Add to cart button	SKIPPED	0.000 s
7	And User clicks on the cart Icon	SKIPPED	0.000 s
8	Then User validates the price of the before and after adding to cart	SKIPPED	0.000 s