Level HTML Template by Toopla | HTTP Server Test Page powered

Not secure 192.168.56.108:8080

All Bookmarks

Level

HOME | PORTFOLIO | BLOG ENTRIES | CONTACT US

Type your destination...

Check In

Check Out

Adult

Children

Room

CHECK AVAILABILITY

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Need Help?

Level HTML Template by Toopla | HTTP Server Test Page powered

192.168.56.108:80

All Bookmarks

HTTP Server Test Page

This page is used to test the proper operation of an HTTP server after it has been installed on a Rocky Linux system. If you can read this page, it means that the software is working correctly.

Just visiting?

This website you are visiting is either experiencing problems or could be going through maintenance.

If you would like the let the administrators of this website know that you've seen this page instead of the page you've expected, you should send them an email. In general, mail sent to the name "webmaster" and directed to the website's domain should reach the appropriate person.

The most common email address to send to is:
"webmaster@example.com"

Note:

The Rocky Linux distribution is a stable and reproduceable platform based on the sources of Red Hat Enterprise Linux (RHEL). With this in mind, please understand that:

- Neither the **Rocky Linux Project** nor the **Rocky Enterprise Software Foundation** have anything to do with this website or

I am the admin, what do I do?

You may now add content to the webroot directory for your software.

For systems using the Apache Webserver: You can add content to the directory `/var/www/html/`. Until you do so, people visiting your website will see this page. If you would like this page to not be shown, follow the instructions in: `/etc/httpd/conf.d/welcome.conf`.

For systems using Nginx: You can add your content in a location of your choice and edit the `root` configuration directive in `/etc/nginx/nginx.conf`.

POWERED BY ROCKY LINUX NGINX

```
root@rockyserver:/nginx-logs-backup# ls -lh
total 8.0K
drwxr-xr-x. 2 root root        53 Mar  1 22:28 backup
-rwxrwxr-x. 1 root Developers 485 Mar  1 22:13 backup.sh
drwxr-xr-x. 2 root root        76 Mar  1 22:30 log_monitor
-rwxrwxr-x. 1 root Developers 854 Mar  1 22:17 log_monitor.sh
root@rockyserver:/nginx-logs-backup# ls -lh log_monitor
total 8.0K
-rw-r--r--. 1 root root 111 Mar  1 22:29 log-2026-03-01_22-29-24.txt
-rw-r--r--. 1 root root 111 Mar  1 22:30 log-2026-03-01_22-30-01.txt
root@rockyserver:/nginx-logs-backup# cat log_monitor/log-2026-03-01_22-29-24.txt
===== Log Report - 2026-03-01_22-29-24 =====
Failed Login Attempts: 0
404 Errors: 9
Total Error Log Lines: 451
root@rockyserver:/nginx-logs-backup# ls -lh backup
total 7.6M
-rw-r--r--. 1 root root 7.6M Mar  1 22:28 nginx_backup_2026-03-01_22-28-13.tar.gz
root@rockyserver:/nginx-logs-backup# _
```

Scripts Screenshots

```
GNU nano 8.1                                   backup.sh                                   Modified
#!/bin/bash

WEB_ROOT="/usr/share/nginx/*"

# backup directory
BACKUP_DIR="/nginx-logs-backup/backup"

DATE=$(date +%Y-%m-%d_%H-%M-%S)

#backup file name
BACKUP_FILE="nginx_backup_$DATE.tar.gz"

# Create backup directory if not exists
mkdir -p $BACKUP_DIR

#compress and archive backup
tar -czf $BACKUP_DIR/$BACKUP_FILE $WEB_ROOT
echo "backup completed"

# Delete older backups
find $BACKUP_DIR -name "*.tar.gz" -type f -mtime +7 -delete

echo "Older than 7 days backups are deleted"
```

GNU nano 8.1 log_monitor.sh

```
#!/bin/bash
#Source Files
SECURE_LOG="/var/log/secure" #ssh logfile
ACCESS_LOG="/var/log/nginx/access.log" #nginx access.log
ERROR_LOG="/var/log/nginx/error.log" #nginx error.log

DATE=$(date +%Y-%m-%d_%H-%M-%S)

#Output directory
OUTPUT_DIR="/nginx-logs-backup/log_monitor"
#create directory if not exists
mkdir -p $OUTPUT_DIR

OUTPUT_FILE="$OUTPUT_DIR/log-$DATE.txt"

echo "===== Log Report - $DATE =====" >> $OUTPUT_FILE

# Count failed login attempts
FAILED_LOGINS=$(grep "Failed password" $SECURE_LOG | wc -l)
echo "Failed Login Attempts: $FAILED_LOGINS" >> $OUTPUT_FILE

# Count 404 errors
ERROR_404=$(grep " 404 " $ACCESS_LOG | wc -l)
echo "404 Errors: $ERROR_404" >> $OUTPUT_FILE

# Count total errors in error log
ERROR_COUNT=$(wc -l < $ERROR_LOG )
echo "Total Error Log Lines: $ERROR_COUNT" >> $OUTPUT_FILE

echo "Report saved to $OUTPUT_FILE"
```

Firewall rules:

```
root@rockyserver:~# firewall-cmd --list-all
public (default, active)
  target: default
  ingress-priority: 0
  egress-priority: 0
  icmp-block-inversion: no
  interfaces: enp0s17 enp0s8
  sources:
  services: cockpit dhcpv6-client http https ssh
  ports: 8080/tcp 2020/tcp
  protocols:
  forward: yes
  masquerade: no
  forward-ports:
  source-ports:
  icmp-blocks:
  rich rules:
root@rockyserver:~# _
```

Nginx Directory Structure:

```
root@rockyserver:~# tree /etc/nginx/
/etc/nginx/
├── conf.d
│   └── port-sites.conf
├── default.d
├── fastcgi.conf
├── fastcgi.conf.default
├── fastcgi_params
├── fastcgi_params.default
├── koi-utf
├── koi-win
├── mime.types
├── mime.types.default
├── nginx.conf
├── nginx.conf.default
├── scgi_params
├── scgi_params.default
├── uwsgi_params
├── uwsgi_params.default
└── win-utf

3 directories, 16 files
root@rockyserver:~# tree /nginx-logs-backup/
/nginx-logs-backup/
├── backup
│   └── nginx_backup_2026-03-01_22-28-13.tar.gz
├── backup.sh
├── log_monitor
│   ├── log-2026-03-01_22-29-24.txt
│   └── log-2026-03-01_22-30-01.txt
└── log_monitor.sh

3 directories, 5 files
root@rockyserver:~# _
```

```
/usr/share/nginx
├── html
│   ├── 50x.html
│   ├── icons
│   │   └── poweredby.png -> ../../../pixmaps/poweredby.png
│   ├── index.html -> ../../testpage/index.html
│   ├── nginx-logo.png
│   ├── poweredby.png -> nginx-logo.png
│   └── system_noindex_logo.png -> ../../pixmaps/system-noindex-logo.png
├── modules
└── myweb
    ├── ABOUT THIS TEMPLATE.txt
    ├── css
    │   ├── bootstrap.min.css
    │   ├── datepicker.css
    │   └── tooplate-style.css
    ├── font-awesome-4.7.0
    │   ├── css
    │   │   ├── font-awesome.css
    │   │   └── font-awesome.min.css
    │   ├── fonts
    │   │   ├── FontAwesome.otf
    │   │   ├── fontawesome-webfont.eot
    │   │   ├── fontawesome-webfont.svg
    │   │   ├── fontawesome-webfont.ttf
    │   │   ├── fontawesome-webfont.woff
    │   │   └── fontawesome-webfont.woff2
    │   └── HELP-US-OUT.txt
    ├── img
    │   ├── bg-img-1.jpg
    │   ├── bg-img-2.jpg
    │   ├── bg-img-3.jpg
    │   ├── img-01.jpg
    │   ├── img-02.jpg
    │   ├── img-03.jpg
    │   ├── img-04.jpg
    │   ├── img-05.jpg
    │   ├── logo.png
    │   ├── Thumbs.db
    │   ├── tn-img-01.jpg
    │   ├── tn-img-02.jpg
    │   ├── tn-img-03.jpg
    │   └── tn-img-04.jpg
    ├── index.html
    ├── js
    │   ├── bootstrap.min.js
    │   ├── datepicker.min.js
    │   ├── jquery-1.11.3.min.js
    │   ├── jquery.singlePageNav.min.js
    │   └── popper.min.js
    ├── slick
    │   ├── ajax-loader.gif
    │   ├── config.rb
    │   ├── fonts
    │   │   ├── slick.eot
    │   │   ├── slick.svg
    │   │   ├── slick.ttf
    │   │   └── slick.woff
    │   ├── slick.css
    │   ├── slick.js
    │   ├── slick.less
    │   ├── slick.min.js
    │   ├── slick.scss
    │   ├── slick-theme.css
    │   ├── slick-theme.less
    │   └── slick-theme.scss
    └── videos
        └── video.mp4

4 directories, 54 files
(END)
```

#tree /usr/share/nginx/ | less