

0xdcbeffbecce100cce9e4b153c4e15cb885643193

CHAIN
ethereum

RUN STARTED
2026-08-16 18:33 UTC

REPORT GENERATED
2026-08-17 10:39 UTC

RULESET VERSION
baseline-2026-08-07

INVESTIGATION ID
ca7581f4-e06c-4731-8ced-98e22e92915b

STATUS
partial

RUN LAST UPDATED
2026-08-16 19:03 UTC

ENGINE VERSION
0.1.0

OBJECTIVES
find_prev_vasp, find_next_vasp

ANSWERED · COVERAGE PARTIAL

Every objective was answered with a named operator: nearest previous vasp — **Binance (operational address)**, nearest next vasp — **OKX**. The run then stopped on an exhausted budget rather than an exhausted trail, so parts of the graph were never walked. That affects completeness, not the answers above — a further run could find a *nearer* operator, but it cannot unfind these. See **Coverage and caveats**.

THE ANSWERS

Each direction is answered twice where the two answers differ: the closest endpoint the trace reached, and the closest one attributed to a named operator. Only a named operator can be served with a legal request. Every conclusion is followed by the evidence supporting it, grouped by the kind of evidence it is.

Nearest previous VASP

Where did the funds reaching this address come from?

WHY TWO ANSWERS

These are two different addresses answering two different questions. The closest endpoint (1 hop(s) out) carries no sourced attribution, so nobody is named and there is no operator to approach. The closest NAMED endpoint (1 hop(s) out) is attributed to an operator on a citable source, which is the one a legal request can be addressed to. Neither replaces the other: the nearer address is where the funds actually went first.

NEAREST NAMED ENDPOINT

NAMED OPERATOR

Binance (operational address)

0x28c6c06298d514db089934071355e5743bf21d60

1 hop(s) from the subject · finding confidence 75% · ethereum

nearest previous VASP: Binance (operational address) — an operator-controlled wallet 1 hop(s) away

A legal request can be addressed to this operator.

OPERATOR REFERENCE DATA — BINANCE

Legal entity	Binance Holdings Limited
Jurisdiction	Cayman Islands
KYC regime	Identity verification mandatory for every user since August 2021. US Bank Secrecy Act obligations are being met under the November 2023 guilty plea and the associated FinCEN-ordered independent monitorship.
KYC in force since	2021-08-20
Law-enforcement request channel	Binance Law Enforcement Request System — an online portal restricted to verified agency email domains. Process on the operator is served on Binance Holdings Limited.
Reference source	US DOJ plea agreement, United States v. Binance Holdings Limited (D. Nev., 2023-11-21); CFTC v. Binance Holdings Ltd. complaint (N.D. Ill., 2023-03-27); Binance announcement requiring Intermediate Verification of all users (2021-08-20).
Reference dated	2026-08-16

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 1 transaction(s) links root to endpoint

0xf34a77757b3fe0b7c3107d5c3b24a34bd5e183071d56800b3db4b6d526d15998

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Binance (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

NEAREST ENDPOINT

OPERATOR NOT NAMED

Operator unnamed

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

1 hop(s) from the subject · finding confidence 61% · ethereum

service endpoint (operator unnamed): collects from 76 and pays out to 47 distinct addresses — behaves as custodial infrastructure such as an exchange

There is no operator to address a legal request to; this address is a lead, not a respondent.

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

399 inbound and 369 outbound movements across 123 distinct counterparties

0x0071feb902e8429a17c800141fc20b689749e62e52fe70333c3372dbb91b48ac, 0x017c741ddfcc6697147b107b
aa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d0
39c8363dea1ae6, 0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x0294652f
8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x0334ea04a5f53db9a25d1ecfbd9c016e47
fd23aa6baeef29d1b62327666280eb, 0x03c1fb09e9600f2715a811142ca5d44389ffff3cd413777b648ce830d433
5b5c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (76 in / 47 out) exceeds the service thresholds (25/25); identifies the
ROLE only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 61% · names no operator

0x0071feb902e8429a17c800141fc20b689749e62e52fe70333c3372dbb91b48ac, 0x017c741ddfcc6697147b107b
aa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d0
39c8363dea1ae6, 0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x0294652f
8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x0334ea04a5f53db9a25d1ecfbd9c016e47
fd23aa6baeef29d1b62327666280eb, 0x03c1fb09e9600f2715a811142ca5d44389ffff3cd413777b648ce830d433
5b5c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395

Nearest next VASP

Where did the funds leaving this address go?

WHY TWO ANSWERS

These are two different addresses answering two different questions. The closest endpoint (1 hop(s) out) carries no sourced attribution, so nobody is named and there is no operator to approach. The closest NAMED endpoint (2 hop(s) out) is attributed to an operator on a citable source, which is the one a legal request can be addressed to. Neither replaces the other: the nearer address is where the funds actually went first.

NEAREST NAMED ENDPOINT

NAMED OPERATOR

OKX

0x2ce910fbba65b454bbaf6a18c952a70f3bcd8299

2 hop(s) from the subject · finding confidence 90% · ethereum

nearest next VASP: OKX 2 hop(s) away

A legal request can be addressed to this operator.

OPERATOR REFERENCE DATA — OKX

Legal entity	Aux Cayes FinTech Co. Ltd.
Jurisdiction	Seychelles
KYC regime	Identity verification required for trading. The operator pled guilty in the US in 2025 to running an unlicensed money transmitting business, and separately holds per-market authorisations (including a MiCA authorisation obtained through Malta).
Law-enforcement request channel	Law-enforcement request to OKX compliance, with service on Aux Cayes FinTech Co. Ltd. in the Seychelles, or on the locally licensed OKX company for that market. No public portal is asserted here — confirm the current channel before serving.
Reference source	US DOJ / SDNY plea, United States v. Aux Cayes FinTech Co. Ltd. (2025); OKX public licensing announcements.
Reference dated	2026-08-16

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0xd2ee209482ca6429a8cdc1f38fd6aeca9a0bdb3a39a9d8354dfbf7d5b30e82b7, 0xa070d35ba649b41da65e5ef7fb76127b36b92603174134ed60195c507d654670

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

OKX labeled 'vasp'

Source: OKX proof-of-reserves, signature-verified · dated 2026-08-10 00:00 UTC — 7 days old · claim confidence 90%

NEAREST ENDPOINT

OPERATOR NOT NAMED

Operator unnamed

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

1 hop(s) from the subject · finding confidence 61% · ethereum

service endpoint (operator unnamed): collects from 77 and pays out to 48 distinct addresses — behaves as custodial infrastructure such as an exchange

There is no operator to address a legal request to; this address is a lead, not a respondent.

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

401 inbound and 411 outbound movements across 125 distinct counterparties

0x0071feb902e8429a17c800141fc20b689749e62e52fe70333c3372dbb91b48ac, 0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfeb5edc, 0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x0334ea04a5f53db9a25d1ecfbd9c016e47fd23aa6baeef29d1b62327666280eb

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (77 in / 48 out) exceeds the service thresholds (25/25); identifies the ROLE only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 61% · names no operator

0x0071feb902e8429a17c800141fc20b689749e62e52fe70333c3372dbb91b48ac, 0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfeb5edc, 0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x0334ea04a5f53db9a25d1ecfbd9c016e47fd23aa6baeef29d1b62327666280eb

OTHER FINDINGS

Everything else this run recorded: sanctions hits, mixer contacts, bridge crossings, structural patterns, and the points at which branches ended.

SANCTIONED_ADDRESS

address appears in sanctions data (OFAC SDN listed address); trace continued

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 95%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

listed by ofac-sdn-digital-currency@2026-08-07

Source: ofac-sdn-digital-currency@2026-08-07 · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 95%

BRIDGE_CROSSING

value arrived from bridge 'celer-cbridge' toward base — the trail continues off this chain

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x2f051caaecd9ef5f3d7d225a0751a8eb063cb68bc980e49d4e82d37cc7a6b60, 0x5427FEFA711Eff984124bFBB1AB6bf5E3DA1820

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'celer-cbridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING

value entered bridge 'arbitrum-one' toward arbitrum — the trail continues off this chain

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x83dcab1798d8902e53b81c866b7922ea0452113428719a9ee6579163e6307ec0, 0x4Dbd4fc535Ac27206064B68FfCf827b0A60BAB3f

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'arbitrum-one'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING

value entered bridge 'op-mainnet-optimism' toward optimism — the trail continues off this chain

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xd2ee209482ca6429a8cdc1f38fd6aeca9a0bdb3a39a9d8354dfbf7d5b30e82b7, 0x99C9fc46f92E8a1c0deC1b1747d010903E884bE1

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'op-mainnet-optimism'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING

value entered bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x79a108ed01ca326f1781ae7c8915d5d7c9a025efe87d90f2fa2677a697dae8ba, 0xA0c68C638235ee32657e8f720a23ceC1bFc77C77

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING

value entered bridge 'polygon-plasma-bridge' toward polygon — the trail continues off this chain

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x117f41e80cb6f0100a5b77c067ce8bdfa635f2d6469b5c80303d2c0e20ec5aba, 0x401F6c983eA34274ec46f84D70b31C151321188b

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-plasma-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

OBFUSCATION_PATTERN

splitter: value distributed to 34 distinct addresses

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

51 outgoing movements to 34 addresses

0x07a11be22fea95a8a6fbd1685ba3dc8291be9d3cbb52cfb08fc85cc530a02546, 0x121321d0efd788f2181c952adaab2b33e6c1086772be5249fc6f1466a28f8965, 0x1bfe7deb5d3206249a8994bc395b24ed0ab6fbf010e6f17ca0c7d562a78609dc, 0x1f62db4b45386200ef10176d030338432a8daaec0c8f758c99ce221617eb9eba, 0x20aa5bfa392157cdd4d7ccfb83ca84cd9f37e2e7dcac5e43cffe54a48ec4908, 0x321a037fc6f24c75cbb6266dfd634eb2ccb2b5796bd37352fe1b4af3dd9ede26, 0x33e90ac5774be248ef080304231887969584a8e8170ec74ec75730bba16b4524, 0x41025aacc7b562c809b49fd934578f08c92d1b66f4f3c2df07baf7f493a6373

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 34 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 5 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x07a11be22fea95a8a6fbd1685ba3dc8291be9d3cbb52cfb08fc85cc530a02546, 0x121321d0efd788f2181c952adaab2b33e6c1086772be5249fc6f1466a28f8965, 0x1bfe7deb5d3206249a8994bc395b24ed0ab6fbf010e6f17ca0c7d562a78609dc, 0x1f62db4b45386200ef10176d030338432a8daaec0c8f758c99ce221617eb9eba, 0x20aa5bfa392157cdd4d7ccfb83ca84cd9f37e2e7dcac5e43cffe54a48ec4908, 0x321a037fc6f24c75cbb6266dfd634eb2ccb2b5796bd37352fe1b4af3dd9ede26, 0x33e90ac5774be248ef080304231887969584a8e8170ec74ec75730bba16b4524, 0x41025aacc7b562c809b49fd934578f08c92d1b66f4f3c2df07baf7f493a6373

OBFUSCATION_PATTERN

consolidation: value collected from 45 distinct addresses

0xdcbefffbecce100cce9e4b153c4e15cb885643193

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

96 incoming movements from 45 addresses

0x0047ba113e04b6752530e91656f6ac69582d8f3da58174874f4814f9666bf315, 0x026608671ebd8c3be1eb13051d7d3a94592281dd5cb09fe1a0529fc552d399d1, 0x03d73b5d07c814ed2d20b39365a417a14c31e98b6be9012f9b1a2102680ba1cf, 0x03f55feaeb77ea160d3f5679d6ae0eaadb61ebb05e0e5e80cce72347c91045d6, 0x040b9f0e961bfdfa53185f201c2fe67699a56c258cf579d64b7c2224400fd83e, 0x0a93940a635ade29080bb09a61858643c15300815ea783a769c944b3963593c9, 0x0b2b4bddedc09163cbe1dc8ac8e4bd87df31c00021b0c8692b3933078718ac40, 0x0b4bc24389e18b3db64296299699cbbb2928cccbfa25e02d0a16c92ff4bba063

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 45 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x0047ba113e04b6752530e91656f6ac69582d8f3da58174874f4814f9666bf315, 0x026608671ebd8c3be1eb13051d7d3a94592281dd5cb09fe1a0529fc552d399d1, 0x03d73b5d07c814ed2d20b39365a417a14c31e98b6be9012f9b1a2102680ba1cf, 0x03f55feaeb77ea160d3f5679d6ae0eaadb61ebb05e0e5e80cce72347c91045d6, 0x040b9f0e961bfdfa53185f201c2fe67699a56c258cf579d64b7c2224400fd83e, 0x0a93940a635ade29080bb09a61858643c15300815ea783a769c944b3963593c9, 0x0b2b4bddedc09163cbe1dc8ac8e4bd87df31c00021b0c8692b3933078718ac40, 0x0b4bc24389e18b3db64296299699cbbb2928cccbfa25e02d0a16c92ff4bba063

OBFUSCATION_PATTERN

relay: 8 receive-then-forward cycles within 30 minutes each

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 72%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

8 inflow/outflow pairs of the same asset in quick succession

0x121321d0efd788f2181c952adaab2b33e6c1086772be5249fc6f1466a28f8965, 0x20aa5bfa392157cdd4d7ccfb83ca84cd9f37e2e7dcac5e43cffe54a48ec4908, 0x8ccdb12150b4cdd8cee7823cf74869a29a11bec5768122cce9c33eb5911b7c81, 0xbbde7bdf12802dfe72c46604bceb676d6aa23b55a7746f9778a4c99530461e25, 0xc6f996ac2a98e4a097559c4f35782b7b470599a6a036a443f2ea75b2bce19d10, 0xe3ae1098b75d7dd4b623714f377b9a1603ffed2f5c395b48dd3205d78eced6fa, 0xe4a48bcd324ce10adf935bdd11cab219e7a2af9a0007e8b7703b3bc64bd445b3, 0xfb06c6c424311d2b9612fae61707b1dae92360c552e923409eea88d817020d6f

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

8 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 72% · names no operator

0x121321d0efd788f2181c952adaab2b33e6c1086772be5249fc6f1466a28f8965, 0x20aa5bfa392157cdd4d7ccfb83ca84cd9f37e2e7dcac5e43cffe54a48ec4908, 0x8ccdb12150b4cdd8cee7823cf74869a29a11bec5768122cce9c33eb5911b7c81, 0xbbde7bdf12802dfe72c46604bceb676d6aa23b55a7746f9778a4c99530461e25, 0xc6f996ac2a98e4a097559c4f35782b7b470599a6a036a443f2ea75b2bce19d10, 0xe3ae1098b75d7dd4b623714f377b9a1603ffed2f5c395b48dd3205d78eced6fa, 0xe4a48bcd324ce10adf935bdd11cab219e7a2af9a0007e8b7703b3bc64bd445b3, 0xfb06c6c424311d2b9612fae61707b1dae92360c552e923409eea88d817020d6f

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 10 ETH pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0x910cbd523d972eb0a6f4cae4618ad62622b39dbf

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 10 ETH pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 1 ETH pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 1 ETH pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 0.1 ETH pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 0.1 ETH pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 100 DAI pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0xd4b88df4d29f5cedd6857912842cff3b20c8cfa3

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 100 DAI pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — Proxy / router); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0xd90e2f925da726b50c4ed8d0fb90ad053324f31b

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — Proxy / router'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

SWEEP_PATTERN

pass-through: 5 receive-and-forward cycles (avg 100.0% forwarded, fastest 0.0h)

0x11111254369792b2ca5d084ab5eea397ca8fa48b

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

5 matched receive/forward pair(s) of the same asset; strongest cited

0x2575a942e7a22af7b30159bf56ec11ed8065d713d0111d6d7a7a117ec47f0cc5, 0x606b311759c87214923b284c072cff
e3eca4c8a167f2600762c361ffff96428c, 0x6e7f725573adb189623fd6b2c036752de6c2d27fdb8f36367cf549317fbb1f
e2, 0x81e9fd0e8d80de0dbb618c6eace5abf64b227f71799766165d8390597e002a, 0xaa80d3f6b329da213f34fb0b69
48ccaa42af5fb3449b3404fe66187a6c4e175c, 0xb3d20065b7aafbc179a6df0ff9755e4c1deb9bc68df7332316109c4a16
400023

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 5 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x2575a942e7a22af7b30159bf56ec11ed8065d713d0111d6d7a7a117ec47f0cc5, 0x606b311759c87214923b284c072cff
e3eca4c8a167f2600762c361ffff96428c, 0x6e7f725573adb189623fd6b2c036752de6c2d27fdb8f36367cf549317fbb1f
e2, 0x81e9fd0e8d80de0dbb618c6eace5abf64b227f71799766165d8390597e002a, 0xaa80d3f6b329da213f34fb0b69
48ccaa42af5fb3449b3404fe66187a6c4e175c, 0xb3d20065b7aafbc179a6df0ff9755e4c1deb9bc68df7332316109c4a16
400023

OBFUSCATION_PATTERN

peel: 6.4% shed while 93.6% of the received amount continued onward

0x11111254369792b2ca5d084ab5eea397ca8fa48b

Finding confidence 78%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x6f022037a1284e2315caa9db38556a71acf1b3cd7a0e6d66d3041e46dd887af4; onward in

0x6f022037a1284e2315caa9db38556a71acf1b3cd7a0e6d66d3041e46dd887af4; slice in

0x6f022037a1284e2315caa9db38556a71acf1b3cd7a0e6d66d3041e46dd887af4

0x6f022037a1284e2315caa9db38556a71acf1b3cd7a0e6d66d3041e46dd887af4

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 78% · names no operator

0x6f022037a1284e2315caa9db38556a71acf1b3cd7a0e6d66d3041e46dd887af4

OBFUSCATION_PATTERN

splitter: value distributed to 28 distinct addresses

0x11111254369792b2ca5d084ab5eea397ca8fa48b

Finding confidence 72%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

94 outgoing movements to 28 addresses

0x0047ba113e04b6752530e91656f6ac69582d8f3da58174874f4814f9666bf315, 0x035b55cea5b2cb364927dd82dca13b
b1e66d32a98840c39115403a6b96aa1715, 0x051fb89ea2ddb83c6f617ec1c009793a982a23c185cfaa64294b2f45cb1edd
d4, 0x098e94c32cdb008f1a664bf3be6cc371a0981c1c96940ab0cfc7eb9c13a0290d, 0x0af96e36932b299fb884c13855
7dfe1b0c6ac6c4ac46d274f672d6899d8da223, 0x0be37148572ce78412aabe4a58f09fa0ae0bfa2c0e0f12c31c0b1985f3
cf99f5, 0x0c36f6c471bc7158abf52fa5fddf2163ef5a994ebd71bea0d8c2dc5a6051025d, 0x1172408babad53323ad98b
324361303041489486ac26af7a766d0f50e2e90534

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 28 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 9 outputs of identical value

Rule: fan-out@1 · confidence 72% · names no operator

0x0047ba113e04b6752530e91656f6ac69582d8f3da58174874f4814f9666bf315, 0x035b55cea5b2cb364927dd82dca13b1e66d32a98840c39115403a6b96aa1715, 0x051fb89ea2ddb83c6f617ec1c009793a982a23c185cfaa64294b2f45cb1eddd4, 0x098e94c32cdb008f1a664bf3be6cc371a0981c1c96940ab0cfc7eb9c13a0290d, 0x0af96e36932b299fb884c138557dfe1b0c6ac6c4ac46d274f672d6899d8da223, 0x0be37148572ce78412aabe4a58f09fa0ae0bfa2c0e0f12c31c0b1985f3cf99f5, 0x0c36f6c471bc7158abf52fa5fddf2163ef5a994ebd71bea0d8c2dc5a6051025d, 0x1172408babad53323ad98b324361303041489486ac26af7a766d0f50e2e90534

OBFUSCATION_PATTERN

consolidation: value collected from 35 distinct addresses

0x11111254369792b2ca5d084ab5eea397ca8fa48b

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

68 incoming movements from 35 addresses

0x051fb89ea2ddb83c6f617ec1c009793a982a23c185cfaa64294b2f45cb1eddd4, 0x0af96e36932b299fb884c138557dfe1b0c6ac6c4ac46d274f672d6899d8da223, 0x0c36f6c471bc7158abf52fa5fddf2163ef5a994ebd71bea0d8c2dc5a6051025d, 0x1172408babad53323ad98b324361303041489486ac26af7a766d0f50e2e90534, 0x137b0398d8e11af0017230bffb3fb0575ada13662fea359618cf9d5c87de109, 0x1bb7575f476a0bab3de6fc5adcd5723b3d7815e22c8bea6d6b9244127ad40343, 0x21777223744afb11bc2fca6f31ef427766fcaea31c14c4c44a8474622d90e5be, 0x2575a942e7a22af7b30159bf56ec11ed8065d713d0111d6d7a7a117ec47f0cc5

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 35 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x051fb89ea2ddb83c6f617ec1c009793a982a23c185cfaa64294b2f45cb1eddd4, 0x0af96e36932b299fb884c138557dfe1b0c6ac6c4ac46d274f672d6899d8da223, 0x0c36f6c471bc7158abf52fa5fddf2163ef5a994ebd71bea0d8c2dc5a6051025d, 0x1172408babad53323ad98b324361303041489486ac26af7a766d0f50e2e90534, 0x137b0398d8e11af0017230bffb3fb0575ada13662fea359618cf9d5c87de109, 0x1bb7575f476a0bab3de6fc5adcd5723b3d7815e22c8bea6d6b9244127ad40343, 0x21777223744afb11bc2fca6f31ef427766fcaea31c14c4c44a8474622d90e5be, 0x2575a942e7a22af7b30159bf56ec11ed8065d713d0111d6d7a7a117ec47f0cc5

OBFUSCATION_PATTERN

relay: 67 receive-then-forward cycles within 30 minutes each

0x11111254369792b2ca5d084ab5eea397ca8fa48b

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

67 inflow/outflow pairs of the same asset in quick succession

0x051fb89ea2ddb83c6f617ec1c009793a982a23c185cfaa64294b2f45cb1eddd4, 0x0af96e36932b299fb884c138557dfe1b0c6ac6c4ac46d274f672d6899d8da223, 0x0c36f6c471bc7158abf52fa5fddf2163ef5a994ebd71bea0d8c2dc5a6051025d, 0x1172408babad53323ad98b324361303041489486ac26af7a766d0f50e2e90534, 0x137b0398d8e11af0017230bffb3fb0575ada13662fea359618cf9d5c87de109, 0x1bb7575f476a0bab3de6fc5adcd5723b3d7815e22c8bea6d6b9244127ad40343, 0x21777223744afb11bc2fca6f31ef427766fcaea31c14c4c44a8474622d90e5be, 0x2575a942e7a22af7b30159bf56ec11ed8065d713d0111d6d7a7a117ec47f0cc5

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

67 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x051fb89ea2ddb83c6f617ec1c009793a982a23c185cfaa64294b2f45cb1eddd4, 0x0af96e36932b299fb884c138557dfe1b0c6ac6c4ac46d274f672d6899d8da223, 0x0c36f6c471bc7158abf52fa5fddf2163ef5a994ebd71bea0d8c2dc5a6051025d, 0x1172408babad53323ad98b324361303041489486ac26af7a766d0f50e2e90534, 0x137b0398d8e11af0017230bffb3fb0575ada13662fea359618cf9d5c87de109, 0x1bb7575f476a0bab3de6fc5adcd5723b3d7815e22c8bea6d6b9244127ad40343, 0x21777223744afb11bc2fca6f31ef427766fcaea31c14c4c44a8474622d90e5be, 0x2575a942e7a22af7b30159bf56ec11ed8065d713d0111d6d7a7a117ec47f0cc5

SWEEP_PATTERN

pass-through: 122 receive-and-forward cycles (avg 98.1% forwarded, fastest 0.0h)

0x7a250d5630b4cf539739df2c5dacb4c659f2488d

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

122 matched receive/forward pair(s) of the same asset; strongest cited

0x0482d8c5013da00be8498dcb42b204bdefcd343fde2ce229ed8ce1e68e0d5b3, 0x10949b416e6e596cf318a8e9335df17002eda8415cc13507329e2c5e67b5c96e, 0x197ce552d5a6f2161dd7c50510bfb52baa9b1a559d3d2d5db95fb147869a973a, 0x5f6683dac0b600eae95f9d99ea4ba906591b85e0b42203562da6fffe6851e6bd, 0x837ad744a5e6c4ceb726bfa383d7ccf9b48e6f91177b355963fa0a316657d3, 0xc9eb6479d668b43d48a4752c7a5566bb534d240151cf8dc621e477a9e3d146e2, 0xe3c51e8719f7c9a3d5309b29f701cad82b4214c012886401c5459cd2fa46de83

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 122 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x0482d8c5013da00be8498dcb42b204bdefcd343fde2ce229ed8ce1e68e0d5b3, 0x10949b416e6e596cf318a8e9335df17002eda8415cc13507329e2c5e67b5c96e, 0x197ce552d5a6f2161dd7c50510bfb52baa9b1a559d3d2d5db95fb147869a973a, 0x5f6683dac0b600eae95f9d99ea4ba906591b85e0b42203562da6fffe6851e6bd, 0x837ad744a5e6c4ceb726bfa383d7ccf9b48e6f91177b355963fa0a316657d3, 0xc9eb6479d668b43d48a4752c7a5566bb534d240151cf8dc621e477a9e3d146e2, 0xe3c51e8719f7c9a3d5309b29f701cad82b4214c012886401c5459cd2fa46de83

OBFUSCATION_PATTERN

peel: 0.0% shed while 100.0% of the received amount continued onward

0x7a250d5630b4cf539739df2c5dacb4c659f2488d

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x1693038b10fbcebe72f9d1a7314d193d498947fc91d981b7944f95d816efbd6d; onward in

0x1693038b10fbcebe72f9d1a7314d193d498947fc91d981b7944f95d816efbd6d; slice in

0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395

0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x1693038b10fbcebe72f9d1a7314d193d498947fc91d981b7944f95d816efbd6d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x1693038b10fbcebe72f9d1a7314d193d498947fc91d981b7944f95d816efbd6d

OBFUSCATION_PATTERN

splitter: value distributed to 102 distinct addresses

0x7a250d5630b4cf539739df2c5dacb4c659f2488d

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

447 outgoing movements to 102 addresses

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03d73b5d07c814ed2d20b39365a417a14c31e98b6be9012f9b1a2102680ba1cf, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x040b9f0e961bfdfa53185f201c2fe67699a56c258cf579d64b7c2224400fd83e, 0x04235f3a65c94f15c554428c62964af1fc83c194f57dc6247e81081cae3d3019, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 102 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 6 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03d73b5d07c814ed2d20b39365a417a14c31e98b6be9012f9b1a2102680ba1cf, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x040b9f0e961bfdfa53185f201c2fe67699a56c258cf579d64b7c2224400fd83e, 0x04235f3a65c94f15c554428c62964af1fc83c194f57dc6247e81081cae3d3019, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3

OBFUSCATION_PATTERN

consolidation: value collected from 194 distinct addresses

0x7a250d5630b4cf539739df2c5dacb4c659f2488d

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

489 incoming movements from 194 addresses

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x02dfde9245623c2bf44957f2031813113ddf58e6d80467f663db59b8f409a5d5, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x03fb1dc725cb472b1f71868a31c413d7f616b6e02ee6330bb6d360fca84099aa, 0x04235f3a65c94f15c554428c62964af1fc83c194f57dc6247e81081cae3d3019, 0x0436cdba2eb18dfbc16ec62bcfdc66dcb07896c8aa25028c5c936d28d76f26db

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 194 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x02dfde9245623c2bf44957f2031813113ddf58e6d80467f663db59b8f409a5d5, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x03fb1dc725cb472b1f71868a31c413d7f616b6e02ee6330bb6d360fca84099aa, 0x04235f3a65c94f15c554428c62964af1fc83c194f57dc6247e81081cae3d3019, 0x0436cdba2eb18dfbc16ec62bcfdc66dcb07896c8aa25028c5c936d28d76f26db

OBFUSCATION_PATTERN

relay: 364 receive-then-forward cycles within 30 minutes each

0x7a250d5630b4cf539739df2c5dacb4c659f2488d

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

364 inflow/outflow pairs of the same asset in quick succession

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3, 0x054a82cbd8dafda38408abd69b3c88b760e5db0e97f99d45cb7a81e07d33c22c, 0x0642decaf6b29148762add8cf947f40572490ba0d3fd3ede02e61951891dc6e9, 0x0657febb7984d6d1876e35998f9421ec5dc229964dfc28efe86cdc2a2680ee7a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

364 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3, 0x054a82cbd8dafda38408abd69b3c88b760e5db0e97f99d45cb7a81e07d33c22c, 0x0642decaf6b29148762add8cf947f40572490ba0d3fd3ede02e61951891dc6e9, 0x0657febb7984d6d1876e35998f9421ec5dc229964dfc28efe86cdc2a2680ee7a

TERMINAL · BACKWARD

high-degree address (194 counterparties): followed the 20 largest by value, 174 branch(es) not followed

0x7a250d5630b4cf539739df2c5dacb4c659f2488d

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x02dfde9245623c2bf44957f2031813113ddf58e6d80467f663db59b8f409a5d5, 0x0367e302db1f6bc419ee2de100810ec919d7a65b9d434c820bea2775669c987c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x03fb1dc725cb472b1f71868a31c413d7f616b6e02ee6330bb6d360fca84099aa, 0x04235f3a65c94f15c554428c62964af1fc83c194f57dc6247e81081cae3d3019, 0x0436cdba2eb18dfbc16ec62bcfdc66dcb07896c8aa25028c5c936d28d76f26db, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3, 0x0482d8c5013da00be8498dcb42b204bcdefcd343fde2ce229ed8ce1e68e0d5b3

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 174 were reached but never explored

BRIDGE_CROSSING · BACKWARD

value entered bridge 'across-protocol' — the trail continues off this chain

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x3e6ee80c1911954b8e54889a2f0deac24d897157bdd41c21b69d926f36a5a6b2, 0x5c7BCd6E7De5423a257D81B442095A1a6ced35C5

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · BACKWARD

value arrived from bridge 'across-protocol' — the trail continues off this chain

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xee1a53fccf63d5ca59f1e5ecea9aa0427b8606cabb5504533335e7aa95a215d4, 0x5c7BCd6E7De5423a257D81B442095A1a6ced35C5

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

SWEEP_PATTERN

pass-through: 89 receive-and-forward cycles (avg 97.6% forwarded, fastest 0.0h)

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 86%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

89 matched receive/forward pair(s) of the same asset; strongest cited

0x347cde7242777ff0e9412584e8858de11cd63a7bd5bb63681b84803f178d63d4, 0x47bf52ab39e0ca0cd81a94e297a7ee
f1ef944871450b25ecaa13ba05772a7ead, 0x6b3e19044e33c312410f615e2ebae0413a4ce0af83fd9502a0a827c746afcd
c2, 0x75f7c97d3a37c5a4bcaf15a902c9cb2f5f5861e48a6e522a6a5809ad80f9a8cf, 0x77deef018973ea1a8a3a92456d
c7c50621cd8acd6894224a78694b86c122a8a2, 0x7cfd2e0230fe27e41151549f3448ef4f70bb3044fc0fd987f4c7dee556
175cb8, 0x8cb63291fb5f06c72cf74acb44ac4f879d33f3822fc0cfbd4e0303bd3ec74995, 0x9b4f0d90d8f67e69f25c3a
5719b6a23ef2b0e24369422a909c63ee2c934464a8

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9999 within 22.1h; 89 such cycle(s) overall

Rule: sweep@1 · confidence 86% · names no operator

0x347cde7242777ff0e9412584e8858de11cd63a7bd5bb63681b84803f178d63d4, 0x47bf52ab39e0ca0cd81a94e297a7ee
f1ef944871450b25ecaa13ba05772a7ead, 0x6b3e19044e33c312410f615e2ebae0413a4ce0af83fd9502a0a827c746afcd
c2, 0x75f7c97d3a37c5a4bcaf15a902c9cb2f5f5861e48a6e522a6a5809ad80f9a8cf, 0x77deef018973ea1a8a3a92456d
c7c50621cd8acd6894224a78694b86c122a8a2, 0x7cfd2e0230fe27e41151549f3448ef4f70bb3044fc0fd987f4c7dee556
175cb8, 0x8cb63291fb5f06c72cf74acb44ac4f879d33f3822fc0cfbd4e0303bd3ec74995, 0x9b4f0d90d8f67e69f25c3a
5719b6a23ef2b0e24369422a909c63ee2c934464a8

OBfuscATION_PATTERN

peel: 0.0% shed while 90.0% of the received amount continued onward

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 78%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xaebd7239a8c66bd4299ea0a04cc5a50c070304d27b15e9b64e499b45acf2a180; onward in

0x59a63043db26b0d050a925ec64ea2c8b07f61d63a7906ef12ae177b2481a4023; slice in

0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395

0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x59a63043db26b0d050a925ec64ea2c
8b07f61d63a7906ef12ae177b2481a4023, 0xaebd7239a8c66bd4299ea0a04cc5a50c070304d27b15e9b64e499b45acf2a1
80

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 78% · names no operator

0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x59a63043db26b0d050a925ec64ea2c
8b07f61d63a7906ef12ae177b2481a4023, 0xaebd7239a8c66bd4299ea0a04cc5a50c070304d27b15e9b64e499b45acf2a1
80

OBFUSCATION_PATTERN

splitter: value distributed to 47 distinct addresses

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

369 outgoing movements to 47 addresses

0x0071feb902e8429a17c800141fc20b689749e62e52fe70333c3372dbb91b48ac, 0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x0334ea04a5f53db9a25d1ecfbd9c016e47fd23aa6baeef29d1b62327666280eb, 0x03c1fb09e9600f2715a811142ca5d44389ffff3cd413777b648ce830d4335b5c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 47 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x0071feb902e8429a17c800141fc20b689749e62e52fe70333c3372dbb91b48ac, 0x017c741ddfcc6697147b107baa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x0334ea04a5f53db9a25d1ecfbd9c016e47fd23aa6baeef29d1b62327666280eb, 0x03c1fb09e9600f2715a811142ca5d44389ffff3cd413777b648ce830d4335b5c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d

OBFUSCATION_PATTERN

consolidation: value collected from 76 distinct addresses

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

399 incoming movements from 76 addresses

0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3, 0x0657febb7984d6d1876e35998f9421ec5dc229964dfc28efe86cdc2a2680ee7a, 0x06826e2107c34888fceb9983db599c7ecf3cfbd4749539779f2c4841b6d3a37f, 0x06e8977bd2942d1fa9f90aadbd3a3f83158b61e25fabd65a92a691e54e0cb3a0, 0x073a321d361917f990fe82bed3c137e1e4b42e77dcb448cdeb2a0c0255280ab3, 0x07dc0840fe7d52f4bf5672b248106223c4c696c1dda192ea335f5cf9640f41de, 0x07e695282e42a9a62cd17db1e708adfca3e591f93f82dd02897e80b84a3374bc

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 76 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3, 0x0657febb7984d6d1876e35998f9421ec5dc229964dfc28efe86cdc2a2680ee7a, 0x06826e2107c34888fceb9983db599c7ecf3cfbd4749539779f2c4841b6d3a37f, 0x06e8977bd2942d1fa9f90aadbdba3f83158b61e25fabd65a92a691e54e0cb3a0, 0x073a321d361917f990fe82bed3c137e1e4b42e77dcb448cdeb2a0c0255280ab3, 0x07dc0840fe7d52f4bf5672b248106223c4c696c1dda192ea335f5cf9640f41de, 0x07e695282e42a9a62cd17db1e708adfca3e591f93f82dd02897e80b84a3374bc

OBFUSCATION_PATTERN

relay: 265 receive-then-forward cycles within 30 minutes each

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

265 inflow/outflow pairs of the same asset in quick succession

0x017c741ddfcc6697147b107bbaa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0334ea04a5f53db9a25d1ecfbd9c016e47fd23aa6baeef29d1b62327666280eb, 0x03c1fb09e9600f2715a811142ca5d44389ffff3cd413777b648ce830d4335b5c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x054a82cbd8dafda38408abd69b3c88b760e5db0e97f99d45cb7a81e07d33c22c, 0x0642decaf629148762add8cf947f40572490ba0d3fd3ede02e61951891dc6e9, 0x073660b76bfb046c11f01ab866543d8e1b24e806141a810f7d846ddf0141948a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

265 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x017c741ddfcc6697147b107bbaa17f35a30c410769a71c7242db5ecaf136f6ae4, 0x01f0bcce98ea42b6a87a54fd82f7635311daff28c8fe4ae2d039c8363dea1ae6, 0x0334ea04a5f53db9a25d1ecfbd9c016e47fd23aa6baeef29d1b62327666280eb, 0x03c1fb09e9600f2715a811142ca5d44389ffff3cd413777b648ce830d4335b5c, 0x03dba777404923c86725da810c558ee5e07933e783a4cdda5b2542b972198395, 0x054a82cbd8dafda38408abd69b3c88b760e5db0e97f99d45cb7a81e07d33c22c, 0x0642decaf629148762add8cf947f40572490ba0d3fd3ede02e61951891dc6e9, 0x073660b76bfb046c11f01ab866543d8e1b24e806141a810f7d846ddf0141948a

TERMINAL · BACKWARD

high-degree address (135 counterparties): followed the 20 largest by value, 115 branch(es) not followed

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x0283e352d16a5275831197196329103c4d5d22526cad0938b9e9d2fbbc373662, 0x038243e9ea0e0f59bc7c509e8c1b6674980f29e00552c80a35ab6e8498d75b6d, 0x0447e0e5af32c6591d26db1c2f5d5e1fdff42eb24b64c66bd75739fa250d33f3, 0x0657febb7984d6d1876e35998f9421ec5dc229964dfc28efe86cdc2a2680ee7a, 0x06826e2107c34888fceb9983db599c7ecf3cfbd4749539779f2c4841b6d3a37f, 0x06e8977bd2942d1fa9f90aadbdba3f83158b61e25fabd65a92a691e54e0cb3a0, 0x073a321d361917f990fe82bed3c137e1e4b42e77dcb448cdeb2a0c0255280ab3, 0x07dc0840fe7d52f4bf5672b248106223c4c696c1dda192ea335f5cf9640f41de, 0x07e695282e42a9a62cd17db1e708adfca3e591f93f82dd02897e80b84a3374bc, 0x08063a539d6f1ef97e12b24ab125128f0dcdc0c3f433cfac0e0517a08d9423c5

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 115 were reached but never explored

SWEEP_PATTERN

pass-through: 43 receive-and-forward cycles (avg 99.9% forwarded, fastest 0.0h)

0x1111111254fb6c44bac0bed2854e76f90643097d

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

43 matched receive/forward pair(s) of the same asset; strongest cited

0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee, 0x3fdc3c037d338e14ad8d2358b9b53fd33df0237428ea347122dec53be7ce2a54, 0x51d23b0ff6e6e5e4a98acc4aa6a2b283d0381fc33660160afc69a60c67e957fa, 0x59e2b5b1f53693a7895da5ba23e79614ecd78f71420146e7132a3a85f2a6645c, 0xeb51f245a6bd22afce669b5140f056ade0ffe822118793906c18f06f0e42df91, 0xf2118d18fd32ac45f43828de91034f7bf31e8145ce5516a5f2ba10a914a1d09c, 0xf26b90c7bfaf7bb3447f4e4531014e5ea636c97e613e8bf0603effa2eb227a31

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 43 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee, 0x3fdc3c037d338e14ad8d2358b9b53fd33df0237428ea347122dec53be7ce2a54, 0x51d23b0ff6e6e5e4a98acc4aa6a2b283d0381fc33660160afc69a60c67e957fa, 0x59e2b5b1f53693a7895da5ba23e79614ecd78f71420146e7132a3a85f2a6645c, 0xeb51f245a6bd22afce669b5140f056ade0ffe822118793906c18f06f0e42df91, 0xf2118d18fd32ac45f43828de91034f7bf31e8145ce5516a5f2ba10a914a1d09c, 0xf26b90c7bfaf7bb3447f4e4531014e5ea636c97e613e8bf0603effa2eb227a31

OBFUSCATION_PATTERN

splitter: value distributed to 9 distinct addresses

0x1111111254fb6c44bac0bed2854e76f90643097d

Finding confidence 57%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

68 outgoing movements to 9 addresses

0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d, 0x0e2770a24fb0b20228471cf65b05850586c2b40375b852c6ecba6790773f084f, 0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee, 0x143931e440f4226c8e12f3506847a5c873a6349999600bdbca6340b7b0d8b263, 0x1f8ccbeed208e2d3f68ee93f338fb8f3180f7224b2b878aa99a176845671982d, 0x3bdb7ae587ce8ecf7302e5b306ee71f6680439b93157d67074c45e0167692557, 0x3cc766d9dad03b27d9a036a20efd0566da789193e24ff9e28271125d26e43bd6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 9 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 57% · names no operator

0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d, 0x0e2770a24fb0b20228471cf65b05850586c2b40375b852c6ecba6790773f084f, 0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee, 0x143931e440f4226c8e12f3506847a5c873a6349999600bdbca6340b7b0d8b263, 0x1f8ccbeed208e2d3f68ee93f338fb8f3180f7224b2b878aa99a176845671982d, 0x3bdb7ae587ce8ecf7302e5b306ee71f6680439b93157d67074c45e0167692557, 0x3cc766d9dad03b27d9a036a20efd0566da789193e24ff9e28271125d26e43bd6

OBFUSCATION_PATTERN

consolidation: value collected from 21 distinct addresses

0x1111111254fb6c44bac0bed2854e76f90643097d

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

145 incoming movements from 21 addresses

0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d, 0x04021be457d0bc0663c58edb9842e12c1902d0ac30b4f5c64f5113a214ba9ae7, 0x05bf4e4e303768865538cf97b2ef94c258c415bbad63b43c0f5b8359a547bd82, 0x0b8f9f6872131173e4ba4bf0e3b8e960af530c0ec880b1e2e114eb567f75dca9, 0x0c797f62042806d36cb49ae792f23625bf380d56da0f5a33802708675dda99cd, 0x0e2770a24fb0b20228471cf65b05850586c2b40375b852c6ecba6790773f084f, 0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 21 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 66% · names no operator

0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d, 0x04021be457d0bc0663c58edb9842e12c1902d0ac30b4f5c64f5113a214ba9ae7, 0x05bf4e4e303768865538cf97b2ef94c258c415bbad63b43c0f5b8359a547bd82, 0x0b8f9f6872131173e4ba4bf0e3b8e960af530c0ec880b1e2e114eb567f75dca9, 0x0c797f62042806d36cb49ae792f23625bf380d56da0f5a33802708675dda99cd, 0x0e2770a24fb0b20228471cf65b05850586c2b40375b852c6ecba6790773f084f, 0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee

OBFUSCATION_PATTERN

relay: 65 receive-then-forward cycles within 30 minutes each

0x1111111254fb6c44bac0bed2854e76f90643097d

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

65 inflow/outflow pairs of the same asset in quick succession

0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d, 0x0e2770a24fb0b20228471cf65b05850586c2b40375b852c6ecba6790773f084f, 0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee, 0x143931e440f4226c8e12f3506847a5c873a6349999600bdbca6340b7b0d8b263, 0x1f8ccbeed208e2d3f68ee93f338fb8f3180f7224b2b878aa99a176845671982d, 0x3bdb7ae587ce8ecf7302e5b306ee71f6680439b93157d67074c45e0167692557, 0x3cc766d9dad03b27d9a036a20efd0566da789193e24ff9e28271125d26e43bd6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

65 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0294652f8a20c918e7bf0881c9820001a00fc100532af5a685477378d9873c43, 0x03f0ca1476136fd4c0e7548d142c9fc8286a202e937ddd86b8904ffb22389c5d, 0x0e2770a24fb0b20228471cf65b05850586c2b40375b852c6ecba6790773f084f, 0x108ce21ba61eb2eb1cceb4daffef248aeb98730747575ea2ad408881b6ffd1ee, 0x143931e440f4226c8e12f3506847a5c873a6349999600bdbca6340b7b0d8b263, 0x1f8ccbeed208e2d3f68ee93f338fb8f3180f7224b2b878aa99a176845671982d, 0x3bdb7ae587ce8ecf7302e5b306ee71f6680439b93157d67074c45e0167692557, 0x3cc766d9dad03b27d9a036a20efd0566da789193e24ff9e28271125d26e43bd6

SWEEP_PATTERN

pass-through: 3 receive-and-forward cycles (avg 98.0% forwarded, fastest 3.2h)

0x812b40c2ca7fabbac756475593fc8b1c313434fa

Finding confidence 88%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 matched receive/forward pair(s) of the same asset; strongest cited

0x4016267e7afd9e42f3c054e48c4502e25e41d34c87599f78782c9688ba640dd6, 0x5c49c19446a5dd0163d6d5ac2109313e2048e4cb35e5d654054f14df54b364a7, 0xa844c0ca4fa5ac1b60fa53aa0710ed02cad6dda92e7efb0cd7dbe3bc84132541, 0xd638e4676d769894f09c1e23fa29e907d88eec2eb3610b37282ca4c1dd0e43f1, 0xead64a4bebdbb494beb06168c0f1cab9c9dcbe26074e5c97f8cf91eea7bf5eb63, 0xef16bfab7d9f67fd4accc55f7ee6076fb6ee5640cc9bb97c9c97fbe5ef484f24

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9976 within 17.1h; 3 such cycle(s) overall

Rule: sweep@1 · confidence 88% · names no operator

0x4016267e7afd9e42f3c054e48c4502e25e41d34c87599f78782c9688ba640dd6, 0x5c49c19446a5dd0163d6d5ac2109313e2048e4cb35e5d654054f14df54b364a7, 0xa844c0ca4fa5ac1b60fa53aa0710ed02cad6dda92e7efb0cd7dbe3bc84132541, 0xd638e4676d769894f09c1e23fa29e907d88eec2eb3610b37282ca4c1dd0e43f1, 0xead64a4bebdbb494beb06168c0f1cab9c9dcbe26074e5c97f8cf91eea7bf5eb63, 0xef16bfab7d9f67fd4accc55f7ee6076fb6ee5640cc9bb97c9c97fbe5ef484f24

OBFUSCATION_PATTERN

splitter: value distributed to 10 distinct addresses

0x812b40c2ca7fabbac756475593fc8b1c313434fa

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

43 outgoing movements to 10 addresses

0x0101165eaba9fb5748fea70558fcc4d4b4f82c6d73a9d0ce68e17438d4c4a7c5, 0x296075cf891a688ef948d1cc1728a0de3c9d62b2db8be4e53ffe4829582dc4f9, 0x2e2c0cd4b1a73ee8b9150c830d03141c6ffe4f2e95d917009c74c8bed0a5a36c, 0x4016267e7afd9e42f3c054e48c4502e25e41d34c87599f78782c9688ba640dd6, 0x4ae5d5b3643b4bb18f093964fc85fa72d711f27e357de0b01693ae04e23b9cca, 0x4d3c7bab1f2b51f1c3a584ea128b0c686c4101cfb005a277f9e8554dfc51bb00, 0x4f1a5aff3c4d224b47b19ec057f7e16a52619c4a98df4bfecd44b1a67c97efe9, 0x4fcb105f0fb5d5fb293c0ca378d5fa37f924c3c1dc9873a9122e578563600325

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 10 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 58% · names no operator

0x0101165eaba9fb5748fea70558fcc4d4b4f82c6d73a9d0ce68e17438d4c4a7c5, 0x296075cf891a688ef948d1cc1728a0de3c9d62b2db8be4e53ffe4829582dc4f9, 0x2e2c0cd4b1a73ee8b9150c830d03141c6ffe4f2e95d917009c74c8bed0a5a36c, 0x4016267e7afd9e42f3c054e48c4502e25e41d34c87599f78782c9688ba640dd6, 0x4ae5d5b3643b4bb18f093964fc85fa72d711f27e357de0b01693ae04e23b9cca, 0x4d3c7bab1f2b51f1c3a584ea128b0c686c4101cfb005a277f9e8554dfc51bb00, 0x4f1a5aff3c4d224b47b19ec057f7e16a52619c4a98df4bfecd44b1a67c97efe9, 0x4fcb105f0fb5d5fb293c0ca378d5fa37f924c3c1dc9873a9122e578563600325

OBFUSCATION_PATTERN

consolidation: value collected from 10 distinct addresses

0x812b40c2ca7fabbac756475593fc8b1c313434fa

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

58 incoming movements from 10 addresses

0x0124f5e4d3401d0af8487c5badbdfa3c374f3e885e9991ccf317e7f7840877ea, 0x0418d1bc9c2ab997c9d5cbfe3c7fd72e5a6a3bbdd691a9ccfd963a9e2fc09894, 0x05bc1a556eafb2265af9405b55919f70d5b310d18551815f85b08d1139d80138, 0x09cc5e46a9262d6f49c47d60505edfdb7ebe65396eb2170359c7cc47e0ea2964, 0x0b7fb7ce40f93ef846e64116e9500b9702655a9f3e3fa7ade65dac07997f66a5, 0x0bd57bd9657e0c6bc1dad3de55de70607581a00c70d00b4d29a395f8d60563bf, 0x0bf936ff82d0e0f9575f188970b694bd99b70be2db3ce411b4c698bb2c8d50be, 0x0ebb93d6b00f561eb4239f993a477c38a2f0e57baad77444bb0971b694c94e6e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 10 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 58% · names no operator

0x0124f5e4d3401d0af8487c5badbdfa3c374f3e885e9991ccf317e7f7840877ea, 0x0418d1bc9c2ab997c9d5cbfe3c7fd72e5a6a3bbdd691a9ccfd963a9e2fc09894, 0x05bc1a556eafb2265af9405b55919f70d5b310d18551815f85b08d1139d80138, 0x09cc5e46a9262d6f49c47d60505edfdb7ebe65396eb2170359c7cc47e0ea2964, 0x0b7fb7ce40f93ef846e64116e9500b9702655a9f3e3fa7ade65dac07997f66a5, 0x0bd57bd9657e0c6bc1dad3de55de70607581a00c70d00b4d29a395f8d60563bf, 0x0bf936ff82d0e0f9575f188970b694bd99b70be2db3ce411b4c698bb2c8d50be, 0x0ebb93d6b00f561eb4239f993a477c38a2f0e57baad77444bb0971b694c94e6e

OBFUSCATION_PATTERN

relay: 5 receive-then-forward cycles within 30 minutes each

0x812b40c2ca7fabbac756475593fc8b1c313434fa

Finding confidence 64%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

5 inflow/outflow pairs of the same asset in quick succession

0x296075cf891a688ef948d1cc1728a0de3c9d62b2db8be4e53ffe4829582dc4f9, 0x4016267e7afd9e42f3c054e48c4502e25e41d34c87599f78782c9688ba640dd6, 0x601adc47494d64354f3584153387c031bc7b49f3637b9a83a55ae6ef410c4425, 0x745eb144869872fb42a1c386d17019aa2457af6e642cfd256d079eea2e54ab98, 0x948ec07c4d383f386b6503139b39dceb4fa91a9e5b93dbf81028fe6a8d7a5fff

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

5 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 64% · names no operator

0x296075cf891a688ef948d1cc1728a0de3c9d62b2db8be4e53ffe4829582dc4f9, 0x4016267e7afd9e42f3c054e48c4502e25e41d34c87599f78782c9688ba640dd6, 0x601adc47494d64354f3584153387c031bc7b49f3637b9a83a55ae6ef410c4425, 0x745eb144869872fb42a1c386d17019aa2457af6e642cfd256d079eea2e54ab98, 0x948ec07c4d383f386b6503139b39dceb4fa91a9e5b93dbf81028fe6a8d7a5ffd

SWEEP_PATTERN

pass-through: 9 receive-and-forward cycles (avg 98.4% forwarded, fastest 0.0h)

0x9008d19f58aabd9ed0d60971565aa8510560ab41

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

9 matched receive/forward pair(s) of the same asset; strongest cited

0x3c7fd0d209d4e891870ae519089546b3dfa9164531bf116aff04fa9ef5f5020f, 0x447045f942145e6ad9366888d72878cfa8d88b6dc1516c4474a6b260c3d23cb9, 0x5bfdf4e9dbcff8cddd859688d441d1b862e074037b50a2a77a235d40070d6d0e, 0x7c014fe67bfd7877f53a95f0d95f0cafa814a82e4683374fe1f2b40df9c8f8af, 0x821444e894ee3635103abbc45f8852447dabe7d390f786ba9bd0c857c579685, 0xa80d0c25e051a0bed78a156146d689838a686476cd53bbdfd57d29eff1807b3b, 0xe04648b54e6696a6bb6ac693401dc18cfd55944715fb7e4b6e862fc65237443c, 0xfe7b297eaae38e8cf4a60afa2c85ce20f7cf07c3f00111827f275bc10f4783ab

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9996 within 0.1h; 9 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x3c7fd0d209d4e891870ae519089546b3dfa9164531bf116aff04fa9ef5f5020f, 0x447045f942145e6ad9366888d72878cfa8d88b6dc1516c4474a6b260c3d23cb9, 0x5bfdf4e9dbcff8cddd859688d441d1b862e074037b50a2a77a235d40070d6d0e, 0x7c014fe67bfd7877f53a95f0d95f0cafa814a82e4683374fe1f2b40df9c8f8af, 0x821444e894ee3635103abbc45f8852447dabe7d390f786ba9bd0c857c579685, 0xa80d0c25e051a0bed78a156146d689838a686476cd53bbdfd57d29eff1807b3b, 0xe04648b54e6696a6bb6ac693401dc18cfd55944715fb7e4b6e862fc65237443c, 0xfe7b297eaae38e8cf4a60afa2c85ce20f7cf07c3f00111827f275bc10f4783ab

OBFUSCATION_PATTERN

peel: 0.0% shed while 100.0% of the received amount continued onward

0x9008d19f58aabd9ed0d60971565aa8510560ab41

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x9592f73ea4e29de5e8d60a508f97a97fa99d859dd8bbda5a517edc4a905bb154; onward in 0x9592f73ea4e29de5e8d60a508f97a97fa99d859dd8bbda5a517edc4a905bb154; slice in 0x7ed33a924eaae9f267cdb6cc6742882dd305524fd0f94d7cdc8f866d6658a748

0x7ed33a924eaae9f267cdb6cc6742882dd305524fd0f94d7cdc8f866d6658a748, 0x9592f73ea4e29de5e8d60a508f97a97fa99d859dd8bbda5a517edc4a905bb154

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x7ed33a924eaae9f267cdb6cc6742882dd305524fd0f94d7cdc8f866d6658a748, 0x9592f73ea4e29de5e8d60a508f97a97fa99d859dd8bbda5a517edc4a905bb154

OBFUSCATION_PATTERN

splitter: value distributed to 54 distinct addresses

0x9008d19f58aabd9ed0d60971565aa8510560ab41

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

105 outgoing movements to 54 addresses

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfeb5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x02285c827da051c451064fdd85a7cd4a005f7458020010f3efbdafd05b250d0f, 0x034478f5d87ebb28998ec3f7c7acf1f5316fd7449b2ed3b7ad333eb28c2f6625, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x073814811be4372dfbd4a2a77303766b363131d708571b6d52a959d042f70140, 0x0825bb68c89e652cc7f47e2eddcfea58ec138b807a5bfd646185f7ef49f751eb, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 54 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfeb5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x02285c827da051c451064fdd85a7cd4a005f7458020010f3efbdafd05b250d0f, 0x034478f5d87ebb28998ec3f7c7acf1f5316fd7449b2ed3b7ad333eb28c2f6625, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x073814811be4372dfbd4a2a77303766b363131d708571b6d52a959d042f70140, 0x0825bb68c89e652cc7f47e2eddcfea58ec138b807a5bfd646185f7ef49f751eb, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9

OBFUSCATION_PATTERN

consolidation: value collected from 16 distinct addresses

0x9008d19f58aabd9ed0d60971565aa8510560ab41

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

76 incoming movements from 16 addresses

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfebf5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x02285c827da051c451064fdd85a7cd4a005f7458020010f3efbdafd05b250d0f, 0x034478f5d87ebb28998ec3f7c7acf1f5316fd7449b2ed3b7ad333eb28c2f6625, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9, 0x0ea147a1a7f606e94dd757a01058e8b2544287c2324156f1c4ece8d2ea0f3477, 0x0fb87a0b2149c57eac22d7fbd0a7eacab66b6c938c24459f6a3d23394ed1ae5a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 16 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 62% · names no operator

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfebf5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x02285c827da051c451064fdd85a7cd4a005f7458020010f3efbdafd05b250d0f, 0x034478f5d87ebb28998ec3f7c7acf1f5316fd7449b2ed3b7ad333eb28c2f6625, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9, 0x0ea147a1a7f606e94dd757a01058e8b2544287c2324156f1c4ece8d2ea0f3477, 0x0fb87a0b2149c57eac22d7fbd0a7eacab66b6c938c24459f6a3d23394ed1ae5a

OBFUSCATION_PATTERN

relay: 64 receive-then-forward cycles within 30 minutes each

0x9008d19f58aabd9ed0d60971565aa8510560ab41

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

64 inflow/outflow pairs of the same asset in quick succession

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfebf5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9, 0x0ea147a1a7f606e94dd757a01058e8b2544287c2324156f1c4ece8d2ea0f3477, 0x0fb87a0b2149c57eac22d7fbd0a7eacab66b6c938c24459f6a3d23394ed1ae5a, 0x1a60ba1528ae2e92145214118ecc2f2194a7b2c13ec3fbfb1156f8ec4ea394dc, 0x23238e540dab42933e735b870fb736eea74adf4d87a9bd8ba9606c30aca9566b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

64 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfeb5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9, 0x0ea147a1a7f606e94dd757a01058e8b2544287c2324156f1c4ece8d2ea0f3477, 0x0fb87a0b2149c57eac22d7fbd0a7eacab66b6c938c24459f6a3d2339aed1ae5a, 0x1a60ba1528ae2e92145214118ecc2f2194a7b2c13ec3fbfb1156f8ec4ea394dc, 0x23238e540dab42933e735b870fb736eea74adf4d87a9bd8ba9606c30aca9566b

TERMINAL · FORWARD

high-degree address (66 counterparties): followed the 20 largest by value, 46 branch(es) not followed

0x9008d19f58aabd9ed0d60971565aa8510560ab41

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x0153584d3eb21614a72ff1b497c1d328e367d7acb1c0840ddc06fbacfeb5edc, 0x019698325fe6148b91d1830b7e5111cbbc9bb35f5c980ad151d3eb43a8b678fe, 0x02285c827da051c451064fdd85a7cd4a005f7458020010f3efbdafd05b250d0f, 0x034478f5d87ebb28998ec3f7c7acf1f5316fd7449b2ed3b7ad333eb28c2f6625, 0x0507cef7761bc9251cc1e04fe4bde9559e0e7000654cdccea4b66dd5bcd2dc9b, 0x073814811be4372dfbd4a2a77303766b363131d708571b6d52a959d042f70140, 0x0825bb68c89e652cc7f47e2eddcfea58ec138b807a5bfd646185f7ef49f751eb, 0x099b76e73c6f7a0ac88607213aae374823bfcf72a6134e91ecb27f77aef931e9, 0x0ea147a1a7f606e94dd757a01058e8b2544287c2324156f1c4ece8d2ea0f3477, 0x0ea5b54b342484f9fd9536d7711cda3aac6f1205fb9826a42e1da7cf0c8e97e2

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 46 were reached but never explored

BRIDGE_CROSSING · FORWARD

value entered bridge 'across-protocol' — the trail continues off this chain

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x3e6ee80c1911954b8e54889a2f0deac24d897157bdd41c21b69d926f36a5a6b2, 0x5c7BCd6E7De5423a257D81B442095A1a6ced35C5

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'across-protocol' — the trail continues off this chain

0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xee1a53fccf63d5ca59f1e5ecea9aa0427b8606cabb5504533335e7aa95a215d4, 0x5c7BCd6E7De5423a257D81B442095A1a6ced35C5

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

MIXER_INTERACTION · BACKWARD

the trail stopped at this mixer — no exit candidate could be proposed; no branch past it is offered, which is not evidence that none exists

0x910cbd523d972eb0a6f4cae4618ad62622b39dbf

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool

0x910cbd523d972eb0a6f4cae4618ad62622b39dbf:ETH#7 within 7 days before this transaction; the branch has nothing to follow; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

SWEEP_PATTERN

pass-through: 3 receive-and-forward cycles (avg 99.9% forwarded, fastest 0.0h)

0x06ac0ae5352d1ab7b4492f13cc9b230263f99f06

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 matched receive/forward pair(s) of the same asset; strongest cited

0x055405d03a5589010237e7732f234c37b93b25784b22c26c5069573e21ec4dde, 0x0fba8a982c599e8ac34f897e30fd535ef96bafde9d47c6c5f9e5b4f2d533ab59, 0xa148e066d547d7acb2a74293c216e28d924645e49d90ac18756854eeb0c44e0b, 0xe3abdef82e5ef87787063bc1d437892dac38430cdf091bafc9ac6bed255e3bab, 0xe3f98b8d2529e5830638965677f0153fc506d061f75b0bca9b551881e28f0cf6, 0xe679c0d1b1009b2b1aa38203419cced01810dd92811db036d4c832971fa9cd10

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9998 within 0.1h; 3 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x055405d03a5589010237e7732f234c37b93b25784b22c26c5069573e21ec4dde, 0x0fba8a982c599e8ac34f897e30fd535ef96bafde9d47c6c5f9e5b4f2d533ab59, 0xa148e066d547d7acb2a74293c216e28d924645e49d90ac18756854eeb0c44e0b, 0xe3abdef82e5ef87787063bc1d437892dac38430cdf091bafc9ac6bed255e3bab, 0xe3f98b8d2529e5830638965677f0153fc506d061f75b0bca9b551881e28f0cf6, 0xe679c0d1b1009b2b1aa38203419cced01810dd92811db036d4c832971fa9cd10

OBFUSCATION_PATTERN

peel: 27.3% shed while 70.9% of the received amount continued onward

0x06ac0ae5352d1ab7b4492f13cc9b230263f99f06

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xb7e8b905ffb5112bfc6c2c3235c4237b112ec06f1da506000eda7002c5745d97; onward in

0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47; slice in

0x9ffa8cfb28302514c89dc927c0fcda5f40ce6f0ba0b48dbe3f9d14db0ec201ec

0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47, 0x9ffa8cfb28302514c89dc927c0fcda5f40ce6f0ba0b48dbe3f9d14db0ec201ec, 0xb7e8b905ffb5112bfc6c2c3235c4237b112ec06f1da506000eda7002c5745d97

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 73% · names no operator

0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47, 0x9ffa8cfb28302514c89dc927c0fcda5f40ce6f0ba0b48dbe3f9d14db0ec201ec, 0xb7e8b905ffb5112bfc6c2c3235c4237b112ec06f1da506000eda7002c5745d97

OBFUSCATION_PATTERN

splitter: value distributed to 45 distinct addresses

0x06ac0ae5352d1ab7b4492f13cc9b230263f99f06

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

78 outgoing movements to 45 addresses

0x023cb42019dd466233de17dd7ffbd7220d403801daf8af0f375ca74dbc0db2d5, 0x032f5d7375ce85e927271dea1471b32ded961a9708e30bb107331a0bf992542d, 0x041545523f7c048724c3ca308fa62789c49ff2963b5b2f4169918157ef3d39f5, 0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47, 0x0ccda7426b29779b0abd6c8b99f817335875b8464170a9dc83b7d9cf65f9efcd, 0x0f19f5f9c8b53e0b6ce40c757471f023c80dd1b9c6e5259c0f8008977d460985, 0x13b0f6d71c91a5ac5cc120db8481838783950a1d8e84e7063696c786637817e5, 0x160ff8f65d10b98f72b3f6313b7de46e84a226cf17e6ba9857c194f596a8d581

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 45 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 9 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x023cb42019dd466233de17dd7ffbd7220d403801daf8af0f375ca74dbc0db2d5, 0x032f5d7375ce85e927271dea1471b32ded961a9708e30bb107331a0bf992542d, 0x041545523f7c048724c3ca308fa62789c49ff2963b5b2f4169918157ef3d39f5, 0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47, 0x0ccda7426b29779b0abd6c8b99f817335875b8464170a9dc83b7d9cf65f9efcd, 0x0f19f5f9c8b53e0b6ce40c757471f023c80dd1b9c6e5259c0f8008977d460985, 0x13b0f6d71c91a5ac5cc120db8481838783950a1d8e84e7063696c786637817e5, 0x160ff8f65d10b98f72b3f6313b7de46e84a226cf17e6ba9857c194f596a8d581

OBFUSCATION_PATTERN

consolidation: value collected from 16 distinct addresses

0x06ac0ae5352d1ab7b4492f13cc9b230263f99f06

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

47 incoming movements from 16 addresses

0x03bdc36a99917c715db23f7c05e53815a7ac12ecef25e9c6afc20fb322a5742f, 0x055405d03a5589010237e7732f234c37b93b25784b22c26c5069573e21ec4dde, 0x0fba8a982c599e8ac34f897e30fd535ef96bafde9d47c6c5f9e5b4f2d533ab59, 0x16971e3de1bd64edcccfaff4293e3022674e22bed4046d279284bbba01a0ce45, 0x1765a7fffafdc3dcca2c166878c4cf6e8ae68f4425805f4f91c6fe270860b137, 0x268a41ee90a7dbd070abae41a7a9baeae56c05b23f1a011a4b7c45e1b591e8cc, 0x368e1486a7f0e008770c099248b041e7247959e0b26c6e33fab9d7ca77078c8f, 0x3f2b0d0a4e9e2b4b054e696bbd4fd742cbfe6724da702ac620b6043e5f9c0680

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 16 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 62% · names no operator

0x03bdc36a99917c715db23f7c05e53815a7ac12ecef25e9c6afc20fb322a5742f, 0x055405d03a5589010237e7732f234c37b93b25784b22c26c5069573e21ec4dde, 0x0fba8a982c599e8ac34f897e30fd535ef96bafde9d47c6c5f9e5b4f2d533ab59, 0x16971e3de1bd64edccccaff4293e3022674e22bed4046d279284bbba01a0ce45, 0x1765a7fffafdc3dcca2c166878c4cf6e8ae68f4425805f4f91c6fe270860b137, 0x268a41ee90a7dbd070abae41a7a9baeae56c05b23f1a011a4b7c45e1b591e8cc, 0x368e1486a7f0e008770c099248b041e7247959e0b26c6e33fab9d7ca77078c8f, 0x3f2b0d0a4e9e2b4b054e696bbd4fd742cbfe6724da702ac620b6043e5f9c0680

OBFUSCATION_PATTERN

relay: 15 receive-then-forward cycles within 30 minutes each

0x06ac0ae5352d1ab7b4492f13cc9b230263f99f06

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

15 inflow/outflow pairs of the same asset in quick succession

0x023cb42019dd466233de17dd7ffbd7220d403801daf8af0f375ca74dbc0db2d5, 0x032f5d7375ce85e927271dea1471b32ded961a9708e30bb107331a0bf992542d, 0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47, 0x0f19f5f9c8b53e0b6ce40c757471f023c80dd1b9c6e5259c0f8008977d460985, 0x1fbf0709b39d4af672c1897c82a73794958671aa321c662b8d2ad5be24e46088, 0x67e44e8e084e8e96ac0a9bcff7b00d73db43539949e23b306a4d91f8aa26d58a, 0x79fca106c04ad06b97803631c60a8ebdf536e32ef4ddd46534a7146450c415f5, 0x8e9fd6240cfdef2609fe4e6245847c5c3cf4c5325662d307e48cd619aaa342

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

15 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x023cb42019dd466233de17dd7ffbd7220d403801daf8af0f375ca74dbc0db2d5, 0x032f5d7375ce85e927271dea1471b32ded961a9708e30bb107331a0bf992542d, 0x0b073feb296f19a39aee1ce3df6cc2cb3da93a42c92b2988fbc42312b66c3f47, 0x0f19f5f9c8b53e0b6ce40c757471f023c80dd1b9c6e5259c0f8008977d460985, 0x1fbf0709b39d4af672c1897c82a73794958671aa321c662b8d2ad5be24e46088, 0x67e44e8e084e8e96ac0a9bcff7b00d73db43539949e23b306a4d91f8aa26d58a, 0x79fca106c04ad06b97803631c60a8ebdf536e32ef4ddd46534a7146450c415f5, 0x8e9fd6240cfdef2609fe4e6245847c5c3cf4c5325662d307e48cd619aaa342

VASP_ENDPOINT · BACKWARD

nearest previous VASP: HTX (operational address) — an operator-controlled wallet 2 hop(s) away

0xa03400e098f4421b34a3a44a1b4e571419517687

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x4d94a6c268989f190a37a4fb638b50324e700bf226077276d6ae50d705e43dda, 0x8fef2e4a58d95af4b998c10f39b32c3268b6226ab88583feb43a33a5c28311ff

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

HTX (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

VASP_ENDPOINT · BACKWARD

nearest previous VASP: Coinbase (operational address) — an operator-controlled wallet 2 hop(s) away

0xa9d1e08c7793af67e9d92fe308d5697fb81d3e43

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x4d94a6c268989f190a37a4fb638b50324e700bf226077276d6ae50d705e43dda, 0x713b945155f3b96ccd7f43bbf0752ebe8802ae61acf4bec214b0e714d56b3cce

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Coinbase (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

VASP_ENDPOINT · BACKWARD

nearest previous VASP: Bybit (operational address) — an operator-controlled wallet 2 hop(s) away

0xf89d7b9c864f589bbf53a82105107622b35eaa40

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x4d94a6c268989f190a37a4fb638b50324e700bf226077276d6ae50d705e43dda, 0x4614df11bf4c6ca0bc227aba8aa49f401519797646eaf1abfb518aa93bd4be30

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Bybit (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

OBFUSCATION_PATTERN

equal-value split: 13 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0xca0840578f57fe71599d29375e16783424023357

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

13 outgoing movements each of exactly 10000000000000000 (smallest unit)

0x2c574cb352efa28dc3ba18477907b9250eaeb44c25f83df77e1288da3539e1c6, 0x3c7bf52da29cebb52229c0029029e17fabd4febbd419203e166d9141d23f768e, 0x52fffd72f018762d7b8aa32f8a0bf4a8d06f3a703b8e6192e1551e5fd0347c22, 0x60ad9ba056789d8acebede38d9fb6282b10653c04ed5cc0f4f580528d4a954b0, 0x6213bf497742f658d3366df14f66f957b9ae65baec6d35046bc26e8ffe9b34de, 0x733c8d9630d4c27321396d2f01e6a347de90986b926964471aca1be439096c20, 0x8817915970e3da8362b601687cc00265c9b084ead6975ad373591335146da053, 0x8e3d436d3c6e7700204d2397781802aefce76f5ce25e16bae551149eb496cab8

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

13 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 75% · names no operator

0x2c574cb352efa28dc3ba18477907b9250eaeb44c25f83df77e1288da3539e1c6, 0x3c7bf52da29cebb52229c0029029e17fabd4febbd419203e166d9141d23f768e, 0x52fffd72f018762d7b8aa32f8a0bf4a8d06f3a703b8e6192e1551e5fd0347c22, 0x60ad9ba056789d8acebede38d9fb6282b10653c04ed5cc0f4f580528d4a954b0, 0x6213bf497742f658d3366df14f66f957b9ae65baec6d35046bc26e8ffe9b34de, 0x733c8d9630d4c27321396d2f01e6a347de90986b926964471aca1be439096c20, 0x8817915970e3da8362b601687cc00265c9b084ead6975ad373591335146da053, 0x8e3d436d3c6e7700204d2397781802aefce76f5ce25e16bae551149eb496cab8

OBFUSCATION_PATTERN

consolidation: value collected from 20 distinct addresses

0xca0840578f57fe71599d29375e16783424023357

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

27 incoming movements from 20 addresses

0x0790b49c47a63b31233a4e91319bbae38952487b6af621b8915c579fb3980e12, 0x1f6ba93319a0178082025b318b97b78aee884b97ef48d9329274564a3ab37170, 0x358caa305ba459a95502a2cc3e18536e63e9fff9003fcf0d507047aace9e6810, 0x3d8166006ab65f090e4f34b26cdc603e10a34d51ce2dc689d6b00a6de18d2aee, 0x4b29b362e08c0f019c5f33fb24a8e2272a74623b428ff4cfc6461ce0fb837272, 0x52fffd72f018762d7b8aa32f8a0bf4a8d06f3a703b8e6192e1551e5fd0347c22, 0x5d8c7d0fa03858a2431021f1640e96cca3d7cb3fc5ceebb9c1565b3f51251f0a, 0x6b7591ba070f7719bcb41a29dd6baf6e46e023edcbe7c1723f1cab07fcd10ceac

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 20 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 66% · names no operator

0x0790b49c47a63b31233a4e91319bbae38952487b6af621b8915c579fb3980e12, 0x1f6ba93319a0178082025b318b97b78aee884b97ef48d9329274564a3ab37170, 0x358caa305ba459a95502a2cc3e18536e63e9fff9003fcf0d507047aace9e6810, 0x3d8166006ab65f090e4f34b26cdc603e10a34d51ce2dc689d6b00a6de18d2aee, 0x4b29b362e08c0f019c5f33fb24a8e2272a74623b428ff4cfc6461ce0fb837272, 0x52fffd72f018762d7b8aa32f8a0bf4a8d06f3a703b8e6192e1551e5fd0347c22, 0x5d8c7d0fa03858a2431021f1640e96cca3d7cb3fc5ceebb9c1565b3f51251f0a, 0x6b7591ba070f7719bcb41a29dd6baf6e46e023edcbe7c1723f1cab07fcd10ceac

OBFUSCATION_PATTERN

relay: 21 receive-then-forward cycles within 30 minutes each

0xca0840578f57fe71599d29375e16783424023357

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

21 inflow/outflow pairs of the same asset in quick succession

0x0790b49c47a63b31233a4e91319bbae38952487b6af621b8915c579fb3980e12, 0x1f6ba93319a0178082025b318b97b78aee884b97ef48d9329274564a3ab37170, 0x358caa305ba459a95502a2cc3e18536e63e9fff9003fcf0d507047aace9e6810, 0x3d8166006ab65f090e4f34b26cdc603e10a34d51ce2dc689d6b00a6de18d2aee, 0x4b29b362e08c0f019c5f33fb24a8e2272a74623b428ff4cfc6461ce0fb837272, 0x52fffd72f018762d7b8aa32f8a0bf4a8d06f3a703b8e6192e1551e5fd0347c22, 0x6b7591ba070f7719bcb41a29dd6baf6e46e023edcbe7c1723f1cab07fcd10ceac, 0x6eebe8a060a97ef7e716b1a8237b4e2fe49bd3d2a63f6be74e5d0aa3f25bd274

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

21 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0790b49c47a63b31233a4e91319bbae38952487b6af621b8915c579fb3980e12, 0x1f6ba93319a0178082025b318b97b78aee884b97ef48d9329274564a3ab37170, 0x358caa305ba459a95502a2cc3e18536e63e9fff9003fcf0d507047aace9e6810, 0x3d8166006ab65f090e4f34b26cdc603e10a34d51ce2dc689d6b00a6de18d2aee, 0x4b29b362e08c0f019c5f33fb24a8e2272a74623b428ff4cfc6461ce0fb837272, 0x52fffd72f018762d7b8aa32f8a0bf4a8d06f3a703b8e6192e1551e5fd0347c22, 0x6b7591ba070f7719bcb41a29dd6baf6e46e023edcbe7c1723f1cab07fcd10ceac, 0x6eebe8a060a97ef7e716b1a8237b4e2fe49bd3d2a63f6be74e5d0aa3f25bd274

SWEEP_PATTERN

100.0% of a received amount forwarded after 0.0h — address behaves as a pass-through

0xd47140f6ab73f6d6b6675fb1610bb5e9b5d96fe5

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0xe09ffb376e8942eabf5d500556f2b180ea1c8ae2a2771d989cd0894c081be8a, 0xe2125b8ac75a4d9f923595288fcc3ce5aa430d371d016287e0324cf37295b42c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0xe09ffb376e8942eabf5d500556f2b180ea1c8ae2a2771d989cd0894c081be8a, 0xe2125b8ac75a4d9f923595288fcc3ce5aa430d371d016287e0324cf37295b42c

OBFUSCATION_PATTERN

peel: 0.4% shed while 100.0% of the received amount continued onward

0xd47140f6ab73f6d6b6675fb1610bb5e9b5d96fe5

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794; onward in

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794; slice in

0x5265eae65b6fff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x5265eae65b6fff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x5265eae65b6fff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0

OBFUSCATION_PATTERN

splitter: value distributed to 41 distinct addresses

0xd47140f6ab73f6d6b6675fb1610bb5e9b5d96fe5

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

47 outgoing movements to 41 addresses

0x0147a211c539fa9fe1483a8e293fc75f7f71447ca79477da071b8d55f16cc609, 0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x0c92a4b692e54f5df403ebbce347d9c56e086fd14630dcaea5a4172f6c2f2eca, 0x0d87efaef92516787110203fbf7a41924da6e701f6279115b858780c0163c495, 0x0ee7466f4aef1d68ef6819b40b164046ba2fa604622379decef6feec1ea08f57, 0x128965ca20cceed1c8f17772f1e47c683845bbaadd822823e015ee949f70ad4d, 0x29ab464fa563ea8b82b4f69b433260b109ba3a609f0f32ec6e2589ce6e8cbd4b, 0x2bbd5b894fb46fb358210e97fe7733c013998a34e652c1c66b38ff940893b4e6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 41 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x0147a211c539fa9fe1483a8e293fc75f7f71447ca79477da071b8d55f16cc609, 0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x0c92a4b692e54f5df403ebbce347d9c56e086fd14630dcaea5a4172f6c2f2eca, 0x0d87efaef92516787110203fbf7a41924da6e701f6279115b858780c0163c495, 0x0ee7466f4aef1d68ef6819b40b164046ba2fa604622379decef6feec1ea08f57, 0x128965ca20cceed1c8f17772f1e47c683845bbaadd822823e015ee949f70ad4d, 0x29ab464fa563ea8b82b4f69b433260b109ba3a609f0f32ec6e2589ce6e8cbd4b, 0x2bbd5b894fb46fb358210e97fe7733c013998a34e652c1c66b38ff940893b4e6

OBFUSCATION_PATTERN

consolidation: value collected from 21 distinct addresses

0xd47140f6ab73f6d6b6675fb1610bb5e9b5d96fe5

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

24 incoming movements from 21 addresses

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x0c92a4b692e54f5df403ebbce347d9c56e086fd14630dcaea5a4172f6c2f2eca, 0x0d87efae92516787110203fbf7a41924da6e701f6279115b858780c0163c495, 0x0ee7466f4aef1d68ef6819b40b164046ba2fa604622379decef6feec1ea08f57, 0x29ab464fa563ea8b82b4f69b433260b109ba3a609f0f32ec6e2589ce6e8cbd4b, 0x374af6d467f309bd7ddd398c6bba18733bfb18b358e7fdcbbf37f800ac3594dd, 0x442fadd3ce2d46d10f161394845521671b3b24ac31bdab90c1e5e3f9680afd81, 0x5265eae65b6fff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 21 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 66% · names no operator

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x0c92a4b692e54f5df403ebbce347d9c56e086fd14630dcaea5a4172f6c2f2eca, 0x0d87efae92516787110203fbf7a41924da6e701f6279115b858780c0163c495, 0x0ee7466f4aef1d68ef6819b40b164046ba2fa604622379decef6feec1ea08f57, 0x29ab464fa563ea8b82b4f69b433260b109ba3a609f0f32ec6e2589ce6e8cbd4b, 0x374af6d467f309bd7ddd398c6bba18733bfb18b358e7fdcbbf37f800ac3594dd, 0x442fadd3ce2d46d10f161394845521671b3b24ac31bdab90c1e5e3f9680afd81, 0x5265eae65b6fff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0

OBFUSCATION_PATTERN

relay: 20 receive-then-forward cycles within 30 minutes each

0xd47140f6ab73f6d6b6675fb1610bb5e9b5d96fe5

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

20 inflow/outflow pairs of the same asset in quick succession

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x0c92a4b692e54f5df403ebbce347d9c56e086fd14630dcaea5a4172f6c2f2eca, 0x0d87efae92516787110203fbf7a41924da6e701f6279115b858780c0163c495, 0x0ee7466f4aef1d68ef6819b40b164046ba2fa604622379decef6feec1ea08f57, 0x128965ca20cceed1c8f17772f1e47c683845bbaadd822823e015ee949f70ad4d, 0x29ab464fa563ea8b82b4f69b433260b109ba3a609f0f32ec6e2589ce6e8cbd4b, 0x5265eae65b6fff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0, 0x577998780c9d31514d64e7d68abfc25718c96da635d16749696fb6b7eafaa51a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

20 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0461a1599559c305754b0a93392b0fbcf64966d893b48ecd9b37b90bbb145794, 0x0c92a4b692e54f5df403ebbce347d9c56e086fd14630dcaea5a4172f6c2f2eca, 0x0d87efae92516787110203fbf7a41924da6e701f6279115b858780c0163c495, 0x0ee7466f4aef1d68ef6819b40b164046ba2fa604622379decef6feec1ea08f57, 0x128965ca20ccdead1c8f17772f1e47c683845bbaadd822823e015ee949f70ad4d, 0x29ab464fa563ea8b82b4f69b433260b109ba3a609f0f32ec6e2589ce6e8cbd4b, 0x5265eae65b6ffff83176c10be2eb8ef1a11c4e8fec4bc68876917660eb11e55e0, 0x577998780c9d31514d64e7d68abfc25718c96da635d16749696fb6b7eafaa51a

OBFUSCATION_PATTERN

consolidation: value collected from 52 distinct addresses

0xa5025faba6e70b84f74e9b1113e5f7f4e7f4859f

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

100 incoming movements from 52 addresses

0x0081a3f9cf297d3355b020090a4350e5eca83c86cf523dd253501ae9a3473797, 0x00e3acdd4ff43f70c5d5fb4addf1b1acec6e9a402500c9c4d5b2d33a8faf6e24, 0x02376b0437c506af5df84b013e56b815793b5c03366fba296e4de3c4195296b7, 0x04e43d3b1bbe098e959d05092ed1422cc671ccf6149dd18c4258bd9b72d65901, 0x06157d61da839fc7b18712f01b58fa44cd13ebbc44be8bb5cca7987ba62e4ac, 0x090bf33e7ac014550023be529d05521246dba33020f16484fd9207274d0c2c3f, 0x094454d85accf8c5850126dc372773d0fa5905577fed733de05bb8a5478eb09d, 0x09f47da01b6dcc1e8d0f12c4b6a1b68a9ec1e0e298f070bd339f3503d58181ae

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 52 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x0081a3f9cf297d3355b020090a4350e5eca83c86cf523dd253501ae9a3473797, 0x00e3acdd4ff43f70c5d5fb4addf1b1acec6e9a402500c9c4d5b2d33a8faf6e24, 0x02376b0437c506af5df84b013e56b815793b5c03366fba296e4de3c4195296b7, 0x04e43d3b1bbe098e959d05092ed1422cc671ccf6149dd18c4258bd9b72d65901, 0x06157d61da839fc7b18712f01b58fa44cd13ebbc44be8bb5cca7987ba62e4ac, 0x090bf33e7ac014550023be529d05521246dba33020f16484fd9207274d0c2c3f, 0x094454d85accf8c5850126dc372773d0fa5905577fed733de05bb8a5478eb09d, 0x09f47da01b6dcc1e8d0f12c4b6a1b68a9ec1e0e298f070bd339f3503d58181ae

OBFUSCATION_PATTERN

relay: 4 receive-then-forward cycles within 30 minutes each

0xa5025faba6e70b84f74e9b1113e5f7f4e7f4859f

Finding confidence 61%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

4 inflow/outflow pairs of the same asset in quick succession

0x266e15a5cac092c5c6cf2da60ac8a22b655a0dc21ef95c107b7ec867c5ec3a5d, 0x7c1743549721c2282135f5b72d56c125f2793a299c1ae95f9974e4fa0d7f03af

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

4 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 61% · names no operator

0x266e15a5cac092c5c6cf2da60ac8a22b655a0dc21ef95c107b7ec867c5ec3a5d, 0x7c1743549721c2282135f5b72d56c125f2793a299c1ae95f9974e4fa0d7f03af

TERMINAL · BACKWARD

high-degree address (55 counterparties): followed the 20 largest by value, 35 branch(es) not followed

0xa5025faba6e70b84f74e9b1113e5f7f4e7f4859f

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x0081a3f9cf297d3355b020090a4350e5eca83c86cf523dd253501ae9a3473797, 0x00e3acdd4ff43f70c5d5fb4addf1b1acec6e9a402500c9c4d5b2d33a8faf6e24, 0x02376b0437c506af5df84b013e56b815793b5c03366fba296e4de3c4195296b7, 0x04e43d3b1bbe098e959d05092ed1422cc671ccf6149dd18c4258bd9b72d65901, 0x06157d61da839fc7b18712f01b58fa44cd13ebbc44be8bb5cca7987ba62e4ac, 0x090bf33e7ac014550023be529d05521246dba33020f16484fd9207274d0c2c3f, 0x094454d85accf8c5850126dc372773d0fa5905577fed733de05bb8a5478eb09d, 0x09f47da01b6dcc1e8d0f12c4b6a1b68a9ec1e0e298f070bd339f3503d58181ae, 0x0ab71aafc1666a645a95a9f1ead1339109faa38bbd5cb22fe8d317ebdbef7e53, 0x0afb6a0aafac99f01c60ee8b3983bb73a232391f0d6043e24ab4fc68d7138f6

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 35 were reached but never explored

SWEEP_PATTERN

pass-through: 31 receive-and-forward cycles (avg 97.1% forwarded, fastest 0.0h)

0xe592427a0aece92de3edee1f18e0157c05861564

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

31 matched receive/forward pair(s) of the same asset; strongest cited

0x22e63a89ba8cabec4e55a5b61894f0c6ec53d04ad9fc92a3584e918fec56d5e9, 0x443db678607fd71e5ffd29c9336d1975054930243235decf1db5a561c36afa38, 0x7ee6e3977483ef61b5532a66aaad8a7a75cfb1a9733023b97c529436de6ead8f, 0x8e964070d512f4c7d64205b8e418a75978eeada4185811f0e5569d4b4ef3f64b, 0x94151de720d6f621d02c44d2d44a012c02ea9197bdb191c7f58576e61e3b28be, 0xb952b6640358fef866330aff48f52a8dbad2774ce4c58065539f0bbf737069ae, 0xeb5cacd2170967f00eb2d2f2907332603951e9dd1b68e29230fd504d44c8ac7d, 0xf78e8f029f8d5444fa13c09943e26a4415c192b33b0dff17641b8ddc3eb0754b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 31 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x22e63a89ba8cabec4e55a5b61894f0c6ec53d04ad9fc92a3584e918fec56d5e9, 0x443db678607fd71e5ffd29c9336d1975054930243235decf1db5a561c36afa38, 0x7ee6e3977483ef61b5532a66aaad8a7a75cfb1a9733023b97c529436de6ead8f, 0x8e964070d512f4c7d64205b8e418a75978eeada4185811f0e5569d4b4ef3f64b, 0x94151de720d6f621d02c44d2d44a012c02ea9197bdb191c7f58576e61e3b28be, 0xb952b6640358fef866330aff48f52a8dbad2774ce4c58065539f0bbf737069ae, 0xeb5cacd2170967f00eb2d2f2907332603951e9dd1b68e29230fd504d44c8ac7d, 0xf78e8f029f8d5444fa13c09943e26a4415c192b33b0dff17641b8ddc3eb0754b

OBFUSCATION_PATTERN

peel: 0.0% shed while 100.0% of the received amount continued onward

0xe592427a0aece92de3edee1f18e0157c05861564

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x27722572fdf2383d4c4fbc1b1fd5f680bbe1d51a4678be287b96d7c520c9b123; onward in

0x27722572fdf2383d4c4fbc1b1fd5f680bbe1d51a4678be287b96d7c520c9b123; slice in

0x4caae7900ad405365175ee36538d7d28b5874e8a8ebc75e2e3e2a4978cb4dc0a

0x27722572fdf2383d4c4fbc1b1fd5f680bbe1d51a4678be287b96d7c520c9b123, 0x4caae7900ad405365175ee36538d7d28b5874e8a8ebc75e2e3e2a4978cb4dc0a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x27722572fdf2383d4c4fbc1b1fd5f680bbe1d51a4678be287b96d7c520c9b123, 0x4caae7900ad405365175ee36538d7d28b5874e8a8ebc75e2e3e2a4978cb4dc0a

OBFUSCATION_PATTERN

splitter: value distributed to 24 distinct addresses

0xe592427a0aece92de3edee1f18e0157c05861564

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

119 outgoing movements to 24 addresses

0x01aadf08b0c8909512f21c19bb2d9f67fda77010e496b3b7f68ccf47bc6d658d, 0x0fc70b51744d6841b47584d18d7d4184963b105b32c2df9d9b14144c568ef7a5, 0x102c3037d2a7a0e3e910f403c6ff78d0f30ed9078c44c4a0992ac01e7b0ba241, 0x10da3aa73739b838ccac88057e1de696c427e92e03c22b09ab3b7b8efeb74e6e, 0x112936af1237c3adbadc9ac97ab657dc0edceff7c3a3f9c416df4eccfa9a798b, 0x1223eeb7767c79e87eca3529283834b56634b966643387943f5ce5e1777df6b8, 0x15862c58fae39cdc2653a7fb2d1d1942b7ed2953e3ee8528e5e19f39328c6ef8, 0x1ab44477fe13ec8987d5b3611018d8edab4e1623c74f46b535dc65437885ac74

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 24 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 69% · names no operator

0x01aadf08b0c8909512f21c19bb2d9f67fda77010e496b3b7f68ccf47bc6d658d, 0x0fc70b51744d6841b47584d18d7d4184963b105b32c2df9d9b14144c568ef7a5, 0x102c3037d2a7a0e3e910f403c6ff78d0f30ed9078c44c4a0992ac01e7b0ba241, 0x10da3aa73739b838ccac88057e1de696c427e92e03c22b09ab3b7b8efeb74e6e, 0x112936af1237c3adbadc9ac97ab657dc0edceff7c3a3f9c416df4eccfa9a798b, 0x1223eeb7767c79e87eca3529283834b56634b966643387943f5ce5e1777df6b8, 0x15862c58fae39cdc2653a7fb2d1d1942b7ed2953e3ee8528e5e19f39328c6ef8, 0x1ab44477fe13ec8987d5b3611018d8edab4e1623c74f46b535dc65437885ac74

OBFUSCATION_PATTERN

consolidation: value collected from 23 distinct addresses

0xe592427a0aece92de3edee1f18e0157c05861564

Finding confidence 68%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

102 incoming movements from 23 addresses

0x0fc70b51744d6841b47584d18d7d4184963b105b32c2df9d9b14144c568ef7a5, 0x102c3037d2a7a0e3e910f403c6ff78d0f30ed9078c44c4a0992ac01e7b0ba241, 0x10da3aa73739b838ccac88057e1de696c427e92e03c22b09ab3b7b8efeb74e6e, 0x112936af1237c3adbadc9ac97ab657dc0edceff7c3a3f9c416df4eccfa9a798b, 0x1223eeb7767c79e87eca3529283834b56634b966643387943f5ce5e1777df6b8, 0x15862c58fae39cdc2653a7fb2d1d1942b7ed2953e3ee8528e5e19f39328c6ef8, 0x19aa9edbde0e9473e2216603fb9639d53bbcf64df3e0d18bdd0dc3be4c19efd2, 0x1ab44477fe13ec8987d5b3611018d8edab4e1623c74f46b535dc65437885ac74

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 23 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 68% · names no operator

0x0fc70b51744d6841b47584d18d7d4184963b105b32c2df9d9b14144c568ef7a5, 0x102c3037d2a7a0e3e910f403c6ff78d0f30ed9078c44c4a0992ac01e7b0ba241, 0x10da3aa73739b838ccac88057e1de696c427e92e03c22b09ab3b7b8efeb74e6e, 0x112936af1237c3adbadc9ac97ab657dc0edceff7c3a3f9c416df4eccfa9a798b, 0x1223eeb7767c79e87eca3529283834b56634b966643387943f5ce5e1777df6b8, 0x15862c58fae39cdc2653a7fb2d1d1942b7ed2953e3ee8528e5e19f39328c6ef8, 0x19aa9edbde0e9473e2216603fb9639d53bbcf64df3e0d18bdd0dc3be4c19efd2, 0x1ab44477fe13ec8987d5b3611018d8edab4e1623c74f46b535dc65437885ac74

OBFUSCATION_PATTERN

relay: 98 receive-then-forward cycles within 30 minutes each

0xe592427a0aece92de3edee1f18e0157c05861564

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

98 inflow/outflow pairs of the same asset in quick succession

0x01aadf08b0c8909512f21c19bb2d9f67fda77010e496b3b7f68ccf47bc6d658d, 0x0fc70b51744d6841b47584d18d7d4184963b105b32c2df9d9b14144c568ef7a5, 0x102c3037d2a7a0e3e910f403c6ff78d0f30ed9078c44c4a0992ac01e7b0ba241, 0x10da3aa73739b838ccac88057e1de696c427e92e03c22b09ab3b7b8efeb74e6e, 0x112936af1237c3adbadc9ac97ab657dc0edceff7c3a3f9c416df4eccfa9a798b, 0x1223eeb7767c79e87eca3529283834b56634b966643387943f5ce5e1777df6b8, 0x15862c58fae39cdc2653a7fb2d1d1942b7ed2953e3ee8528e5e19f39328c6ef8, 0x1ab44477fe13ec8987d5b3611018d8edab4e1623c74f46b535dc65437885ac74

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

98 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x01aadf08b0c8909512f21c19bb2d9f67fda77010e496b3b7f68ccf47bc6d658d, 0x0fc70b51744d6841b47584d18d7d4184963b105b32c2df9d9b14144c568ef7a5, 0x102c3037d2a7a0e3e910f403c6ff78d0f30ed9078c44c4a0992ac01e7b0ba241, 0x10da3aa73739b838ccac88057e1de696c427e92e03c22b09ab3b7b8efeb74e6e, 0x112936af1237c3adbadc9ac97ab657dc0edceff7c3a3f9c416df4eccfa9a798b, 0x1223eeb7767c79e87eca3529283834b56634b966643387943f5ce5e1777df6b8, 0x15862c58fae39cdc2653a7fb2d1d1942b7ed2953e3ee8528e5e19f39328c6ef8, 0x1ab44477fe13ec8987d5b3611018d8edab4e1623c74f46b535dc65437885ac74

TERMINAL

budget 'max_nodes' exhausted with 382 frontier address(es) unexplored — partial result, gaps explicit

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

unexplored frontier sample: 0x500e996476a1f0ddb6195520074bb56109f6536c,
0x2ee3dc2522ffbf46d8564d21b790f282f0dec862, 0xa0c68c638235ee32657e8f720a23cec1bfc77c77,
0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936, 0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc,
0x11111112542d85b3ef69ae05771c2dccff4faa26, 0x283af0b28c62c092c9727f1ee09c02ca627eb7f5,
0x3eed23ea148d356a72ca695dbce2fceb40a32ce0, 0x69ac0688f8d5dbaa519abffde6cff500341741df,
0xb541fc07bc7619fd4062a54d96268525cbc6ffef

2474 transaction(s) examined; 1 branch(es) stopped at a mixer with no exit candidate to follow; 14 address(es) were read only in part — a cut page, a feed no provider could serve, or more stored movements than one query returns; the unread part was never examined; 4 high-degree address(es) were expanded only in part — 370 counterparty branch(es) were reached and never followed; 382 frontier address(es) never expanded; exploration order ranks by value in verified assets only, so a large movement in an unverified token is explored late rather than first

TERMINAL · FORWARD

no NAMED endpoint found (find_next_vasp) — custodial infrastructure was inferred but its operator is unnamed and needs a sourced label before budget 'max_nodes' was exhausted; 382 address(es) remain unexplored, so this is not evidence that none exists

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

the run stopped on budget 'max_nodes', not on an exhausted frontier

SWEEP_PATTERN

100.0% of a received amount forwarded after 0.0h — address behaves as a pass-through

0x500e996476a1f0ddb6195520074bb56109f6536c

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x4be70db04c069caa975390fccfdbbc673533b41c595353ebc1fad3231ea0acfa, 0xbea5bfe30fb567eba22a911cc4cd3fe4277ce3ad67d2ca92de8674f4137c5733

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x4be70db04c069caa975390fccfdbbc673533b41c595353ebc1fad3231ea0acfa, 0xbea5bfe30fb567eba22a911cc4cd3fe4277ce3ad67d2ca92de8674f4137c5733

SWEEP_PATTERN

100.0% of a received amount forwarded after 0.7h — address behaves as a pass-through

0x2ee3dc2522ffbf46d8564d21b790f282f0dec862

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x4917696e6ecfb8e1c683a48514bc1956f15f7708d629827d4384b61b88a609fb, 0x93fd0fb7dc0f45ae7f43e525d8995484ae8d3e94ff679c4a27792c9c435fbe81

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.7h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x4917696e6ecfb8e1c683a48514bc1956f15f7708d629827d4384b61b88a609fb, 0x93fd0fb7dc0f45ae7f43e525d8995484ae8d3e94ff679c4a27792c9c435fbe81

OBFUSCATION_PATTERN

splitter: value distributed to 35 distinct addresses

0x2ee3dc2522ffbf46d8564d21b790f282f0dec862

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

44 outgoing movements to 35 addresses

0x080167dc3e4518307325047d90973ce389c1b3f8747f93ece4bfd86fe41ec09c, 0x0f9f8846648d312f061e8901a3a8fb2bae42ba56eee67dcfc0b3e878f6de933b, 0x182b45fdb720abee52693223808a69b8055cc752d4d637d3ef6ec93b9f189434, 0x19c8f55bc0ceaaafa811d1c55d342f32d62f016f4e6ab62a05254f29138fe0e61, 0x1dfc13f16e10a355e352fe978a4740372ade9420c756d2477888743cbc47b53e, 0x3040db3a47dfe77d97d9c948a2d4793f164743d9d06c54ec0fbda15d4f105221, 0x306c5a8a5543f16304c81e1b69281cfc3c1a51bb809cfeb9e41af1db0ab5be14, 0x3b072041b62f24e08f73531e31c9b37fefecad8ed91fefaf8c41e93de28ce078

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 35 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 8 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x080167dc3e4518307325047d90973ce389c1b3f8747f93ece4bfd86fe41ec09c, 0x0f9f8846648d312f061e8901a3a8fb2bae42ba56eee67dcfc0b3e878f6de933b, 0x182b45fdb720abee52693223808a69b8055cc752d4d637d3ef6ec93b9f189434, 0x19c8f55bc0ceafa811d1c55d342f32d62f016f4e6ab62a05254f29138fe0e61, 0x1dfc13f16e10a355e352fe978a4740372ade9420c756d2477888743cbc47b53e, 0x3040db3a47dfe77d97d9c948a2d4793f164743d9d06c54ec0fbda15d4f105221, 0x306c5a8a5543f16304c81e1b69281cfc3c1a51bb809cfeb9e41af1db0ab5be14, 0x3b072041b62f24e08f73531e31c9b37fefecad8ed91fefaf8c41e93de28ce078

OBFUSCATION_PATTERN

relay: 5 receive-then-forward cycles within 30 minutes each

0x2ee3dc2522ffbf46d8564d21b790f282f0dec862

Finding confidence 64%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

5 inflow/outflow pairs of the same asset in quick succession

0x182b45fdb720abee52693223808a69b8055cc752d4d637d3ef6ec93b9f189434, 0x19c8f55bc0ceafa811d1c55d342f32d62f016f4e6ab62a05254f29138fe0e61, 0x3b072041b62f24e08f73531e31c9b37fefecad8ed91fefaf8c41e93de28ce078, 0x93fd0fb7dc0f45ae7f43e525d8995484ae8d3e94ff679c4a27792c9c435f81, 0xeac585b494c904716e25ea938813b4c9c1f47dad5582fe8eee272cd8da6cbe76

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

5 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 64% · names no operator

0x182b45fdb720abee52693223808a69b8055cc752d4d637d3ef6ec93b9f189434, 0x19c8f55bc0ceafa811d1c55d342f32d62f016f4e6ab62a05254f29138fe0e61, 0x3b072041b62f24e08f73531e31c9b37fefecad8ed91fefaf8c41e93de28ce078, 0x93fd0fb7dc0f45ae7f43e525d8995484ae8d3e94ff679c4a27792c9c435f81, 0xeac585b494c904716e25ea938813b4c9c1f47dad5582fe8eee272cd8da6cbe76

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 100 ETH pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0xa160cdab225685da1d56aa342ad8841c3b53f291

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 100 ETH pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

BRIDGE_CROSSING · FORWARD

value entered bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0xa0c68c638235ee32657e8f720a23cec1bfc77c77

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xe438ebc999dfb0765b0bd096025b64bb1ef47426e2a73720103a6ad05df58173, 0x8484Ef722627bf18ca5Ae6BcF031c23E6e922B30

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0xa0c68c638235ee32657e8f720a23cec1bfc77c77

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xe438ebc999dfb0765b0bd096025b64bb1ef47426e2a73720103a6ad05df58173, 0xA0c68C638235ee32657e8f720a23ceC1bFc77C77

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

OBFUSCATION_PATTERN

peel: 0.0% shed while 100.0% of the received amount continued onward

0xa0c68c638235ee32657e8f720a23cec1bfc77c77

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xab152238a23ba9427cfe6fb5010d756b33e1dde886c2455018590166c6a2e2ec; onward in 0xab152238a23ba9427cfe6fb5010d756b33e1dde886c2455018590166c6a2e2ec; slice in 0xd9276029dfe37fb436208a62f42c75866e078fb27dc19d4db3e42e2f5fdb3175

0xab152238a23ba9427cfe6fb5010d756b33e1dde886c2455018590166c6a2e2ec, 0xd9276029dfe37fb436208a62f42c75866e078fb27dc19d4db3e42e2f5fdb3175

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0xab152238a23ba9427cfe6fb5010d756b33e1dde886c2455018590166c6a2e2ec, 0xd9276029dfe37fb436208a62f42c75866e078fb27dc19d4db3e42e2f5fdb3175

OBFUSCATION_PATTERN

equal-value split: 6 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0xa0c68c638235ee32657e8f720a23cec1bfc77c77

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

6 outgoing movements each of exactly 2000000000000000000 (smallest unit)

0x229d262d3a6a4902c5ce9efb09cd03fdae8209e8200b030692c0cc32e3f46cdf, 0x4e28cf4795fd6717ba0801bb8c66f81c2281bb40cc67a57a43dfe577b4861930, 0xae816ed1b8da75e5894d0db6f19a45c8342772f7c524253c643cd0306bed927c, 0xb2c33765c0e2d7fe3c8703624c173e30ea45268a6e554f23f3a19ff22d362e81, 0xbf8208dea0aab1f64a847b31a4061f118241f7886d0eaa54bee50daf97450938, 0xfc4631fd483eddd61d0666448fb27ea9cae4177b7c92d3413de263f8295398b6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

6 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 62% · names no operator

0x229d262d3a6a4902c5ce9efb09cd03fdae8209e8200b030692c0cc32e3f46cdf, 0x4e28cf4795fd6717ba0801bb8c66f81c2281bb40cc67a57a43dfe577b4861930, 0xae816ed1b8da75e5894d0db6f19a45c8342772f7c524253c643cd0306bed927c, 0xb2c33765c0e2d7fe3c8703624c173e30ea45268a6e554f23f3a19ff22d362e81, 0xbf8208dea0aab1f64a847b31a4061f118241f7886d0eaa54bee50daf97450938, 0xfc4631fd483eddd61d0666448fb27ea9cae4177b7c92d3413de263f8295398b6

OBFUSCATION_PATTERN

consolidation: value collected from 23 distinct addresses

0xa0c68c638235ee32657e8f720a23cec1bfc77c77

Finding confidence 68%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

41 incoming movements from 23 addresses

0x00caebb94f7927a9fb21dd09f689bca3f6af607ac25ad1d7f1d1ebf5725e58c8, 0x125091430450a7ee23599edc39f1cf3bf0164692aad0d5ffaa7f359ce5d43f4a, 0x1266936059bb4d0207fcd790616fac445f8aeb29b0a7c0474729aaf8c432d5b9, 0x144790d9cf0f897c07c4d80c2ad24971e24d77f726bd5e2b62c0c8839c7d5d37, 0x1deb56fb37690a530026e4b02305ebc3b7093a9c51a961ee4e1c2e8583bc1e06, 0x26546ce67cade2311f75b91811912df21a78ff92ee87dcf20b10042c7f95b7b8, 0x2e442631ed42e3687ae6ba4c90c2417d67a8e9f1758006e52a1364e9c1e9d8e1, 0x34b6f66091bbd93397f04ef6e7120e319761bc3c1be50d7c13d54f0e91c00e8f

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 23 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 68% · names no operator

0x00caebb94f7927a9fb21dd09f689bca3f6af607ac25ad1d7f1d1ebf5725e58c8, 0x125091430450a7ee23599edc39f1cf3bf0164692aad0d5ffaa7f359ce5d43f4a, 0x1266936059bb4d0207fcd790616fac445f8aeb29b0a7c0474729aaf8c432d5b9, 0x144790d9cf0f897c07c4d80c2ad24971e24d77f726bd5e2b62c0c8839c7d5d37, 0x1deb56fb37690a530026e4b02305ebc3b7093a9c51a961ee4e1c2e8583bc1e06, 0x26546ce67cade2311f75b91811912df21a78ff92ee87dcf20b10042c7f95b7b8, 0x2e442631ed42e3687ae6ba4c90c2417d67a8e9f1758006e52a1364e9c1e9d8e1, 0x34b6f66091bbd93397f04ef6e7120e319761bc3c1be50d7c13d54f0e91c00e8f

OBFUSCATION_PATTERN

relay: 26 receive-then-forward cycles within 30 minutes each

0xa0c68c638235ee32657e8f720a23cec1bfc77c77

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

26 inflow/outflow pairs of the same asset in quick succession

0x1266936059bb4d0207fcd790616fac445f8aeb29b0a7c0474729aaf8c432d5b9, 0x144790d9cf0f897c07c4d80c2ad24971e24d77f726bd5e2b62c0c8839c7d5d37, 0x1deb56fb37690a530026e4b02305ebc3b7093a9c51a961ee4e1c2e8583bc1e06, 0x26546ce67cade2311f75b91811912df21a78ff92ee87dcf20b10042c7f95b7b8, 0x2e442631ed42e3687ae6ba4c90c2417d67a8e9f1758006e52a1364e9c1e9d8e1, 0x3a5ab483144999db4356c362070711f4aaab3d25af6586164f6ea78c168b63a4, 0x409eb022f06afe7d610ecc33053bb5858c87d9d6260cddd95346a28c4e50f804, 0x5e9225aac6837cfdece588474489b8584e41c7fae1019f7a5bba5610a704a762

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

26 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x1266936059bb4d0207fcd790616fac445f8aeb29b0a7c0c474729aaf8c432d5b9, 0x144790d9cf0f897c07c4d80c2ad24971e24d77f726bd5e2b62c0c8839c7d5d37, 0x1deb56fb37690a530026e4b02305ebc3b7093a9c51a961ee4e1c2e8583bc1e06, 0x26546ce67cade2311f75b91811912df21a78ff92ee87dcf20b10042c7f95b7b8, 0x2e442631ed42e3687ae6ba4c90c2417d67a8e9f1758006e52a1364e9c1e9d8e1, 0x3a5ab483144999db4356c362070711f4aaab3d25af6586164f6ea78c168b63a4, 0x409eb022f06afe7d610ecc33053bb5858c87d9d6260cddd95346a28c4e50f804, 0x5e9225aac6837cfdece588474489b8584e41c7fae1019f7a5bba5610a704a762

MIXER_INTERACTION · BACKWARD

the trail stopped at this mixer — no exit candidate could be proposed; no branch past it is offered, which is not evidence that none exists

0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool

0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936:ETH#7 within 7 days before this transaction; the branch has nothing to follow; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

MIXER_INTERACTION · BACKWARD

the trail stopped at this mixer — no exit candidate could be proposed; no branch past it is offered, which is not evidence that none exists

0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool

0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc:ETH#7 within 7 days before this transaction; the branch has nothing to follow; 9 further transaction(s) between this address and the pool on the same side were not used as an anchor; each is a separate crossing, with its own window and its own crowd, whose exits were never enumerated; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

SWEEP_PATTERN

pass-through: 6 receive-and-forward cycles (avg 99.5% forwarded, fastest 0.0h)

0x11111112542d85b3ef69ae05771c2dccff4faa26

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

6 matched receive/forward pair(s) of the same asset; strongest cited

0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0x26816afc0b1a2580772b7b404818befa9cf6d240943972d1ee93ece3e85d98aa, 0x9e8be1a0398b407c99813caeb7ca2f7ec9a30c5ea25e6a27038020792b3e04c7, 0x9f3daa89a5991023488d1f4e7d6864da4231e0e3af0c106052207a86941452a6, 0xa8cf433b8ed1b19e503bef9e055098f7de11eaa11829c15a2f3557c89d6a96fa, 0xed9f92702a742884a124edfc08822ec6611a58cf394333756dc1fb640c23b7df, 0xf04f571e509c16c7a382f003b0dfbcad7e1fedef5509169d10687494d97d2a19

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 6 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0x26816afc0b1a2580772b7b404818befa9cf6d240943972d1ee93ece3e85d98aa, 0x9e8be1a0398b407c99813caeb7ca2f7ec9a30c5ea25e6a27038020792b3e04c7, 0x9f3daa89a5991023488d1f4e7d6864da4231e0e3af0c106052207a86941452a6, 0xa8cf433b8ed1b19e503bef9e055098f7de11eaa11829c15a2f3557c89d6a96fa, 0xed9f92702a742884a124edfc08822ec6611a58cf394333756dc1fb640c23b7df, 0xf04f571e509c16c7a382f003b0dfbcad7e1fedef5509169d10687494d97d2a19

OBFUSCATION_PATTERN

peel: 0.1% shed while 100.0% of the received amount continued onward

0x11111112542d85b3ef69ae05771c2dccff4faa26

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xdeeb053bd14c87dcba488f6620ddbbef46f165b5e4f0c1521ecc1cb20e5ff901; onward in

0xdeeb053bd14c87dcba488f6620ddbbef46f165b5e4f0c1521ecc1cb20e5ff901; slice in

0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450

0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0xdeeb053bd14c87dcba488f6620ddbbef46f165b5e4f0c1521ecc1cb20e5ff901

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0xdeeb053bd14c87dcba488f6620ddbbef46f165b5e4f0c1521ecc1cb20e5ff901

OBFUSCATION_PATTERN

splitter: value distributed to 19 distinct addresses

0x11111112542d85b3ef69ae05771c2dccff4faa26

Finding confidence 65%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

68 outgoing movements to 19 addresses

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x2144fd01a013939eed2039e1abab48fcd4f64703707ba76a0d5e36c93e34e16, 0x251cbebbba7e404a8a0574acf1a15a6f88ac509f2028765301894b5cd0b38975b, 0x26816afc0b1a2580772b7b404818befa9cf6d240943972d1ee93ece3e85d98aa, 0x2a5d8b6ea385a577b3b7d30212881eed680f18e75897d062ba433a0f8dcf9582, 0x3336b31103a916ae06fbd9616bddb7d9f3dfb1ead06dce613b7487a97fbcf615

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 19 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 65% · names no operator

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x2144fd01a013939eed2039e1abab48fcd4f64703707ba76a0d5e36c93e34e16, 0x251cbebbba7e404a8a0574acf1a15a6f88ac509f2028765301894b5cd0b38975b, 0x26816afc0b1a2580772b7b404818befa9cf6d240943972d1ee93ece3e85d98aa, 0x2a5d8b6ea385a577b3b7d30212881eed680f18e75897d062ba433a0f8dcf9582, 0x3336b31103a916ae06fbd9616bddb7d9f3dfb1ead06dce613b7487a97fbcf615

OBFUSCATION_PATTERN

consolidation: value collected from 70 distinct addresses

0x11111112542d85b3ef69ae05771c2dccff4faa26

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

159 incoming movements from 70 addresses

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x0d5c1dbec41dfbcf4a266a579ca53f2943260a5229fec4ca9145e9b5d4a656b, 0x0e71993852cd6dce2f5e19410238ffa92cffebeae8ca2410d48478fca70913b, 0x0f0a87d30852008d8dbaf0a9cf064dbbf5db9daec02f5a0918dde8ac73adc348, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaeccbab3b255a41781fd15450, 0x14233bdeb2f866625ae201eb28193d1a49eb40714345000b2f408bcd1ff3be7, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x1b7130e1b6c8b921239f66582e4bc3dc94f1ef03489c97cc9e9ab5aa31a82b6c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 70 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x0d5c1dbec41dfbcf4a266a579ca53f2943260a5229fec4ca9145e9b5d4a656b, 0x0e71993852cd6dce2f5e19410238ffa92cffebeae8ca2410d48478fca70913b, 0x0f0a87d30852008d8dbaf0a9cf064dbbf5db9daec02f5a0918dde8ac73adc348, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaecbab3b255a41781fd15450, 0x14233bdeb2f866625ae201eb28193d1a49eb40714345000b2f408bcdd1ff3be7, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x1b7130e1b6c8b921239f66582e4bc3dc94f1ef03489c97cc9e9ab5aa31a82b6c

OBFUSCATION_PATTERN

relay: 46 receive-then-forward cycles within 30 minutes each

0x11111112542d85b3ef69ae05771c2dccff4faa26

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

46 inflow/outflow pairs of the same asset in quick succession

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaecbab3b255a41781fd15450, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x2144fd01a013939eed2039e1abab48fcdf4f64703707ba76a0d5e36c93e34e16, 0x251cbebbba7e404a8a0574acf1a15a6f88ac509f2028765301894b5cd0b38975b, 0x26816afc0b1a2580772b7b404818befa9cf6d240943972d1ee93ece3e85d98aa, 0x2a5d8b6ea385a577b3b7d30212881eed680f18e75897d062ba433a0f8dcf9582, 0x336b184e9dbcbe30f16948b32153b4639ad7b50709c13017d2584f5e2cd38251

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

46 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaecbab3b255a41781fd15450, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x2144fd01a013939eed2039e1abab48fcdf4f64703707ba76a0d5e36c93e34e16, 0x251cbebbba7e404a8a0574acf1a15a6f88ac509f2028765301894b5cd0b38975b, 0x26816afc0b1a2580772b7b404818befa9cf6d240943972d1ee93ece3e85d98aa, 0x2a5d8b6ea385a577b3b7d30212881eed680f18e75897d062ba433a0f8dcf9582, 0x336b184e9dbcbe30f16948b32153b4639ad7b50709c13017d2584f5e2cd38251

OBFUSCATION_PATTERN

equal-value split: 4 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0x283af0b28c62c092c9727f1ee09c02ca627eb7f5

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

4 outgoing movements each of exactly 30365647642781 (smallest unit)

0x0f202cf91a0b485e747b4a007a8dcae522c7dac3093c51c34ffe96ddff7d3610, 0x6e13229ffd9638143f59591b1845f108c7ba6edf216fc762f5638047bbcf86c2, 0xa40848d5db28fcff93fcd0c8a7af1c7c6f73e2b5eeb5b792d4c59d5d7f1ca0be, 0xccb8b88c04c49d6e03320bbffd1856ac20e047ee93fb008944a126b8d7657a3a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

4 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 58% · names no operator

0x0f202cf91a0b485e747b4a007a8dcae522c7dac3093c51c34ffe96ddff7d3610, 0x6e13229ffd9638143f59591b1845f108c7ba6edf216fc762f5638047bbcf86c2, 0xa40848d5db28fcff93fcd0c8a7af1c7c6f73e2b5eeb5b792d4c59d5d7f1ca0be, 0xccb8b88c04c49d6e03320bbffd1856ac20e047ee93fb008944a126b8d7657a3a

OBFUSCATION_PATTERN

consolidation: value collected from 29 distinct addresses

0x283af0b28c62c092c9727f1ee09c02ca627eb7f5

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

73 incoming movements from 29 addresses

0x00242f46e613c7397250b777c1f7d92126cf4b54f144f308cd8f655fb74c0f7a, 0x074242e09eb09a257b64627710b3e69f6d8b2573df418417b161fce3322448c7, 0x0957f01b4fec60359d69721cb9d782aa14c06be70f4c6f4d2b0990e7fde96ad4, 0x0d2d8e346f44c089e4cd2735c783a0fed56c0b29b158faa84435e95717b77731, 0x0f202cf91a0b485e747b4a007a8dcae522c7dac3093c51c34ffe96ddff7d3610, 0x13c79ddd4a77aecc6892e97ac61c95fc476f4c5f9db529c2abe81508e9589065, 0x16aaa71fb4a6112caef0692aa361850262ebfd90bbcb8faac4dbf36902b590cd, 0x191140ea16330f0fbee4155d33a8a3ffcbbdabeb25d93833b6cba7426af3b7bb

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 29 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 73% · names no operator

0x00242f46e613c7397250b777c1f7d92126cf4b54f144f308cd8f655fb74c0f7a, 0x074242e09eb09a257b64627710b3e69f6d8b2573df418417b161fce3322448c7, 0x0957f01b4fec60359d69721cb9d782aa14c06be70f4c6f4d2b0990e7fde96ad4, 0x0d2d8e346f44c089e4cd2735c783a0fed56c0b29b158faa84435e95717b77731, 0x0f202cf91a0b485e747b4a007a8dcae522c7dac3093c51c34ffe96ddff7d3610, 0x13c79ddd4a77aecc6892e97ac61c95fc476f4c5f9db529c2abe81508e9589065, 0x16aaa71fb4a6112caef0692aa361850262ebfd90bbcb8faac4dbf36902b590cd, 0x191140ea16330f0fbee4155d33a8a3ffcbbdabeb25d93833b6cba7426af3b7bb

OBFUSCATION_PATTERN

relay: 10 receive-then-forward cycles within 30 minutes each

0x283af0b28c62c092c9727f1ee09c02ca627eb7f5

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

10 inflow/outflow pairs of the same asset in quick succession

0x0d2d8e346f44c089e4cd2735c783a0fed56c0b29b158faa84435e95717b77731, 0x0f202cf91a0b485e747b4a007a8dcae522c7dac3093c51c34ffe96ddff7d3610, 0x13c79ddd4a77aecc6892e97ac61c95fc476f4c5f9db529c2abe81508e9589065, 0x1a1cf6e6e4882fa75e7bec5367811a314a7609fe807af26b4f9b056905488cf2, 0x6e13229ffd9638143f59591b1845f108c7ba6edf216fc762f5638047bbcf86c2, 0x9967dc2d06e9ce584effa7cd3313f6719661409a289e9ccb466aac9a35ba8c16, 0xa40848d5db28fcff93fcd0c8a7af1c7c6f73e2b5eeb5b792d4c59d5d7f1ca0be, 0xbd0d62b09e18d755de3fd7102724d752e0134a6db5097e289b2aa6ec7ad9edc6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

10 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0d2d8e346f44c089e4cd2735c783a0fed56c0b29b158faa84435e95717b77731, 0x0f202cf91a0b485e747b4a007a8dcae522c7dac3093c51c34ffe96ddff7d3610, 0x13c79ddd4a77aecc6892e97ac61c95fc476f4c5f9db529c2abe81508e9589065, 0x1a1cf6e6e4882fa75e7bec5367811a314a7609fe807af26b4f9b056905488cf2, 0x6e13229ffd9638143f59591b1845f108c7ba6edf216fc762f5638047bbcf86c2, 0x9967dc2d06e9ce584effa7cd3313f6719661409a289e9ccb466aac9a35ba8c16, 0xa40848d5db28fcff93fcd0c8a7af1c7c6f73e2b5eeb5b792d4c59d5d7f1ca0be, 0xbd0d62b09e18d755de3fd7102724d752e0134a6db5097e289b2aa6ec7ad9edc6

SWEEP_PATTERN

100.0% of a received amount forwarded after 15.5h — address behaves as a pass-through

0x3eed23ea148d356a72ca695dbce2fceb40a32ce0

Finding confidence 88%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x555c9f5d1817b28da8d66ddb460ec13f3255c65a35f1a22e2c4dee57287c202d, 0xdaf7f7ee009d4490f990178587fd8cb25cdb4036a37832f343811f1b2fda9ec

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 15.5h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 88% · names no operator

0x555c9f5d1817b28da8d66ddb460ec13f3255c65a35f1a22e2c4dee57287c202d, 0xdaf7f7ee009d4490f990178587fd8cb25cdb4036a37832f343811f1b2fda9ec

OBFUSCATION_PATTERN

splitter: value distributed to 90 distinct addresses

0x3eed23ea148d356a72ca695dbce2fceb40a32ce0

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

98 outgoing movements to 90 addresses

0x0577d67d478634767378c48bfce14bb25a7065d33e6b10865d09bb5ef60b2d63, 0x0875352a1d2fdd76e136f9357676786e3ac3d9dbe650d17ec7ec500ddf418e02, 0x1911546ab732ccf87a1538e46bc4c0aa7b84233d9cb92e825b71981f4bc80041, 0x27b543443d7b41afdb57d075f655a1c607625c742859f853c17b66342557e6e5, 0x2932efd309d1fd551ca43348b6468573f54f679519f17bc2c4d66295f8771e75, 0x2a73ace9fe1c62afb26667afd84575a42320cadb915408791d785cf2404e029a, 0x2d2aae84ad090bb7f22f96c745a97f0417df7e600457ea5950428ffdbc280210, 0x30b5003b2bde6a24840bee691184187e4ca348dec13f5c4e913194cdb2cd370b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 90 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 23 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x0577d67d478634767378c48bfce14bb25a7065d33e6b10865d09bb5ef60b2d63, 0x0875352a1d2fdd76e136f9357676786e3ac3d9dbe650d17ec7ec500ddf418e02, 0x1911546ab732ccf87a1538e46bc4c0aa7b84233d9cb92e825b71981f4bc80041, 0x27b543443d7b41afdb57d075f655a1c607625c742859f853c17b66342557e6e5, 0x2932efd309d1fd551ca43348b6468573f54f679519f17bc2c4d66295f8771e75, 0x2a73ace9fe1c62afb26667afd84575a42320cadb915408791d785cf2404e029a, 0x2d2aae84ad090bb7f22f96c745a97f0417df7e600457ea5950428ffdbc280210, 0x30b5003b2bde6a24840bee691184187e4ca348dec13f5c4e913194cdb2cd370b

OBFUSCATION_PATTERN

consolidation: value collected from 87 distinct addresses

0x3eed23ea148d356a72ca695dbce2fceb40a32ce0

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

102 incoming movements from 87 addresses

0x03dcfcbae301dc47b890eee165fc8fad2051c646881241ba9edb40cdc12bb09f, 0x04ef805a1b812fb7bf5793999fac978c201275d7415c6e8a3dc019bb8e232b20, 0x068638c0badd9dce064a10cd7ba392b2e3ec7fd8260444938b3b912be5b88a51, 0x0ea9ce46ac72332c01bfd84970e1d7eb6b28d776cf50e91e41f8e5f28e7bb37d, 0x110c8026677788c9c31cfbbdd78e42077cd99fd5264cbbe086691629e3f9343, 0x113277129f54992cd98d56e3edba5854b385c9bdcc634954a5064ad0f72215be, 0x1176d253fc548a6f17046be8310476e5d302a8e41f7110d4d25b5b0926987068, 0x11c7c577d4b77504e40ccb a8121d8d8160d0140bcc60373e13e85d12390ad0c9

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 87 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x03dcfcbae301dc47b890eee165fc8fad2051c646881241ba9edb40cdc12bb09f, 0x04ef805a1b812fb7bf5793999fac978c201275d7415c6e8a3dc019bb8e232b20, 0x068638c0badd9dce064a10cd7ba392b2e3ec7fd8260444938b3b912be5b88a51, 0x0ea9ce46ac72332c01bfd84970e1d7eb6b28d776cf50e91e41f8e5f28e7bb37d, 0x110c8026677788c9c31cfbbdd78e42077cd99fd5264cbbe086691629e3f9343, 0x113277129f54992cd98d56e3edba5854b385c9bdcc634954a5064ad0f72215be, 0x1176d253fc548a6f17046be8310476e5d302a8e41f7110d4d25b5b0926987068, 0x11c7c577d4b77504e40ccb8121d8d8160d0140bcc60373e13e85d12390ad0c9

TERMINAL · BACKWARD

high-degree address (95 counterparties): followed the 20 largest by value, 75 branch(es) not followed

0x3eed23ea148d356a72ca695dbce2fceb40a32ce0

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x028ca07863ab3d4241c5f7857e07a71335dad5897e91d11796dfb2473b680ff1, 0x03dcfcbae301dc47b890eee165fc8fad2051c646881241ba9edb40cdc12bb09f, 0x04ef805a1b812fb7bf5793999fac978c201275d7415c6e8a3dc019bb8e232b20, 0x068638c0badd9dce064a10cd7ba392b2e3ec7fd8260444938b3b912be5b88a51, 0x0ea9ce46ac72332c01bfd84970e1d7eb6b28d776cf50e91e41f8e5f28e7bb37d, 0x110c8026677788c9c31cfbbdd78e42077cd99fd5264cbbe086691629e3f9343, 0x113277129f54992cd98d56e3edba5854b385c9bdcc634954a5064ad0f72215be, 0x1176d253fc548a6f17046be8310476e5d302a8e41f7110d4d25b5b0926987068, 0x11c7c577d4b77504e40ccba8121d8d8160d0140bcc60373e13e85d12390ad0c9, 0x12d730d235604e2c2ce8c352164304292910702e7e399bd9d36a74045c41df47

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 75 were reached but never explored

SWEEP_PATTERN

pass-through: 7 receive-and-forward cycles (avg 100.0% forwarded, fastest 7.7h)

0xb541fc07bc7619fd4062a54d96268525cbc6ffef

Finding confidence 92%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

7 matched receive/forward pair(s) of the same asset; strongest cited

0x07ea99c6e0602d7b30c0283e8e576ccca1f8f8c3e72c390daaa42000800b7915, 0x2d8565cefa4ffffe0cba08021e2e7f28ea3f0449e129fc9ffd356218bd45f5bf, 0x50ac422df82903eb194cf9bdbdee133c278e662d8eec80d9613a207b7067b0f3, 0x601dac0f64bd3096287884917c97966b2a776da2fc8e83934cac12d273142bf5, 0x6e7956feaaec26093323a4c714572ab8d7652d9497d8c0b6817f5560ace51055, 0x79c1806c331dfba075e93ad95d4a7ec7ad9a3a83171ecee218e95c3b467eb715, 0xcfae67c4b0986598c3d0e38c36c6401dcb6f74e7d84d601b42b3f4314b0bdcf1, 0xff56703357fc1176e4fb947723d58b8e519994c01c8b390ca9924effc152904e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 7.7h; 7 such cycle(s) overall

Rule: sweep@1 · confidence 92% · names no operator

0x07ea99c6e0602d7b30c0283e8e576ccca1f8f8c3e72c390daaa42000800b7915, 0x2d8565cefa4ffffe0cba08021e2e7f28ea3f0449e129fc9ffd356218bd45f5bf, 0x50ac422df82903eb194cf9bdbdee133c278e662d8eec80d9613a207b7067b0f3, 0x601dac0f64bd3096287884917c97966b2a776da2fc8e83934cac12d273142bf5, 0x6e7956feaaec26093323a4c714572ab8d7652d9497d8c0b6817f5560ace51055, 0x79c1806c331dfba075e93ad95d4a7ec7ad9a3a83171ecee218e95c3b467eb715, 0xcfae67c4b0986598c3d0e38c36c6401dcb6f74e7d84d601b42b3f4314b0bdcf1, 0xff56703357fc1176e4fb947723d58b8e519994c01c8b390ca9924effc152904e

OBFUSCATION_PATTERN

peel: 10.1% shed while 89.9% of the received amount continued onward

0xb541fc07bc7619fd4062a54d96268525cbc6ffef

Finding confidence 78%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x601dac0f64bd3096287884917c97966b2a776da2fc8e83934cac12d273142bf5; onward in

0x6ed5cc4409ca94e64fab165d284b95f32cc6ab3c6b0961a9b1702c969bd39940; slice in

0x6ed5cc4409ca94e64fab165d284b95f32cc6ab3c6b0961a9b1702c969bd39940

0x601dac0f64bd3096287884917c97966b2a776da2fc8e83934cac12d273142bf5, 0x6ed5cc4409ca94e64fab165d284b95f32cc6ab3c6b0961a9b1702c969bd39940

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 78% · names no operator

0x601dac0f64bd3096287884917c97966b2a776da2fc8e83934cac12d273142bf5, 0x6ed5cc4409ca94e64fab165d284b95f32cc6ab3c6b0961a9b1702c969bd39940

OBFUSCATION_PATTERN

batch distribution: 29 outputs of identical value across 15 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0xb541fc07bc7619fd4062a54d96268525cbc6ffef

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

29 outgoing movements each of exactly 11000000000000000 (smallest unit)

0x00ff12c19d238c89f32e0f898a0816a8bd73a4782c533bfaed4c95615184bdbf, 0x08a68ac45eb2cc605261480956514a8e535a660b2b0295fd92c11fb87ecff377, 0x0b4279dfdfd5c115dcfa65f28719099f0ccad5691e403bc42f74118228cbab1c, 0x0dbb674d1d9fca1b50c68be28878d4b1e64e92476557ce7773fe3f385786a98e, 0x1c0f1bbec6f973cded89ecc31c3516b69fb1a1ad9c391d32785eefaf6c367154, 0x301b34df0e7d8b941bf6c1dae14f453fbe761324d75b80df958043134f9ce003, 0x3561ab86deadf43709ddb24d93b1bb332942eca11680f093b531aeccbf7db956, 0x36e4eb2f0c7706cd7a36b1c805f7001c4a81e449e70ce53ad2700bba12cf3ebd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 15 with 29 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 62% · names no operator

0x00ff12c19d238c89f32e0f898a0816a8bd73a4782c533bfaed4c95615184bdbf, 0x08a68ac45eb2cc605261480956514a8e535a660b2b0295fd92c11fb87ecff377, 0x0b4279dfdfd5c115dcfa65f28719099f0ccad5691e403bc42f74118228cbab1c, 0x0dbb674d1d9fca1b50c68be28878d4b1e64e92476557ce7773fe3f385786a98e, 0x1c0f1bbec6f973cded89ecc31c3516b69fb1a1ad9c391d32785eefaf6c367154, 0x301b34df0e7d8b941bf6c1dae14f453fbe761324d75b80df958043134f9ce003, 0x3561ab86deadf43709ddb24d93b1bb332942eca11680f093b531aeccbf7db956, 0x36e4eb2f0c7706cd7a36b1c805f7001c4a81e449e70ce53ad2700bba12cf3ebd

OBFUSCATION_PATTERN

consolidation: value collected from 19 distinct addresses

0xb541fc07bc7619fd4062a54d96268525cbc6ffef

Finding confidence 65%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

55 incoming movements from 19 addresses

0x02e5787815e5770b877968b72403e737739d331eb3cd20fb49e106f37f1c9734, 0x06dc695ca2ed590cb6a60ad903e7a84fde943e8fc4eb1d4a69ddba6c9118ec7d, 0x08cb5bd89df0b7cd20037656a3796817345684d06a583414ed098a02016f0af8, 0x0b56227ad4fdece00d1cd80377766e9fee7a729e1bee3e1a3337649eeb75f4fb, 0x10e7225934c264a7f409fd5769eee832bd7982e7f46c641b190cfd5c04ffb9ac, 0x1940b953cd34ffa756a1bbd6d17e9e24270a48213924630e412a802be0f6315e, 0x1994a213df4f7c67a5a2f8ab35aa2399158fa272740e9a200a3937786f7b7b26, 0x1eaece4963488698a783de13c21b2b7b25df8a800f849ba9f55fce64558c7a1a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 19 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 65% · names no operator

0x02e5787815e5770b877968b72403e737739d331eb3cd20fb49e106f37f1c9734, 0x06dc695ca2ed590cb6a60ad903e7a84fde943e8fc4eb1d4a69ddba6c9118ec7d, 0x08cb5bd89df0b7cd20037656a3796817345684d06a583414ed098a02016f0af8, 0x0b56227ad4fdece00d1cd80377766e9fee7a729e1bee3e1a3337649eeb75f4fb, 0x10e7225934c264a7f409fd5769eee832bd7982e7f46c641b190cfd5c04ffb9ac, 0x1940b953cd34ffa756a1bbd6d17e9e24270a48213924630e412a802be0f6315e, 0x1994a213df4f7c67a5a2f8ab35aa2399158fa272740e9a200a3937786f7b7b26, 0x1eaece4963488698a783de13c21b2b7b25df8a800f849ba9f55fce64558c7a1a

OBFUSCATION_PATTERN

relay: 38 receive-then-forward cycles within 30 minutes each

0xb541fc07bc7619fd4062a54d96268525cbc6ffef

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

38 inflow/outflow pairs of the same asset in quick succession

0x00ff12c19d238c89f32e0f898a0816a8bd73a4782c533bfaed4c95615184bdbf, 0x08a68ac45eb2cc605261480956514a8e535a660b2b0295fd92c11fb87ecff377, 0x134c3cb8e375b5db4e63963c253129dd2d2e3dcbc3a3ce0f2fee8c03d7f7031c, 0x1c0f1bbec6f973cded89ecc31c3516b69fb1a1ad9c391d32785eefaf6c367154, 0x301b34df0e7d8b941bf6c1dae14f453fbe761324d75b80df958043134f9ce003, 0x3561ab86deadf43709ddb24d93b1bb332942eca11680f093b531aeccbf7db956, 0x36e4eb2f0c7706cd7a36b1c805f7001c4a81e449e70ce53ad2700bba12cf3ebd, 0x40329a7d0a44cc58861c863e8ec6826ed6aac6d3aa984348f3b024de8b63a6c9

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

38 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x00ff12c19d238c89f32e0f898a0816a8bd73a4782c533bfaed4c95615184bdbf, 0x08a68ac45eb2cc605261480956514a8e535a660b2b0295fd92c11fb87ecff377, 0x134c3cb8e375b5db4e63963c253129dd2d2e3dcbc3a3ce0f2fee8c03d7f7031c, 0x1c0f1bbec6f973cded89ecc31c3516b69fb1a1ad9c391d32785eefaf6c367154, 0x301b34df0e7d8b941bf6c1dae14f453fbe761324d75b80df958043134f9ce003, 0x3561ab86deadf43709ddb24d93b1bb332942eca11680f093b531aeccbf7db956, 0x36e4eb2f0c7706cd7a36b1c805f7001c4a81e449e70ce53ad2700bba12cf3ebd, 0x40329a7d0a44cc58861c863e8ec6826ed6aac6d3aa984348f3b024de8b63a6c9

OBFUSCATION_PATTERN

batch distribution: 99 outputs of identical value across 100 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0x4905b4f22d8cdb0a035b17062e2d498b662991bc

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

99 outgoing movements each of exactly 161870503597122302 (smallest unit)

0x00fd636c170496f614701d900129b0d9425b40359f55f96c3000cca66de3155d, 0x03928a3dc6a78b5516605bef9925b4dbd9aa6063bd5c358e87b08239ab69c102, 0x03b3374be83bd2166059172a1e1f894119e2cae4b47642b9269f010e74527dec, 0x0654ddda035195a8b9ebf3b553bdc2804a3169ec6f010dff5085e4a702be82a4, 0x07c8589b031d5d5f13315520bca945b24927699735f7790fd65644904dc3c240, 0x0a785e156e7883d563007b229652690590f43c5064cbeffb74b4272732846e49, 0x0d58429c89c9676f9866e440a309f9818236fe8edf9a8af9bdf04f012f3f8e75, 0x12fa39c1638e25315c58bbf3fb4dd28a4c5b0d9653701563f010318821a28da7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 100 with 99 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 75% · names no operator

0x00fd636c170496f614701d900129b0d9425b40359f55f96c3000cca66de3155d, 0x03928a3dc6a78b5516605bef9925b4dbd9aa6063bd5c358e87b08239ab69c102, 0x03b3374be83bd2166059172a1e1f894119e2cae4b47642b9269f010e74527dec, 0x0654ddda035195a8b9ebf3b553bdc2804a3169ec6f010dff5085e4a702be82a4, 0x07c8589b031d5d5f13315520bca945b24927699735f7790fd65644904dc3c240, 0x0a785e156e7883d563007b229652690590f43c5064cbeffb74b4272732846e49, 0x0d58429c89c9676f9866e440a309f9818236fe8edf9a8af9bdf04f012f3f8e75, 0x12fa39c1638e25315c58bbf3fb4dd28a4c5b0d9653701563f010318821a28da7

MIXER_INTERACTION · BACKWARD

the trail crossed this mixer on a heuristic (mixer-exit-anonymity-set@1): 2 candidate branch(es) followed as SPECULATIVE, 0 not followed — every address beyond this point may belong to an unrelated party

0xd4b88df4d29f5cedd6857912842cff3b20c8cfa3

Finding confidence 100%

EVIDENCE

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

why these branches may be the wrong ones: one of 2 deposits in the anonymity set within 7 days; this is a lead, not an attribution

Rule: mixer-exit-anonymity-set@1 · confidence 50% · names no operator

0x302c07ccefd3b3beb9d93b6c5f7634fdd4c43587b9ea8d41235e9174685435fb, 0x4e8e4bfd93b34f65e7df65cd555977064615c981447e673bf923f194757302c7, 0xdc601207991759d478e24c4984961e778e659b841f4c80226e1522b514488cd2

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

no identifying heuristic fired; anonymity set of 2 deposits in pool
0xd4b88df4d29f5cedd6857912842cff3b20c8cfa3:ETH#7 within 7 days, following 2; 1 further transaction(s) between this address and the pool on the same side were not used as an anchor; each is a separate crossing, with its own window and its own crowd, whose exits were never enumerated; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

TERMINAL · BACKWARD

high-degree address (78 counterparties): followed the 20 largest by value, 58 branch(es) not followed

0x11111112542d85b3ef69ae05771c2dccff4faa26

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x04010ed14ee66012e918673343a238258ca2b4b95a8c7fa0b79808412e609a64, 0x0d5c1dbec41dfbcf4a266a579ca53f2943260a5229fec4ca9145e9b5d4a656b, 0x0e71993852cd6dce2f5e19410238ffa92cffebeae8ca2410d48478fca70913b, 0x0f0a87d30852008d8dbaf0a9cf064dbbf5db9daec02f5a0918dde8ac73adc348, 0x13f42f82ac5f1d1be95b9a9698efc6e481518beaecb3b255a41781fd15450, 0x14233bdeb2f866625ae201eb28193d1a49eb40714345000b2f408bcdd1ff3be7, 0x173da3f43adf7661870f9c029bf4a6983fd4529175f0d0b4cd8d07235f70908b, 0x1b7130e1b6c8b921239f66582e4bc3dc94f1ef03489c97cc9e9ab5aa31a82b6c, 0x2144fd01a013939eed2039e1abab48fcdf4f64703707ba76a0d5e36c93e34e16, 0x251cbebbba7e404a8a0574acf1a15a6f88ac509f2028765301894b5cd0b38975b

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 58 were reached but never explored

OBFUSCATION_PATTERN

batch distribution: 100 outputs of identical value across 101 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0x3eff4434708128babca34714f5ec97da5a98c621

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

100 outgoing movements each of exactly 111442786069651741 (smallest unit)

0x05e2f65bd54876b3ec76513000880bde1a0ba57be763209e3591393cb8f81513, 0x0d45c6ce2159b42bec16cbff47117e5519fe8b058c38f22c643446ee0dbd603a, 0x105633c33c31cace7a83dc2e293ec603c4dbdf4a027fc545c577738a95c7dd03, 0x116044af1f3d8a7f97bbf63dcbd0d0a105c39b6a5e85e802c2999284a2aff779, 0x12305b3f24c24081fe55010bc8f0ca7ad3c8d36bafa8781fa6ce542fe4848392, 0x1ba3c78cc3f7fd8dd429da8e78a0dad179eac47540e25ab583d44bd47c23a010, 0x1ca33493329b4aed1e75223596f997c1419ab5a87998bbc0f1a7b8df3e6428ee, 0x1fe75ed65973fb4689b7927cf3d18cf750b65a6e9a8962600e5dacd34bf9e824

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 101 with 100 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 75% · names no operator

0x05e2f65bd54876b3ec76513000880bde1a0ba57be763209e3591393cb8f81513, 0x0d45c6ce2159b42bec16cbff47117e5519fe8b058c38f22c643446ee0dbd603a, 0x105633c33c31cace7a83dc2e293ec603c4dbdf4a027fc545c577738a95c7dd03, 0x116044af1f3d8a7f97bbf63dcbd0d0a105c39b6a5e85e802c2999284a2aff779, 0x12305b3f24c24081fe55010bc8f0ca7ad3c8d36bafa8781fa6ce542fe4848392, 0x1ba3c78cc3f7fd8dd429da8e78a0dad179eac47540e25ab583d44bd47c23a010, 0x1ca33493329b4aed1e75223596f997c1419ab5a87998bbc0f1a7b8df3e6428ee, 0x1fe75ed65973fb4689b7927cf3d18cf750b65a6e9a8962600e5dacd34bf9e824

OBFUSCATION_PATTERN

batch distribution: 30 outputs of identical value across 24 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0x3f615ba21bc6cc5d4a6d798c5950cc5c42937fbd

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

30 outgoing movements each of exactly 8500000000000000 (smallest unit)

0x06e626e62d11ae71116aee8a0396d8f237739072b9dcb2adf736924a850d93d0, 0x0d2c9a49a2b73c607cff3cc64bac0c20ae699ed72cdd0dae7f97c9720c68def6, 0x1ab0b059b7fe0dbb88e8f09d1f16d840be55a6e5af4ea0abbf807497b84a34ae, 0x1c19f03fedf9630fd7d3be075271532a45175123b3fbc8bb1941a70e8d490830, 0x1c713d9241896b23518361147a09268013cc7bc01f7c6e32d4c2ae4897d2f440, 0x2bdb5f03c93bed4e09aa84ff52b2186378387265fc731e80571b2199bb986b2e, 0x2f1d727ceaa2e381db6230843a88d31268e8ada9e02c6ca43a777266d8ee4916, 0x33a8cc47cefd36cc69a0b7051bc3157f954e9b878abdb2adda2aae2e4e3f7958

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 24 with 30 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 69% · names no operator

0x06e626e62d11ae71116aee8a0396d8f237739072b9dcb2adf736924a850d93d0, 0x0d2c9a49a2b73c607cff3cc64bac0c20ae699ed72cdd0dae7f97c9720c68def6, 0x1ab0b059b7fe0dbb88e8f09d1f16d840be55a6e5af4ea0abbf807497b84a34ae, 0x1c19f03fedf9630fd7d3be075271532a45175123b3fbc8bb1941a70e8d490830, 0x1c713d9241896b23518361147a09268013cc7bc01f7c6e32d4c2ae4897d2f440, 0x2bdb5f03c93bed4e09aa84ff52b2186378387265fc731e80571b2199bb986b2e, 0x2f1d727ceaa2e381db6230843a88d31268e8ada9e02c6ca43a777266d8ee4916, 0x33a8cc47cefd36cc69a0b7051bc3157f954e9b878abdb2adda2aae2e4e3f7958

OBFUSCATION_PATTERN

relay: 32 receive-then-forward cycles within 30 minutes each

0x3f615ba21bc6cc5d4a6d798c5950cc5c42937fbd

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

32 inflow/outflow pairs of the same asset in quick succession

0x06e626e62d11ae71116aee8a0396d8f237739072b9dcb2adf736924a850d93d0, 0x0d2c9a49a2b73c607cff3cc64bac0c20ae699ed72cdd0dae7f97c9720c68def6, 0x1ab0b059b7fe0dbb88e8f09d1f16d840be55a6e5af4ea0abbf807497b84a34ae, 0x1c19f03fedf9630fd7d3be075271532a45175123b3fbc8bb1941a70e8d490830, 0x1c713d9241896b23518361147a09268013cc7bc01f7c6e32d4c2ae4897d2f440, 0x2bdb5f03c93bed4e09aa84ff52b2186378387265fc731e80571b2199bb986b2e, 0x2f1d727ceaa2e381db6230843a88d31268e8ada9e02c6ca43a777266d8ee4916, 0x33a8cc47cefd36cc69a0b7051bc3157f954e9b878abdb2adda2aae2e4e3f7958

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

32 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x06e626e62d11ae71116aee8a0396d8f237739072b9dcb2adf736924a850d93d0, 0x0d2c9a49a2b73c607cff3cc64bac0c20ae699ed72cdd0dae7f97c9720c68def6, 0x1ab0b059b7fe0dbb88e8f09d1f16d840be55a6e5af4ea0abbf807497b84a34ae, 0x1c19f03fedf9630fd7d3be075271532a45175123b3fbc8bb1941a70e8d490830, 0x1c713d9241896b23518361147a09268013cc7bc01f7c6e32d4c2ae4897d2f440, 0x2bdb5f03c93bed4e09aa84ff52b2186378387265fc731e80571b2199bb986b2e, 0x2f1d727ceaa2e381db6230843a88d31268e8ada9e02c6ca43a777266d8ee4916, 0x33a8cc47cefd36cc69a0b7051bc3157f954e9b878abdb2adda2aae2e4e3f7958

BRIDGE_CROSSING · FORWARD

value entered bridge 'arbitrum-one' toward arbitrum — the trail continues off this chain

0x4dbd4fc535ac27206064b68ffcf827b0a60bab3f

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xa5ba5eca71224b26266e11792b520e9ae20f988ab13eac6a6b0ee6acdfe87861, 0x4Dbd4fc535Ac27206064B68FfCf827b0A60BAB3f

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'arbitrum-one'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'arbitrum-one' toward arbitrum — the trail continues off this chain

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xa5ba5eca71224b26266e11792b520e9ae20f988ab13eac6a6b0ee6acdfe87861, 0x4Dbd4fc535Ac27206064B68FfCf827b0A60BAB3f

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'arbitrum-one'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'across-protocol' — the trail continues off this chain

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xe6c5dad21398dcfd5125045e304a6fde139ad41ae55cee31da220dac4d9396b8, 0xc186fA914353c44b2E33eBE05f21846F1048bEda

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

SWEEP_PATTERN

pass-through: 88 receive-and-forward cycles (avg 99.9% forwarded, fastest 0.0h)

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

88 matched receive/forward pair(s) of the same asset; strongest cited

0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x1598844f6787a362e3da11302701bc77aef19b5191832e7c34a12fc0909391bf, 0x2353c6214c09caadd614e472af51f5f5c88e51f8a88569008ef6b1f83a7ef7d8, 0x35285b1d3bf526ad4105c25e72d135ce515f14236bd24e7ae6a1014903de6ba1, 0x85251479110905cd5edc7c82da676fa7cac94e09c47a79042e0faca745bc8bdb, 0xbf8c5c64aff0d9035b6f293ec6b57a94346d0b9fd1a55feaf79298e6e8e2a7f9, 0xcfcffa3e758ede6eeff9f2b078c31d8f963c265c7c5dd458781ac2206987209d, 0xd8fa1b6359f97c04c01adb02f4009d73ea87a76cb53c5e494cc8fb1013e83ba1

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 88 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x1598844f6787a362e3da11302701bc77aef19b5191832e7c34a12fc0909391bf, 0x2353c6214c09caadd614e472af51f5f5c88e51f8a88569008ef6b1f83a7ef7d8, 0x35285b1d3bf526ad4105c25e72d135ce515f14236bd24e7ae6a1014903de6ba1, 0x85251479110905cd5edc7c82da676fa7cac94e09c47a79042e0faca745bc8bdb, 0xbf8c5c64aff0d9035b6f293ec6b57a94346d0b9fd1a55feaf79298e6e8e2a7f9, 0xcfcffa3e758ede6eeff9f2b078c31d8f963c265c7c5dd458781ac2206987209d, 0xd8fa1b6359f97c04c01adb02f4009d73ea87a76cb53c5e494cc8fb1013e83ba1

OBFUSCATION_PATTERN

peel: 0.0% shed while 100.0% of the received amount continued onward

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xf878a4cc43383516fed03d0b4ae5d4c3d44deffdc52723714d3c23cb992d8e; onward in

0xf878a4cc43383516fed03d0b4ae5d4c3d44deffdc52723714d3c23cb992d8e; slice in

0xf17d9a244804fe4e970354ee234cb16e8768d05220247bcfdeb0fe5df81f8a30

0xf17d9a244804fe4e970354ee234cb16e8768d05220247bcfdeb0fe5df81f8a30, 0xf878a4cc43383516fed03d0b4ae5d4c3d44deffdc52723714d3c23cb992d8e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0xf17d9a244804fe4e970354ee234cb16e8768d05220247bcfdeb0fe5df81f8a30, 0xf878a4cc43383516fed03d0b4ae5d4c3d44deffdc52723714d3c23cb992d8e

OBFUSCATION_PATTERN

equal-value split: 26 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

26 outgoing movements each of exactly 2000000000000000 (smallest unit)

0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x1598844f6787a362e3da11302701bc77aef19b5191832e7c34a12fc0909391bf, 0x2353c6214c09caadd614e472af51f5f5c88e51f8a88569008ef6b1f83a7ef7d8, 0x35285b1d3bf526ad4105c25e72d135ce515f14236bd24e7ae6a1014903de6ba1, 0x47b930b7d1a734e678791a59286aae8271e0e4257056675fa141198de613fcda, 0x49dbd849fbcf07417a55f95ce7d8b044bb729bf03bcbe88e92828c32d4507410, 0x4facefbff2b8e2ded872995dc99f1f4261fd02977fe022a1839cf04517002ae3, 0x584f57a39f1ee457e0930d985a87b156b01298f4b4df89b49cd65490f6d4f9c0

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

26 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 75% · names no operator

0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x1598844f6787a362e3da11302701bc77aef19b5191832e7c34a12fc0909391bf, 0x2353c6214c09caadd614e472af51f5f5c88e51f8a88569008ef6b1f83a7ef7d8, 0x35285b1d3bf526ad4105c25e72d135ce515f14236bd24e7ae6a1014903de6ba1, 0x47b930b7d1a734e678791a59286aae8271e0e4257056675fa141198de613fcda, 0x49dbd849fbcf07417a55f95ce7d8b044bb729bf03bcbe88e92828c32d4507410, 0x4facefbff2b8e2ded872995dc99f1f4261fd02977fe022a1839cf04517002ae3, 0x584f57a39f1ee457e0930d985a87b156b01298f4b4df89b49cd65490f6d4f9c0

OBFUSCATION_PATTERN

consolidation: value collected from 207 distinct addresses

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

273 incoming movements from 207 addresses

0x008852e493cf3b7f9c7259a88327704110f3724ed446e1fb5ad2ad9e72c1f2d4, 0x010b5e0c90f87b8adab0192b660edd2eb1e223c9eafda21979e07b8164b725d9, 0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x03946dd135720a7d865c1534eff66fa82b04862497c980a5b5bcd43120e31d8, 0x0546e8f5ff5a80db4a8adb79623f38f2406e301d4b245a2982e5cc5d31c9d774, 0x054f0b7b306c1563f45de8719a5ed0a25fad1f8ba3a5179ec59c6bbf51b699fb, 0x05c7efb09bc7dc1ae9dec033f79cedff0242e09d1a24d7c6072c312b689c1cdf, 0x05ddd7180b0d5e85b6a6bd51d1255d5d7e5c79edd28aac59e9e1ffac62b4be1b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 207 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x008852e493cf3b7f9c7259a88327704110f3724ed446e1fb5ad2ad9e72c1f2d4, 0x010b5e0c90f87b8adab0192b660edd2eb1e223c9eafda21979e07b8164b725d9, 0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x03946dd135720a7d865c1534eff66fa82b04862497c980a5b5bcd43120e31d8, 0x0546e8f5ff5a80db4a8adb79623f38f2406e301d4b245a2982e5cc5d31c9d774, 0x054f0b7b306c1563f45de8719a5ed0a25fad1f8ba3a5179ec59c6bbf51b699fb, 0x05c7efb09bc7dc1ae9dec033f79cedff0242e09d1a24d7c6072c312b689c1cdf, 0x05ddd7180b0d5e85b6a6bd51d1255d5d7e5c79edd28aac59e9e1ffac62b4be1b

OBFUSCATION_PATTERN

relay: 135 receive-then-forward cycles within 30 minutes each

0x4dbd4fc535ac27206064b68ffc827b0a60bab3f

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

135 inflow/outflow pairs of the same asset in quick succession

0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x03946dd135720a7d865c1534eff66fa82b04862497c980a5b5bcd43120e31d8, 0x0546e8f5ff5a80db4a8adb79623f38f2406e301d4b245a2982e5cc5d31c9d774, 0x054f0b7b306c1563f45de8719a5ed0a25fad1f8ba3a5179ec59c6bbf51b699fb, 0x05c7efb09bc7dc1ae9dec033f79cedff0242e09d1a24d7c6072c312b689c1cdf, 0x091e7e1b4f62bec03c06533e3fcb108fb714a6cc167d28f67de2cba7c8d3873e, 0x1598844f6787a362e3da11302701bc77aef19b5191832e7c34a12fc0909391bf, 0x164b3a29e2321bdc7b382f5edcc779949515e4999a9b9af6e3e5f0d0a01a06ea

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

135 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0116219e085a111ab3e3f9c7d5a2297f7cdfdee9ff5a776b7f3a94039eb29014, 0x03946dd135720a7d865c1534eff66fa82b04862497c980a5b5bcd43120e31d8, 0x0546e8f5ff5a80db4a8adb79623f38f2406e301d4b245a2982e5cc5d31c9d774, 0x054f0b7b306c1563f45de8719a5ed0a25fad1f8ba3a5179ec59c6bbf51b699fb, 0x05c7efb09bc7dc1ae9dec033f79cedff0242e09d1a24d7c6072c312b689c1cdf, 0x091e7e1b4f62bec03c06533e3fcb108fb714a6cc167d28f67de2cba7c8d3873e, 0x1598844f6787a362e3da11302701bc77aef19b5191832e7c34a12fc0909391bf, 0x164b3a29e2321bdc7b382f5edcc779949515e4999a9b9af6e3e5f0d0a01a06ea

BRIDGE_CROSSING · FORWARD

value entered bridge 'op-mainnet-optimism' toward optimism — the trail continues off this chain

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xc184b353eac93223cca12e7cfab77ee409c39d930046b1f688f03648fee511c0, 0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'op-mainnet-optimism'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'across-protocol' — the trail continues off this chain

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xf8ff4a27d08d2a12619fb09076552f0159c8e0e24c69ee10b7f6925ce7dfae87, 0xc186fA914353c44b2E33eBE05f21846F1048bEda

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'op-mainnet-optimism' toward optimism — the trail continues off this chain

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xf8ff4a27d08d2a12619fb09076552f0159c8e0e24c69ee10b7f6925ce7dfae87, 0x99C9fc46f92E8a1c0deC1b1747d010903E884bE1

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'op-mainnet-optimism'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

SWEEP_PATTERN

pass-through: 10 receive-and-forward cycles (avg 98.1% forwarded, fastest 4.5h)

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 89%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

10 matched receive/forward pair(s) of the same asset; strongest cited

0x1a3752bbde96420644de1e729088143efdb22cb0ef39c481876ee4c321691af9, 0x20cbae5046f355a2eb0a3ca2abd7bc
e094eb6205ce05642f81a8e4753ab19b33, 0x595b6a774aecfb405eea1637f9f1bdf5eb8f60f82a3aeba782a37568e2d022
00, 0x5b6713398e9b8b4c46659b89b89a30ad1d742acba7cd07d59e34c5a29f7dc469, 0x6c349cc868c5bbede0b42d96ea
ab0321add9b9a6f4bfe52cb55ac553bcb7b6a, 0x7beb7e47189a079e665d835dd97ee532bd30a90ac26a07e15fc0ca8807
74c6dc, 0xd6cbbcb9c11ab4acd5c93b5991e9d4f864a386a9dc0bf32b6541e960acca7bf4, 0xe972545749aa073beefd82
cf79bb833c02433c7769430f3ab84cc2a2a7677335

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 14.4h; 10 such cycle(s) overall

Rule: sweep@1 · confidence 89% · names no operator

0x1a3752bbde96420644de1e729088143efdb22cb0ef39c481876ee4c321691af9, 0x20cbae5046f355a2eb0a3ca2abd7bce094eb6205ce05642f81a8e4753ab19b33, 0x595b6a774aecfb405eea1637f9f1bdf5eb8f60f82a3aeba782a37568e2d02200, 0x5b6713398e9b8b4c46659b89b89a30ad1d742acba7cd07d59e34c5a29f7dc469, 0x6c349cc868c5bbbede0b42d96eab0321add9b9a6f4bfef52cb55ac553bcb7b6a, 0x7beb7e47189a079e665d835dd97ee532bd30a90ac26a07e15fc0ca880774c6dc, 0xd6cbbcb9c11ab4acd5c93b5991e9d4f864a386a9dc0bf32b6541e960acca7bf4, 0xe972545749aa073beefd82cf79bb833c02433c7769430f3ab84cc2a2a7677335

OBFUSCATION_PATTERN

peel: 0.0% shed while 100.0% of the received amount continued onward

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xa070d35ba649b41da65e5ef7fb76127b36b92603174134ed60195c507d654670; onward in 0xa070d35ba649b41da65e5ef7fb76127b36b92603174134ed60195c507d654670; slice in 0xdc0828df11ec0718e567e81a0e290336f6819619287772d3caaacf9c1771f77

0xa070d35ba649b41da65e5ef7fb76127b36b92603174134ed60195c507d654670, 0xdc0828df11ec0718e567e81a0e290336f6819619287772d3caaacf9c1771f77

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0xa070d35ba649b41da65e5ef7fb76127b36b92603174134ed60195c507d654670, 0xdc0828df11ec0718e567e81a0e290336f6819619287772d3caaacf9c1771f77

OBFUSCATION_PATTERN

consolidation: value collected from 39 distinct addresses

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

185 incoming movements from 39 addresses

0x01a29de412e185b63853af9598abe27fea82e214b1c9746c8d5d8939915069b1, 0x034dc5c6c84cabf7c0b3a0a27148d3f0cfc8e9418cdc54675542c0aec4e24dec, 0x03ea7d5820073ba1b22e46f94ee98625aab32737916d51b69102aea92699f0a1, 0x04b3ca61d0c4df705b03c1dcbc676d5e2e27b3ca901a717271807401f76b0ff4, 0x075cd379e3c3752f8c1e127533a2b08c21b4aa4994dc3b701e50f4a882f0a16b, 0x07bede52231879d8747ee4b82a25594817d3291c1e673454757df838f6b5d8cd, 0x09970a3b93c9ee2fcad1b3506be4389261f7169f74d5e8d5d133b7fcbe608a35, 0x099e5e34c8f231f85f0d43c9a2ca4976a3bad3cc31e01b33261b806f89f0cc02

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 39 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x01a29de412e185b63853af9598abe27fea82e214b1c9746c8d5d8939915069b1, 0x034dc5c6c84cabf7c0b3a0a27148d3f0cfc8e9418cdc54675542c0aec4e24dec, 0x03ea7d5820073ba1b22e46f94ee98625aab32737916d51b69102aea92699f0a1, 0x04b3ca61d0c4df705b03c1dcbc676d5e2e27b3ca901a717271807401f76b0ff4, 0x075cd379e3c3752f8c1e127533a2b08c21b4aa4994dc3b701e50f4a882f0a16b, 0x07bede52231879d8747ee4b82a25594817d3291c1e673454757df838f6b5d8cd, 0x09970a3b93c9ee2fcad1b3506be4389261f7169f74d5e8d5d133b7fcbe608a35, 0x099e5e34c8f231f85f0d43c9a2ca4976a3bad3cc31e01b33261b806f89f0cc02

OBFUSCATION_PATTERN

relay: 57 receive-then-forward cycles within 30 minutes each

0x99c9fc46f92e8a1c0dec1b1747d010903e884be1

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

57 inflow/outflow pairs of the same asset in quick succession

0x09970a3b93c9ee2fcad1b3506be4389261f7169f74d5e8d5d133b7fcbe608a35, 0x124781d5ad106a36caa700105a09f5f881fb521064e99747e7b4393a3edce0e7, 0x12d1075b972c9ee0ba260366b02abe4401ef020a115824a6542338827bcfec02, 0x131471aa442de93185006e699c417a712309c72c409c2eb095469c8e5ce0b408, 0x1a3752bbde96420644de1e729088143efdb22cb0ef39c481876ee4c321691af9, 0x20cbae5046f355a2eb0a3ca2abd7bce094eb6205ce05642f81a8e4753ab19b33, 0x21d3299b6b341d25a82d828259f2bd65264f5693804509279dfd7d6843e5a0eb, 0x21f7e17fda6d9fdf6e58afc5f46a2ed58e18a81affb7771001191d7726ebb21b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

57 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x09970a3b93c9ee2fcad1b3506be4389261f7169f74d5e8d5d133b7fcbe608a35, 0x124781d5ad106a36caa700105a09f5f881fb521064e99747e7b4393a3edce0e7, 0x12d1075b972c9ee0ba260366b02abe4401ef020a115824a6542338827bcfec02, 0x131471aa442de93185006e699c417a712309c72c409c2eb095469c8e5ce0b408, 0x1a3752bbde96420644de1e729088143efdb22cb0ef39c481876ee4c321691af9, 0x20cbae5046f355a2eb0a3ca2abd7bce094eb6205ce05642f81a8e4753ab19b33, 0x21d3299b6b341d25a82d828259f2bd65264f5693804509279dfd7d6843e5a0eb, 0x21f7e17fda6d9fdf6e58afc5f46a2ed58e18a81affb7771001191d7726ebb21b

SWEEP_PATTERN

pass-through: 11 receive-and-forward cycles (avg 99.9% forwarded, fastest 0.2h)

0x59c13355ae7b74f51313f2bfff1afd86e1ffebefa

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

11 matched receive/forward pair(s) of the same asset; strongest cited

0x0a8de12e22ebcf8e69c894c1f5c8861ce2cbddc8414db42a1fc38f5df90b6b70, 0x61bfff8da55bd8486e4ddef84b211473c89743bec7e528bb8e7c45785ac2afc1a, 0x8398e427965711d90befb20411efc4e290441ef931a68c0ead7beec4f798558d, 0xb81b25a727d259ccf04f64c340ce02b052e9dedc042db8de68e0e90f456bc057, 0xba16bb6131d7e8f2516dc561ced217c32e0e28af7fbd08cc8723125c1f4bea, 0xc450ad747da1da6be62180d672d2d8b325c88bb4b7af615061830742f793e0c9, 0xc80306ada43bb74c875455650c99096d6b436eab6cfed4d2dae2597d8d98ca2f, 0xeeaa3756e0a995ecd0237b3c2e565296eb1478a73ec546c16e80ba1df8e0df3b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 11 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x0a8de12e22ebcf8e69c894c1f5c8861ce2cbddc8414db42a1fc38f5df90b6b70, 0x61bfff8da55bd8486e4ddef84b211473c89743bec7e528bb8e7c45785ac2afc1a, 0x8398e427965711d90befb20411efc4e290441ef931a68c0ead7beec4f798558d, 0xb81b25a727d259ccf04f64c340ce02b052e9dedc042db8de68e0e90f456bc057, 0xba16bb6131d7e8f2516dc561ced217c32e0e28af7fbd08cc8723125c1f4bea, 0xc450ad747da1da6be62180d672d2d8b325c88bb4b7af615061830742f793e0c9, 0xc80306ada43bb74c875455650c99096d6b436eab6cfed4d2dae2597d8d98ca2f, 0xeeaa3756e0a995ecd0237b3c2e565296eb1478a73ec546c16e80ba1df8e0df3b

OBFUSCATION_PATTERN

peel: 10.0% shed while 100.0% of the received amount continued onward

0x59c13355ae7b74f51313f2bfff1afd86e1ffebefa

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x9b84d1203f83fa0a6200a4f4b798b3de40e5b2f0d44f0091717cae7302c0d297; onward in 0x9b84d1203f83fa0a6200a4f4b798b3de40e5b2f0d44f0091717cae7302c0d297; slice in

0x8398e427965711d90befb20411efc4e290441ef931a68c0ead7beec4f798558d

0x8398e427965711d90befb20411efc4e290441ef931a68c0ead7beec4f798558d, 0x9b84d1203f83fa0a6200a4f4b798b3de40e5b2f0d44f0091717cae7302c0d297

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x8398e427965711d90befb20411efc4e290441ef931a68c0ead7beec4f798558d, 0x9b84d1203f83fa0a6200a4f4b798b3de40e5b2f0d44f0091717cae7302c0d297

OBFUSCATION_PATTERN

batch distribution: 10 outputs of identical value across 9 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0x59c13355ae7b74f51313f2bfff1afd86e1ffebeafa

Finding confidence 57%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

10 outgoing movements each of exactly 10000000000000000 (smallest unit)

0x06f39aa615c1dc4b42bbdbf4b61c48f843504ec24e5979d3331b603e11b5396c, 0x18d83839b93ef3264424181d0f6887b853585040bbfbf7ac6149854473595680, 0x2a935500cd373b3e4565236e9d1d30b8131575f42936be5c160ae7baf27d66dd, 0x61bff8da55bd8486e4ddef84b211473c89743bec7e528bb8e7c45785ac2afc1a, 0x924a0e33a83a79b6e6fa1c6531e187e69db4bec3ac6c6041c37ffec2fbc1c36a, 0xb81b25a727d259ccf04f64c340ce02b052e9dedc042db8de68e0e90f456bc057, 0xc450ad747da1da6be62180d672d2d8b325c88bb4b7af615061830742f793e0c9, 0xc80306ada43bb74c875455650c99096d6b436eab6cfed4d2dae2597d8d98ca2f

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 9 with 10 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 57% · names no operator

0x06f39aa615c1dc4b42bbdbf4b61c48f843504ec24e5979d3331b603e11b5396c, 0x18d83839b93ef3264424181d0f6887b853585040bbfbf7ac6149854473595680, 0x2a935500cd373b3e4565236e9d1d30b8131575f42936be5c160ae7baf27d66dd, 0x61bff8da55bd8486e4ddef84b211473c89743bec7e528bb8e7c45785ac2afc1a, 0x924a0e33a83a79b6e6fa1c6531e187e69db4bec3ac6c6041c37ffec2fbc1c36a, 0xb81b25a727d259ccf04f64c340ce02b052e9dedc042db8de68e0e90f456bc057, 0xc450ad747da1da6be62180d672d2d8b325c88bb4b7af615061830742f793e0c9, 0xc80306ada43bb74c875455650c99096d6b436eab6cfed4d2dae2597d8d98ca2f

OBFUSCATION_PATTERN

consolidation: value collected from 10 distinct addresses

0x59c13355ae7b74f51313f2bff1afd86e1ffebeefa

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

61 incoming movements from 10 addresses

0x06f39aa615c1dc4b42bbddf4b61c48f843504ec24e5979d3331b603e11b5396c, 0x0a8de12e22ebcf8e69c894c1f5c8861ce2cbddc8414db42a1fc38f5df90b6b70, 0x16207c17ef1a1799f27a9bec8f861869e7ab353bb5636d8e1fb687347eb4bbea, 0x18d83839b93ef3264424181d0f6887b853585040bbfbf7ac6149854473595680, 0x200fa8eb3547097b3bde7eb79b9b63866e9edc43dc18379ea8ac58c152436b18, 0x29a15581cef852c99ebc51e658050fb5d7d2dd6d33bb619cdeb4df16f8ec44b1, 0x2a935500cd373b3e4565236e9d1d30b8131575f42936be5c160ae7baf27d66dd, 0x35cbca72b3c151e518b3fe99c256ce8c7f963715c00be274b13c4e59848a592e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 10 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 58% · names no operator

0x06f39aa615c1dc4b42bbddf4b61c48f843504ec24e5979d3331b603e11b5396c, 0x0a8de12e22ebcf8e69c894c1f5c8861ce2cbddc8414db42a1fc38f5df90b6b70, 0x16207c17ef1a1799f27a9bec8f861869e7ab353bb5636d8e1fb687347eb4bbea, 0x18d83839b93ef3264424181d0f6887b853585040bbfbf7ac6149854473595680, 0x200fa8eb3547097b3bde7eb79b9b63866e9edc43dc18379ea8ac58c152436b18, 0x29a15581cef852c99ebc51e658050fb5d7d2dd6d33bb619cdeb4df16f8ec44b1, 0x2a935500cd373b3e4565236e9d1d30b8131575f42936be5c160ae7baf27d66dd, 0x35cbca72b3c151e518b3fe99c256ce8c7f963715c00be274b13c4e59848a592e

OBFUSCATION_PATTERN

relay: 45 receive-then-forward cycles within 30 minutes each

0x59c13355ae7b74f51313f2bff1afd86e1ffebeefa

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

45 inflow/outflow pairs of the same asset in quick succession

0x06f39aa615c1dc4b42bbddf4b61c48f843504ec24e5979d3331b603e11b5396c, 0x0a8de12e22ebcf8e69c894c1f5c8861ce2cbddc8414db42a1fc38f5df90b6b70, 0x16207c17ef1a1799f27a9bec8f861869e7ab353bb5636d8e1fb687347eb4bbea, 0x18d83839b93ef3264424181d0f6887b853585040bbfbf7ac6149854473595680, 0x200fa8eb3547097b3bde7eb79b9b63866e9edc43dc18379ea8ac58c152436b18, 0x29a15581cef852c99ebc51e658050fb5d7d2dd6d33bb619cdeb4df16f8ec44b1, 0x2a935500cd373b3e4565236e9d1d30b8131575f42936be5c160ae7baf27d66dd, 0x35cbca72b3c151e518b3fe99c256ce8c7f963715c00be274b13c4e59848a592e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

45 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x06f39aa615c1dc4b42bbddf4b61c48f843504ec24e5979d3331b603e11b5396c, 0x0a8de12e22ebcf8e69c894c1f5c8861ce2cbddc8414db42a1fc38f5df90b6b70, 0x16207c17ef1a1799f27a9bec8f861869e7ab353bb5636d8e1fb687347eb4bbea, 0x18d83839b93ef3264424181d0f6887b853585040bbfbf7ac6149854473595680, 0x200fa8eb3547097b3bde7eb79b9b63866e9edc43dc18379ea8ac58c152436b18, 0x29a15581cef852c99ebc51e658050fb5d7d2dd6d33bb619cdeb4df16f8ec44b1, 0x2a935500cd373b3e4565236e9d1d30b8131575f42936be5c160ae7baf27d66dd, 0x35cbca72b3c151e518b3fe99c256ce8c7f963715c00be274b13c4e59848a592e

SWEEP_PATTERN

pass-through: 2 receive-and-forward cycles (avg 98.9% forwarded, fastest 0.0h)

0xa289001bd43ece47fb7f78ac0301296d32d6bb49

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

2 matched receive/forward pair(s) of the same asset; strongest cited

0x2ef0c8c339ad22c2c0fa2e66be8ee8dc72eb5a07815c0d409d2cc969a96c19d9, 0x486651f1c549e4bb3733ac84df1159326d4e70bec3b8f3a199ca10b57a2ac0bf, 0x4d4444bb886096b171f9cab5c45c90d0dec65deea8812e1b42ac593966629b84, 0xadf65111c9d6b0f49e2d97644ce9d5f81208427af69f49dfd9dc357d8de7c3f9

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 2 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x2ef0c8c339ad22c2c0fa2e66be8ee8dc72eb5a07815c0d409d2cc969a96c19d9, 0x486651f1c549e4bb3733ac84df1159326d4e70bec3b8f3a199ca10b57a2ac0bf, 0x4d4444bb886096b171f9cab5c45c90d0dec65deea8812e1b42ac593966629b84, 0xadf65111c9d6b0f49e2d97644ce9d5f81208427af69f49dfd9dc357d8de7c3f9

OBFUSCATION_PATTERN

splitter: value distributed to 34 distinct addresses

0xa289001bd43ece47fb7f78ac0301296d32d6bb49

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

84 outgoing movements to 34 addresses

0x00c3b999aa39de0ed8a7eef9ec5ae937f994a710d67686d43219dbb38bf3236f, 0x00e882ba2be8ec9799fb040e2510c66de860166629acfeb041bedac76dba01fe, 0x01bb627a140bbb8453b2b5b214a7523a9ad9cc023c78116b2ff8e9f3fac7b77c, 0x04b5ba6ac3d0b1bc5f34a0924c725b39da2e26785db469a7fed7aa89abc568c1, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bff981907f4b072bd, 0x07253e480a4c5af71cb43b126035c6c61fd0e778d7b867be9664ece41821c1ea, 0x0acf062792e8a7688bc09cf07609f7bf128bec65e6e0914682777f5188b78b13, 0x1035203f4d2b070a5617b430016d86ecc35fa79f1ac6fafb70ee405de6d2bd84

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 34 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 4 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x00c3b999aa39de0ed8a7eef9ec5ae937f994a710d67686d43219dbb38bf3236f, 0x00e882ba2be8ec9799fb040e2510c66de860166629acfeb041bedac76dba01fe, 0x01bb627a140bbb8453b2b5b214a7523a9ad9cc023c78116b2ff8e9f3fac7b77c, 0x04b5ba6ac3d0b1bc5f34a0924c725b39da2e26785db469a7fed7aa89abc568c1, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bff981907f4b072bd, 0x07253e480a4c5af71cb43b126035c6c61fd0e778d7b867be9664ece41821c1ea, 0x0acf062792e8a7688bc09cf07609f7bf128bec65e6e0914682777f5188b78b13, 0x1035203f4d2b070a5617b430016d86ecc35fa79f1ac6fafb70ee405de6d2bd84

OBFUSCATION_PATTERN

consolidation: value collected from 37 distinct addresses

0xa289001bd43ece47fb7f78ac0301296d32d6bb49

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

73 incoming movements from 37 addresses

0x059069ae53c3dfba38fd41548a4eca23365104f61bb23746faa3996eadec4809, 0x0740921671a02663c403d93f164c74fef71871c9ebc66462c223d39e6bd6ca65, 0x0acf062792e8a7688bc09cf07609f7bf128bec65e6e0914682777f5188b78b13, 0x103f09a3e3ccb710f37b2e616f8bb4f047190d22488d33417c474df5b4d84bb7, 0x1191e4fe20f6d282c137c403a15230131f7916fa11630ab70a48350096b22fa6, 0x13b9f088f2e1ff55f0b4c0063df2bf307ac19c3064d41c18dd26fb868966b8e8, 0x152739138faf3260e7de4d5d64b37528157b773d732787b5f5a1a59e37c48b0b, 0x160a8249c4db02c016d7ff17420087f8a3abf7229a2cf252f36653ac22ca6c8c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 37 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x059069ae53c3dfba38fd41548a4eca23365104f61bb23746faa3996eadec4809, 0x0740921671a02663c403d93f164c74fef71871c9ebc66462c223d39e6bd6ca65, 0x0acf062792e8a7688bc09cf07609f7bf128bec65e6e0914682777f5188b78b13, 0x103f09a3e3ccb710f37b2e616f8bb4f047190d22488d33417c474df5b4d84bb7, 0x1191e4fe20f6d282c137c403a15230131f7916fa11630ab70a48350096b22fa6, 0x13b9f088f2e1ff55f0b4c0063df2bf307ac19c3064d41c18dd26fb868966b8e8, 0x152739138faf3260e7de4d5d64b37528157b773d732787b5f5a1a59e37c48b0b, 0x160a8249c4db02c016d7ff17420087f8a3abf7229a2cf252f36653ac22ca6c8c

OBFUSCATION_PATTERN

relay: 10 receive-then-forward cycles within 30 minutes each

0xa289001bd43ece47fb7f78ac0301296d32d6bb49

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

10 inflow/outflow pairs of the same asset in quick succession

0x01bb627a140bbb8453b2b5b214a7523a9ad9cc023c78116b2ff8e9f3fac7b77c, 0x1e7e24e047a66e8b23bc7e5c1690446e3e8106050d5353b6e0b4f81f9bbb280a, 0x57cec01a82580a7f01ef68e80f0b97feb79fe6060e6fb2fab048ff8a9818fc37, 0x686b67be9d18fa445eff5b438f40b9b7a42dad8b43324da5d881c71d75eaa4e9, 0x9a948d4e99018e6a3472ab90fa da8a57463b7f13ecc9fff68c22657a335385ab, 0xa1ac028d3e64f645b4ac7193b5d833d8092d4fa7dd51124d7886cd4d5a6d045b, 0xadf65111c9d6b0f49e2d97644ce9d5f81208427af69f49dfd9dc357d8de7c3f9, 0xd92dda2cf1e751aa8976a175b76793f3a556066c4504eb914b31649401161afd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

10 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x01bb627a140bbb8453b2b5b214a7523a9ad9cc023c78116b2ff8e9f3fac7b77c, 0x1e7e24e047a66e8b23bc7e5c1690446e3e8106050d5353b6e0b4f81f9bbb280a, 0x57cec01a82580a7f01ef68e80f0b97feb79fe6060e6fb2fab048ff8a9818fc37, 0x686b67be9d18fa445eff5b438f40b9b7a42dad8b43324da5d881c71d75eaa4e9, 0x9a948d4e99018e6a3472ab90fa da8a57463b7f13ecc9fff68c22657a335385ab, 0xa1ac028d3e64f645b4ac7193b5d833d8092d4fa7dd51124d7886cd4d5a6d045b, 0xadf65111c9d6b0f49e2d97644ce9d5f81208427af69f49dfd9dc357d8de7c3f9, 0xd92dda2cf1e751aa8976a175b76793f3a556066c4504eb914b31649401161afd

VASP_ENDPOINT · FORWARD

service endpoint (operator unnamed): collects from 37 and pays out to 34 distinct addresses — behaves as custodial infrastructure such as an exchange

0xa289001bd43ece47fb7f78ac0301296d32d6bb49

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

73 inbound and 84 outbound movements across 71 distinct counterparties

0x00c3b999aa39de0ed8a7eef9ec5ae937f994a710d67686d43219dbb38bf3236f, 0x00e882ba2be8ec9799fb040e2510c66de860166629acfeb041bedac76dba01fe, 0x01bb627a140bbb8453b2b5b214a7523a9ad9cc023c78116b2ff8e9f3fac7b77c, 0x04b5ba6ac3d0b1bc5f34a0924c725b39da2e26785db469a7fed7aa89abc568c1, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bff981907f4b072bd, 0x059069ae53c3dfba38fd41548a4eca23365104f61bb23746faa3996eadec4809, 0x07253e480a4c5af71cb43b126035c6c61fd0e778d7b867be9664ece41821c1ea, 0x0740921671a02663c403d93f164c74fef71871c9ebc66462c223d39e6bd6ca65

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (37 in / 34 out) exceeds the service thresholds (25/25); identifies the **ROLE** only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 59% · names no operator

0x00c3b999aa39de0ed8a7eef9ec5ae937f994a710d67686d43219dbb38bf3236f, 0x00e882ba2be8ec9799fb040e2510c66de860166629acfeb041bedac76dba01fe, 0x01bb627a140bbb8453b2b5b214a7523a9ad9cc023c78116b2ff8e9f3fac7b77c, 0x04b5ba6ac3d0b1bc5f34a0924c725b39da2e26785db469a7fed7aa89abc568c1, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bff981907f4b072bd, 0x059069ae53c3dfba38fd41548a4eca23365104f61bb23746faa3996eadec4809, 0x07253e480a4c5af71cb43b126035c6c61fd0e778d7b867be9664ece41821c1ea, 0x0740921671a02663c403d93f164c74fef71871c9ebc66462c223d39e6bd6ca65

SWEEP_PATTERN

100.0% of a received amount forwarded after 3.2h — address behaves as a pass-through

0x228ee670eea2fdb067c4e4ec7c5f30152c807e7e

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x0bdd40d4d19ef1fd50d3bd746b4ac06a6973b9b197a234e74c2c1f388c488091, 0x163895a0cd8768db4c6bd173b840b0df867f72ac75156135136270d172266a9c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 3.2h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x0bdd40d4d19ef1fd50d3bd746b4ac06a6973b9b197a234e74c2c1f388c488091, 0x163895a0cd8768db4c6bd173b840b0df867f72ac75156135136270d172266a9c

OBFUSCATION_PATTERN

peel: 2.0% shed while 80.1% of the received amount continued onward

0x0b16e0751f89352d960085506dc03c86e34e1613

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x54592d5d4dc9035710adf64821decf9de334e4c1b83fe1b1f7bdf528bbff7cd; onward in 0xc6b00a3fb1fff88e27c9a857897098d24a43d127c1d726373f928bbadc39dd24; slice in 0x3e21a4eccf481fd2590d8deb720a458f248295a35ce7a6055cef0cf7035812e8

0x3e21a4eccf481fd2590d8deb720a458f248295a35ce7a6055cef0cf7035812e8, 0x54592d5d4dc9035710adf64821decf9de334e4c1b83fe1b1f7bdf528bbff7cd, 0xc6b00a3fb1fff88e27c9a857897098d24a43d127c1d726373f928bbadc39dd24

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 75% · names no operator

0x3e21a4eccf481fd2590d8deb720a458f248295a35ce7a6055cef0cf7035812e8, 0x54592d5d4dc9035710adf64821decf9de334e4c1b83fe1b1f7bdf528bbff7cd, 0xc6b00a3fb1fff88e27c9a857897098d24a43d127c1d726373f928bbadc39dd24

SWEEP_PATTERN

98.6% of a received amount forwarded after 22.3h — address behaves as a pass-through

0xd9e1ce17f2641f24ae83637ab66a2cca9c378b9f

Finding confidence 85%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x9747d4a70979c8652f3f5f0b9b2748176d5659301650a1a75d0ff503bdeb9659, 0xd08cf2f7565d3ef838637926ae1d2c631cbff4f3dfadd7e2172d8a90a17db3ea

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9860 within 22.3h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 85% · names no operator

0x9747d4a70979c8652f3f5f0b9b2748176d5659301650a1a75d0ff503bdeb9659, 0xd08cf2f7565d3ef838637926ae1d2c631cbff4f3dfadd7e2172d8a90a17db3ea

OBFUSCATION_PATTERN

peel: 0.1% shed while 100.0% of the received amount continued onward

0xd9e1ce17f2641f24ae83637ab66a2cca9c378b9f

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xff0eccfbcf84067ab0292813db441f82a51ba4e8cd971c29567f36780a5b0fd3; onward in 0xff0eccfbcf84067ab0292813db441f82a51ba4e8cd971c29567f36780a5b0fd3; slice in

0xd08cf2f7565d3ef838637926ae1d2c631cbff4f3dfadd7e2172d8a90a17db3ea

0xd08cf2f7565d3ef838637926ae1d2c631cbff4f3dfadd7e2172d8a90a17db3ea, 0xff0eccfbcf84067ab0292813db441f82a51ba4e8cd971c29567f36780a5b0fd3

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0xd08cf2f7565d3ef838637926ae1d2c631cbff4f3dfadd7e2172d8a90a17db3ea, 0xff0eccfbcf84067ab0292813db441f82a51ba4e8cd971c29567f36780a5b0fd3

OBFUSCATION_PATTERN

splitter: value distributed to 35 distinct addresses

0xd9e1ce17f2641f24ae83637ab66a2cca9c378b9f

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

109 outgoing movements to 35 addresses

0x024298fd5a5aade55ac6921a3850aa48cbcd9904576b52e1e97ab46d80aa01ed, 0x04521b234a1dae6bca40c05620b8efb22d49ba55b3faf131c5f4290df4b3b4fc, 0x046abcb1846475ce1789a8cba40cbf9853fe28cff0e76fb09d2111b84cacc007, 0x096116760f5cce61523231ff9c2567fc84fb823f27f0b53467d678d03d39d570, 0x098a48114d28eaa35290ffc0e5785cb9b40b81ff4453eb38ee16742a1b558c66, 0x0ad86521286046c4a9b56d560a40e3b818a4893467109013e79e1614f9a72b1e, 0x0c908f6865b9ab8b7121f1058dca442f95744a8a69ee6d590b97749870a350ae, 0x1b7561ffa77a76172e68f7d3fcccc3f66d2f76e5f8e716461a6ec2e6c962edda

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 35 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x024298fd5a5aade55ac6921a3850aa48cbcd9904576b52e1e97ab46d80aa01ed, 0x04521b234a1dae6bca40c05620b8efb22d49ba55b3faf131c5f4290df4b3b4fc, 0x046abcb1846475ce1789a8cba40cbf9853fe28cff0e76fb09d2111b84cacc007, 0x096116760f5cce61523231ff9c2567fc84fb823f27f0b53467d678d03d39d570, 0x098a48114d28eaa35290ffc0e5785cb9b40b81ff4453eb38ee16742a1b558c66, 0x0ad86521286046c4a9b56d560a40e3b818a4893467109013e79e1614f9a72b1e, 0x0c908f6865b9ab8b7121f1058dca442f95744a8a69ee6d590b97749870a350ae, 0x1b7561ffa77a76172e68f7d3fcccc3f66d2f76e5f8e716461a6ec2e6c962edda

OBFUSCATION_PATTERN

consolidation: value collected from 29 distinct addresses

0xd9e1ce17f2641f24ae83637ab66a2cca9c378b9f

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

62 incoming movements from 29 addresses

0x024298fd5a5aade55ac6921a3850aa48cbcd9904576b52e1e97ab46d80aa01ed, 0x04521b234a1dae6bca40c05620b8efb22d49ba55b3faf131c5f4290df4b3b4fc, 0x046abcb1846475ce1789a8cba40cbf9853fe28cff0e76fb09d2111b84cacc007, 0x098a48114d28eaa35290ffc0e5785cb9b40b81ff4453eb38ee16742a1b558c66, 0x15c0dd286f82a2cad5bc51b1f61f2447626e4e928a01ad83c69661a655f3d53e, 0x1b7561ffa77a76172e68f7d3fcccc3f66d2f76e5f8e716461a6ec2e6c962edda, 0x1fe05cbd8ff512eafe3116f812f2d220c200291226d9b29928e167484bea681d, 0x2b0495d57b781802eb631ec9614c814da5027039de538613806d0f55291b2e71

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 29 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 73% · names no operator

0x024298fd5a5aade55ac6921a3850aa48cbcd9904576b52e1e97ab46d80aa01ed, 0x04521b234a1dae6bca40c05620b8efb22d49ba55b3faf131c5f4290df4b3b4fc, 0x046abcb1846475ce1789a8cba40cbf9853fe28cff0e76fb09d2111b84cacc007, 0x098a48114d28eaa35290ffc0e5785cb9b40b81ff4453eb38ee16742a1b558c66, 0x15c0dd286f82a2cad5bc51b1f61f2447626e4e928a01ad83c69661a655f3d53e, 0x1b7561ffa77a76172e68f7d3fcccc3f66d2f76e5f8e716461a6ec2e6c962edda, 0x1fe05cbd8ff512eafe3116f812f2d220c200291226d9b29928e167484bea681d, 0x2b0495d57b781802eb631ec9614c814da5027039de538613806d0f55291b2e71

OBFUSCATION_PATTERN

relay: 39 receive-then-forward cycles within 30 minutes each

0xd9e1ce17f2641f24ae83637ab66a2cca9c378b9f

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

39 inflow/outflow pairs of the same asset in quick succession

0x024298fd5a5aade55ac6921a3850aa48cbcd9904576b52e1e97ab46d80aa01ed, 0x04521b234a1dae6bca40c05620b8efb22d49ba55b3faf131c5f4290df4b3b4fc, 0x046abcb1846475ce1789a8cba40cbf9853fe28cff0e76fb09d2111b84cacc007, 0x098a48114d28eaa35290ffc0e5785cb9b40b81ff4453eb38ee16742a1b558c66, 0x1b7561ffa77a76172e68f7d3fcccc3f66d2f76e5f8e716461a6ec2e6c962edda, 0x2ff5f0b2f620b33c8bfd62dccb87c4ed6f07c67d46509cfe39f57cd1e5f833fa, 0x3045176216e301fea487d50b14aceb6d90f4054bf32e56cff60ef7b66bb7692a, 0x3228a3127e50972575aae5737e6a7c1d3507e4a2b44223010459b436b72ab9f1

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

39 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x024298fd5a5aade55ac6921a3850aa48cbcd9904576b52e1e97ab46d80aa01ed, 0x04521b234a1dae6bca40c05620b8efb22d49ba55b3faf131c5f4290df4b3b4fc, 0x046abcb1846475ce1789a8cba40cbf9853fe28cff0e76fb09d2111b84cacc007, 0x098a48114d28eaa35290ffc0e5785cb9b40b81ff4453eb38ee16742a1b558c66, 0x1b7561ffa77a76172e68f7d3fcc3f66d2f76e5f8e716461a6ec2e6c962edda, 0x2ff5f0b2f620b33c8bfd62dcc87c4ed6f07c67d46509cfe39f57cd1e5f833fa, 0x3045176216e301fea487d50b14aceb6d90f4054bf32e56cff60ef7b66bb7692a, 0x3228a3127e50972575aae5737e6a7c1d3507e4a2b44223010459b436b72ab9f1

SWEEP_PATTERN

pass-through: 9 receive-and-forward cycles (avg 100.0% forwarded, fastest 0.0h)

0x48d7a6bbc428bca019a560cf3e8ea5364395aad3

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

9 matched receive/forward pair(s) of the same asset; strongest cited

0x182ddf5e4402ff8f692de51fa4d0263686e3ed1c9c73ca3c13ad59ecaf8539b2, 0x286fac56b02f15230aedaa41c7e5fa50c4e29b163fb70ce306762b8f731f3e2b, 0x30abf428bc1a1deeb5d212115e332d2fa977a8b78f066264b691296181805954, 0x430fd71b4d578c30fdc416725692d139cbe3a0ffd44489756b8390ce18ee4f13, 0x45e4c712bd575630f79d82103337d68c53f462871edde281f2b4f5a7f45f19d2, 0x588b6827c4c8a37b85e39c4eafd584a5c546963a014d5514f634ce0ccb83adfd, 0x6820749d4fc5f156545ed6f96702255b669b7806fe3c606070e034c184b2bbba, 0x70928b1e5f3cb733b049c8802037e7b7193c6b3068c73d9ef11b13e69a044fb2

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 9 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x182ddf5e4402ff8f692de51fa4d0263686e3ed1c9c73ca3c13ad59ecaf8539b2, 0x286fac56b02f15230aedaa41c7e5fa50c4e29b163fb70ce306762b8f731f3e2b, 0x30abf428bc1a1deeb5d212115e332d2fa977a8b78f066264b691296181805954, 0x430fd71b4d578c30fdc416725692d139cbe3a0ffd44489756b8390ce18ee4f13, 0x45e4c712bd575630f79d82103337d68c53f462871edde281f2b4f5a7f45f19d2, 0x588b6827c4c8a37b85e39c4eafd584a5c546963a014d5514f634ce0ccb83adfd, 0x6820749d4fc5f156545ed6f96702255b669b7806fe3c606070e034c184b2bbba, 0x70928b1e5f3cb733b049c8802037e7b7193c6b3068c73d9ef11b13e69a044fb2

OBFUSCATION_PATTERN

batch distribution: 103 outputs of identical value across 80 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0x48d7a6bbc428bca019a560cf3e8ea5364395aad3

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

103 outgoing movements each of exactly 1400000000000000 (smallest unit)

0x034b3fef775ad6fd31bba695e881fda91eed619c59fdb24634a68e583109209, 0x0875352a1d2fdd76e136f9357676786e3ac3d9dbe650d17ec7ec500ddf418e02, 0x0b0c7fbfbf90c22a23abb5b75c6271c478c72f452b6ff705ea59293bf3dff9fc, 0x0fdfbbc28b57024160b11661061a5bd016fbabe92c9b09439cfc1b251d550262, 0x130c68e5e77ca04862ea0493b057148c3f87e3c0eaa2e1d01ae67aaf7af1bc34, 0x182ddf5e4402ff8f692de51fa4d0263686e3ed1c9c73ca3c13ad59ecaf8539b2, 0x1911546ab732ccf87a1538e46bc4c0aa7b84233d9cb92e825b71981f4bc80041, 0x2624f7f8358bdeb35e385d09c487064c7c9f3a00f52598facd8613d19b9672e2

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 80 with 103 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 75% · names no operator

0x034b3fef775ad6fd31bba695e881fda91eed619c59fdb24634a68e583109209, 0x0875352a1d2fdd76e136f9357676786e3ac3d9dbe650d17ec7ec500ddf418e02, 0x0b0c7fbfbf90c22a23abb5b75c6271c478c72f452b6ff705ea59293bf3dff9fc, 0x0fdfbbc28b57024160b11661061a5bd016fbabe92c9b09439cfc1b251d550262, 0x130c68e5e77ca04862ea0493b057148c3f87e3c0eaa2e1d01ae67aaf7af1bc34, 0x182ddf5e4402ff8f692de51fa4d0263686e3ed1c9c73ca3c13ad59ecaf8539b2, 0x1911546ab732ccf87a1538e46bc4c0aa7b84233d9cb92e825b71981f4bc80041, 0x2624f7f8358bdeb35e385d09c487064c7c9f3a00f52598facd8613d19b9672e2

OBFUSCATION_PATTERN

consolidation: value collected from 59 distinct addresses

0x48d7a6bbc428bca019a560cf3e8ea5364395aad3

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

79 incoming movements from 59 addresses

0x00f0f6251c00f70d7a5f63972dadb61d7ae5a320f44686c4efa7e029df930316, 0x0317e81d53a9f0660fff825b95a91fa9f8711a87df03b7f15926b9b127af0c00, 0x03e026a45eac722cebb8a2e10b6620603f0d6414f3005ed8dda774efeee12c71, 0x07677e83aa42b3be1296e7b134959066af57ec53510798967107aa5276c22aef, 0x08871acc8d45640f64fc90419a13ed27a3b577527f3cd2da0aa958af59064bfff, 0x08bfc10d86fdca83a75f31ac7f2eb9a118f12be23d624fe77aabd3abb011c732, 0x0bfc0767f5215c3897ee133a10b39ec1620cc91f0ce1bb9f307721ab403c108d, 0x0f982f4934706068aed000c679d23c40eab69479f70e3137fa67fc418495121a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 59 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x00f0f6251c00f70d7a5f63972dadb61d7ae5a320f44686c4efa7e029df930316, 0x0317e81d53a9f0660fff825b95a91fa9f8711a87df03b7f15926b9b127af0c00, 0x03e026a45eac722cebb8a2e10b6620603f0d6414f3005ed8dda774efeee12c71, 0x07677e83aa42b3be1296e7b134959066af57ec53510798967107aa5276c22aef, 0x08871acc8d45640f64fc90419a13ed27a3b577527f3cd2da0aa958af59064bfff, 0x08bfc10d86fdca83a75f31ac7f2eb9a118f12be23d624fe77aabd3abb011c732, 0x0bfc0767f5215c3897ee133a10b39ec1620cc91f0ce1bb9f307721ab403c108d, 0x0f982f4934706068aed000c679d23c40eab69479f70e3137fa67fc418495121a

TERMINAL · BACKWARD

high-degree address (59 counterparties): followed the 20 largest by value, 39 branch(es) not followed

0x48d7a6bbc428bca019a560cf3e8ea5364395aad3

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x00f0f6251c00f70d7a5f63972dadb61d7ae5a320f44686c4efa7e029df930316, 0x0317e81d53a9f0660fff825b95a91fa9f8711a87df03b7f15926b9b127af0c00, 0x03e026a45eac722cebb8a2e10b6620603f0d6414f3005ed8dda774efeee12c71, 0x07677e83aa42b3be1296e7b134959066af57ec53510798967107aa5276c22aef, 0x08871acc8d45640f64fc90419a13ed27a3b577527f3cd2da0aa958af59064bfff, 0x08bfc10d86fdca83a75f31ac7f2eb9a118f12be23d624fe77aabd3abb011c732, 0x0bfc0767f5215c3897ee133a10b39ec1620cc91f0ce1bb9f307721ab403c108d, 0x0f982f4934706068aed000c679d23c40eab69479f70e3137fa67fc418495121a, 0x100fbf53fd80ed08e045f33ad51cf0afa3ceaa496b01ab119dcc9326effadafb, 0x1116ccc90be3486f951dd53d1944a9f3e33590686c72827ae0ba5788a72ab118

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 39 were reached but never explored

SWEEP_PATTERN

97.8% of a received amount forwarded after 0.0h — address behaves as a pass-through

0xc59412e0d817236eeda27311a4132e71810251cb

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x07a11be22fea95a8a6fbd1685ba3dc8291be9d3cbb52cfb08fc85cc530a02546, 0x1942a57f5abf38a92231e1fc5e0033d3c87739cd05b038666b1d15781284d013

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9779 within 0.0h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x07a11be22fea95a8a6fbd1685ba3dc8291be9d3cbb52cfb08fc85cc530a02546, 0x1942a57f5abf38a92231e1fc5e0033d3c87739cd05b038666b1d15781284d013

TERMINAL · BACKWARD

high-degree address (96 counterparties): followed the 20 largest by value, 76 branch(es) not followed

0x283af0b28c62c092c9727f1ee09c02ca627eb7f5

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x00242f46e613c7397250b777c1f7d92126cf4b54f144f308cd8f655fb74c0f7a, 0x0054fbac3c09b2d02133f2d24eef1d971a94c76b037fe8e0644ce9021ae028c4, 0x0304c4e07780d4da5f4049466598e2e76db0dd896eb70390919f811ae39e1bd3, 0x06328ade33eec14bfcebc88e8cc2ab04c837054de4d8cae5529c185d925f0c5d, 0x065d1e8c443259391b95dada73d59dcf5cd3ace1a932e7ae25dc63a6589d525a, 0x074242e09eb09a257b64627710b3e69f6d8b2573df418417b161fce3322448c7, 0x086d29be8b06c4b7461e8a2eda6090a8c32fa74596fbec3be5c7d76e72720f66, 0x0957f01b4fec60359d69721cb9d782aa14c06be70f4c6f4d2b0990e7fde96ad4, 0x0b4c7160b75986b342606a0d21ef22a36504ab09892ef7b422151b2119903a41, 0x0d240e6ead0a10efbf3bd27093e37a357649b934217aff7d4f665d2672e7a7ab

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 76 were reached but never explored

OBFUSCATION_PATTERN

consolidation: value collected from 77 distinct addresses

0x84337cf79657876c5e43699c1948312b91228288

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

85 incoming movements from 77 addresses

0x01f6689801ea9f05377d837e3da8da78926ae1a699695c68ad831172c0e93d2e, 0x06c8e413cda807ff01a8a06eae533ef824861496a3ed09d8f7225907862491ad, 0x09bd6c2c2318fd1ee5f3bd3e01d5cbb6d029622fcad40193fd9e9ea4254f88c7, 0x0f012010546dc039ad5b5657957d87eb70e7915e940502f07393614c93c13828, 0x13ddaf9dc4b18c958c15016a363e728946e8dab1f5e744a41355019b82e6844c, 0x1461e65536b80cecc5b0b6e71996f0138f9250c95896c19a9ac700692ce5a078, 0x15b4dc31a4a44c95bab4fb7a6e7bf498805cb6783b6b81003a386816203a6ddd, 0x1a04d0e71f265425b9804c95afec0bb6cb02a8dc4dbd76b34fe7189714951918

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 77 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x01f6689801ea9f05377d837e3da8da78926ae1a699695c68ad831172c0e93d2e, 0x06c8e413cda807ff01a8a06eae533ef824861496a3ed09d8f7225907862491ad, 0x09bd6c2c2318fd1ee5f3bd3e01d5cbb6d029622fcad40193fd9e9ea4254f88c7, 0x0f012010546dc039ad5b5657957d87eb70e7915e940502f07393614c93c13828, 0x13ddaf9dc4b18c958c15016a363e728946e8dab1f5e744a41355019b82e6844c, 0x1461e65536b80cecc5b0b6e71996f0138f9250c95896c19a9ac700692ce5a078, 0x15b4dc31a4a44c95bab4fb7a6e7bf498805cb6783b6b81003a386816203a6ddd, 0x1a04d0e71f265425b9804c95afec0bb6cb02a8dc4dbd76b34fe7189714951918

OBFUSCATION_PATTERN

peel: 11.1% shed while 100.0% of the received amount continued onward

0x2dcae3828f9dbd36e37b32b7460b91f9fb6f7744

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xd3f8cefa964b17321bb85981440fecc9442ed27d8617e275b6600294a08d1683; onward in

0xd3f8cefa964b17321bb85981440fecc9442ed27d8617e275b6600294a08d1683; slice in

0x90c296a89cad5eb0794a9f87b444e92d84043783f5e52c2c2c8213eafd253ab5

0x90c296a89cad5eb0794a9f87b444e92d84043783f5e52c2c2c8213eafd253ab5, 0xd3f8cefa964b17321bb85981440fec9442ed27d8617e275b6600294a08d1683

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x90c296a89cad5eb0794a9f87b444e92d84043783f5e52c2c2c8213eafd253ab5, 0xd3f8cefa964b17321bb85981440fec9442ed27d8617e275b6600294a08d1683

OBFUSCATION_PATTERN

consolidation: value collected from 117 distinct addresses

0x2dcae3828f9dbd36e37b32b7460b91f9fb6f7744

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

127 incoming movements from 117 addresses

0x01c20b19ec1d550d4acffbbf6c118ef66740f5dabf8441b3cb15f66192445ced, 0x01df8b0d0ab302ec3976486596dc059a83d3a50925a5cfbc041094c4baf70d82, 0x0433cc945ac77991b6b6d2eaaba25394ae2bed041745712721a5ac50d13fb2c2, 0x060fca86fc007eb281d6e66f5c502559cb071bc550f55c6ce23af610e7a4b86f, 0x0a157d589e9d71535261b55726c5f0b8dd8a701c9d0db57c6713120e9264847f, 0x0aaa3ccca05d674ee7dc3099569ab023047e88a5379f59b598a4cd32d2a92d2b, 0x0cb995f0f672c465c68e8d46f4eb2ecfb55d30777eeb31fdf35630221f231360, 0x0d976cd7dbeaefb2d575b2c825a8d548161bce767e43330508a0d5cf1366c82d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 117 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x01c20b19ec1d550d4acffbbf6c118ef66740f5dabf8441b3cb15f66192445ced, 0x01df8b0d0ab302ec3976486596dc059a83d3a50925a5cfbc041094c4baf70d82, 0x0433cc945ac77991b6b6d2eaaba25394ae2bed041745712721a5ac50d13fb2c2, 0x060fca86fc007eb281d6e66f5c502559cb071bc550f55c6ce23af610e7a4b86f, 0x0a157d589e9d71535261b55726c5f0b8dd8a701c9d0db57c6713120e9264847f, 0x0aaa3ccca05d674ee7dc3099569ab023047e88a5379f59b598a4cd32d2a92d2b, 0x0cb995f0f672c465c68e8d46f4eb2ecfb55d30777eeb31fdf35630221f231360, 0x0d976cd7dbeaefb2d575b2c825a8d548161bce767e43330508a0d5cf1366c82d

OBFUSCATION_PATTERN

relay: 94 receive-then-forward cycles within 30 minutes each

0x2dcae3828f9dbd36e37b32b7460b91f9fb6f7744

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

94 inflow/outflow pairs of the same asset in quick succession

0x01c20b19ec1d550d4acffbbf6c118ef66740f5dabf8441b3cb15f66192445ced, 0x0433cc945ac77991b6b6d2eaaba25394ae2bed041745712721a5ac50d13fb2c2, 0x060fca86fc007eb281d6e66f5c502559cb071bc550f55c6ce23af610e7a4b86f, 0x0a157d589e9d71535261b55726c5f0b8dd8a701c9d0db57c6713120e9264847f, 0x0aaa3ccca05d674ee7dc3099569ab023047e88a5379f59b598a4cd32d2a92d2b, 0x0cb995f0f672c465c68e8d46f4eb2ecfb55d30777eeb31fdf35630221f231360, 0x0d976cd7dbeaefb2d575b2c825a8d548161bce767e43330508a0d5cf1366c82d, 0x1220fa0bf9668cbf48839f8d2c64868386fa33a236a8e6a8de31d58c88708138

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

94 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x01c20b19ec1d550d4acffbbf6c118ef66740f5dabf8441b3cb15f66192445ced, 0x0433cc945ac77991b6b6d2eaaba25394ae2bed041745712721a5ac50d13fb2c2, 0x060fca86fc007eb281d6e66f5c502559cb071bc550f55c6ce23af610e7a4b86f, 0x0a157d589e9d71535261b55726c5f0b8dd8a701c9d0db57c6713120e9264847f, 0x0aaa3ccca05d674ee7dc3099569ab023047e88a5379f59b598a4cd32d2a92d2b, 0x0cb995f0f672c465c68e8d46f4eb2ecfb55d30777eeb31fdf35630221f231360, 0x0d976cd7dbeaefb2d575b2c825a8d548161bce767e43330508a0d5cf1366c82d, 0x1220fa0bf9668cbf48839f8d2c64868386fa33a236a8e6a8de31d58c88708138

OBFUSCATION_PATTERN

splitter: value distributed to 8 distinct addresses

0xf00bec16cd1511156d4ba9794e9e6b907c186084

Finding confidence 56%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

16 outgoing movements to 8 addresses

0x03edbe623c1ce0ea34f00fe2fd6ad39a784db69f589fbec8f2335060cfb35cb2, 0x106393d08d428cfff04c95e677a26a7bbd70cde5cd4c92824c3df3fa943a4539, 0x18b0a0fb5cef47032a74d59c785340eda649c06c61e22eef80e5e5ea74534c92, 0x426da35e6c22f1f462215e95d7e66a04de0c24a67a68088c832a9dd5eb526d66, 0x463f9f83531192d4439cfa181de02c25d4d0a6ab49eb932cba8daecf38b18bcb, 0x5fd61b677c9d8c98f79665e444c137631b033b14dfa59d8b0d3b0a1ca5221a50, 0x6c0fc8efd256212eafebe73fce62390155b6fea77f849fc944f867c61faf9c25, 0x6e0724413f7b9ac743657c84dd8ccab3944cda273a5a9fd88c45038b588c8554

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 8 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 56% · names no operator

0x03edbe623c1ce0ea34f00fe2fd6ad39a784db69f589fbec8f2335060cfb35cb2, 0x106393d08d428cfff04c95e677a26a7bbd70cde5cd4c92824c3df3fa943a4539, 0x18b0a0fb5cef47032a74d59c785340eda649c06c61e22eef80e5e5ea74534c92, 0x426da35e6c22f1f462215e95d7e66a04de0c24a67a68088c832a9dd5eb526d66, 0x463f9f83531192d4439cfa181de02c25d4d0a6ab49eb932cba8daecf38b18bcb, 0x5fd61b677c9d8c98f79665e444c137631b033b14dfa59d8b0d3b0a1ca5221a50, 0x6c0fc8efd256212eafebe73fce62390155b6fea77f849fc944f867c61faf9c25, 0x6e0724413f7b9ac743657c84dd8ccab3944cda273a5a9fd88c45038b588c8554

SWEEP_PATTERN

pass-through: 25 receive-and-forward cycles (avg 97.4% forwarded, fastest 2.0h)

0x2a1530c4c41db0b0b2bb646cb5eb1a67b7158667

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

25 matched receive/forward pair(s) of the same asset; strongest cited

0x33e0dedca17801360c724ad83da3736362880bef048967c626c29504fcd5877c, 0x3f7314d1ef546f615ac93de1a159e3a52c88ab7355e3835b635dea5d06b63c9d, 0x561b663e9ccf99a31856af45ad5a5372d69178d535b96a112f5738402f93ff11, 0x791ca3a5e406d94d2e4d6cdf7a6b9b9ae87f01e4cb63e812646c23e95780a47f, 0x83c0656eeb3f3f65e35ee2806415a6acabd5e2385ed8f994d4bb28918409a45b, 0xc745545a23c4b02c53025e2ae2d8ed7c15fa003586959bd510a381e2bd1c69e6, 0xca2ba49cf886830caec505944a4cc7d5e9eb0cb28e34adec76eae97f437c7421, 0xd425ed824d3ca56ce3c8ad177dbb460b20bb568010197c8feedf6568ee88cefe

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9996 within 2.4h; 25 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x33e0dedca17801360c724ad83da3736362880bef048967c626c29504fcd5877c, 0x3f7314d1ef546f615ac93de1a159e3a52c88ab7355e3835b635dea5d06b63c9d, 0x561b663e9ccf99a31856af45ad5a5372d69178d535b96a112f5738402f93ff11, 0x791ca3a5e406d94d2e4d6cdf7a6b9b9ae87f01e4cb63e812646c23e95780a47f, 0x83c0656eeb3f3f65e35ee2806415a6acabd5e2385ed8f994d4bb28918409a45b, 0xc745545a23c4b02c53025e2ae2d8ed7c15fa003586959bd510a381e2bd1c69e6, 0xca2ba49cf886830caec505944a4cc7d5e9eb0cb28e34adec76eae97f437c7421, 0xd425ed824d3ca56ce3c8ad177dbb460b20bb568010197c8feedf6568ee88cefe

OBFUSCATION_PATTERN

peel: 27.2% shed while 85.7% of the received amount continued onward

0x2a1530c4c41db0b0b2bb646cb5eb1a67b7158667

Finding confidence 76%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xedd1550c69cfb8542e77317589a2d64f0f11767b99398d722b6fb050df48c24d; onward in

0x65a3b922cfc3f7682952c695875f46de6930e867cc0097e1f16ae5eafd27e170; slice in

0x85023108d0fd2fe66c30a6082c8fd77b838ad8e3f4b160db911560ad9f4a0589

0x65a3b922cfc3f7682952c695875f46de6930e867cc0097e1f16ae5eafd27e170, 0x85023108d0fd2fe66c30a6082c8fd77b838ad8e3f4b160db911560ad9f4a0589, 0xedd1550c69cfb8542e77317589a2d64f0f11767b99398d722b6fb050df48c24d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 76% · names no operator

0x65a3b922cfc3f7682952c695875f46de6930e867cc0097e1f16ae5eafd27e170, 0x85023108d0fd2fe66c30a6082c8fd77b838ad8e3f4b160db911560ad9f4a0589, 0xedd1550c69cfb8542e77317589a2d64f0f11767b99398d722b6fb050df48c24d

OBFUSCATION_PATTERN

splitter: value distributed to 33 distinct addresses

0x2a1530c4c41db0b0b2bb646cb5eb1a67b7158667

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

108 outgoing movements to 33 addresses

0x068cefc629125d1a28421e32e49dd617169105823b74b28d134e3a52762f471c, 0x07949d4c8fd8151b98df70d9b1a96ee85a65bf356dbbf07ab07f918f3f9d4c31, 0x095713fde9346b8295d28b2889cec9d82f2af5584c8d3f3f9980f4388fa04ad0, 0x099a375f8b3924eabce6085bdc215b8d8f2edaea20b27997761b693c2ccd4e18, 0x0a102462b1a0a50877d794897a086c85b129b8ebd8170c2a8d677957277eca3a, 0x0b6f0155fa73c6cbd64f4980b0ffe9998a3b010b731d59b03449492aad008afe, 0x1091397b188e006b81fe44b8d9cc23924129ca4ab91e1c2887ba43e2c79235bd, 0x11bc061dcb0755bd22deac31aeab1aee13c17c6b38541aa88171242150e41a2a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 33 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x068cefc629125d1a28421e32e49dd617169105823b74b28d134e3a52762f471c, 0x07949d4c8fd8151b98df70d9b1a96ee85a65bf356dbbf07ab07f918f3f9d4c31, 0x095713fde9346b8295d28b2889cec9d82f2af5584c8d3f3f9980f4388fa04ad0, 0x099a375f8b3924eabce6085bdc215b8d8f2edaea20b27997761b693c2ccd4e18, 0x0a102462b1a0a50877d794897a086c85b129b8ebd8170c2a8d677957277eca3a, 0x0b6f0155fa73c6cbd64f4980b0ffe9998a3b010b731d59b03449492aad008afe, 0x1091397b188e006b81fe44b8d9cc23924129ca4ab91e1c2887ba43e2c79235bd, 0x11bc061dcb0755bd22deac31aeab1aee13c17c6b38541aa88171242150e41a2a

OBFUSCATION_PATTERN

consolidation: value collected from 31 distinct addresses

0x2a1530c4c41db0b0b2bb646cb5eb1a67b7158667

Finding confidence 74%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

121 incoming movements from 31 addresses

0x068cefc629125d1a28421e32e49dd617169105823b74b28d134e3a52762f471c, 0x07949d4c8fd8151b98df70d9b1a96ee85a65bf356dbbf07ab07f918f3f9d4c31, 0x095713fde9346b8295d28b2889cec9d82f2af5584c8d3f3f9980f4388fa04ad0, 0x099a375f8b3924eabce6085bdc215b8d8f2edaea20b27997761b693c2ccd4e18, 0x0a102462b1a0a50877d794897a086c85b129b8ebd8170c2a8d677957277eca3a, 0x0b6f0155fa73c6cbd64f4980b0ffe9998a3b010b731d59b03449492aad008afe, 0x0d3fe7133329d95506acfc4f2c0dd248e1259d07171b2b31a5e323d13b7d1cc3, 0x1091397b188e006b81fe44b8d9cc23924129ca4ab91e1c2887ba43e2c79235bd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 31 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 74% · names no operator

0x068cefc629125d1a28421e32e49dd617169105823b74b28d134e3a52762f471c, 0x07949d4c8fd8151b98df70d9b1a96ee85a65bf356dbbf07ab07f918f3f9d4c31, 0x095713fde9346b8295d28b2889cec9d82f2af5584c8d3f3f9980f4388fa04ad0, 0x099a375f8b3924eabce6085bdc215b8d8f2edaea20b27997761b693c2ccd4e18, 0x0a102462b1a0a50877d794897a086c85b129b8ebd8170c2a8d677957277eca3a, 0x0b6f0155fa73c6cbd64f4980b0ffe9998a3b010b731d59b03449492aad08afe, 0x0d3fe7133329d95506acfc4f2c0dd248e1259d07171b2b31a5e323d13b7d1cc3, 0x1091397b188e006b81fe44b8d9cc23924129ca4ab91e1c2887ba43e2c79235bd

VASP_ENDPOINT · BACKWARD

service endpoint (operator unnamed): collects from 31 and pays out to 33 distinct addresses — behaves as custodial infrastructure such as an exchange

0x2a1530c4c41db0b0b2bb646cb5eb1a67b7158667

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

121 inbound and 108 outbound movements across 64 distinct counterparties

0x068cefc629125d1a28421e32e49dd617169105823b74b28d134e3a52762f471c, 0x07949d4c8fd8151b98df70d9b1a96ee85a65bf356dbbf07ab07f918f3f9d4c31, 0x095713fde9346b8295d28b2889cec9d82f2af5584c8d3f3f9980f4388fa04ad0, 0x099a375f8b3924eabce6085bdc215b8d8f2edaea20b27997761b693c2ccd4e18, 0x0a102462b1a0a50877d794897a086c85b129b8ebd8170c2a8d677957277eca3a, 0x0b6f0155fa73c6cbd64f4980b0ffe9998a3b010b731d59b03449492aad08afe, 0x0d3fe7133329d95506acfc4f2c0dd248e1259d07171b2b31a5e323d13b7d1cc3, 0x1091397b188e006b81fe44b8d9cc23924129ca4ab91e1c2887ba43e2c79235bd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (31 in / 33 out) exceeds the service thresholds (25/25); identifies the ROLE only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 58% · names no operator

0x068cefc629125d1a28421e32e49dd617169105823b74b28d134e3a52762f471c, 0x07949d4c8fd8151b98df70d9b1a96ee85a65bf356dbbf07ab07f918f3f9d4c31, 0x095713fde9346b8295d28b2889cec9d82f2af5584c8d3f3f9980f4388fa04ad0, 0x099a375f8b3924eabce6085bdc215b8d8f2edaea20b27997761b693c2ccd4e18, 0x0a102462b1a0a50877d794897a086c85b129b8ebd8170c2a8d677957277eca3a, 0x0b6f0155fa73c6cbd64f4980b0ffe9998a3b010b731d59b03449492aad08afe, 0x0d3fe7133329d95506acfc4f2c0dd248e1259d07171b2b31a5e323d13b7d1cc3, 0x1091397b188e006b81fe44b8d9cc23924129ca4ab91e1c2887ba43e2c79235bd

OBFUSCATION_PATTERN

splitter: value distributed to 29 distinct addresses

0x26cc0eab6cb650b0db4d0d0da8cb5bf69f4ad692

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

64 outgoing movements to 29 addresses

0x03f55feab77ea160d3f5679d6ae0eaadb61ebb05e0e5e80cce72347c91045d6, 0x06658039b82bd76e62dda669aa5b673a2e78ae4beee8262c4a9d1638faf0a306, 0x0839738f05b1b4f6c40664d71be80f927138c47db62379cb8573f25095210111, 0x0cd0625c33f767b7ae525fbf5911e19a4497dd00033232bd2b2728738128902c, 0x0fcd5d7d4ce5eaf4a489b4844607415622ae1e49ca50857ea237b753e4a48dd3, 0x1091fb12cc7c9bfe29dea634923c9cd3a7545283530b850c7b7923e1cf622e9, 0x113f2df94826be5be322ddaa99e52854b0f2524b63fa5d5f901945dfeae95919, 0x16016e22e9e362a76e1196ca5a938a73ba29ec1cf2685916a5b5d3054d154def

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 29 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 73% · names no operator

0x03f55feab77ea160d3f5679d6ae0eaadb61ebb05e0e5e80cce72347c91045d6, 0x06658039b82bd76e62dda669aa5b673a2e78ae4beee8262c4a9d1638faf0a306, 0x0839738f05b1b4f6c40664d71be80f927138c47db62379cb8573f25095210111, 0x0cd0625c33f767b7ae525fbf5911e19a4497dd00033232bd2b2728738128902c, 0x0fcd5d7d4ce5eaf4a489b4844607415622ae1e49ca50857ea237b753e4a48dd3, 0x1091fb12cc7c9bfe29dea634923c9cd3a7545283530b850c7b7923e1cf622e9, 0x113f2df94826be5be322ddaa99e52854b0f2524b63fa5d5f901945dfeae95919, 0x16016e22e9e362a76e1196ca5a938a73ba29ec1cf2685916a5b5d3054d154def

OBFUSCATION_PATTERN

consolidation: value collected from 65 distinct addresses

0x26cc0eab6cb650b0db4d0d0da8cb5bf69f4ad692

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

93 incoming movements from 65 addresses

0x01a91952c7422e100e0a62bfa5b7df283f759d933b86d9a8fd6e0336ae27fe05, 0x056c58fcf9fbfc3e1824e489580c2624a18ab2cfb5fb95562b1527246510b5e9, 0x079214cbfda6f975ae0434fe35632d8bee02ecc1a4bd81f4f78078c02933c7d1, 0x100331d8f682907caac632834778c1952e7de9be846894a7888f9b5f73eef0ee, 0x10b5ee4c4e02d335bf366c9515add463d669bbd1bbfa313f41e771d9b60e364b, 0x112bd7151858a65ac742ad4f386887224ead87f9632108cdfa874baae5ab1444, 0x14d636b82e9b762fcee0cae3fcbc910ecc18767d20e6ee79762f8795c51a0710, 0x1c04008c561f9bb8cdd41a66702f0d905a9c22f11454a9d2c5dc55403720afa3

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 65 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x01a91952c7422e100e0a62bfa5b7df283f759d933b86d9a8fd6e0336ae27fe05, 0x056c58fcf9fbfc3e1824e489580c2624a18ab2cfb5fb95562b1527246510b5e9, 0x079214cbfda6f975ae0434fe35632d8bee02ecc1a4bd81f4f78078c02933c7d1, 0x100331d8f682907caac632834778c1952e7de9be846894a7888f9b5f73eef0ee, 0x10b5ee4c4e02d335bf366c9515add463d669bbd1bbfa313f41e771d9b60e364b, 0x112bd7151858a65ac742ad4f386887224ead87f9632108cdfa874baae5ab1444, 0x14d636b82e9b762fcee0cae3fcbc910ecc18767d20e6ee79762f8795c51a0710, 0x1c04008c561f9bb8cdd41a66702f0d905a9c22f11454a9d2c5dc55403720afa3

OBFUSCATION_PATTERN

relay: 3 receive-then-forward cycles within 30 minutes each

0x26cc0eab6cb650b0db4d0d0da8cb5bf69f4ad692

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 inflow/outflow pairs of the same asset in quick succession

0x4ccd56677938c6ff8e4e80f157d63305d546a8931b522409a34ba8bcc688afdd, 0x820cdfde7ee07bebc1986ff24f6f7487d4643f423fbf0d6ff9b8c4a8460a8f7e, 0xd35e5ddbf32da4192ed0660804d51b227aa14823f0d959e2cfc7d1320c5c727d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

3 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 58% · names no operator

0x4ccd56677938c6ff8e4e80f157d63305d546a8931b522409a34ba8bcc688afdd, 0x820cdfde7ee07bebc1986ff24f6f7487d4643f423fbf0d6ff9b8c4a8460a8f7e, 0xd35e5ddbf32da4192ed0660804d51b227aa14823f0d959e2cfc7d1320c5c727d

VASP_ENDPOINT · BACKWARD

service endpoint (operator unnamed): collects from 65 and pays out to 29 distinct addresses — behaves as custodial infrastructure such as an exchange

0x26cc0eab6cb650b0db4d0d0da8cb5bf69f4ad692

Finding confidence 60%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

93 inbound and 64 outbound movements across 94 distinct counterparties

0x01a91952c7422e100e0a62bfa5b7df283f759d933b86d9a8fd6e0336ae27fe05, 0x03f55feaeb77ea160d3f5679d6ae0e
aadb61ebb05e0e5e80cce72347c91045d6, 0x056c58fcf9fbfc3e1824e489580c2624a18ab2cfb5fb95562b1527246510b5
e9, 0x06658039b82bd76e62dda669aa5b673a2e78ae4beee8262c4a9d1638faf0a306, 0x079214cbfda6f975ae0434fe35
632d8bee02ecc1a4bd81f4f78078c02933c7d1, 0x0839738f05b1b4f6c40664d71be80f927138c47db62379cb8573f25095
210111, 0x0cd0625c33f767b7ae525fbf5911e19a4497dd00033232bd2b2728738128902c, 0x0fcd5d7d4ce5eaf4a489b4
844607415622ae1e49ca50857ea237b753e4a48dd3

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (65 in / 29 out) exceeds the service thresholds (25/25); identifies the **ROLE** only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 60% · names no operator

0x01a91952c7422e100e0a62bfa5b7df283f759d933b86d9a8fd6e0336ae27fe05, 0x03f55feaeb77ea160d3f5679d6ae0e
aadb61ebb05e0e5e80cce72347c91045d6, 0x056c58fcf9fbfc3e1824e489580c2624a18ab2cfb5fb95562b1527246510b5
e9, 0x06658039b82bd76e62dda669aa5b673a2e78ae4beee8262c4a9d1638faf0a306, 0x079214cbfda6f975ae0434fe35
632d8bee02ecc1a4bd81f4f78078c02933c7d1, 0x0839738f05b1b4f6c40664d71be80f927138c47db62379cb8573f25095
210111, 0x0cd0625c33f767b7ae525fbf5911e19a4497dd00033232bd2b2728738128902c, 0x0fcd5d7d4ce5eaf4a489b4
844607415622ae1e49ca50857ea237b753e4a48dd3

TERMINAL · BACKWARD

high-degree address (76 counterparties): followed the 20 largest by value, 56 branch(es) not followed

0x26cc0eab6cb650b0db4d0d0da8cb5bf69f4ad692

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x01a91952c7422e100e0a62bfa5b7df283f759d933b86d9a8fd6e0336ae27fe05, 0x056c58fcf9fbfc3e1824e489580c26
24a18ab2cfb5fb95562b1527246510b5e9, 0x06658039b82bd76e62dda669aa5b673a2e78ae4beee8262c4a9d1638faf0a3
06, 0x079214cbfda6f975ae0434fe35632d8bee02ecc1a4bd81f4f78078c02933c7d1, 0x0839738f05b1b4f6c40664d71b
e80f927138c47db62379cb8573f25095210111, 0x0cd0625c33f767b7ae525fbf5911e19a4497dd00033232bd2b27287381
28902c, 0x0fcd5d7d4ce5eaf4a489b4844607415622ae1e49ca50857ea237b753e4a48dd3, 0x100331d8f682907caac632
834778c1952e7de9be846894a7888f9b5f73eef0ee, 0x1091fb12cc7c9bfe29dea634923c9cd3a7545283530b850c7b7923
e1cff622e9, 0x10b5ee4c4e02d335bf366c9515add463d669bbd1bbfa313f41e771d9b60e364b

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 56 were reached but never explored

SWEEP_PATTERN

100.0% of a received amount forwarded after 0.2h — address behaves as a pass-through

0x8e0fa783557a50f47c927c43537ed7a8ab8ec26a

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x83ec8a6bb6332b75d7a90c9816c03bfe07138fcdeffef8712ebac1f2ea50ab0a, 0xa18e3240c0bc58012e917474efdbf735780ab78af764dd81d33d3a667867ca6a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x83ec8a6bb6332b75d7a90c9816c03bfe07138fcdeffef8712ebac1f2ea50ab0a, 0xa18e3240c0bc58012e917474efdbf735780ab78af764dd81d33d3a667867ca6a

OBFUSCATION_PATTERN

consolidation: value collected from 92 distinct addresses

0xbaad694b543f006da9d8d4bc41ef87e5d37d999c

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

101 incoming movements from 92 addresses

0x03ff4705be51ffb5ee7af4ee9dc8980f869508fe76208b93d5a0ae5dda461039, 0x047efca128e92910cd2c3ff8d7b535ef73ccbe26b84582a4d2d49dfa805ebc1c, 0x04993c7f1a3448ee315b831b10b793e541a8a3f814986667dcdb79323371a271, 0x04d5b652f43f6f872c678b5e429fc0b2ad3145ed1a7a31ebe8ade931bb1af6a4, 0x0521be3b73dc9af2c1f0a072c537e22a966ccd7bee2b1445f53044181882f1a8, 0x0b8a6f5917a0cf29ddcff9d114812878fc94fc336f1197684a27e81806d08d94, 0x0bba132298898d65bdf8c80e4c0e965772dfacab88502e6ac0cde8ea7513d4d7, 0x0bf45a5ee3eefd3990cd144658664e894721d879caf470e0bf2ed526daa05cfb

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 92 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x03ff4705be51ffb5ee7af4ee9dc8980f869508fe76208b93d5a0ae5dda461039, 0x047efca128e92910cd2c3ff8d7b535ef73ccbe26b84582a4d2d49dfa805ebc1c, 0x04993c7f1a3448ee315b831b10b793e541a8a3f814986667dcdb79323371a271, 0x04d5b652f43f6f872c678b5e429fc0b2ad3145ed1a7a31ebe8ade931bb1af6a4, 0x0521be3b73dc9af2c1f0a072c537e22a966ccd7bee2b1445f53044181882f1a8, 0x0b8a6f5917a0cf29ddcff9d114812878fc94fc336f1197684a27e81806d08d94, 0x0bba132298898d65bdf8c80e4c0e965772dfacab88502e6ac0cde8ea7513d4d7, 0x0bf45a5ee3eefd3990cd144658664e894721d879caf470e0bf2ed526daa05cfb

OBFUSCATION_PATTERN

splitter: value distributed to 31 distinct addresses

0x9ce614c00427dc9c53ddf6e877fd2ff71be1b35d

Finding confidence 74%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

104 outgoing movements to 31 addresses

0x00ea64fefaeb6382dff6d82e97d441d877c748b35218e9eae0a7b31b87664166, 0x02b8064b44eae0f593efe5346427d137a870c3fc6cfd82435978b91dca65f49b, 0x06991d347f37807f7f1c31054ea8b45cab0639facbecca3636493d608133fe60, 0x0cdc80ccb15fe5b301d55ef09aed8e5c88246592fbb4eb4c4a99e461b2959fd5, 0x11464e439af19951c084dd8d8f8d716596c43aea231c74eceaee012e41b91bea, 0x162ccddbbee09fad3b599da1a8b080af8af8f0ad619367896aa0d726ac1b4117c, 0x1adbee0bb3dc945710d4f22f3656c3a284a5271c75fee4b548ff7f1c56f2c858, 0x1b60333dad34f1e4fa5ae348febae2fbc8371b9bb849a441c33b4485a7bb77a5

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 31 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 74% · names no operator

0x00ea64fefaeb6382dff6d82e97d441d877c748b35218e9eae0a7b31b87664166, 0x02b8064b44eae0f593efe5346427d137a870c3fc6cfd82435978b91dca65f49b, 0x06991d347f37807f7f1c31054ea8b45cab0639facbecca3636493d608133fe60, 0x0cdc80ccb15fe5b301d55ef09aed8e5c88246592fbb4eb4c4a99e461b2959fd5, 0x11464e439af19951c084dd8d8f8d716596c43aea231c74eceaee012e41b91bea, 0x162ccddbbee09fad3b599da1a8b080af8af8f0ad619367896aa0d726ac1b4117c, 0x1adbee0bb3dc945710d4f22f3656c3a284a5271c75fee4b548ff7f1c56f2c858, 0x1b60333dad34f1e4fa5ae348febae2fbc8371b9bb849a441c33b4485a7bb77a5

SWEEP_PATTERN

pass-through: 3 receive-and-forward cycles (avg 98.8% forwarded, fastest 0.0h)

0x09cabec1ead1c0ba254b09efb3ee13841712be14

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 matched receive/forward pair(s) of the same asset; strongest cited

0x01c35d39230dca00ce7c7270a1865546c17bdb34ad258ff87ae2cb031e07c042, 0x04cf6bc83b580756c1f623454fc8f14fc39f19fe8c14ae7f75618c6b70d1e0cf, 0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x7cde118eb37afa7ee55e5f8a64e4f13e394cbe25f3dadac9d8334b4b31e0caea, 0x9511ced5a755ea997fe48282b193b5101c488a73451142c5e4f6b336d8d8ac3f, 0xc9190939540ab92a55a61014e956f6ca1d6af7c34954cd439de50f1761fb955e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9936 within 0.0h; 3 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x01c35d39230dca00ce7c7270a1865546c17bdb34ad258ff87ae2cb031e07c042, 0x04cf6bc83b580756c1f623454fc8f14fc39f19fe8c14ae7f75618c6b70d1e0cf, 0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x7cde118eb37afa7ee55e5f8a64e4f13e394cbe25f3dadac9d8334b4b31e0caea, 0x9511ced5a755ea997fe48282b193b5101c488a73451142c5e4f6b336d8d8ac3f, 0xc9190939540ab92a55a61014e956f6ca1d6af7c34954cd439de50f1761fb955e

OBFUSCATION_PATTERN

peel: 6.7% shed while 89.5% of the received amount continued onward

0x09cabec1ead1c0ba254b09efb3ee13841712be14

Finding confidence 77%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x44138700339541caa99b7c1a35f4a068a6469fdff5eaea778e5fbf629ad198e3; onward in

0xe5f21eb8f61bdfe3c64b3127beaac9e0e6076b0f8890fbb28562b49f9d583eca; slice in

0x3ea3e5cb0b1f64d8aca0bb89fd3a5fdfb253b4a0e21af71881f073709abd436e

0x3ea3e5cb0b1f64d8aca0bb89fd3a5fdfb253b4a0e21af71881f073709abd436e, 0x44138700339541caa99b7c1a35f4a068a6469fdff5eaea778e5fbf629ad198e3, 0xe5f21eb8f61bdfe3c64b3127beaac9e0e6076b0f8890fbb28562b49f9d583eca

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 77% · names no operator

0x3ea3e5cb0b1f64d8aca0bb89fd3a5fdfb253b4a0e21af71881f073709abd436e, 0x44138700339541caa99b7c1a35f4a068a6469fdff5eaea778e5fbf629ad198e3, 0xe5f21eb8f61bdfe3c64b3127beaac9e0e6076b0f8890fbb28562b49f9d583eca

OBFUSCATION_PATTERN

splitter: value distributed to 22 distinct addresses

0x09cabec1ead1c0ba254b09efb3ee13841712be14

Finding confidence 67%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

62 outgoing movements to 22 addresses

0x0060f1c77f43f95084de8a8ec8579abf9dd7e43944f6faaa6b1785953c3c5124, 0x037138fd843473d7a863e892968ee3be64b299afe6307961d5fe482ef8b5b2f5, 0x077e2c94fa9113ba83e403efdfa3d0af96c02e96c9f03b1b2e6a584b42e95315, 0x14b54e2ee6876bd619b71bf5d9b26228003d0701318c1e6a909a49296585bdc8, 0x17201886bff1c9b1142937cf5d42f5a2a6cf0e922f2e05599f5be983203f9009, 0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x1a41292a7dcb748656e03b514969a289d908a6e731786978b2bece762c946a67, 0x1c5d1101bb1e2637fd8a7e94005d539616384e9cdaf7e55bf9f043494375c11e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 22 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 67% · names no operator

0x0060f1c77f43f95084de8a8ec8579abf9dd7e43944f6faaa6b1785953c3c5124, 0x037138fd843473d7a863e892968ee3be64b299afe6307961d5fe482ef8b5b2f5, 0x077e2c94fa9113ba83e403efdfa3d0af96c02e96c9f03b1b2e6a584b42e95315, 0x14b54e2ee6876bd619b71bf5d9b26228003d0701318c1e6a909a49296585bdc8, 0x17201886bff1c9b1142937cf5d42f5a2a6cf0e922f2e05599f5be983203f9009, 0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x1a41292a7dcb748656e03b514969a289d908a6e731786978b2bece762c946a67, 0x1c5d1101bb1e2637fd8a7e94005d539616384e9cdaf7e55bf9f043494375c11e

OBFUSCATION_PATTERN

consolidation: value collected from 12 distinct addresses

0x09cabec1ead1c0ba254b09efb3ee13841712be14

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

39 incoming movements from 12 addresses

0x008eba2e0595090ecffdbb12b5abbfd34b5f19feb0aa76372b446e6a20403b78, 0x01c35d39230dca00ce7c7270a1865546c17bdb34ad258ff87ae2cb031e07c042, 0x01e76bbf109b374e20f98280a7317c614e6da3ff75ea7220c9d2268f00b2d45d, 0x04cf6bc83b580756c1f623454fc8f14fc39f19fe8c14ae7f75618c6b70d1e0cf, 0x0f9b5f517d94bbfcc5a8482c6fd966b2eee017002c10d9d8d1f2368e1c28014, 0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x2241b40544b91f62f21b8088e4c98ccbf356f158da87034c7a35344a6cd7164e, 0x3e19bf7d514628f0e2ef88530262a653e892899555d0122eca03693ea0fbd5c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 12 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 59% · names no operator

0x008eba2e0595090ecffdbb12b5abbfd34b5f19feb0aa76372b446e6a20403b78, 0x01c35d39230dca00ce7c7270a1865546c17bdb34ad258ff87ae2cb031e07c042, 0x01e76bbf109b374e20f98280a7317c614e6da3ff75ea7220c9d2268f00b2d45d, 0x04cf6bc83b580756c1f623454fc8f14fc39f19fe8c14ae7f75618c6b70d1e0cf, 0x0f9b5f517d94bbfcc5a8482c6fd9666b2eee017002c10d9d8d1f2368e1c28014, 0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x2241b40544b91f62f21b8088e4c98ccbf356f158da87034c7a35344a6cd7164e, 0x3e19bf7d514628f0e2ef88530262a653e8928995555d0122eca03693ea0fbd5c

OBFUSCATION_PATTERN

relay: 12 receive-then-forward cycles within 30 minutes each

0x09cabec1ead1c0ba254b09efb3ee13841712be14

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

12 inflow/outflow pairs of the same asset in quick succession

0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x22443a2ac20a4ed70da2a02c6b3bd3301502b717ab8602858ec99b823baff5da, 0x38655c77ddcc2b3fe6cf2941a14ae78de5fbc07dd574ce31eae25d1dac8e1801, 0x3d6378b14253d6b61ef53e97a1f09ada6246723ed0eae01df6b2d78040c1b093, 0x58e92d2d14922d8daf744496bf8070136b7cee47653fcd9b9b4d049cc45f3c715, 0x7cde118eb37afa7ee55e5f8a64e4f13e394cbe25f3dadac9d8334b4b31e0caea, 0x7ef42f515685a328b401bf9596699e7ea8a0076d10cfb1cc87fead4e5cf39f7e, 0xb412c0a12501c283576477d0c48ff7ecc49839a48ae4f8d84bd7a03640e69059

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

12 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x17abe05127345d0fbb224a19be728e1a64f4e949c3b16e97a0fb16a9e25f2b80, 0x22443a2ac20a4ed70da2a02c6b3bd3301502b717ab8602858ec99b823baff5da, 0x38655c77ddcc2b3fe6cf2941a14ae78de5fbc07dd574ce31eae25d1dac8e1801, 0x3d6378b14253d6b61ef53e97a1f09ada6246723ed0eae01df6b2d78040c1b093, 0x58e92d2d14922d8daf744496bf8070136b7cee47653fcd9b9b4d049cc45f3c715, 0x7cde118eb37afa7ee55e5f8a64e4f13e394cbe25f3dadac9d8334b4b31e0caea, 0x7ef42f515685a328b401bf9596699e7ea8a0076d10cfb1cc87fead4e5cf39f7e, 0xb412c0a12501c283576477d0c48ff7ecc49839a48ae4f8d84bd7a03640e69059

SWEEP_PATTERN

pass-through: 9 receive-and-forward cycles (avg 100.0% forwarded, fastest 0.2h)

0xe9aa46f0e94ec2d61354befd8669f60979d970b4

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

9 matched receive/forward pair(s) of the same asset; strongest cited

0x0143a33556c8520110e8f4627a394eeefdc492420f8b7d2b6cbe42e1b53fe1b3, 0x1fbe2726c8fc948b52c7cf53381cd9b5cf6dbb16e8d0fbadebf47200eb07aa43, 0x2e6963720699a8ec022f47a8f6be9af38be1dbd68e52795f6e30f5eed8d071f1, 0x5d3c607d33a1e7a0bd398dc661f67ed696fe90c86736d6c8d1204389a7c29508, 0xc6e76d115064e4d1fb43c1f200252860f1991b1883e7197cab564559d6c9803e, 0xc6f996ac2a98e4a097559c4f35782b7b470599a6a036a443f2ea75b2bce19d10, 0xca24bc87cc4675c2c72419e12e26789ea717e0ba677ff6281c313b6c628caff7, 0xe8887a0bb1530f16cef75c58d8224604dcbf95a357a774c35e874921f4f2522f

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 9 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x0143a33556c8520110e8f4627a394eeefdc492420f8b7d2b6cbe42e1b53fe1b3, 0x1fbe2726c8fc948b52c7cf53381cd9b5cf6dbb16e8d0fbadebf47200eb07aa43, 0x2e6963720699a8ec022f47a8f6be9af38be1dbd68e52795f6e30f5eed8d071f1, 0x5d3c607d33a1e7a0bd398dc661f67ed696fe90c86736d6c8d1204389a7c29508, 0xc6e76d115064e4d1fb43c1f200252860f1991b1883e7197cab564559d6c9803e, 0xc6f996ac2a98e4a097559c4f35782b7b470599a6a036a443f2ea75b2bce19d10, 0xca24bc87cc4675c2c72419e12e26789ea717e0ba677ff6281c313b6c628caff7, 0xe8887a0bb1530f16cef75c58d8224604dcbf95a357a774c35e874921f4f2522f

OBFUSCATION_PATTERN

splitter: value distributed to 17 distinct addresses

0xe9aa46f0e94ec2d61354befd8669f60979d970b4

Finding confidence 63%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

21 outgoing movements to 17 addresses

0x1fbe2726c8fc948b52c7cf53381cd9b5cf6dbb16e8d0fbadebf47200eb07aa43, 0x5c32c178e41fb0442208cd0e3c545b32808d07b0451eb83cea8e013bbf1079d5, 0x5d3c607d33a1e7a0bd398dc661f67ed696fe90c86736d6c8d1204389a7c29508, 0x66286b6d7218f16587bdb906a24676173c01365536ef5ea6b09466e6d80a397b, 0x675a455c398265f338ee0ef5d7e3d8869d644ef9401d59ad10fc608e11522da0, 0x69b0c2cdf0d9cada3913ce0c6666a8d2581efa08e6aa2a2f716a5c79237ff2d, 0x77887ad51c8e4c3934bd60a578db0587b294d1702cd92ad9c157a551148b460b, 0x82c35f25b5cc10b37640efd2431fc05dd102982cd00ee9e12bceb621a63fe276

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 17 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 63% · names no operator

0x1fbe2726c8fc948b52c7cf53381cd9b5cf6dbb16e8d0fbadebf47200eb07aa43, 0x5c32c178e41fb0442208cd0e3c545b32808d07b0451eb83cea8e013bbf1079d5, 0x5d3c607d33a1e7a0bd398dc661f67ed696fe90c86736d6c8d1204389a7c29508, 0x66286b6d7218f16587bdb906a24676173c01365536ef5ea6b09466e6d80a397b, 0x675a455c398265f338ee0ef5d7e3d8869d644ef9401d59ad10fc608e11522da0, 0x69b0c2cdf0d9cada3913ce0c6666a8d2581efa08e6aa2a2f716a5c79237ff2d, 0x77887ad51c8e4c3934bd60a578db0587b294d1702cd92ad9c157a551148b460b, 0x82c35f25b5cc10b37640efd2431fc05dd102982cd00ee9e12bceb621a63fe276

OBFUSCATION_PATTERN

splitter: value distributed to 25 distinct addresses

0x23ddd3e3692d1861ed57ede224608875809e127f

Finding confidence 70%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

26 outgoing movements to 25 addresses

0x050b6109ab0c06d61abf7b75d16b122bddda502928b7cf95c527d405f0459d4f, 0x0b28a013ae03556608475e49d0be8acd39c87bb941430c979901f5798defc541, 0x0b7537b8961209443e2e49aa18863aa3c3a7cd75cf982714c111fc7398c4de0b, 0x0de859abb21be15f90a2b88558f63dcd5109cfea4490138446c684049e2d5752, 0x24c641d850b829b640622fcc885e7902dca69d93c9278b8584cd05e0714bcb67, 0x2618d532f4424c0bd014b37d6e5e3b797c0827c63036759fe806141d12ec9b09, 0x272f1f7803863a4524f490107767e5bf47e5a9f6a41023853a96331dd6e49ecd, 0x2ac5b6fe4d847002ca0d3b18247259bf810b9bceb0a4f95dc73b8f64dfc35836

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 25 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 70% · names no operator

0x050b6109ab0c06d61abf7b75d16b122bddda502928b7cf95c527d405f0459d4f, 0x0b28a013ae03556608475e49d0be8acd39c87bb941430c979901f5798defc541, 0x0b7537b8961209443e2e49aa18863aa3c3a7cd75cf982714c111fc7398c4de0b, 0x0de859abb21be15f90a2b88558f63dcd5109cfea4490138446c684049e2d5752, 0x24c641d850b829b640622fcc885e7902dca69d93c9278b8584cd05e0714bcb67, 0x2618d532f4424c0bd014b37d6e5e3b797c0827c63036759fe806141d12ec9b09, 0x272f1f7803863a4524f490107767e5bf47e5a9f6a41023853a96331dd6e49ecd, 0x2ac5b6fe4d847002ca0d3b18247259bf810b9bceb0a4f95dc73b8f64dfc35836

OBFUSCATION_PATTERN

batch distribution: 101 outputs of identical value across 101 distinct addresses — automated payout, airdrop, or CoinJoin-style structuring

0xe1a35cfc3cd3ac8c519bbb40c64c1dc3b9bf5bb7

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

101 outgoing movements each of exactly 100000000000 (smallest unit)

0x5f1b3d0280ef1cf776c4257612ac2994f53bdac03a932d90eb4d89bfffef2e5e7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 101 with 101 byte-identical values; reward payouts and airdrops produce the same shape

Rule: batch-distribution@1 · confidence 75% · names no operator

0x5f1b3d0280ef1cf776c4257612ac2994f53bdac03a932d90eb4d89bfffef2e5e7

SWEEP_PATTERN

pass-through: 3 receive-and-forward cycles (avg 97.9% forwarded, fastest 0.1h)

0x11b815efb8f581194ae79006d24e0d814b7697f6

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 matched receive/forward pair(s) of the same asset; strongest cited

0x6ef5fd1cf8c93be3c74a32586302802a17ceee6868ee185046ab22783c79cd50, 0x7e3500d11d047ec689667a95c8c973d8c46928ac82f8056e14bff0d12d319e5b, 0x7fef2bee77ee631042ce0494302c2da98e1be1235e5776a4a8d1986928d4a8f6, 0x8fcf9ab9b3691c1a1d18294ced44ecda61d1d583765c535338538d2726054d69, 0x93853b5a4465bf61e545e1958d33c698e6c240b3a4d3a7f58e739d5f517d035a, 0xc065cc03febc4785c69e2e7f9b49a763bd6bcd7f53480c8ec603f501b8535872

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9824 within 0.4h; 3 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x6ef5fd1cf8c93be3c74a32586302802a17ceee6868ee185046ab22783c79cd50, 0x7e3500d11d047ec689667a95c8c973d8c46928ac82f8056e14bff0d12d319e5b, 0x7fef2bee77ee631042ce0494302c2da98e1be1235e5776a4a8d1986928d4a8f6, 0x8fcf9ab9b3691c1a1d18294ced44ecda61d1d583765c535338538d2726054d69, 0x93853b5a4465bf61e545e1958d33c698e6c240b3a4d3a7f58e739d5f517d035a, 0xc065cc03febc4785c69e2e7f9b49a763bd6bcd7f53480c8ec603f501b8535872

OBFUSCATION_PATTERN

peel: 0.0% shed while 74.7% of the received amount continued onward

0x11b815efb8f581194ae79006d24e0d814b7697f6

Finding confidence 74%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xda89bbc13326b040d3c71e0b2d3ba16b48c16a806bb562b88532662659f56dbb; onward in 0xed187ff1772856a1a7b325384b7659175d7052bbc0405fb5c2d3d28cc5d7dfba; slice in 0x684d074fc8af014c3f7d62f29c519d00cd2205426b4cb0a6e23b921fd73cfe78

0x684d074fc8af014c3f7d62f29c519d00cd2205426b4cb0a6e23b921fd73cfe78, 0xda89bbc13326b040d3c71e0b2d3ba16b48c16a806bb562b88532662659f56dbb, 0xed187ff1772856a1a7b325384b7659175d7052bbc0405fb5c2d3d28cc5d7dfba

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 74% · names no operator

0x684d074fc8af014c3f7d62f29c519d00cd2205426b4cb0a6e23b921fd73cfe78, 0xda89bbc13326b040d3c71e0b2d3ba16b48c16a806bb562b88532662659f56dbb, 0xed187ff1772856a1a7b325384b7659175d7052bbc0405fb5c2d3d28cc5d7dfba

OBFUSCATION_PATTERN

splitter: value distributed to 29 distinct addresses

0x11b815efb8f581194ae79006d24e0d814b7697f6

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

55 outgoing movements to 29 addresses

0x02054bf66fa4c008317c419331358af70eec809293a5bdbdc975d59f4c60187b, 0x1191e4fe20f6d282c137c403a15230131f7916fa11630ab70a48350096b22fa6, 0x13b79d27252e06d730811a93dc927581929f4d7bc2202f24d4f9a02e0c80dbed, 0x160a8249c4db02c016d7ff17420087f8a3abf7229a2cf252f36653ac22ca6c8c, 0x1d1f7cd3258613bbef27b2a2ae98c6d20f71bc7720d5443cc88b99457dcb638a, 0x211ab4cd24217c2c7487fb6dc98359fead2a8bf2486203566763781217c30888, 0x23b1d47b5c38a7280941a925b7238758733525c9c76d8e910aff0fb8f1a31307, 0x24570347b19eaddc200fb426f33b53f1f0e42bb56ec00f383c13a93e89c3080

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 29 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 73% · names no operator

0x02054bf66fa4c008317c419331358af70eec809293a5bdbdc975d59f4c60187b, 0x1191e4fe20f6d282c137c403a15230131f7916fa11630ab70a48350096b22fa6, 0x13b79d27252e06d730811a93dc927581929f4d7bc2202f24d4f9a02e0c80dbed, 0x160a8249c4db02c016d7ff17420087f8a3abf7229a2cf252f36653ac22ca6c8c, 0x1d1f7cd3258613bbef27b2a2ae98c6d20f71bc7720d5443cc88b99457dcb638a, 0x211ab4cd24217c2c7487fb6dc98359fead2a8bf2486203566763781217c30888, 0x23b1d47b5c38a7280941a925b7238758733525c9c76d8e910aff0fb8f1a31307, 0x24570347b19eaddc200fb426f33b53f1f0e42bb56ec00f383c13a93e89c3080

OBFUSCATION_PATTERN

consolidation: value collected from 29 distinct addresses

0x11b815efb8f581194ae79006d24e0d814b7697f6

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

52 incoming movements from 29 addresses

0x02054bf66fa4c008317c419331358af70eec809293a5bdbdc975d59f4c60187b, 0x13b79d27252e06d730811a93dc927581929f4d7bc2202f24d4f9a02e0c80dbed, 0x1d1f7cd3258613bbef27b2a2ae98c6d20f71bc7720d5443cc88b99457dcb638a, 0x211ab4cd24217c2c7487fb6dc98359fead2a8bf2486203566763781217c30888, 0x23b1d47b5c38a7280941a925b7238758733525c9c76d8e910aff0fb8f1a31307, 0x24570347b19eadddc200fb426f33b53f1f0e42bb56ec00f383c13a93e89c3080, 0x497a44e35be58072e1cf4c4e1d182454ef20207bdf390fe310165a51ddb9ee9a, 0x525cb3dc72b2a723445214ff152484b2a91add71e6cc2737677b5c5840ea2255

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 29 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 73% · names no operator

0x02054bf66fa4c008317c419331358af70eec809293a5bdbdc975d59f4c60187b, 0x13b79d27252e06d730811a93dc927581929f4d7bc2202f24d4f9a02e0c80dbed, 0x1d1f7cd3258613bbef27b2a2ae98c6d20f71bc7720d5443cc88b99457dcb638a, 0x211ab4cd24217c2c7487fb6dc98359fead2a8bf2486203566763781217c30888, 0x23b1d47b5c38a7280941a925b7238758733525c9c76d8e910aff0fb8f1a31307, 0x24570347b19eadddc200fb426f33b53f1f0e42bb56ec00f383c13a93e89c3080, 0x497a44e35be58072e1cf4c4e1d182454ef20207bdf390fe310165a51ddb9ee9a, 0x525cb3dc72b2a723445214ff152484b2a91add71e6cc2737677b5c5840ea2255

OBFUSCATION_PATTERN

relay: 37 receive-then-forward cycles within 30 minutes each

0x11b815efb8f581194ae79006d24e0d814b7697f6

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

37 inflow/outflow pairs of the same asset in quick succession

0x02054bf66fa4c008317c419331358af70eec809293a5bdbdc975d59f4c60187b, 0x13b79d27252e06d730811a93dc927581929f4d7bc2202f24d4f9a02e0c80dbed, 0x1d1f7cd3258613bbef27b2a2ae98c6d20f71bc7720d5443cc88b99457dcb638a, 0x497a44e35be58072e1cf4c4e1d182454ef20207bdf390fe310165a51ddb9ee9a, 0x525cb3dc72b2a723445214ff152484b2a91add71e6cc2737677b5c5840ea2255, 0x571fe4b68776c0c7b7d56023773f7458b3ee62221a905443bfe901c0c222db8e, 0x5f544e3bb4c6fb3d9d5bb796607091e95c217655194c060413bb9bdf9c5d295f, 0x63430942dde897c04e4891632cdc99b16fed8f39c3c3afab9f1fe94f0965a442

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

37 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x02054bf66fa4c008317c419331358af70eec809293a5bdbdc975d59f4c60187b, 0x13b79d27252e06d730811a93dc927581929f4d7bc2202f24d4f9a02e0c80dbed, 0x1d1f7cd3258613bbef27b2a2ae98c6d20f71bc7720d5443cc88b99457dcb638a, 0x497a44e35be58072e1cf4c4e1d182454ef20207bdf390fe310165a51ddb9ee9a, 0x525cb3dc72b2a723445214ff152484b2a91add71e6cc2737677b5c5840ea2255, 0x571fe4b68776c0c7b7d56023773f7458b3ee62221a905443bfe901c0c222db8e, 0x5f544e3bb4c6fb3d9d5bb796607091e95c217655194c060413bb9bdf9c5d295f, 0x63430942dde897c04e4891632cdc99b16fed8f39c3c3afab9f1fe94f0965a442

OBFUSCATION_PATTERN

peel: 0.3% shed while 99.7% of the received amount continued onward

0xfd3dfb524b2da40c8a6d703c62be36b5d8540626

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x63ce0d18457b446cc5ab6f88e5cb9b6e8487e0116f761aaa2b637be090785870; onward in 0x63ce0d18457b446cc5ab6f88e5cb9b6e8487e0116f761aaa2b637be090785870; slice in 0x63ce0d18457b446cc5ab6f88e5cb9b6e8487e0116f761aaa2b637be090785870
0x63ce0d18457b446cc5ab6f88e5cb9b6e8487e0116f761aaa2b637be090785870

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x63ce0d18457b446cc5ab6f88e5cb9b6e8487e0116f761aaa2b637be090785870

OBFUSCATION_PATTERN

splitter: value distributed to 26 distinct addresses

0xfd3dfb524b2da40c8a6d703c62be36b5d8540626

Finding confidence 70%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

58 outgoing movements to 26 addresses

0x033aa3b769e76f362eb3a8cbf651767b8abfb576367bb9277953830eb910a477, 0x0eab002399f8c1e1d7f70a427f45620dd851b33729f67aa231721f29adc54a59, 0x0f7efb9c5426a9352ea9093610c100f4ae1b5666b0217b9ee8d78115503ada53, 0x1dae9ed355aa086ae099931756a50314476efc0d44923d5cfe8d771d53e4d015, 0x22a5510b003f0455e13a8ea808881a25643210a34e6ab3dccc1da80e44907adc, 0x2ace2bcf021bca705103a3054f8e52883d187b24debbdc204da417bab4418dfa8, 0x3bd240a8c8c158d9956529993d977efe69b031912e05dedbb3399f1c0c421b5f, 0x4e104504f54988911cceab0d8ff88a175055d7e71cd5ab8e4ff2be99f1491492

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 26 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 70% · names no operator

0x033aa3b769e76f362eb3a8cbf651767b8abfb576367bb9277953830eb910a477, 0x0eab002399f8c1e1d7f70a427f45620dd851b33729f67aa231721f29adc54a59, 0x0f7efb9c5426a9352ea9093610c100f4ae1b5666b0217b9ee8d78115503ada53, 0x1dae9ed355aa086ae099931756a50314476efc0d44923d5cfe8d771d53e4d015, 0x22a5510b003f0455e13a8ea808881a25643210a34e6ab3dccc1da80e44907adc, 0x2ace2bcf021bca705103a3054f8e52883d187b24debbdc204da417bab4418dfa8, 0x3bd240a8c8c158d9956529993d977efe69b031912e05dedbb3399f1c0c421b5f, 0x4e104504f54988911cceab0d8ff88a175055d7e71cd5ab8e4ff2be99f1491492

OBFUSCATION_PATTERN

consolidation: value collected from 11 distinct addresses

0xfd3dfb524b2da40c8a6d703c62be36b5d8540626

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

46 incoming movements from 11 addresses

0x033aa3b769e76f362eb3a8cbf651767b8abfb576367bb9277953830eb910a477, 0x0eab002399f8c1e1d7f70a427f45620dd851b33729f67aa231721f29adc54a59, 0x0f7efb9c5426a9352ea9093610c100f4ae1b5666b0217b9ee8d78115503ada53, 0x1dae9ed355aa086ae099931756a50314476efc0d44923d5cfe8d771d53e4d015, 0x22a5510b003f0455e13a8ea808881a25643210a34e6ab3dccc1da80e44907adc, 0x2ace2bcf021bca705103a3054f8e52883d187b24debbdc204da417bab4418dfa8, 0x3bd240a8c8c158d9956529993d977efe69b031912e05dedbb3399f1c0c421b5f, 0x4e104504f54988911cceab0d8ff88a175055d7e71cd5ab8e4ff2be99f1491492

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 11 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 59% · names no operator

0x033aa3b769e76f362eb3a8cbf651767b8abfb576367bb9277953830eb910a477, 0x0eab002399f8c1e1d7f70a427f45620dd851b33729f67aa231721f29adc54a59, 0x0f7efb9c5426a9352ea9093610c100f4ae1b5666b0217b9ee8d78115503ada53, 0x1dae9ed355aa086ae099931756a50314476efc0d44923d5cfe8d771d53e4d015, 0x22a5510b003f0455e13a8ea808881a25643210a34e6ab3dccc1da80e44907adc, 0x2ace2bcf021bca705103a3054f8e52883d187b24debd204da417bab4418dfa8, 0x3bd240a8c8c158d9956529993d977efe69b031912e05dedbb3399f1c0c421b5f, 0x4e104504f54988911cceab0d8ff88a175055d7e71cd5ab8e4ff2be99f1491492

OBFUSCATION_PATTERN

relay: 42 receive-then-forward cycles within 30 minutes each

0xfd3dfb524b2da40c8a6d703c62be36b5d8540626

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

42 inflow/outflow pairs of the same asset in quick succession

0x033aa3b769e76f362eb3a8cbf651767b8abfb576367bb9277953830eb910a477, 0x0eab002399f8c1e1d7f70a427f45620dd851b33729f67aa231721f29adc54a59, 0x0f7efb9c5426a9352ea9093610c100f4ae1b5666b0217b9ee8d78115503ada53, 0x1dae9ed355aa086ae099931756a50314476efc0d44923d5cfe8d771d53e4d015, 0x22a5510b003f0455e13a8ea808881a25643210a34e6ab3dccc1da80e44907adc, 0x2ace2bcf021bca705103a3054f8e52883d187b24debd204da417bab4418dfa8, 0x3bd240a8c8c158d9956529993d977efe69b031912e05dedbb3399f1c0c421b5f, 0x4e104504f54988911cceab0d8ff88a175055d7e71cd5ab8e4ff2be99f1491492

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

42 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x033aa3b769e76f362eb3a8cbf651767b8abfb576367bb9277953830eb910a477, 0x0eab002399f8c1e1d7f70a427f45620dd851b33729f67aa231721f29adc54a59, 0x0f7efb9c5426a9352ea9093610c100f4ae1b5666b0217b9ee8d78115503ada53, 0x1dae9ed355aa086ae099931756a50314476efc0d44923d5cfe8d771d53e4d015, 0x22a5510b003f0455e13a8ea808881a25643210a34e6ab3dccc1da80e44907adc, 0x2ace2bcf021bca705103a3054f8e52883d187b24debd204da417bab4418dfa8, 0x3bd240a8c8c158d9956529993d977efe69b031912e05dedbb3399f1c0c421b5f, 0x4e104504f54988911cceab0d8ff88a175055d7e71cd5ab8e4ff2be99f1491492

OBFUSCATION_PATTERN

peel: 1.3% shed while 100.0% of the received amount continued onward

0xdb38ae75c5f44276803345f7f02e95a0aeeef5944

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7; onward in 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7; slice in 0x40a238e3683a2d58ab26f9747e92d62b8ff028d1b51bdb56dacdba185ba4db53

0x40a238e3683a2d58ab26f9747e92d62b8ff028d1b51bdb56dacdba185ba4db53, 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x40a238e3683a2d58ab26f9747e92d62b8ff028d1b51bdb56dacdba185ba4db53, 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7

OBFUSCATION_PATTERN

splitter: value distributed to 23 distinct addresses

0xdb38ae75c5f44276803345f7f02e95a0aeeef5944

Finding confidence 68%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

31 outgoing movements to 23 addresses

0x008ed2908e5b8546d593898788f5a82010689bbb88cc173e9552a3a1131f29a3, 0x020939d439bcfdd5d0dd77dcda1387baf0ee63e6ff5b04985b981feac3b1ad58, 0x142c714f87501cfdc1a178c8144538edc095e5feae8b3002a0627a61f2f89aaf, 0x18013e55121e19b60d20a9013fc6932c0a91df6d161fcd8fa77a9cb2ee170c98, 0x233c33b9979a4379404232c60faa3d30bf65fd11d7b3f0f75fc10c0ca8a1618e, 0x2d903b2e93a919c5de363ed700b4a4fb9ad6c31adb84d69706da2a8249ddffd5, 0x40a238e3683a2d58ab26f9747e92d62b8ff028d1b51bdb56dacdba185ba4db53, 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 23 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 68% · names no operator

0x008ed2908e5b8546d593898788f5a82010689bbb88cc173e9552a3a1131f29a3, 0x020939d439bcfdd5d0dd77dcda1387baf0ee63e6ff5b04985b981feac3b1ad58, 0x142c714f87501cfdc1a178c8144538edc095e5feae8b3002a0627a61f2f89aaf, 0x18013e55121e19b60d20a9013fc6932c0a91df6d161fcd8fa77a9cb2ee170c98, 0x233c33b9979a4379404232c60faa3d30bf65fd11d7b3f0f75fc10c0ca8a1618e, 0x2d903b2e93a919c5de363ed700b4a4fb9ad6c31adb84d69706da2a8249ddffd5, 0x40a238e3683a2d58ab26f9747e92d62b8ff028d1b51bdb56dacdba185ba4db53, 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7

OBFUSCATION_PATTERN

consolidation: value collected from 9 distinct addresses

0xdb38ae75c5f44276803345f7f02e95a0aef5944

Finding confidence 57%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

25 incoming movements from 9 addresses

0x03c22bbc172c6eeaa0997d3d0abc9900b41ab57fbc7c3a76208fb60c88644060, 0x142c714f87501cfdc1a178c8144538edc095e5feae8b3002a0627a61f2f89aaf, 0x30eaac173412ddd6c4389db530785669978ff89fa26e2b3b38ced8ed036c2c45, 0x358a185f73eb0fb0175021b256290173c94f1977367195552848caa23887a678, 0x5398f5ef03cbb8d62964c8df36cc98db8af34da32cdc013f1c8505a38fb9df0e, 0x587e6b7473939d7b29e23c2c7e2b97936e9ca0e98cabbffdc189d3b3de30c05e, 0x5885637351f7b77e1e67d2a9b2fb1271f062352e9fa9ec9eb938352088c57c8b, 0x62b3168bff900e7e465d034179e9b9e74292e4e6ace2bbd1ec5de8dbf017f719

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 9 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 57% · names no operator

0x03c22bbc172c6eeaa0997d3d0abc9900b41ab57fbc7c3a76208fb60c88644060, 0x142c714f87501cfdc1a178c8144538edc095e5feae8b3002a0627a61f2f89aaf, 0x30eaac173412ddd6c4389db530785669978ff89fa26e2b3b38ced8ed036c2c45, 0x358a185f73eb0fb0175021b256290173c94f1977367195552848caa23887a678, 0x5398f5ef03cbb8d62964c8df36cc98db8af34da32cdc013f1c8505a38fb9df0e, 0x587e6b7473939d7b29e23c2c7e2b97936e9ca0e98cabbffdc189d3b3de30c05e, 0x5885637351f7b77e1e67d2a9b2fb1271f062352e9fa9ec9eb938352088c57c8b, 0x62b3168bff900e7e465d034179e9b9e74292e4e6ace2bbd1ec5de8dbf017f719

OBFUSCATION_PATTERN

relay: 6 receive-then-forward cycles within 30 minutes each

0xdb38ae75c5f44276803345f7f02e95a0aef5944

Finding confidence 67%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

6 inflow/outflow pairs of the same asset in quick succession

0x142c714f87501cfdc1a178c8144538edc095e5feae8b3002a0627a61f2f89aaf, 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7, 0x8bd3433d929a7eb4a54c8ffc6ed05190d8917e8ffe179a6bc32b222c1ffa052c, 0xa24078cebc388a4088105f524cb3e8cef1fb00aa71120d6ae25bd17eea1e2cd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

6 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 67% · names no operator

0x142c714f87501cfdc1a178c8144538edc095e5feae8b3002a0627a61f2f89aaf, 0x69de17508e0221e5073ec4ca3fde4580eb4aabfa99929a37f1795b92f2b878f7, 0x8bd3433d929a7eb4a54c8ffc6ed05190d8917e8ffe179a6bc32b222c1ffa052c, 0xa24078cebc388a4088105f524cb3e8cef1fb00aa71120d6ae25bd17eea1e2cd

value entered bridge 'celer-cbridge' toward base — the trail continues off this chain

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x9085b585b0e6139b442598dc93065bc3c6f12b54000b6f397554993c99b28b4d, 0x5427FEFA711Eff984124bFBB1AB6fbf5E3DA1820

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'celer-cbridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · BACKWARD

value arrived from bridge 'celer-cbridge' toward base — the trail continues off this chain

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x1e99b2325cab398bce9190a963f92e47a92dfa41aba28ce060a153f389e69f0d, 0x5427FEFA711Eff984124bFBB1AB6fbf5E3DA1820

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'celer-cbridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

SWEEP_PATTERN

99.9% of a received amount forwarded after 0.1h — address behaves as a pass-through

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x101b7d1c87052b202546d49527681b1ef8673c6dbe6e9fe01b429c743d415605, 0x4a35176a86cae463e226a871867449dd1b6f2411bcdbebf3229f99df8fcd3f086

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9993 within 0.1h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x101b7d1c87052b202546d49527681b1ef8673c6dbe6e9fe01b429c743d415605, 0x4a35176a86cae463e226a871867449dd1b6f2411bcdbe3229f99df8fcd3f086

OBFUSCATION_PATTERN

peel: 0.8% shed while 100.0% of the received amount continued onward

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xb8778a10a444bd7d401122ed4ca172caaa503bd4fe5df05331556f9fc9bafbfc; onward in

0xb8778a10a444bd7d401122ed4ca172caaa503bd4fe5df05331556f9fc9bafbfc; slice in

0x9602e5f5afc6ab9ecc4eb9c58a953d4ce8ceb81a85d7b2e42dcea1fc256c9db

0x9602e5f5afc6ab9ecc4eb9c58a953d4ce8ceb81a85d7b2e42dcea1fc256c9db, 0xb8778a10a444bd7d401122ed4ca172caaa503bd4fe5df05331556f9fc9bafbfc

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x9602e5f5afc6ab9ecc4eb9c58a953d4ce8ceb81a85d7b2e42dcea1fc256c9db, 0xb8778a10a444bd7d401122ed4ca172caaa503bd4fe5df05331556f9fc9bafbfc

OBFUSCATION_PATTERN

splitter: value distributed to 24 distinct addresses

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

70 outgoing movements to 24 addresses

0x078431467a04bbf7926f0111a0f39f49ddd26d85185a9fc30cfbb3d7a0e1e73f, 0x08daa863c93b9d08941896117384d6d308beca37c9f731cee16995b7111b0793, 0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x101b7d1c87052b202546d49527681b1ef8673c6dbe6e9fe01b429c743d415605, 0x16f424d0cd475452733e06ee92334de28db8481ccb549de758ba899d27a30cf9, 0x190787939ba3f968523218eaa8ba4cd3f1ff6ee439bc033a9c04bd1813c7258d, 0x19b4fc822325efe4965dfc27ea035eb975cb165f6fc33090afc1ef84ce211e77, 0x1dcb8a616422495eee551a4c5fda073e4275820e496caf5ec42632a9b287af02

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 24 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 69% · names no operator

0x078431467a04bbf7926f0111a0f39f49ddd26d85185a9fc30cfbb3d7a0e1e73f, 0x08daa863c93b9d08941896117384d6d308beca37c9f731cee16995b7111b0793, 0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x101b7d1c87052b202546d49527681b1ef8673c6dbe6e9fe01b429c743d415605, 0x16f424d0cd475452733e06ee92334de28db8481ccb549de758ba899d27a30cf9, 0x190787939ba3f968523218eaa8ba4cd3f1ff6ee439bc033a9c04bd1813c7258d, 0x19b4fc822325efe4965dfc27ea035eb975cb165f6fc33090afc1ef84ce211e77, 0x1dcb8a616422495eee551a4c5fda073e4275820e496caf5ec42632a9b287af02

OBFUSCATION_PATTERN

consolidation: value collected from 81 distinct addresses

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

130 incoming movements from 81 addresses

0x01d5f4a43f217eabf6985d33c710fc8ff31adf4b47b75f6e6c85846f711824a2, 0x04715bca5bddc5eaded4cca029a1b93dd52d55258439c76656fbd6182f1452ea, 0x06263ee1ab41e13043aa033c46574de7ac56ba88a5b513e3d6a02b1e8e981a03, 0x07e84a1f2d98cd606623278bf520fa5adcd89ae00fd61e1465bd1f9925105589, 0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x0c5fc427a250b9fbffaa9c45d895fa7651df8c5c01176d2e8d22436c272bef98, 0x0d0aa75bfc4cca003bfa6f4c64bb31c9dc042a3bebc12928a643937b07021d74, 0x16cb07fd218d38a5c164fdb6cf37b42606e303d4be058ae7e3aa63861873eae7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 81 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x01d5f4a43f217eabf6985d33c710fc8ff31adf4b47b75f6e6c85846f711824a2, 0x04715bca5bddc5eaded4cca029a1b93dd52d55258439c76656fbd6182f1452ea, 0x06263ee1ab41e13043aa033c46574de7ac56ba88a5b513e3d6a02b1e8e981a03, 0x07e84a1f2d98cd606623278bf520fa5adcd89ae00fd61e1465bd1f9925105589, 0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x0c5fc427a250b9fbffaa9c45d895fa7651df8c5c01176d2e8d22436c272bef98, 0x0d0aa75bfc4cca003bfa6f4c64bb31c9dc042a3bebc12928a643937b07021d74, 0x16cb07fd218d38a5c164fdb6cf37b42606e303d4be058ae7e3aa63861873eae7

OBFUSCATION_PATTERN

relay: 38 receive-then-forward cycles within 30 minutes each

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

38 inflow/outflow pairs of the same asset in quick succession

0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x16f424d0cd475452733e06ee92334de28db8481ccb549de758ba899d27a30cf9, 0x19b4fc822325efe4965dfc27ea035eb975cb165f6fc33090afc1ef84ce211e77, 0x1dcb8a616422495eee551a4c5fda073e4275820e496caf5ec42632a9b287af02, 0x1e99b2325cab398bce9190a963f92e47a92dfa41aba28ce060a153f389e69f0d, 0x270b6230aaad31f56a1ac0b9854e58d1d09380124cd592587173d8246033d0c7, 0x2f2631dda4dbf2ef23f056cec4fc70a2289ae027e1bed4ccbb9882ee2790bc73, 0x36a1545201ef7031e3f8730bbffe58c1de63bc9a29b4fa9a983a1c3759102729

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

38 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x16f424d0cd475452733e06ee92334de28db8481ccb549de758ba899d27a30cf9, 0x19b4fc822325efe4965dfc27ea035eb975cb165f6fc33090afc1ef84ce211e77, 0x1dcb8a616422495eee551a4c5fda073e4275820e496caf5ec42632a9b287af02, 0x1e99b2325cab398bce9190a963f92e47a92dfa41aba28ce060a153f389e69f0d, 0x270b6230aaad31f56a1ac0b9854e58d1d09380124cd592587173d8246033d0c7, 0x2f2631dda4dbf2ef23f056cec4fc70a2289ae027e1bed4ccbb9882ee2790bc73, 0x36a1545201ef7031e3f8730bbffe58c1de63bc9a29b4fa9a983a1c3759102729

TERMINAL · BACKWARD

high-degree address (82 counterparties): followed the 20 largest by value, 62 branch(es) not followed

0x5427fefaf711eff984124bfbb1ab6fbf5e3da1820

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x01d5f4a43f217eabf6985d33c710fc8ff31adf4b47b75f6e6c85846f711824a2, 0x04715bca5bddc5eaded4cca029a1b93dd52d55258439c76656fbd6182f1452ea, 0x06263ee1ab41e13043aa033c46574de7ac56ba88a5b513e3d6a02b1e8e981a03, 0x07e84a1f2d98cd606623278bf520fa5adcd89ae00fd61e1465bd1f9925105589, 0x09ad7540b5e3982c2a720a2dcc6532db79ad5ff8857808a3753fb575c1594345, 0x0c5fc427a250b9fbffaa9c45d895fa7651df8c5c01176d2e8d22436c272bef98, 0x0d0aa75bfc4cca003bfa6f4c64bb31c9dc042a3bebc12928a643937b07021d74, 0x16cb07fd218d38a5c164fdbcf37b42606e303d4be058ae7e3aa63861873eae7, 0x16f424d0cd475452733e06ee92334de28db8481ccb549de758ba899d27a30cf9, 0x19b4fc822325efe4965dfc27ea035eb975cb165f6fc33090afc1ef84ce211e77

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 62 were reached but never explored

SWEEP_PATTERN

pass-through: 3 receive-and-forward cycles (avg 95.4% forwarded, fastest 0.0h)

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 matched receive/forward pair(s) of the same asset; strongest cited

0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e, 0x6497673623af2a6d34c76a8e4984a52b55943dfb0e7c8855e3ed1a522513ff77, 0x7cd4ebc688953decc883b60745cb57eb1077d26e91efe1d56cde17f490df43e9, 0xe474acc7074518b9a4448d736e3d2c8d2b06f15ed4c0408f5d386603690b9781

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9625 within 0.0h; 3 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e, 0x6497673623af2a6d34c76a8e4984a52b55943dfb0e7c8855e3ed1a522513ff77, 0x7cd4ebc688953decc883b60745cb57eb1077d26e91efe1d56cde17f490df43e9, 0xe474acc7074518b9a4448d736e3d2c8d2b06f15ed4c0408f5d386603690b9781

OBFUSCATION_PATTERN

peel: 0.0% shed while 70.0% of the received amount continued onward

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 72%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x6497673623af2a6d34c76a8e4984a52b55943dfb0e7c8855e3ed1a522513ff77; onward in

0x6497673623af2a6d34c76a8e4984a52b55943dfb0e7c8855e3ed1a522513ff77; slice in

0xe474acc7074518b9a4448d736e3d2c8d2b06f15ed4c0408f5d386603690b9781

0x6497673623af2a6d34c76a8e4984a52b55943dfb0e7c8855e3ed1a522513ff77, 0xe474acc7074518b9a4448d736e3d2c8d2b06f15ed4c0408f5d386603690b9781

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 72% · names no operator

0x6497673623af2a6d34c76a8e4984a52b55943dfb0e7c8855e3ed1a522513ff77, 0xe474acc7074518b9a4448d736e3d2c8d2b06f15ed4c0408f5d386603690b9781

OBFUSCATION_PATTERN

splitter: value distributed to 39 distinct addresses

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

70 outgoing movements to 39 addresses

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 39 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

OBFUSCATION_PATTERN

consolidation: value collected from 25 distinct addresses

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 70%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

51 incoming movements from 25 addresses

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 25 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 70% · names no operator

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

OBFUSCATION_PATTERN

relay: 46 receive-then-forward cycles within 30 minutes each

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

46 inflow/outflow pairs of the same asset in quick succession

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

46 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

VASP_ENDPOINT · BACKWARD

service endpoint (operator unnamed): collects from 25 and pays out to 39 distinct addresses — behaves as custodial infrastructure such as an exchange

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

51 inbound and 70 outbound movements across 64 distinct counterparties

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (25 in / 39 out) exceeds the service thresholds (25/25); identifies the **ROLE** only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 58% · names no operator

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0x40ec5b33f54e0e8a33a975908c5ba1c14e5bbddf

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x3b3dd06300677be41d28506888fc8a5c439e24f6821b32934c0aa1fd88818ba7, 0x40ec5B33f54e0E8A33A975908C5BA1c14e5BbbDf

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value entered bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0x40ec5b33f54e0e8a33a975908c5ba1c14e5bbddf

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xc5b786a2f07bfd96033f58b7ecb2017ea3c6d12511050b03eb9e4264517c3d4d, 0x40ec5B33f54e0E8A33A975908C5BA1c14e5BbbDf

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'across-protocol' — the trail continues off this chain

0x40ec5b33f54e0e8a33a975908c5ba1c14e5bbddf

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x0d4483f8c8b8d11dcf828a03b62af872df3d1b336ea85d8978df04201c631a7d, 0xc186fA914353c44b2E33eBE05f21846F1048bEda

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'across-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

OBFUSCATION_PATTERN

splitter: value distributed to 8 distinct addresses

0x40ec5b33f54e0e8a33a975908c5ba1c14e5bbddf

Finding confidence 56%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

20 outgoing movements to 8 addresses

0x062227fa6e939e0769faecaf6f496ed9735bd93d04568a7e8cbb7fec3a8b8ea7, 0x1d9cbce453802222bbb9c2ce5f65cef1dc156c23b67d4e3b34a26ff49e9c992, 0x1f3c1cf206df0acd141d5e553b3393e677cb3bf19b0a896f85d30dc840c61ecf, 0x21c91c657bce2bc51d29dc1623dcfb222ce9b4dc0f3c80fc83a68e69e4d9eb09, 0x33c29e385b1ff201b46968f6138ff6a461eec2ee6f1fdfa3d2eee979e58930a3, 0x36da9015bd20801d65bdda63a31b2bcb527cb6cdcf7a9c169ae50ac787dfd70, 0x384e33a87cb6066ea1b0d7a0650191017eaf3b1c3424c344db8a0f0806c8976f, 0x39074fba83c2631327dee3316336e83ab24b775af584af2d40e19843d5c9598e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 8 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 56% · names no operator

0x062227fa6e939e0769faecaf6f496ed9735bd93d04568a7e8cbb7fec3a8b8ea7, 0x1d9cbce453802222bbb9c2ce5f65cef1dc156c23b67d4e3b34a26ff49e9c992, 0x1f3c1cf206df0acd141d5e553b3393e677cb3bf19b0a896f85d30dc840c61ecf, 0x21c91c657bce2bc51d29dc1623dcfb222ce9b4dc0f3c80fc83a68e69e4d9eb09, 0x33c29e385b1ff201b46968f6138ff6a461eec2ee6f1fdfa3d2eee979e58930a3, 0x36da9015bd20801d65bdda63a31b2bcb527cb6cdcfc7a9c169ae50ac787dfd70, 0x384e33a87cb6066ea1b0d7a0650191017eaf3b1c3424c344db8a0f0806c8976f, 0x39074fba83c2631327dee3316336e83ab24b775af584af2d40e19843d5c9598e

SWEEP_PATTERN

97.7% of a received amount forwarded after 0.0h — address behaves as a pass-through

0x27239549dd40e1d60f5b80b0c4196923745b1fd2

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0xa3ce9076005699c94b5bbae7c0a3229c74329e62bec1db8cf2b645799be2bd4f, 0xa9b6db4addaef0456d15132d67df5fc4a7cc25a461f12bc8ec3e423ccf15785e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9771 within 0.0h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0xa3ce9076005699c94b5bbae7c0a3229c74329e62bec1db8cf2b645799be2bd4f, 0xa9b6db4addaef0456d15132d67df5fc4a7cc25a461f12bc8ec3e423ccf15785e

OBFUSCATION_PATTERN

peel: 0.1% shed while 100.0% of the received amount continued onward

0x27239549dd40e1d60f5b80b0c4196923745b1fd2

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x3cfeeb879e3f87fbd450249348230ccda008fd30a6caa0a489d51926a550c297; onward in

0x3cfeeb879e3f87fbd450249348230ccda008fd30a6caa0a489d51926a550c297; slice in

0x9443a3f6a089942e72b725a162bdf46150f8684ce00ec7066014202d08aa5797

0x3cfeeb879e3f87fbd450249348230ccda008fd30a6caa0a489d51926a550c297, 0x9443a3f6a089942e72b725a162bdf46150f8684ce00ec7066014202d08aa5797

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x3cfeeb879e3f87fbd450249348230ccda008fd30a6caa0a489d51926a550c297, 0x9443a3f6a089942e72b725a162bdf46150f8684ce00ec7066014202d08aa5797

OBFUSCATION_PATTERN

splitter: value distributed to 32 distinct addresses

0x27239549dd40e1d60f5b80b0c4196923745b1fd2

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

69 outgoing movements to 32 addresses

0x0663e9f2bb560caa21320857cc731e80c9bdd1c0fad74708c9f4de2b2af011a8, 0x0690f55e1ca31e7c417461fd830c0c5f8794b2056c5927063c0a5dba51da8a31, 0x0dd80c65da56a388c53bab905970d550b5ddf2e7656782f56972f98e7d96bf77, 0x0f8dbaa92474a2e638c255295aefa744ce23b512c475c7ce1961373490646b33, 0x169b97a5bce369cb2f925f68e2068976ff98f9f530d3e1a89abc7d158a57c8c7, 0x1df6ea825906b3d29b6dbf9fa07c49ffeb0d7506517a92cbaf7a0b3baa93b8b5, 0x2252ff1694278b1f0117bcd5f5794377074410ff5fb6ed446a924baf1070687d, 0x25d2f4aca137d99e0731877adb08e05fa1e2ee1cde0c0f72607486b31cda322f

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 32 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x0663e9f2bb560caa21320857cc731e80c9bdd1c0fad74708c9f4de2b2af011a8, 0x0690f55e1ca31e7c417461fd830c0c5f8794b2056c5927063c0a5dba51da8a31, 0x0dd80c65da56a388c53bab905970d550b5ddf2e7656782f56972f98e7d96bf77, 0x0f8dbaa92474a2e638c255295aefa744ce23b512c475c7ce1961373490646b33, 0x169b97a5bce369cb2f925f68e2068976ff98f9f530d3e1a89abc7d158a57c8c7, 0x1df6ea825906b3d29b6dbf9fa07c49ffeb0d7506517a92cbaf7a0b3baa93b8b5, 0x2252ff1694278b1f0117bcd5f5794377074410ff5fb6ed446a924baf1070687d, 0x25d2f4aca137d99e0731877adb08e05fa1e2ee1cde0c0f72607486b31cda322f

OBFUSCATION_PATTERN

consolidation: value collected from 18 distinct addresses

0x27239549dd40e1d60f5b80b0c4196923745b1fd2

Finding confidence 64%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

53 incoming movements from 18 addresses

0x0663e9f2bb560caa21320857cc731e80c9bdd1c0fad74708c9f4de2b2af011a8, 0x0690f55e1ca31e7c417461fd830c0c5f8794b2056c5927063c0a5dba51da8a31, 0x0dd80c65da56a388c53bab905970d550b5ddf2e7656782f56972f98e7d96bf77, 0x0f8dbaa92474a2e638c255295aefa744ce23b512c475c7ce1961373490646b33, 0x169b97a5bce369cb2f925f68e2068976ff98f9f530d3e1a89abc7d158a57c8c7, 0x1df6ea825906b3d29b6dbf9fa07c49ffeb0d7506517a92cbaf7a0b3baa93b8b5, 0x2252ff1694278b1f0117bcd5f5794377074410ff5fb6ed446a924baf1070687d, 0x25d2f4aca137d99e0731877adb08e05fa1e2ee1cde0c0f72607486b31cda322f

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 18 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 64% · names no operator

0x0663e9f2bb560caa21320857cc731e80c9bdd1c0fad74708c9f4de2b2af011a8, 0x0690f55e1ca31e7c417461fd830c0c5f8794b2056c5927063c0a5dba51da8a31, 0x0dd80c65da56a388c53bab905970d550b5ddf2e7656782f56972f98e7d96bf77, 0x0f8dbaa92474a2e638c255295aefa744ce23b512c475c7ce1961373490646b33, 0x169b97a5bce369cb2f925f68e2068976ff98f9f530d3e1a89abc7d158a57c8c7, 0x1df6ea825906b3d29b6dbf9fa07c49ffeb0d7506517a92cbaf7a0b3baa93b8b5, 0x2252ff1694278b1f0117bcd5f5794377074410ff5fb6ed446a924baf1070687d, 0x25d2f4aca137d99e0731877adb08e05fa1e2ee1cde0c0f72607486b31cda322f

OBFUSCATION_PATTERN

relay: 44 receive-then-forward cycles within 30 minutes each

0x27239549dd40e1d60f5b80b0c4196923745b1fd2

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

44 inflow/outflow pairs of the same asset in quick succession

0x0663e9f2bb560caa21320857cc731e80c9bdd1c0fad74708c9f4de2b2af011a8, 0x0f8dbaa92474a2e638c255295aefa744ce23b512c475c7ce1961373490646b33, 0x169b97a5bce369cb2f925f68e2068976ff98f9f530d3e1a89abc7d158a57c8c7, 0x1df6ea825906b3d29b6dbf9fa07c49ffeb0d7506517a92cbaf7a0b3baa93b8b5, 0x2252ff1694278b1f0117bcd5f5794377074410ff5fb6ed446a924baf1070687d, 0x25d2f4aca137d99e0731877adb08e05fa1e2ee1cde0c0f72607486b31cda322f, 0x39813b3f9efa3b0f5432f82e3640b262a09594df11c410f2346bf65351518641, 0x3c78a16f2e48b112df096f7f5c3be71badbeed7bd31ba7d9320f8e408af2a156

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

44 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0663e9f2bb560caa21320857cc731e80c9bdd1c0fad74708c9f4de2b2af011a8, 0x0f8dbaa92474a2e638c255295aefa744ce23b512c475c7ce1961373490646b33, 0x169b97a5bce369cb2f925f68e2068976ff98f9f530d3e1a89abc7d158a57c8c7, 0x1df6ea825906b3d29b6dbf9fa07c49ffeb0d7506517a92cbaf7a0b3baa93b8b5, 0x2252ff1694278b1f0117bcd5f5794377074410ff5fb6ed446a924baf1070687d, 0x25d2f4aca137d99e0731877adb08e05fa1e2ee1cde0c0f72607486b31cda322f, 0x39813b3f9efa3b0f5432f82e3640b262a09594df11c410f2346bf65351518641, 0x3c78a16f2e48b112df096f7f5c3be71badbeed7bd31ba7d9320f8e408af2a156

SWEEP_PATTERN

pass-through: 40 receive-and-forward cycles (avg 100.0% forwarded, fastest 0.2h)

0xe700ab94906cd1410f7629bc7d29ba6ce56c4317

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

40 matched receive/forward pair(s) of the same asset; strongest cited

0x05d28dadcd206a56ee9cd7bad96e62456e39e211af55ab7d88d4cbbb130b322d0, 0x08f22316611dd58858f053ae4de53aea87710b595837de8018a48dff700fb13a, 0x0bedbb01e4b33985a460625e2f48dd642e91064f5e2e17c7cad54cdf279e2394, 0x0c85c4c71a4ab250b38b8da01642e641e1d332537b51cb1e37b33ca7cbd6311e, 0x1c9b6ba9c25bd75b13596049b0bdfd78c690602d210bf8b584f7a55a3719d416, 0x211baa0e72026f7f896e81d6e8841c8dee549697531c37cb00d124a23f96122e, 0x770aa170ccc59cada1fe15b39b606a2b0bb343e5f8f92adbf9e7e6a749852f55, 0xe9033105d21a17c5a455835cf401228b22cff6740fb2b28288f19163e0e12cb9

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 40 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x05d28dadcd206a56ee9cd7bad96e62456e39e211af55ab7d88d4cbbb130b322d0, 0x08f22316611dd58858f053ae4de53aea87710b595837de8018a48dff700fb13a, 0x0bedbb01e4b33985a460625e2f48dd642e91064f5e2e17c7cad54cdf279e2394, 0x0c85c4c71a4ab250b38b8da01642e641e1d332537b51cb1e37b33ca7cbd6311e, 0x1c9b6ba9c25bd75b13596049b0bdfd78c690602d210bf8b584f7a55a3719d416, 0x211baa0e72026f7f896e81d6e8841c8dee549697531c37cb00d124a23f96122e, 0x770aa170ccc59cada1fe15b39b606a2b0bb343e5f8f92adbf9e7e6a749852f55, 0xe9033105d21a17c5a455835cf401228b22cff6740fb2b28288f19163e0e12cb9

OBFUSCATION_PATTERN

equal-value split: 20 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0xe700ab94906cd1410f7629bc7d29ba6ce56c4317

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

20 outgoing movements each of exactly 9300000000 (smallest unit)

0x01075a267aed2c8e1d00425f0ccbe93f9173f86d60bf0586bc4b46496bf0a5fb, 0x0ce7e910bd004734c94db5dcf957a0a086bf41f34441ec5dd183a2728d166296, 0x1717d7c51f59c33fcb0d6538f2671899c3ac71f1a13358be38d4755d7c455aa4, 0x1f4ef128b04603294aa5cc219683fde309dce6f8bb2570db2ba5fb5bc952619b, 0x25a4456dde745714f58e2a5e2d732ea957ce08a757fe5879342c57b9161d125b, 0x2b5bdf2bee4a7417d4c6fa45d820095e0b7764abb6e83c074b500b6299a103df, 0x2de7efbeab91a25b5c93bb671fdbaae61dc407f6c4e15343a14affa59a88c75f, 0x4602b78739642e93ad0a043d518ea41fc0f9bdb1fc84d70f5116a31dd31890ea

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

20 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 75% · names no operator

0x01075a267aed2c8e1d00425f0ccbe93f9173f86d60bf0586bc4b46496bf0a5fb, 0x0ce7e910bd004734c94db5dcf957a0a086bf41f34441ec5dd183a2728d166296, 0x1717d7c51f59c33fcb0d6538f2671899c3ac71f1a13358be38d4755d7c455aa4, 0x1f4ef128b04603294aa5cc219683fde309dce6f8bb2570db2ba5fb5bc952619b, 0x25a4456dde745714f58e2a5e2d732ea957ce08a757fe5879342c57b9161d125b, 0x2b5bdf2bee4a7417d4c6fa45d820095e0b7764abb6e83c074b500b6299a103df, 0x2de7efbeab91a25b5c93bb671fdbaae61dc407f6c4e15343a14affa59a88c75f, 0x4602b78739642e93ad0a043d518ea41fc0f9bdb1fc84d70f5116a31dd31890ea

OBFUSCATION_PATTERN

consolidation: value collected from 35 distinct addresses

0xe700ab94906cd1410f7629bc7d29ba6ce56c4317

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

70 incoming movements from 35 addresses

0x027a2a9847586d6eaaa13b0c656e64cf6cd48e4aa91ad14beaa0495c6bb1d6c6, 0x05d28dad206a56ee9cd7bad96e62456e39e211af55ab7d88d4cbbb130b322d0, 0x08f22316611dd58858f053ae4de53aea87710b595837de8018a48dff700fb13a, 0x0a2496733f0c7170e9fd28707eb5d8f2967025a4c31bb36b1e23b38616683cfe, 0x0bedbb01e4b33985a460625e2f48dd642e91064f5e2e17c7cad54cdf279e2394, 0x0c85c4c71a4ab250b38b8da01642e641e1d332537b51cb1e37b33ca7cb d6311e, 0x0f10a0ce765eaab73d133a5ddceb43405b954d61485fc3481d73b3fb8a209f17, 0x157b386c6fc8ab776727167e5d2b8436b5ac84737ebe3d0af04e99da00a0e757

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 35 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x027a2a9847586d6eaaa13b0c656e64cf6cd48e4aa91ad14beaa0495c6bb1d6c6, 0x05d28dadcd206a56ee9cd7bad96e62456e39e211af55ab7d88d4cbbb130b322d0, 0x08f22316611dd58858f053ae4de53aea87710b595837de8018a48dff700fb13a, 0x0a2496733f0c7170e9fd28707eb5d8f2967025a4c31bb36b1e23b38616683cfe, 0x0bedbb01e4b33985a460625e2f48dd642e91064f5e2e17c7cad54cdf279e2394, 0x0c85c4c71a4ab250b38b8da01642e641e1d332537b51cb1e37b33ca7cbd6311e, 0x0f10a0ce765eaab73d133a5ddceb43405b954d61485fc3481d73b3fb8a209f17, 0x157b386c6fc8ab776727167e5d2b8436b5ac84737ebe3d0af04e99da00a0e757

OBFUSCATION_PATTERN

relay: 27 receive-then-forward cycles within 30 minutes each

0xe700ab94906cd1410f7629bc7d29ba6ce56c4317

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

27 inflow/outflow pairs of the same asset in quick succession

0x01075a267aed2c8e1d00425f0ccbe93f9173f86d60bf0586bc4b46496bf0a5fb, 0x05c5858f9f325757416d53422a08f484766e78de3ec12cd3593c21a9bb9d9756, 0x0ce7e910bd004734c94db5dcf957a0a086bf41f34441ec5dd183a2728d166296, 0x1717d7c51f59c33fcb0d6538f2671899c3ac71f1a13358be38d4755d7c455aa4, 0x1c9b6ba9c25bd75b13596049b0bdfd78c690602d210bf8b584f7a55a3719d416, 0x21ff2697a2a067ce093085e502966c4c2eab3c38adc0ffc1ce3ca55f1e7a823e, 0x2de7efbeab91a25b5c93bb671fdbaae61dc407f6c4e15343a14affa59a88c75f, 0x3281ad769e39b62a5eb80e4ea34a2851be9f87bec8db6b8f40a8913ed58490a8

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

27 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x01075a267aed2c8e1d00425f0ccbe93f9173f86d60bf0586bc4b46496bf0a5fb, 0x05c5858f9f325757416d53422a08f484766e78de3ec12cd3593c21a9bb9d9756, 0x0ce7e910bd004734c94db5dcf957a0a086bf41f34441ec5dd183a2728d166296, 0x1717d7c51f59c33fcb0d6538f2671899c3ac71f1a13358be38d4755d7c455aa4, 0x1c9b6ba9c25bd75b13596049b0bdfd78c690602d210bf8b584f7a55a3719d416, 0x21ff2697a2a067ce093085e502966c4c2eab3c38adc0ffc1ce3ca55f1e7a823e, 0x2de7efbeab91a25b5c93bb671fdbaae61dc407f6c4e15343a14affa59a88c75f, 0x3281ad769e39b62a5eb80e4ea34a2851be9f87bec8db6b8f40a8913ed58490a8

VASP_ENDPOINT · FORWARD

nearest next VASP: OKX (operational address) — an operator-controlled wallet 2 hop(s) away

0xd30b438df65f4f788563b2b3611bd6059bfff4ad9

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x48d753725010836d4878fb57eaf42e5d6ff1b65069e7be05ff0ccc4eebfe0a74, 0x64d77f6c5e19fb85aedd91676285172011be0c8bb2a7298958b14d476e26d85

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

OKX (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

SWEEP_PATTERN

pass-through: 5 receive-and-forward cycles (avg 100.0% forwarded, fastest 0.0h)

0x58bc15dcd4c0bd574313292b0f5e8efacd1390b4

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

5 matched receive/forward pair(s) of the same asset; strongest cited

0x00cf065c8f07f818cb52c12fc47c05a2cf3ddb7f7a3b53d2b1be135e4d6f653af, 0x02e675c01ac75bd3091cda47d79ccb56fbf769654ec6257c91096f3046a11662, 0x2c333b2e8f77c8cc5484cbece968e83f57e27d8500e6ee69e80b87d8d83bbc71, 0x50972a6bd43d357b8d5df98d9fed0f044a110d36657c01ab6c0eed48ddb826e9, 0x53b229097ec0a6c1e502db0c014be0dad48c63c9f1feb36b597730642c1df104, 0x636a2305d1f88612d090dd535d9ba17bcc942a20abce0a2027f102472787ab26, 0x6375889f583f9ed8ee0df1d942c6aed9dd5835a858518098ff89b684b44f39ba, 0xb78ad10d1c6b150c64677a68987b69727b4d4e92409d3d298b4bfd03ed394a56

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.0h; 5 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x00cf065c8f07f818cb52c12fc47c05a2cf3ddb7f7a3b53d2b1be135e4d6f653af, 0x02e675c01ac75bd3091cda47d79ccb56fbf769654ec6257c91096f3046a11662, 0x2c333b2e8f77c8cc5484cbece968e83f57e27d8500e6ee69e80b87d8d83bbc71, 0x50972a6bd43d357b8d5df98d9fed0f044a110d36657c01ab6c0eed48ddb826e9, 0x53b229097ec0a6c1e502db0c014be0dad48c63c9f1feb36b597730642c1df104, 0x636a2305d1f88612d090dd535d9ba17bcc942a20abce0a2027f102472787ab26, 0x6375889f583f9ed8ee0df1d942c6aed9dd5835a858518098ff89b684b44f39ba, 0xb78ad10d1c6b150c64677a68987b69727b4d4e92409d3d298b4bfd03ed394a56

OBFUSCATION_PATTERN

splitter: value distributed to 15 distinct addresses

0x58bc15dcd4c0bd574313292b0f5e8efacd1390b4

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

41 outgoing movements to 15 addresses

0x00cf065c8f07f818cb52c12fc47c05a2cf3ddb7a3b53d2b1be135e4d6f653af, 0x02e675c01ac75bd3091cda47d79ccb56fbf769654ec6257c91096f3046a11662, 0x0862b4129bf06502c0595e991e0583aa0c6fc1dc0c949dfabc452be211bb70a0, 0x0f7fa24c079d340fc011f552690a0b58ed9f2f9a5864bb38ab7d148e01aebbf4, 0x1182f32d7fd8fabf554bc25ad73f8c5ec3def801e66ef47291f6724cf4826ad7, 0x146c5e5805e41447274949aec5964515e3e916c4c94898918a405cdd49b7ef62, 0x1a6bb308b8a3446de0c5ca88e4c77aa6453047f6e0221a3c6ee9ec8c9815739a, 0x242f57f854e6add8644ebb434ee911d2b3ff87150a1d5338f4dab8c9f78240b2

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 15 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 62% · names no operator

0x00cf065c8f07f818cb52c12fc47c05a2cf3ddb7a3b53d2b1be135e4d6f653af, 0x02e675c01ac75bd3091cda47d79ccb56fbf769654ec6257c91096f3046a11662, 0x0862b4129bf06502c0595e991e0583aa0c6fc1dc0c949dfabc452be211bb70a0, 0x0f7fa24c079d340fc011f552690a0b58ed9f2f9a5864bb38ab7d148e01aebbf4, 0x1182f32d7fd8fabf554bc25ad73f8c5ec3def801e66ef47291f6724cf4826ad7, 0x146c5e5805e41447274949aec5964515e3e916c4c94898918a405cdd49b7ef62, 0x1a6bb308b8a3446de0c5ca88e4c77aa6453047f6e0221a3c6ee9ec8c9815739a, 0x242f57f854e6add8644ebb434ee911d2b3ff87150a1d5338f4dab8c9f78240b2

OBFUSCATION_PATTERN

consolidation: value collected from 20 distinct addresses

0x58bc15dcd4c0bd574313292b0f5e8efacd1390b4

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

69 incoming movements from 20 addresses

0x03cedd695a4ccab552ae755049d895744666c8c64f38f00ae3e834714ba21dde, 0x092631ed823d52c73f32a1e0e15bd50cf26510d4f4fdac06bde556d9af142201, 0x092d320f0a52ffa5b44abacf3880b1486c97301a982802615789fef8c0bc1a68, 0x0a3eceb9bbca90d23c795ff5038d69a75c6770c265e813dcdbd15ba096b21c9a9, 0x0d02f06dfe625a98fce6414612c67154832befdfeae450d047a0673d83e504d6, 0x0f9c5aee160bc331e925da61cdede5a5d757145ee7100a183b48db28547e01c5, 0x14ccb6c197b4a21f71525abd2ce35c8ab6be9c811f24b61d8fb9e4d3a205f250, 0x1a910e1bbc3c9bcde965a02ab3d1be4caee3cf4fcf92ba15a61de6c796cc9e9b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 20 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 66% · names no operator

0x03cedd695a4ccab552ae755049d895744666c8c64f38f00ae3e834714ba21dde, 0x092631ed823d52c73f32a1e0e15bd50cf26510d4f4fdac06bde556d9af142201, 0x092d320f0a52ffa5b44abacf3880b1486c97301a982802615789fef8c0bc1a68, 0x0a3eceb9bbca90d23c795ff5038d69a75c6770c265e813dcbd15ba096b21c9a9, 0x0d02f06dfe625a98fce6414612c67154832befdfeae450d047a0673d83e504d6, 0x0f9c5aee160bc331e925da61cdede5a5d757145ee7100a183b48db28547e01c5, 0x14ccb6c197b4a21f71525abd2ce35c8ab6be9c811f24b61d8fb9e4d3a205f250, 0x1a910e1bbc3c9bcde965a02ab3d1be4caee3cf4fcf92ba15a61de6c796cc9e9b

OBFUSCATION_PATTERN

relay: 7 receive-then-forward cycles within 30 minutes each

0x58bc15dcd4c0bd574313292b0f5e8efacd1390b4

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

7 inflow/outflow pairs of the same asset in quick succession

0x02e675c01ac75bd3091cda47d79ccb56fbf769654ec6257c91096f3046a11662, 0x51226b095433342703a8c683687ab67db0608d6a58fc6d7bafbc5d4cfffbc58, 0x75ddc1fa213d3e2da8443598a257b0174a8e57862857e942508496189182bf0a, 0x869f68993cfc01bfa12bc6c0e88088f5ad7a057084610b2c228e228bc9d78eb7, 0x9da2bd84e1b06266cd80db3294eff36873aacce130c16f590fa2b06284f880aa, 0xd2cc9fe76fc98dbd3f4b6228036605e9a63a3bc4893927cb0769fd18427e5de2, 0xfad8b27d1c399bd7d339b3f10d267f937f210c2e89359ec0dcd7ad0d894d34c3

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

7 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 69% · names no operator

0x02e675c01ac75bd3091cda47d79ccb56fbf769654ec6257c91096f3046a11662, 0x51226b095433342703a8c683687ab67db0608d6a58fc6d7bafbc5d4cfffbc58, 0x75ddc1fa213d3e2da8443598a257b0174a8e57862857e942508496189182bf0a, 0x869f68993cfc01bfa12bc6c0e88088f5ad7a057084610b2c228e228bc9d78eb7, 0x9da2bd84e1b06266cd80db3294eff36873aacce130c16f590fa2b06284f880aa, 0xd2cc9fe76fc98dbd3f4b6228036605e9a63a3bc4893927cb0769fd18427e5de2, 0xfad8b27d1c399bd7d339b3f10d267f937f210c2e89359ec0dcd7ad0d894d34c3

SWEEP_PATTERN

pass-through: 3 receive-and-forward cycles (avg 98.9% forwarded, fastest 0.1h)

0x8589427373d6d84e98730d7795d8f6f8731fda16

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 matched receive/forward pair(s) of the same asset; strongest cited

0x2b9f0055107092e0cbb5f205ae2b69deb3e83b5a2ed5578fb29bc49774e2949d, 0x3cbbe00b2b3aa280e93ff240842b67fbccb1ab7c550efd127ee5f1922971a997, 0x46d189d7cafc730325064eac052699a014e8ed69442e8c91ab23d3623e3fcc3f, 0x564d1032cc6420eedbb473eb12bc48d27e9abcc7279b795b6905cb9bc0e9dde6, 0xd66a1fd5562d59da779b3ece0f56adaabcda3db20128b1f8b36810f33bdbacc8, 0xd7cf691da9a60c632e8109a8dae6b9a4a18d7a440228eb14aa6f44490a400ba2

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.1h; 3 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x2b9f0055107092e0cbb5f205ae2b69deb3e83b5a2ed5578fb29bc49774e2949d, 0x3cbbe00b2b3aa280e93ff240842b67fbccb1ab7c550efd127ee5f1922971a997, 0x46d189d7cafc730325064eac052699a014e8ed69442e8c91ab23d3623e3fcc3f, 0x564d1032cc6420eedbb473eb12bc48d27e9abcc7279b795b6905cb9bc0e9dde6, 0xd66a1fd5562d59da779b3ece0f56adaabcda3db20128b1f8b36810f33bdbacc8, 0xd7cf691da9a60c632e8109a8dae6b9a4a18d7a440228eb14aa6f44490a400ba2

OBFUSCATION_PATTERN

splitter: value distributed to 14 distinct addresses

0x8589427373d6d84e98730d7795d8f6f8731fda16

Finding confidence 61%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

27 outgoing movements to 14 addresses

0x0ac5be286c41a35c27ecf8742b75e0d12f90b46dba7c987e717a55612349c8bf, 0x0ddcbaab6978656eef5dbdb1bc801deb6691933249bfb61897365ade329cbb33, 0x1115fb78d83c72b82a5ca95605487506cc38359d25c20c8e2c2b6fa15149950d, 0x18d470220f5bc54954d43fc1f64eb8d4b93bc8744124e51116a6fc5076128aef, 0x207592d7e312213976c5376c773e0d7f0585764dc84ef3aed85a7eb40f8c9b37, 0x28d7d1b554ea0cec67c291bc6683a72f2671557cbf82b63087c677f4863d0f25, 0x29fc5801ec2a44a00c5130858ad6e1736444006b73d027def3cecebd7d142a35, 0x2e0b70aa6f54ce10262a7fd49da028e895b4e81509f9dd228e526d406fcac1ef

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 14 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 61% · names no operator

0x0ac5be286c41a35c27ecf8742b75e0d12f90b46dba7c987e717a55612349c8bf, 0x0ddcbaab6978656eef5dbdb1bc801deb6691933249bfb61897365ade329cbb33, 0x1115fb78d83c72b82a5ca95605487506cc38359d25c20c8e2c2b6fa15149950d, 0x18d470220f5bc54954d43fc1f64eb8d4b93bc8744124e51116a6fc5076128aef, 0x207592d7e312213976c5376c773e0d7f0585764dc84ef3aed85a7eb40f8c9b37, 0x28d7d1b554ea0cec67c291bc6683a72f2671557cbf82b63087c677f4863d0f25, 0x29fc5801ec2a44a00c5130858ad6e1736444006b73d027def3cecebd7d142a35, 0x2e0b70aa6f54ce10262a7fd49da028e895b4e81509f9dd228e526d406fcac1ef

OBFUSCATION_PATTERN

consolidation: value collected from 21 distinct addresses

0x8589427373d6d84e98730d7795d8f6f8731fda16

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

171 incoming movements from 21 addresses

0x00ff12c19d238c89f32e0f898a0816a8bd73a4782c533bfaed4c95615184bdbf, 0x01e02a920295dee460c19fe139330e3fa7bed16034c7561a3b69bb1e551c5088, 0x039ba194e176daee1f6eab206efc02936459271c247f1054833c75460aa0c9e2, 0x05c9d0b4b34b05b6c577a349892dc48c5075d4ed6e1d21c3ea35e843482d6a47, 0x063d68740edbb32cec5118df7e467146dd2b5476bf1c1532989a10784a0fa0c2, 0x08a68ac45eb2cc605261480956514a8e535a660b2b0295fd92c11fb87ecff377, 0x0b4279dfdfd5c115dcfa65f28719099f0ccad5691e403bc42f74118228cbab1c, 0x0dbb674d1d9fca1b50c68be28878d4b1e64e92476557ce7773fe3f385786a98e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 21 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 66% · names no operator

0x00ff12c19d238c89f32e0f898a0816a8bd73a4782c533bfaed4c95615184bdbf, 0x01e02a920295dee460c19fe139330e3fa7bed16034c7561a3b69bb1e551c5088, 0x039ba194e176daee1f6eab206efc02936459271c247f1054833c75460aa0c9e2, 0x05c9d0b4b34b05b6c577a349892dc48c5075d4ed6e1d21c3ea35e843482d6a47, 0x063d68740edbb32cec5118df7e467146dd2b5476bf1c1532989a10784a0fa0c2, 0x08a68ac45eb2cc605261480956514a8e535a660b2b0295fd92c11fb87ecff377, 0x0b4279dfdfd5c115dcfa65f28719099f0ccad5691e403bc42f74118228cbab1c, 0x0dbb674d1d9fca1b50c68be28878d4b1e64e92476557ce7773fe3f385786a98e

OBFUSCATION_PATTERN

relay: 11 receive-then-forward cycles within 30 minutes each

0x8589427373d6d84e98730d7795d8f6f8731fda16

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

11 inflow/outflow pairs of the same asset in quick succession

0x1115fb78d83c72b82a5ca95605487506cc38359d25c20c8e2c2b6fa15149950d, 0x18d470220f5bc54954d43fc1f64eb8d4b93bc8744124e51116a6fc5076128aef, 0x29fc5801ec2a44a00c5130858ad6e1736444006b73d027def3cecebd7d142a35, 0x310766565f8545d657fd42a64e72b291dd932c3b440ce19a8980b408952b5f30, 0x4c1c3be1f907cc6a64131fda653a79de4c99f090f92a0e72b368909d204d8019, 0x564d1032cc6420eedbb473eb12bc48d27e9abcc7279b795b6905cb9bc0e9dde6, 0x79a2e2bf4c1f702a99669dce9b6a5dac0d05837e14e2a14fb407bf800ee1e00, 0x8e6f0aea355bed489d2fdf7550f5b6820bbd2ad49f47d075f1868526f2083f6e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

11 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x1115fb78d83c72b82a5ca95605487506cc38359d25c20c8e2c2b6fa15149950d, 0x18d470220f5bc54954d43fc1f64eb8d4b93bc8744124e51116a6fc5076128aef, 0x29fc5801ec2a44a00c5130858ad6e1736444006b73d027def3cecebd7d142a35, 0x310766565f8545d657fd42a64e72b291dd932c3b440ce19a8980b408952b5f30, 0x4c1c3be1f907cc6a64131fda653a79de4c99f090f92a0e72b368909d204d8019, 0x564d1032cc6420eedbb473eb12bc48d27e9abcc7279b795b6905cb9bc0e9dde6, 0x79a2e2bf4c1f702a99669dce9bf6a5dac0d05837e14e2a14fb407bf800ee1e00, 0x8e6f0aea355bed489d2fdf7550f5b6820bbd2ad49f47d075f1868526f2083f6e

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 100 USDT pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0x169ad27a470d064dede56a2d3ff727986b15d52b

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 100 USDT pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 100 USDC pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0xd96f2b1c14db8458374d9aca76e26c3d18364307

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 100 USDC pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

MIXER_INTERACTION · BACKWARD

funds reached a known mixer (Tornado Cash — 5000 cDAI pool); the deposit-to-withdrawal link is severed by design, so anything beyond this point is a heuristic candidate and not a traced hop

0x22aaa7720ddd5388a3c0a3333430953c68f1849b

Finding confidence 90%

EVIDENCE

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

address identified as mixer 'Tornado Cash — 5000 cDAI pool'

Source: OFAC SDN + official protocol sources (agent-researched, corroborated) · dated 2026-08-07 00:00 UTC — 10 days old · claim confidence 90%

BRIDGE_CROSSING · FORWARD

value entered bridge 'hop-protocol' — the trail continues off this chain

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xf92556ec2f54cbc4e98d57c1266eb3c15fc58ac7bc9cc96b0efed64d7a967f9c, 0x3666f603Cc164936C1b87e207F36BE Ba4AC5f18a

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'hop-protocol'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value entered bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0xb616d91951c5bac53c7e7a3fd8c8519f4da3e659e5c87f75b92fea138cc29898, 0xA0c68C638235ee32657e8f720a23ce C1bFc77C77

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

SWEEP_PATTERN

100.0% of a received amount forwarded after 0.2h — address behaves as a pass-through

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x39aeb7ee837374c16694c3c3f103315c9c9c0b9675c0698f894d736cc06ed7bf, 0x5aaca7aabc47c617d8335f26d67ffe
bfe87d9caf4c384d0bb6e7ed31d31a5c9d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x39aeb7ee837374c16694c3c3f103315c9c9c0b9675c0698f894d736cc06ed7bf, 0x5aaca7aabc47c617d8335f26d67ffe
bfe87d9caf4c384d0bb6e7ed31d31a5c9d

OBFUSCATION_PATTERN

splitter: value distributed to 49 distinct addresses

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

56 outgoing movements to 49 addresses

0x05a1011a7cde9ae1c24c210a9c92bddd273fb8988139823b2d5dc59c17dde353, 0x1ad9f94b389aa8d5716a052245ae52
e398b53a71e8645aee9b5e2d372e416e65, 0x288683e19b4653fae078a24f9272cfcc6d1071fbb02593caa851f39b425539
a7, 0x294220c9971979b3b4a038f3d0f692739568cd92d8778d0e6ccee2d5b0b9613d, 0x2d1e9598e02f22fce2e7c7ec34
04415e93a8361b0d510476dcb5691b8335f15a, 0x2d2a773ea0c90f51affd5b297fb79e02dfcf0ec7e748152f82cf021412
f873ed, 0x35f1f5859984dc9ee88d5297f1ad8d57c606b6cebb746bb86ed1aa12d6d74d5e, 0x38400de63408ee97bcbca8
4d87ac503bc1b76f3053583fdfda91228358949e8a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 49 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 75% · names no operator

0x05a1011a7cde9ae1c24c210a9c92bddd273fb8988139823b2d5dc59c17dde353, 0x1ad9f94b389aa8d5716a052245ae52
e398b53a71e8645aee9b5e2d372e416e65, 0x288683e19b4653fae078a24f9272cfcc6d1071fbb02593caa851f39b425539
a7, 0x294220c9971979b3b4a038f3d0f692739568cd92d8778d0e6ccee2d5b0b9613d, 0x2d1e9598e02f22fce2e7c7ec34
04415e93a8361b0d510476dcb5691b8335f15a, 0x2d2a773ea0c90f51affd5b297fb79e02dfcf0ec7e748152f82cf021412
f873ed, 0x35f1f5859984dc9ee88d5297f1ad8d57c606b6cebb746bb86ed1aa12d6d74d5e, 0x38400de63408ee97bcbca8
4d87ac503bc1b76f3053583fdfda91228358949e8a

OBFUSCATION_PATTERN

consolidation: value collected from 36 distinct addresses

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

73 incoming movements from 36 addresses

0x02d409813401a927925db577afd658af0f25544a911876244dff8346739a96cb, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bfff981907f4b072bd, 0x05171809649f667f3cf9973cd66348a290c1596e09a351e71fa9d239c913e2b3, 0x09a5b36832e63580e5ffa5ba2c689700412dd24bdd857f52fd7d5b806e6218af, 0x10a2f8a72dedddd06313026af7832a3eb7ea228bc5c2996a6cc1fd39a0055312, 0x144289e1a10ba12b12594f9c9415d7e5a5b98181d445d60a3156d03229c938ad, 0x1b2b23b9c2a1a8ff52aa0bb44d809593c7278115688b8ba106ec120ffd728b4c, 0x1b4cb8d1c4a24e3d05dbaf b31d71bf5feaf19485df7b0fdf04a5164fab36e711

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 36 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x02d409813401a927925db577afd658af0f25544a911876244dff8346739a96cb, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bfff981907f4b072bd, 0x05171809649f667f3cf9973cd66348a290c1596e09a351e71fa9d239c913e2b3, 0x09a5b36832e63580e5ffa5ba2c689700412dd24bdd857f52fd7d5b806e6218af, 0x10a2f8a72dedddd06313026af7832a3eb7ea228bc5c2996a6cc1fd39a0055312, 0x144289e1a10ba12b12594f9c9415d7e5a5b98181d445d60a3156d03229c938ad, 0x1b2b23b9c2a1a8ff52aa0bb44d809593c7278115688b8ba106ec120ffd728b4c, 0x1b4cb8d1c4a24e3d05dbaf b31d71bf5feaf19485df7b0fdf04a5164fab36e711

OBFUSCATION_PATTERN

relay: 4 receive-then-forward cycles within 30 minutes each

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 61%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

4 inflow/outflow pairs of the same asset in quick succession

0x2d2a773ea0c90f51affd5b297fb79e02dfcf0ec7e748152f82cf021412f873ed, 0x39aeb7ee837374c16694c3c3f103315c9c9c0b9675c0698f894d736cc06ed7bf, 0x50296d17809567ef20984aa8be1e8dc5beb1bf5766802cde8605e08850fb6b c4, 0x6cf9b2ab5d76cb4e6960450f3fb341b00bd6f52e86290522c57b5fd0cfca7d03

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

4 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 61% · names no operator

0x2d2a773ea0c90f51affd5b297fb79e02dfcf0ec7e748152f82cf021412f873ed, 0x39aeb7ee837374c16694c3c3f103315c9c9c0b9675c0698f894d736cc06ed7bf, 0x50296d17809567ef20984aa8be1e8dc5beb1bf5766802cde8605e08850fb6b c4, 0x6cf9b2ab5d76cb4e6960450f3fb341b00bd6f52e86290522c57b5fd0cfca7d03

service endpoint (operator unnamed): collects from 36 and pays out to 49 distinct addresses — behaves as custodial infrastructure such as an exchange

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

73 inbound and 56 outbound movements across 85 distinct counterparties

0x02d409813401a927925db577afd658af0f25544a911876244dff8346739a96cb, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bfff981907f4b072bd, 0x05171809649f667f3cf9973cd66348a290c1596e09a351e71fa9d239c913e2b3, 0x05a1011a7cde9ae1c24c210a9c92bddd273fb8988139823b2d5dc59c17dde353, 0x09a5b36832e63580e5ffa5ba2c689700412dd24bdd857f52fd7d5b806e6218af, 0x10a2f8a72dedddd06313026af7832a3eb7ea228bc5c2996a6cc1fd39a0055312, 0x144289e1a10ba12b12594f9c9415d7e5a5b98181d445d60a3156d03229c938ad, 0x1ad9f94b389aa8d5716a052245ae52e398b53a71e8645aee9b5e2d372e416e65

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (36 in / 49 out) exceeds the service thresholds (25/25); identifies the ROLE only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 59% · names no operator

0x02d409813401a927925db577afd658af0f25544a911876244dff8346739a96cb, 0x04ea196209a7443bbb3b29b4359195f49e7a31f03b22c32bfff981907f4b072bd, 0x05171809649f667f3cf9973cd66348a290c1596e09a351e71fa9d239c913e2b3, 0x05a1011a7cde9ae1c24c210a9c92bddd273fb8988139823b2d5dc59c17dde353, 0x09a5b36832e63580e5ffa5ba2c689700412dd24bdd857f52fd7d5b806e6218af, 0x10a2f8a72dedddd06313026af7832a3eb7ea228bc5c2996a6cc1fd39a0055312, 0x144289e1a10ba12b12594f9c9415d7e5a5b98181d445d60a3156d03229c938ad, 0x1ad9f94b389aa8d5716a052245ae52e398b53a71e8645aee9b5e2d372e416e65

TERMINAL · FORWARD

high-degree address (59 counterparties): followed the 20 largest by value, 39 branch(es) not followed

0x45eed8f7730838a51beef3cf7385efaedb2baaaf

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x05a1011a7cde9ae1c24c210a9c92bddd273fb8988139823b2d5dc59c17dde353, 0x1ad9f94b389aa8d5716a052245ae52e398b53a71e8645aee9b5e2d372e416e65, 0x2451b842854ab51783c411beac9755b475ceb63adf36d76ab437e1f774ed8cbd, 0x288683e19b4653fae078a24f9272cfcc6d1071fbb02593caa851f39b425539a7, 0x294220c9971979b3b4a038f3d0f692739568cd92d8778d0e6ccce2d5b0b9613d, 0x2d1e9598e02f22fce2e7c7ec3404415e93a8361b0d510476dcb5691b8335f15a, 0x2d2a773ea0c90f51affd5b297fb79e02dfcf0ec7e748152f82cf021412f873ed, 0x2ea391ea27e2515139290cfbfbd19e9a3455c742d0e00fd575ca9a25d92879422, 0x34ceb1e4796855b6d0b17c3909f8138be1d66f3a6861ff8716e6f5b0ff9fedee, 0x35f1f5859984dc9ee88d5297f1ad8d57c606b6cebb746bb86ed1aa12d6d74d5e

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 39 were reached but never explored

SWEEP_PATTERN

pass-through: 8 receive-and-forward cycles (avg 100.0% forwarded, fastest 0.2h)

0x0df3d1d8ca5a6155ddfa19adf854040c66d11168

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

8 matched receive/forward pair(s) of the same asset; strongest cited

0x1f62db4b45386200ef10176d030338432a8daaec0c8f758c99ce221617eb9eba, 0x23be967805bf5521706527e92fc8933971011c6284de5d80b779462dc60b767b, 0x5313b0d32515d0e8e0bc287b7c8bc7edfd198c319c717901582c13d890c57bb2, 0x62baeb0e3798da7bbfa1f0ba4aace5bb7403e61586656cbcb0cb51a23319bdf7, 0x724218b775466c2dbd331db63628f6077daf044ce3d8335c324ceebb66c3182c, 0x9b549a597b3f07e2dc4a394847dc10d9d5c8f3cadb1c488347f39b3e9eb3df4d, 0xbe83baa5fdb3cf5b4f8077e9ca737d1c748d0ae82c70fa2f083c28fb8d0cc0c4, 0xc030affec4f0dfd84265dd9193cbbb0ca5e6611878a0171a0f6a6ec8e062e783

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.2h; 8 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x1f62db4b45386200ef10176d030338432a8daaec0c8f758c99ce221617eb9eba, 0x23be967805bf5521706527e92fc8933971011c6284de5d80b779462dc60b767b, 0x5313b0d32515d0e8e0bc287b7c8bc7edfd198c319c717901582c13d890c57bb2, 0x62baeb0e3798da7bbfa1f0ba4aace5bb7403e61586656cbcb0cb51a23319bdf7, 0x724218b775466c2dbd331db63628f6077daf044ce3d8335c324ceebb66c3182c, 0x9b549a597b3f07e2dc4a394847dc10d9d5c8f3cadb1c488347f39b3e9eb3df4d, 0xbe83baa5fdb3cf5b4f8077e9ca737d1c748d0ae82c70fa2f083c28fb8d0cc0c4, 0xc030affec4f0dfd84265dd9193cbbb0ca5e6611878a0171a0f6a6ec8e062e783

OBFUSCATION_PATTERN

equal-value split: 8 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0x0df3d1d8ca5a6155ddfa19adf854040c66d11168

Finding confidence 67%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

8 outgoing movements each of exactly 5000000000 (smallest unit)

0x106eafc2b2a4d36d55922463088effaa4ff4c16a83a6970d3604f228e9617a02, 0x22d189ac0a8d13291c26f3f3d61162ba5b16dd668e5fcfeccadacc094c0b3b19, 0x623eaeef32e657944395187d5dbd20808d341513514ca0df974e42191d41c5581, 0x9b549a597b3f07e2dc4a394847dc10d9d5c8f3cadb1c488347f39b3e9eb3df4d, 0xa04197c00eb8ed5fc1a7e5c353fbac0d96baea92532bad4530b27164f1e4f41d, 0xadd5749aca21b43df3c8a77dc5c278341c3b7f6a73a301c11882acb1dda217ce, 0xc030affec4f0dfd84265dd9193cbbb0ca5e6611878a0171a0f6a6ec8e062e783, 0xf7ec1c43301f78bfbd37f3b18cf35e5fb6bc3615f660eeb21b4ea0963a7f75bb

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

8 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 67% · names no operator

0x106eafc2b2a4d36d55922463088effaa4ff4c16a83a6970d3604f228e9617a02, 0x22d189ac0a8d13291c26f3f3d61162ba5b16dd668e5fcfeccadacc094c0b3b19, 0x623eaeef32e657944395187d5dbd20808d341513514ca0df974e42191d41c5581, 0x9b549a597b3f07e2dc4a394847dc10d9d5c8f3cadb1c488347f39b3e9eb3df4d, 0xa04197c00eb8ed5fc1a7e5c353fbac0d96baea92532bad4530b27164f1e4f41d, 0xadd5749aca21b43df3c8a77dc5c278341c3b7f6a73a301c11882acb1dda217ce, 0xc030affec4f0dfd84265dd9193cbbb0ca5e6611878a0171a0f6a6ec8e062e783, 0xf7ec1c43301f78bfbd37f3b18cf35e5fb6bc3615f660eeb21b4ea0963a7f75bb

OBFUSCATION_PATTERN

relay: 4 receive-then-forward cycles within 30 minutes each

0x0df3d1d8ca5a6155ddfa19adf854040c66d11168

Finding confidence 61%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

4 inflow/outflow pairs of the same asset in quick succession

0x106eafc2b2a4d36d55922463088effaa4ff4c16a83a6970d3604f228e9617a02, 0x724218b775466c2dbd331db63628f6077daf044ce3d8335c324ceebb66c3182c, 0x9b549a597b3f07e2dc4a394847dc10d9d5c8f3cadb1c488347f39b3e9eb3df4d, 0xadd5749aca21b43df3c8a77dc5c278341c3b7f6a73a301c11882acb1dda217ce

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

4 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 61% · names no operator

0x106eafc2b2a4d36d55922463088effaa4ff4c16a83a6970d3604f228e9617a02, 0x724218b775466c2dbd331db63628f6077daf044ce3d8335c324ceebb66c3182c, 0x9b549a597b3f07e2dc4a394847dc10d9d5c8f3cadb1c488347f39b3e9eb3df4d, 0xadd5749aca21b43df3c8a77dc5c278341c3b7f6a73a301c11882acb1dda217ce

VASP_ENDPOINT · FORWARD

nearest next VASP: Binance (operational address) — an operator-controlled wallet 2 hop(s) away

0x28c6c06298d514db089934071355e5743bf21d60

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x1f62db4b45386200ef10176d030338432a8daaec0c8f758c99ce221617eb9eba, 0x833560ff6ff52d70305553eb5bf0019b8f747ee602f65ed4cb0e41b1abd885aa

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Binance (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

SWEEP_PATTERN

100.0% of a received amount forwarded after 1.3h — address behaves as a pass-through

0x2a8eabb8103c12ebedf0902dbd56d506a584482c

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x984a2b9dd1b450f4ea18975be21332645003a41902495315ec07cedb0136adb8, 0xa074756e3e1f598d77ff3bda702773676291053f0fc31b8b09b62f7bc2f3db4a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 1.3h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x984a2b9dd1b450f4ea18975be21332645003a41902495315ec07cedb0136adb8, 0xa074756e3e1f598d77ff3bda702773676291053f0fc31b8b09b62f7bc2f3db4a

OBFUSCATION_PATTERN

equal-value split: 40 outputs of identical value — structure consistent with CoinJoin-style mixing or an automated splitter

0xde0b295669a9fd93d5f28d9ec85e40f4cb697bae

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

40 outgoing movements each of exactly 10000000000000000000 (smallest unit)

0x00599dcca49ba9708c475f559d4cdd4a84aadbd593f45a106bae881becc50945, 0x05b046e46e2d65724d7a3bd92db6e1fdb2809e0008adb7ecb026ddc464072abe, 0x1157d15fcbd3c0a82ca3b62c9026b92437ce98073fbbc9d657b80829405cba22, 0x17bd3edd1d897c387ca3557cd1530f4d126930e49e8cafe2a0772fe8ce7e7901, 0x24c064f5019a8fb7d959a903b81e64da95090c75cf39fc8fa267bbf300c9b219, 0x291528661f861b6968a3af9d0c70d4d880bffeae4e367632488247872e25eef8, 0x2e1421ea9e6a209d5cc0b5822da491c5aa64c485584cc41691d9cd9a3f5034f6, 0x460041116ff09f44889dca45bd387d4ed6d4599b15c5fda6b9cfbdcc03960691

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

40 byte-identical output values of one asset; airdrops and fixed-price payouts produce the same shape

Rule: equal-split@1 · confidence 75% · names no operator

0x00599dcca49ba9708c475f559d4cdd4a84aadbd593f45a106bae881becc50945, 0x05b046e46e2d65724d7a3bd92db6e1fdb2809e0008adb7ecb026ddc464072abe, 0x1157d15fcbd3c0a82ca3b62c9026b92437ce98073fbbc9d657b80829405cba22, 0x17bd3edd1d897c387ca3557cd1530f4d126930e49e8cafe2a0772fe8ce7e7901, 0x24c064f5019a8fb7d959a903b81e64da95090c75cf39fc8fa267bbf300c9b219, 0x291528661f861b6968a3af9d0c70d4d880bffeae4e367632488247872e25eef8, 0x2e1421ea9e6a209d5cc0b5822da491c5aa64c485584cc41691d9cd9a3f5034f6, 0x460041116ff09f44889dca45bd387d4ed6d4599b15c5fda6b9cfbdcc03960691

OBFUSCATION_PATTERN

consolidation: value collected from 16 distinct addresses

0xde0b295669a9fd93d5f28d9ec85e40f4cb697bae

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

62 incoming movements from 16 addresses

0x08118a6647d4529c85aa5cdb534f78b03d3dafd3390ee097235296659bd3951d, 0x0dc2810ace2528ae0198f7a0df6997904856cdc856c223afc292c888704a7bc4, 0x0fb05aa8f9a07e394bd5e5d96a3e28fcfbff022e2335f8bca45e9e38cbfc055a, 0x101d6560412a0bbf4015e6aa265fcffa3ec9d3889e0457e357b53bca4a84856a, 0x105db7687cfeea84ebe2dcb21b851b19860daa32242794c27e04cf44ec2e4106, 0x1255a4900e05839c4ce874efb6703c967ddba4f37123438a14e0aecdd074ab9a1, 0x196583e011c9132460fba03678493166e335257b26c3d16204dee3bf0eafae1d, 0x1c291b030fa3f5a2b2afd849a67ce05aeb0586035935e1031ca365efb725d4bf

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 16 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 62% · names no operator

0x08118a6647d4529c85aa5cdb534f78b03d3dafd3390ee097235296659bd3951d, 0x0dc2810ace2528ae0198f7a0df6997904856cdc856c223afc292c888704a7bc4, 0x0fb05aa8f9a07e394bd5e5d96a3e28fcfbff022e2335f8bca45e9e38cbfc055a, 0x101d6560412a0bbf4015e6aa265fcffa3ec9d3889e0457e357b53bca4a84856a, 0x105db7687cfeea84ebe2dcb21b851b19860daa32242794c27e04cf44ec2e4106, 0x1255a4900e05839c4ce874efb6703c967ddba4f37123438a14e0aecd074ab9a1, 0x196583e011c9132460fba03678493166e335257b26c3d16204dee3bf0eafae1d, 0x1c291b030fa3f5a2b2afd849a67ce05aeb0586035935e1031ca365efb725d4bf

TERMINAL · BACKWARD

high-degree address (86 counterparties): followed the 20 largest by value, 66 branch(es) not followed

0xde0b295669a9fd93d5f28d9ec85e40f4cb697bae

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x01dd3c6282ea7eedc695af84d652906c496989fc8fb85c0c7f570327a3b1b1e0, 0x01e90fad68f59f7fa56d404453768876094f47373cbdef7a9aabbdd2fc714385e, 0x02affef327b21454e135ea5d4c8e3c35f91558b7b50079937e56741b0b8531f4, 0x039553777f9726c763632adbea5d6f0a1f13dec1d1d02c35c9309b750d6a17ae, 0x08118a6647d4529c85aa5cdb534f78b03d3dafd3390ee097235296659bd3951d, 0x08aa5e5fdfe0f6ede63babc7c96280f08d36dd56495039d6c09f00673505cb8, 0x09b28b1daf62357b13d663a8946572c73ae19f2464a14160c3998b987f3c2654, 0x0ace862eca0ac4bcd5a57d2fd82c068117d50b659be05bedf42fbb4f73c4c1a1, 0x0b1998d10f35d51a18ad057b0997f2bdc220cf08a9c82e66c2eda92a9017899b, 0x0dc2810ace2528ae0198f7a0df6997904856cdc856c223afc292c888704a7bc4

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 66 were reached but never explored

OBFUSCATION_PATTERN

consolidation: value collected from 75 distinct addresses

0xdac17f958d2ee523a2206206994597c13d831ec7

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

95 incoming movements from 75 addresses

0x0057f01632e4a21d24203da80bc8e8133910e51a8fa0cb9b3f5335c42f3d7218, 0x026d0221d4fb05cc0668191df7c3073e1c8ab9e0f5ce976074bd499dd68ce04a, 0x02b0e15ad55fa7c02469c59f883d44085baf232fe91663684b0597e949640c18, 0x04ce755050fc6100b8848c38a68243da7bcb9d4df846ecab572b5d1390d486eb, 0x0719865ce97bb05b8c5e2f14a46f757e2b4bf6b8a43903755c0fea4f5111b344, 0x09f07a569d437eb21cff551960f5507c54c7f6ef5ebee52c138bddfd1b52e6b9, 0x0af1ec5ea2bc96c175f9c547a428eee492b1d912bf68dc7c3d3a33d62e685d55, 0x0d39a882907b123ed9bbde99e81f14cabbfa7415b1c2aabb89685236816cc546

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 75 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x0057f01632e4a21d24203da80bc8e8133910e51a8fa0cb9b3f5335c42f3d7218, 0x026d0221d4fb05cc0668191df7c3073e1c8ab9e0f5ce976074bd499dd68ce04a, 0x02b0e15ad55fa7c02469c59f883d44085baf232fe91663684b0597e949640c18, 0x04ce755050fc6100b8848c38a68243da7bcb9d4df846ecab572b5d1390d486eb, 0x0719865ce97bb05b8c5e2f14a46f757e2b4bf6b8a43903755c0fea4f5111b344, 0x09f07a569d437eb21cff551960f5507c54c7f6ef5ebee52c138bddfd1b52e6b9, 0x0af1ec5ea2bc96c175f9c547a428eee492b1d912bf68dc7c3d3a33d62e685d55, 0x0d39a882907b123ed9bbde99e81f14cabbfa7415b1c2aabb89685236816cc546

TERMINAL · BACKWARD

high-degree address (81 counterparties): followed the 20 largest by value, 61 branch(es) not followed

0xdac17f958d2ee523a2206206994597c13d831ec7

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x0057f01632e4a21d24203da80bc8e8133910e51a8fa0cb9b3f5335c42f3d7218, 0x026d0221d4fb05cc0668191df7c3073e1c8ab9e0f5ce976074bd499dd68ce04a, 0x02b0e15ad55fa7c02469c59f883d44085baf232fe91663684b0597e949640c18, 0x04ce755050fc6100b8848c38a68243da7bcb9d4df846ecab572b5d1390d486eb, 0x0719865ce97bb05b8c5e2f14a46f757e2b4bf6b8a43903755c0fea4f5111b344, 0x09f07a569d437eb21cff551960f5507c54c7f6ef5ebee52c138bddfd1b52e6b9, 0x0af1ec5ea2bc96c175f9c547a428eee492b1d912bf68dc7c3d3a33d62e685d55, 0x0d39a882907b123ed9bbde99e81f14cabbfa7415b1c2aabb89685236816cc546, 0x0d86a8897c9083ec876dbf9aaea921087e4b9993f4b3dc33551dd6248153c9e6, 0x0ea7117f1d6627e538ba878b020367f09a238c1ff25ec44c7fc03f4b72ece780

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 61 were reached but never explored

VASP_ENDPOINT · BACKWARD

nearest previous VASP: Bybit (operational address) — an operator-controlled wallet 2 hop(s) away

0x18e296053cbdf986196903e889b7dca7a73882f6

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0xe9e96b10c301d2c400ed94059c6754a7decaac7c842f83f4b6bfefd25fc1536c, 0x337d39b699af32872949f6b1bdde611c4223a66f6c892914b653f323f0ebef03

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Bybit (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

SWEEP_PATTERN

100.0% of a received amount forwarded after 0.1h — address behaves as a pass-through

0x226a995a7128c98210e5bae44ad5c6de390db35e

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x481587e3a35764ecf0d32cad9401f2708000f527df714fa0bd1eb06f992924c9, 0x70c3e4503014fbb45db674650f9a4e35a70fa465159a9f9a9df9eb396a94ae27

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.1h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x481587e3a35764ecf0d32cad9401f2708000f527df714fa0bd1eb06f992924c9, 0x70c3e4503014fbb45db674650f9a4e35a70fa465159a9f9a9df9eb396a94ae27

OBFUSCATION_PATTERN

peel: 19.8% shed while 81.8% of the received amount continued onward

0x226a995a7128c98210e5bae44ad5c6de390db35e

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0xc8c9b5ebf8f280dce88213b48d43a2180a85b7ab85a9fdee2a6006b0f69dc3c9; onward in 0x59dc3038a552a26f0131bd406de9798545bd4cf70262ccd888c0c28ac9f5484a; slice in 0x2c8675c2e4f830e942d9be2e5649cb02983df198badc35332305f2dcbdb28701

0x2c8675c2e4f830e942d9be2e5649cb02983df198badc35332305f2dcbdb28701, 0x59dc3038a552a26f0131bd406de9798545bd4cf70262ccd888c0c28ac9f5484a, 0xc8c9b5ebf8f280dce88213b48d43a2180a85b7ab85a9fdee2a6006b0f69dc3c9

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 75% · names no operator

0x2c8675c2e4f830e942d9be2e5649cb02983df198badc35332305f2dcbdb28701, 0x59dc3038a552a26f0131bd406de9798545bd4cf70262ccd888c0c28ac9f5484a, 0xc8c9b5ebf8f280dce88213b48d43a2180a85b7ab85a9fdee2a6006b0f69dc3c9

OBFUSCATION_PATTERN

relay: 3 receive-then-forward cycles within 30 minutes each

0x226a995a7128c98210e5bae44ad5c6de390db35e

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 inflow/outflow pairs of the same asset in quick succession

0x2c8675c2e4f830e942d9be2e5649cb02983df198badc35332305f2dcbdb28701, 0x481587e3a35764ecf0d32cad9401f2708000f527df714fa0bd1eb06f992924c9, 0x59dc3038a552a26f0131bd406de9798545bd4cf70262ccd888c0c28ac9f5484a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

3 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 58% · names no operator

0x2c8675c2e4f830e942d9be2e5649cb02983df198badc35332305f2dcbdb28701, 0x481587e3a35764ecf0d32cad9401f2708000f527df714fa0bd1eb06f992924c9, 0x59dc3038a552a26f0131bd406de9798545bd4cf70262ccd888c0c28ac9f5484a

VASP_ENDPOINT · BACKWARD

nearest previous VASP: Bitget (operational address) — an operator-controlled wallet 2 hop(s) away

0x1ab4973a48dc892cd9971ece8e01dcc7688f8f23

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0xb692958068b50efbb86af4a8fb5d01fb0c93904a04ca1e6f5ca17b15861b502c, 0x70c3e4503014fbb45db674650f9a4e35a70fa465159a9f9a9df9eb396a94ae27

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Bitget (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

MIXER_INTERACTION · BACKWARD

the trail stopped at this mixer — no exit candidate could be proposed; no branch past it is offered, which is not evidence that none exists

0xd90e2f925da726b50c4ed8d0fb90ad053324f31b

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool

0xd90e2f925da726b50c4ed8d0fb90ad053324f31b:\$ TornadoV2.com - TornadoCash new link#33258 within 7 days before this transaction; the branch has nothing to follow; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

BRIDGE_CROSSING · BACKWARD

value entered bridge 'arbitrum-one' toward arbitrum — the trail continues off this chain

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x4Dbd4fc535Ac27206064B68FfCf827b0A60BAB3f

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'arbitrum-one'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

SWEEP_PATTERN

pass-through: 5 receive-and-forward cycles (avg 99.6% forwarded, fastest 0.0h)

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

5 matched receive/forward pair(s) of the same asset; strongest cited

0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x56eaa494a02edb18f53ba205689968b3a607399fd98d165cb7fa48cee79d22bd, 0x62c9ef4144d028656dd7e00ffc560c8a0e417692c85df3b623c74c63fb9dd54f, 0x6f76cbc3dbf60a972e9daa0b8520eb50e95dd75c46cd3246df2fda05f22abec6, 0x7d37696d014b54e2943f6435c429448e98d5a239163ed4db639b8e1ba3ef4a45, 0x83531170f9690a37662b18be92a9e9e4432a1734bd3497d031e404eec670915b, 0x9c3b535abe018677a9c0cbe772745206f61a23f2c252cb09668a91e6db2c227a, 0xbe6aff37e8c76d0c6d30ccf275728ab557882fe8eb90a5d2b1f0e5bc08a079af

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 1.0000 within 0.1h; 5 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x56eaa494a02edb18f53ba205689968b3a607399fd98d165cb7fa48cee79d22bd, 0x62c9ef4144d028656dd7e00ffc560c8a0e417692c85df3b623c74c63fb9dd54f, 0x6f76cbc3dbf60a972e9daa0b8520eb50e95dd75c46cd3246df2fda05f22abec6, 0x7d37696d014b54e2943f6435c429448e98d5a239163ed4db639b8e1ba3ef4a45, 0x83531170f9690a37662b18be92a9e9e4432a1734bd3497d031e404eec670915b, 0x9c3b535abe018677a9c0cbe772745206f61a23f2c252cb09668a91e6db2c227a, 0xbe6aff37e8c76d0c6d30ccf275728ab557882fe8eb90a5d2b1f0e5bc08a079af

OBFUSCATION_PATTERN

peel: 20.0% shed while 79.6% of the received amount continued onward

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x8fe11db4d7bf3c72a42633356b6dcd0e170dc6f158f99eade02d1a77be2a6f7; onward in 0xba93bd5e9cfc17966692871e4a2c012ae863d7462ee7f67b422772a5f7c7dac7; slice in 0xe0245ae8186d7f4d01ca7d330bb65d6f735a12d73e7bf2c8f34f8c44824a00d5

0x8fe11db4d7bf3c72a42633356b6dcd0e170dc6f158f99eade02d1a77be2a6f7, 0xba93bd5e9cfc17966692871e4a2c012ae863d7462ee7f67b422772a5f7c7dac7, 0xe0245ae8186d7f4d01ca7d330bb65d6f735a12d73e7bf2c8f34f8c44824a00d5

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 75% · names no operator

0x8fe11db4d7bf3c72a42633356b6dcd0e170dc6f158f99eade02d1a77be2a6f7, 0xba93bd5e9cfc17966692871e4a2c012ae863d7462ee7f67b422772a5f7c7dac7, 0xe0245ae8186d7f4d01ca7d330bb65d6f735a12d73e7bf2c8f34f8c44824a00d5

OBFUSCATION_PATTERN

splitter: value distributed to 42 distinct addresses

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

56 outgoing movements to 42 addresses

0x00ad82bb351b3d5f26796c1245307d84000fdd62a516aee639d80ab23d43d581, 0x0624418712669d139ea6357252c664f90a7330017078799daa190a153c7270c2, 0x0ae302523ed3a23b67aaa55e13f8bb5777791f919af824f1cfc3ff9c4f3644dd, 0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x0e3b9c25eaae92bacd8202218ede06d497a8893a4010eda9236c3b937d78b42a, 0x0fe61b5bcb77a38aec7e14c2d95666864473a2e5761b1874c96046643e8355fb, 0x1a79d60901e9fab3730370c6d92bdb5a06d37f7ed5cce652292c3476f6b896be, 0x22ecc21dd866cd713df3d36bb115b834bef08f4035282ea04accd3b1598ebd78

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 42 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 16 outputs of identical value

Rule: fan-out@1 · confidence 75% · names no operator

0x00ad82bb351b3d5f26796c1245307d84000fdd62a516aee639d80ab23d43d581, 0x0624418712669d139ea6357252c664f90a7330017078799daa190a153c7270c2, 0x0ae302523ed3a23b67aaa55e13f8bb5777791f919af824f1cfc3ff9c4f3644dd, 0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x0e3b9c25eaae92bacd8202218ede06d497a8893a4010eda9236c3b937d78b42a, 0x0fe61b5bcb77a38aec7e14c2d95666864473a2e5761b1874c96046643e8355fb, 0x1a79d60901e9fab3730370c6d92bdb5a06d37f7ed5cce652292c3476f6b896be, 0x22ecc21dd866cd713df3d36bb115b834bef08f4035282ea04accd3b1598ebd78

OBFUSCATION_PATTERN

consolidation: value collected from 35 distinct addresses

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

69 incoming movements from 35 addresses

0x051fd8242fd4a487c3b21ca4fc882d38233d59cb181b5b2a804ed2cb234ad40b, 0x061b2a1499a8b1ad5f70b10281733a6ff13b27de6dfcc138b581f3f4a3a24fdf, 0x081ba212939a3c25bf007765be1c2e3885a57ee3debed156733f01fd1029a308, 0x083e32a28761b77a482bb26d54d436eb6be55806b646ab89a9d2072db5db52ee, 0x0900dcf41876df0d665f77660cc4932ecb912d5ec6765336dba8abdfc32c0270, 0x09c1cdb9fab8570b4c51cbb2d2241957e595ba2964e43cfea543c336474336eb, 0x1c4a0965d9bc2e773c5184d75e705ab58d61a8d055791188869e6e44c72576f0, 0x1d93651fc971d6e0a1a95d172e12d08f42cdd76a0bb1740d0ec1bca4a1f8081d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 35 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 75% · names no operator

0x051fd8242fd4a487c3b21ca4fc882d38233d59cb181b5b2a804ed2cb234ad40b, 0x061b2a1499a8b1ad5f70b10281733a6ff13b27de6dfcc138b581f3f4a3a24fdf, 0x081ba212939a3c25bf007765be1c2e3885a57ee3debed156733f01fd1029a308, 0x083e32a28761b77a482bb26d54d436eb6be55806b646ab89a9d2072db5db52ee, 0x0900dcf41876df0d665f77660cc4932ecb912d5ec6765336dba8abdfc32c0270, 0x09c1cdb9fab8570b4c51cbb2d2241957e595ba2964e43cfea543c336474336eb, 0x1c4a0965d9bc2e773c5184d75e705ab58d61a8d055791188869e6e44c72576f0, 0x1d93651fc971d6e0a1a95d172e12d08f42cdd76a0bb1740d0ec1bca4a1f8081d

OBFUSCATION_PATTERN

relay: 26 receive-then-forward cycles within 30 minutes each

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

26 inflow/outflow pairs of the same asset in quick succession

0x00ad82bb351b3d5f26796c1245307d84000fdd62a516aee639d80ab23d43d581, 0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x0fe61b5bcb77a38aec7e14c2d95666864473a2e5761b1874c96046643e8355fb, 0x1a79d60901e9fab3730370c6d92bdb5a06d37f7ed5cce652292c3476f6b896be, 0x22ecc21dd866cd713df3d36bb115b834bef08f4035282ea04accd3b1598ebd78, 0x267707f558b64b03604e80fc4344c14df3371f680e31712f662facb5b5c391a6, 0x386d9f842dda97e8ddc95a4eeb833d018b42d9196c389ad72a9a26744d03a491, 0x3a9b24c218ef941a6662ccdf6432cf44a4f6a5e1c35cfad8d8b929a334408fda

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

26 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x00ad82bb351b3d5f26796c1245307d84000fdd62a516aee639d80ab23d43d581, 0x0e0535ea19dae01cb841df4cf075d19c3088d921bfdaea44ff12fc4bf1403e3e, 0x0fe61b5bcb77a38aec7e14c2d95666864473a2e5761b1874c96046643e8355fb, 0x1a79d60901e9fab3730370c6d92bdb5a06d37f7ed5cce652292c3476f6b896be, 0x22ecc21dd866cd713df3d36bb115b834bef08f4035282ea04accd3b1598ebd78, 0x267707f558b64b03604e80fc4344c14df3371f680e31712f662facb5b5c391a6, 0x386d9f842dda97e8ddc95a4eeb833d018b42d9196c389ad72a9a26744d03a491, 0x3a9b24c218ef941a6662ccd6432cf44a4f6a5e1c35cfad8d8b929a334408fda

VASP_ENDPOINT · BACKWARD

service endpoint (operator unnamed): collects from 35 and pays out to 42 distinct addresses — behaves as custodial infrastructure such as an exchange

0x3af4788ade7a75b90c0d8f59017f3ef56b51b84e

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

69 inbound and 56 outbound movements across 77 distinct counterparties

0x00ad82bb351b3d5f26796c1245307d84000fdd62a516aee639d80ab23d43d581, 0x051fd8242fd4a487c3b21ca4fc882d38233d59cb181b5b2a804ed2cb234ad40b, 0x061b2a1499a8b1ad5f70b10281733a6ff13b27de6dfcc138b581f3f4a3a24fdf, 0x0624418712669d139ea6357252c664f90a7330017078799daa190a153c7270c2, 0x081ba212939a3c25bf007765be1c2e3885a57ee3debed156733f01fd1029a308, 0x083e32a28761b77a482bb26d54d436eb6be55806b646ab89a9d2072db5db52ee, 0x0900dcf41876df0d665f77660cc4932ecb912d5ec6765336dba8abdfc32c0270, 0x09c1cdb9fab8570b4c51cbf2d2241957e595ba2964e43cfea543c336474336eb

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (35 in / 42 out) exceeds the service thresholds (25/25); identifies the ROLE only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 59% · names no operator

0x00ad82bb351b3d5f26796c1245307d84000fdd62a516aee639d80ab23d43d581, 0x051fd8242fd4a487c3b21ca4fc882d38233d59cb181b5b2a804ed2cb234ad40b, 0x061b2a1499a8b1ad5f70b10281733a6ff13b27de6dfcc138b581f3f4a3a24fdf, 0x0624418712669d139ea6357252c664f90a7330017078799daa190a153c7270c2, 0x081ba212939a3c25bf007765be1c2e3885a57ee3debed156733f01fd1029a308, 0x083e32a28761b77a482bb26d54d436eb6be55806b646ab89a9d2072db5db52ee, 0x0900dcf41876df0d665f77660cc4932ecb912d5ec6765336dba8abdfc32c0270, 0x09c1cdb9fab8570b4c51cbf2d2241957e595ba2964e43cfea543c336474336eb

VASP_ENDPOINT · BACKWARD

nearest previous VASP: Binance (operational address) — an operator-controlled wallet 2 hop(s) away

0x21a31ee1afc51d94c2efccaa2092ad1028285549

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x832e62b72df65175976f9660277c713f59c393a62f03fcc3b4401933a2ce24c0, 0xbcd13bfc0189eb1280333bd4b0bb12e5a6b0d2ad0a7d783b9c475ac077668ba9

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

Binance (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

VASP_ENDPOINT · BACKWARD

nearest previous VASP: HTX (operational address) — an operator-controlled wallet 2 hop(s) away

0x229b5c097f9b35009ca1321ad2034d4b3d5070f6

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x832e62b72df65175976f9660277c713f59c393a62f03fcc3b4401933a2ce24c0, 0x3b1591544e124842797bbd616776d4ed7fdec69714934ad211ea53f2524075b4

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

HTX (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

OBFUSCATION_PATTERN

consolidation: value collected from 14 distinct addresses

0x5b98ffed5fc15bee1d3a4e6190c3504620d75c5f

Finding confidence 61%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

14 incoming movements from 14 addresses

0x0e1cfba191a934f9893516b6260a93560fcb89de4ca9bc81f59b0f7f53ac56ea, 0x1a4e8e7a9728b27c549e93c0134b8e1e58875f9f36bb96bf986a87a405a48516, 0x2884ffd4bad2a3a13fa48c4aa84eae24c90e2cb6be825e71f693afefd4c4015, 0x2e65f37314e04cb9adfa90526d6579ab29093c09bb599d146ae9fe5486d8c3c2, 0x2fffe65144047454a0170d315dcd25766d03ff291f70ce236c10c40f4019bf05, 0x932d9a78d1cf1b4e9c4d86f8c4dfc082f83386e9512beba269375b8ec7a696f6, 0x96350f76c9b7bd0aba78e4ad6e2cc189f9e71d82ff21e33afb1e43408eebb625, 0x999d7957ece3b00728e68bccd4a471a67e991fb3e93348bfc945cae3ae6fedec

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 14 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 61% · names no operator

0x0e1cfba191a934f9893516b6260a93560fcb89de4ca9bc81f59b0f7f53ac56ea, 0x1a4e8e7a9728b27c549e93c0134b8e1e58875f9f36bb96bf986a87a405a48516, 0x2884ffd4bad2a3a13fa48c4aa84eae24c90e2cb6be825e71f693afefd4c4015, 0x2e65f37314e04cb9adfa90526d6579ab29093c09bb599d146ae9fe5486d8c3c2, 0x2fffe65144047454a0170d315dcd25766d03ff291f70ce236c10c40f4019bf05, 0x932d9a78d1cf1b4e9c4d86f8c4dfc082f83386e9512beba269375b8ec7a696f6, 0x96350f76c9b7bd0aba78e4ad6e2cc189f9e71d82ff21e33afb1e43408eebb625, 0x999d7957ece3b00728e68bccd4a471a67e991fb3e93348bfc945cae3ae6fedec

VASP_ENDPOINT · BACKWARD

nearest previous VASP: MEXC (operational address) — an operator-controlled wallet 2 hop(s) away

0x9642b23ed1e01df1092b92641051881a322f5d4e

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x4ce037d50de8dcae226e4f55be3fcc74185e326885efd089091b8b2c650e7398, 0x85261c92d8b1f560476199afce16a5df35c2ebe4933a9411b54bd40449428da4

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

MEXC (operational address) labeled 'vasp'

Source: Etherscan public address tags, via dawsbot/eth-labels · dated 2026-07-10 00:00 UTC — 38 days old · claim confidence 75%

TERMINAL · BACKWARD

high-degree address (54 counterparties): followed the 20 largest by value, 34 branch(es) not followed

0xc18360217d8f7ab5e7c516566761ea12ce7f9d72

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x04d44fefa6a0a2e35892fca4e989eb1646d86df5444dd95069236d05a9cca336, 0x12c2ab40c90e3f8122e91e48b8e1b84bb95718dd1dbcd9cdeb3cdbc681eec750, 0x131c5605636f1550f2df1723230514cebb238dc60aba0d85b7091c2aa23ca599, 0x137d64494046712c5630d900f56d812626757e53af39605de075059901252594, 0x1a09c63285f4b80bdaddd4907bed575d6570724cf86b6b2246677d1488dbe285, 0x1a333ddd58033c789ff21dc63d455b796cbce8a07293ab101e90b4e0ae427fb9, 0x1ef1e42fd6b932d93db4abd896be3da023b28e5c41fc9dfe262f5997ee9d4d07, 0x24c90f6894f0aa807574f4c800522a5d92b4f1b5940606c885b584a9941cb7e7, 0x254e8ec5e3a03aeb2b62b32b7e4f62001e763e8d38356831b6b5f36ab7e1a5be, 0x2a2a621286ab8d9e08b639e48a443886cde8adfcfb4fd69542a6b804b4326774c

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 34 were reached but never explored

SWEEP_PATTERN

pass-through: 2 receive-and-forward cycles (avg 99.3% forwarded, fastest 0.1h)

0x290a6a7460b308ee3f19023d2d00de604bcf5b42

Finding confidence 93%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

2 matched receive/forward pair(s) of the same asset; strongest cited

0x4ec5b03b1f857f33068ce223af0cc38b443f5856ba9be09db70d41170e0d4fe5, 0x62a21faf17c08ee1f7148f4bea67b1c2594e889e516e94cd6e51f3455827aa6e, 0x7876b752a2dc7f8561fc8ae15987c319e6068707c8f41c72a5588418257cc26b, 0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9940 within 5.2h; 2 such cycle(s) overall

Rule: sweep@1 · confidence 93% · names no operator

0x4ec5b03b1f857f33068ce223af0cc38b443f5856ba9be09db70d41170e0d4fe5, 0x62a21faf17c08ee1f7148f4bea67b1c2594e889e516e94cd6e51f3455827aa6e, 0x7876b752a2dc7f8561fc8ae15987c319e6068707c8f41c72a5588418257cc26b, 0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68

OBFUSCATION_PATTERN

peel: 0.7% shed while 99.4% of the received amount continued onward

0x290a6a7460b308ee3f19023d2d00de604bcf5b42

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x14a9f138a5e76800881a69ed4a4a5eb8975531ecb387957ae814f0de7d287937; onward in

0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68; slice in

0x5b934c4df5cc1a17c5edf45808134771acbe4a6834be75f17a195bfb3eeb9ba5

0x14a9f138a5e76800881a69ed4a4a5eb8975531ecb387957ae814f0de7d287937, 0x5b934c4df5cc1a17c5edf45808134771acbe4a6834be75f17a195bfb3eeb9ba5, 0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x14a9f138a5e76800881a69ed4a4a5eb8975531ecb387957ae814f0de7d287937, 0x5b934c4df5cc1a17c5edf45808134771acbe4a6834be75f17a195bfb3eeb9ba5, 0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68

OBFUSCATION_PATTERN

splitter: value distributed to 17 distinct addresses

0x290a6a7460b308ee3f19023d2d00de604bcf5b42

Finding confidence 63%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

27 outgoing movements to 17 addresses

0x021a022b3e3b6d662270022716dd1807d0800a8bc538afcc5ff0b95071a53578, 0x026ba30017dab5f24611549a13d5936557cb809835e103d967757a97835de9c3, 0x050306ab95dc48b3443e19e7170254647a642b4f5c72fe93d7f3d2e694354d14, 0x0669728c90ab4e7de38f29bcfc24c230c0ba506f6938f2f6647b5004ae0c87bb, 0x124855508603a445ee4b7735a3ba4af976f8d846bae23397e2526ed91bba8894, 0x29894cc01f437a881ddd43f48313f0a6dea6e15d380392a10daf03156c724de3, 0x359a749a65d6f2965dac3e8cab8d545caee13859cfb0415d433c077482a4bf0b, 0x368c76bf0cb3ab8d39a295e631b092dc4a458a8f9c083c574470742f8151c3f3

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 17 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 63% · names no operator

0x021a022b3e3b6d662270022716dd1807d0800a8bc538afcc5ff0b95071a53578, 0x026ba30017dab5f24611549a13d5936557cb809835e103d967757a97835de9c3, 0x050306ab95dc48b3443e19e7170254647a642b4f5c72fe93d7f3d2e694354d14, 0x0669728c90ab4e7de38f29bcfc24c230c0ba506f6938f2f6647b5004ae0c87bb, 0x124855508603a445ee4b7735a3ba4af976f8d846bae23397e2526ed91bba8894, 0x29894cc01f437a881ddd43f48313f0a6dea6e15d380392a10daf03156c724de3, 0x359a749a65d6f2965dac3e8cab8d545caee13859cfb0415d433c077482a4bf0b, 0x368c76bf0cb3ab8d39a295e631b092dc4a458a8f9c083c574470742f8151c3f3

OBFUSCATION_PATTERN

consolidation: value collected from 8 distinct addresses

0x290a6a7460b308ee3f19023d2d00de604bcf5b42

Finding confidence 56%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

24 incoming movements from 8 addresses

0x0a7c10f2abc3bd204c3b094c5a008b362824263d89c0c656f63428535b27ad40, 0x0cdf4f5285a5f2c693b41922f61a05b0fe833169b4f1ef2fb4ffda5b61d4ed40, 0x12266e8eafc63b96d65924d4824677a56fe457164dac93344bca32fb1880b727, 0x14a9f138a5e76800881a69ed4a4a5eb8975531ecb387957ae814f0de7d287937, 0x25118e89eb34fd81a76ef54b271a7078ebcb356f341427396434d67948bf01a9, 0x35e92943984335dba92e3b55c25e9b8edd5ab235d9108b7ef02deb96c6d48300, 0x47bc4a366f46489a2347ef936aab30fa19db9bdd635649f3484949f603f0fb0a, 0x4af49c6542aabaab7541055bd5daa482f9312d5e9a9c047b4557b3b41e295ee4

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 8 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 56% · names no operator

0x0a7c10f2abc3bd204c3b094c5a008b362824263d89c0c656f63428535b27ad40, 0x0cdf4f5285a5f2c693b41922f61a05b0fe833169b4f1ef2fb4ffda5b61d4ed40, 0x12266e8eafc63b96d65924d4824677a56fe457164dac93344bca32fb1880b727, 0x14a9f138a5e76800881a69ed4a4a5eb8975531ecb387957ae814f0de7d287937, 0x25118e89eb34fd81a76ef54b271a7078ebcb356f341427396434d67948bf01a9, 0x35e92943984335dba92e3b55c25e9b8edd5ab235d9108b7ef02deb96c6d48300, 0x47bc4a366f46489a2347ef936aab30fa19db9bdd635649f3484949f603f0fb0a, 0x4af49c6542aabaab7541055bd5daa482f9312d5e9a9c047b4557b3b41e295ee4

OBFUSCATION_PATTERN

relay: 7 receive-then-forward cycles within 30 minutes each

0x290a6a7460b308ee3f19023d2d00de604bcf5b42

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

7 inflow/outflow pairs of the same asset in quick succession

0x29894cc01f437a881ddd43f48313f0a6dea6e15d380392a10daf03156c724de3, 0x359a749a65d6f2965dac3e8cab8d545cae13859cfb0415d433c077482a4bf0b, 0x62a21faf17c08ee1f7148f4bea67b1c2594e889e516e94cd6e51f3455827aa6e, 0xa63bf1013e93330a578798aabb59c293e8dfb55a35b30bd963d2207adbb24480, 0xb11cffa37e47f4bf68cedbd8d1ac81681c594b06d8a08046981ada0565577103, 0xd817750ce00932cd4a5e5e3f0ee760131e362b620569501aa5d41225cd dde2e9, 0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

7 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 69% · names no operator

0x29894cc01f437a881ddd43f48313f0a6dea6e15d380392a10daf03156c724de3, 0x359a749a65d6f2965dac3e8cab8d545cae13859cfb0415d433c077482a4bf0b, 0x62a21faf17c08ee1f7148f4bea67b1c2594e889e516e94cd6e51f3455827aa6e, 0xa63bf1013e93330a578798aabb59c293e8dfb55a35b30bd963d2207adbb24480, 0xb11cffa37e47f4bf68cedbd8d1ac81681c594b06d8a08046981ada0565577103, 0xd817750ce00932cd4a5e5e3f0ee760131e362b620569501aa5d41225cd dde2e9, 0xfcae819331816fe23066dce743a881dfbcb64f49592dd166b1d6a8aae2c02e68

OBFUSCATION_PATTERN

splitter: value distributed to 19 distinct addresses

0x82dbc2673e9640343d263a3c55de49021ad39ae2

Finding confidence 65%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

34 outgoing movements to 19 addresses

0x032a22494c00061f0455463a997f6e04372b5338973efbb6b14e4712653e6c74, 0x03c8573be366e94026bb0a4c4e55250277d93945f1393daf0aad62bc93051282, 0x04cbced71fe61dba808abe7ce0d7fd7ba5e66baff1f934e3eed34bf6fc3eb2ed, 0x05d77d4deaa9cf06e7d6ce0b6639a751f40a19cd9a9c6f26be6a93c3edf073ae, 0x132d7092e5db0f366b12d953cf0b7647756ed71da85d6b1088d9e94c9cf7babd, 0x1d8a3a7dbe9cabaa2b276cfef1b04c697541df209767fa909ff928043fa5efff0, 0x2ef94d2f34a3daed180c86766890a69c6669f150cc11ed4af6b7d17efccd5055, 0x39d0f20e08ac1f14335f6c04bd81accb77fe6457939c4e7f103709a435c5f81b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 19 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 65% · names no operator

0x032a22494c00061f0455463a997f6e04372b5338973efbb6b14e4712653e6c74, 0x03c8573be366e94026bb0a4c4e55250277d93945f1393daf0aad62bc93051282, 0x04cbced71fe61dba808abe7ce0d7fd7ba5e66baff1f934e3eed34bf6fc3eb2ed, 0x05d77d4deaa9cf06e7d6ce0b6639a751f40a19cd9a9c6f26be6a93c3edf073ae, 0x132d7092e5db0f366b12d953cf0b7647756ed71da85d6b1088d9e94c9cf7babd, 0x1d8a3a7dbe9cabaa2b276cfef1b04c697541df209767fa909ff928043fa5efff0, 0x2ef94d2f34a3daed180c86766890a69c6669f150cc11ed4af6b7d17efccd5055, 0x39d0f20e08ac1f14335f6c04bd81accb77fe6457939c4e7f103709a435c5f81b

OBFUSCATION_PATTERN

consolidation: value collected from 8 distinct addresses

0x82dbc2673e9640343d263a3c55de49021ad39ae2

Finding confidence 56%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

13 incoming movements from 8 addresses

0x0f95f0643b36f11c884d5e412fe42d6f95d4fd78fbd15a852a55c14a69e074ec, 0x2347a14612e7b215d96ed45958ae9095b293148cd255cb5f8b3b63b506092c45, 0x4dd4e86284dffea3f42e29c8706ce6b077c7d62b1cf44568c1ecf00871aaf98a, 0x57d31941b0703a5dc92c49513402bbcf04d4235b57aae005af691690a54d22a5, 0x595b328b95ea1f14ead23c7cd42510410bfa2b12df88457ed217d98e8a2516d0, 0x725b7ac6df4d76ce56a4f317745169b60703a4d66a4cf5f1600f3ce0dbeeebd7, 0x73f667808a75fc70e6bfc2d559701173e07e1258a755c6f97caafc95f73230ab, 0xb2b7893c17bf53823a53b716e389668c3326cb5ed8b4826d22483d6837312f2b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 8 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 56% · names no operator

```
0x0f95f0643b36f11c884d5e412fe42d6f95d4fd78fbd15a852a55c14a69e074ec, 0x2347a14612e7b215d96ed45958ae90
95b293148cd255cb5f8b3b63b506092c45, 0x4dd4e86284dffa3f42e29c8706ce6b077c7d62b1cf44568c1ecf00871aaf9
8a, 0x57d31941b0703a5dc92c49513402bbc0f4d4235b57aae005af691690a54d22a5, 0x595b328b95ea1f14ead23c7cd4
2510410bfa2b12df88457ed217d98e8a2516d0, 0x725b7ac6df4d76ce56a4f317745169b60703a4d66a4cf5f1600f3ce0db
eeebd7, 0x73f667808a75fc70e6bfc2d559701173e07e1258a755c6f97caafc95f73230ab, 0xb2b7893c17bf53823a53b7
16e389668c3326cb5ed8b4826d22483d6837312f2b
```

OBFUSCATION_PATTERN

splitter: value distributed to 14 distinct addresses

```
0xceff51756c56ceffca006cd410b03ffc46dd3a58
```

Finding confidence 61%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

46 outgoing movements to 14 addresses

```
0x066896739dd8652ea989df66bd377f13d286af86a46d5bb1095c02ae1077ef40, 0x076f7e7d33fecf432314f3eca349d3
b1f3988ee0d0adf0c170586a1c0699432f, 0x0c5d405c75ab35a3c80b4d60f0e49f8357621a4faa34e1f9634fc47e154e3e
7c, 0x0d7dc7029e5e3c9906dce161eb49c4dc321e9d8d1bc516c6a7628eb9552546a8, 0x0daabb6a2a98c93b3a7c8bb1fb
9169151981c7dff5c1928ceb3cc5c6994fe912, 0x10a75fead1a3f3885c4b101a35dc629247a6c674156641f802455706b6
e4d2ce, 0x1443eb1d9a0630fd614eb9d830ba34f6164616bb42b57e3eb5fd3c81bc7fbf91, 0x1498ea8c4112f3bf6c5968
9a4f163f85a2e51851acfa177ab108043948ac8c78
```

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 14 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 61% · names no operator

```
0x066896739dd8652ea989df66bd377f13d286af86a46d5bb1095c02ae1077ef40, 0x076f7e7d33fecf432314f3eca349d3
b1f3988ee0d0adf0c170586a1c0699432f, 0x0c5d405c75ab35a3c80b4d60f0e49f8357621a4faa34e1f9634fc47e154e3e
7c, 0x0d7dc7029e5e3c9906dce161eb49c4dc321e9d8d1bc516c6a7628eb9552546a8, 0x0daabb6a2a98c93b3a7c8bb1fb
9169151981c7dff5c1928ceb3cc5c6994fe912, 0x10a75fead1a3f3885c4b101a35dc629247a6c674156641f802455706b6
e4d2ce, 0x1443eb1d9a0630fd614eb9d830ba34f6164616bb42b57e3eb5fd3c81bc7fbfb91, 0x1498ea8c4112f3bf6c5968
9a4f163f85a2e51851acfa177ab108043948ac8c78
```

OBFUSCATION PATTERN

splitter: value distributed to 10 distinct addresses

```
0x0000000000000000000000000000000000000000000000000
```

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

18 outgoing movements to 10 addresses

0x0dcc8f527f8033ba3ec904271fe734f35dc0e9039dd817b16f822665a301b61f, 0x1c2b7c948fdd86dbeaf20fa60436a17986111c3f3411162a6831570abd700e9f, 0x475ce496eef1385626babf9f15d5759fac823df0b9206162d8b30fe9e63e8bbe, 0x48784ab0c8d4fc7d8bc4a3ff92fbcc9db034ffa97866663448f8d01426706780, 0x5cc421ca9c589087d2f6c715e048f9ac4b3a78d8c7e1e987d975f6c3d7dfd624, 0x6b55c05b510ad591394f9956d10e304cc95cf4181750dd2f38581dcc19c82b8c, 0x836e23e2d85b29759b68c2305d1d86bb80a1c13ca06c135aa143ea026c76c76c, 0x9822f283bed144fbf6b40e3a653ce347b025fe77114f6b4ff14d02f2cc443ff6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 10 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 58% · names no operator

0x0dcc8f527f8033ba3ec904271fe734f35dc0e9039dd817b16f822665a301b61f, 0x1c2b7c948fdd86dbeaf20fa60436a17986111c3f3411162a6831570abd700e9f, 0x475ce496eef1385626babf9f15d5759fac823df0b9206162d8b30fe9e63e8bbe, 0x48784ab0c8d4fc7d8bc4a3ff92fbcc9db034ffa97866663448f8d01426706780, 0x5cc421ca9c589087d2f6c715e048f9ac4b3a78d8c7e1e987d975f6c3d7dfd624, 0x6b55c05b510ad591394f9956d10e304cc95cf4181750dd2f38581dcc19c82b8c, 0x836e23e2d85b29759b68c2305d1d86bb80a1c13ca06c135aa143ea026c76c76c, 0x9822f283bed144fbf6b40e3a653ce347b025fe77114f6b4ff14d02f2cc443ff6

OBFUSCATION_PATTERN

consolidation: value collected from 16 distinct addresses

0x00

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

36 incoming movements from 16 addresses

0x0b278c3bed541266630441447c451296a78ce9cf646f73fd584c4cf6d1284cf4, 0x0e782ca7c049085991169a7414c8a15357d83b0f545f6b4a649bbbb39921eafb, 0x0f82555f91fef8860ec4fa4ac31017382a730aaedf1711d887ffff55b9bc33c8, 0x103f16ab40e8f7a32675d9deb505ba4fb7ea287194a54124dda55d0889af02b9, 0x18845339a53e758ce26de25be1d7c93bbf4c9556fa0226ae5d87766bd13eb76d, 0x1fa3c882678c67bdf20728771324c63a682afd166c6b138bdb5696295dabe6c4, 0x23c4609040bbd51332f1af4bc98b68c4946aec3b3899e8246cd7453a4d979648, 0x297d797f5c4d376de55a6f5dbae3e7a4ade5b2e18ac10173638f655ebe098c5a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 16 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 62% · names no operator
0x0b278c3bed541266630441447c451296a78ce9cf646f73fd584c4cf6d1284cf4, 0x0e782ca7c049085991169a7414c8a15357d83b0f545f6b4a649bbbb39921eafb, 0x0f82555f91fef8860ec4fa4ac31017382a730aaedf1711d887ffff55b9bc33c8, 0x103f16ab40e8f7a32675d9deb505ba4fb7ea287194a54124dda55d0889af02b9, 0x18845339a53e758ce26de25be1d7c93bbf4c9556fa0226ae5d87766bd13eb76d, 0x1fa3c882678c67bdf20728771324c63a682afd166c6b138bdb5696295dabe6c4, 0x23c4609040bbd51332f1af4bc98b68c4946aec3b3899e8246cd7453a4d979648, 0x297d797f5c4d376de55a6f5dbae3e7a4ade5b2e18ac10173638f655ebe098c5a

OBFUSCATION_PATTERN

relay: 7 receive-then-forward cycles within 30 minutes each

0x00

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

7 inflow/outflow pairs of the same asset in quick succession

0x0dcc8f527f8033ba3ec904271fe734f35dc0e9039dd817b16f822665a301b61f, 0x5cc421ca9c589087d2f6c715e048f9ac4b3a78d8c7e1e987d975f6c3d7dfd624, 0xaa13ead565a0b07877cf20544ae0c2c74becb47498a1ad7f6f6eccad2f1b5dfb, 0xbfb1cc6cda78924edd1dfe3cabb3e6a82d9a74db41b0fd9156031b274bd7fba49, 0xe628c2e42453d6b27d1c2713d41c5799e6d151797a798754e6bf88782008538b, 0xffb4d9c500234b48ea79833d08ecf07e3f5e0403382cb0afa112174b8ad9350a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

7 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 69% · names no operator
0x0dcc8f527f8033ba3ec904271fe734f35dc0e9039dd817b16f822665a301b61f, 0x5cc421ca9c589087d2f6c715e048f9ac4b3a78d8c7e1e987d975f6c3d7dfd624, 0xaa13ead565a0b07877cf20544ae0c2c74becb47498a1ad7f6f6eccad2f1b5dfb, 0xbfb1cc6cda78924edd1dfe3cabb3e6a82d9a74db41b0fd9156031b274bd7fba49, 0xe628c2e42453d6b27d1c2713d41c5799e6d151797a798754e6bf88782008538b, 0xffb4d9c500234b48ea79833d08ecf07e3f5e0403382cb0afa112174b8ad9350a

TERMINAL · FORWARD

high-degree address (122 counterparties): followed the 20 largest by value, 102 branch(es) not followed

0x00

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x033a571f61392fa540bcae576616894044bdf95afb5802f819e5ff4cf495589f, 0x05540d4caf406292813bad2e554226c24e02589d139a7fbbdb33d6a11b45de2ae, 0x05818b46a5f7c46910b693955f91c0e4bbfd1e5e110ab0ffd06501101d3337cf, 0x0626bf3044a6988ce9e160215b3c5420665399c513518a89c1030f84bacae23a, 0x06cc0441ed1b534b61dc1a5d883758394cd12478263b2bf58c718c5c04fe973b, 0x06d9dec3a1e9e2a2cc767a1da03577f9f2fe9c1aa66917d5682b4be3911b82c3, 0x07388260dbd56436c599aa2fff0d426f760624b94e84657ebc8a19a36b28a730, 0x07b9154076a967f70e5379e558722ddacf6d62b2892981942a1ba529186811e0, 0x08bce9bf21b908e23ffb06aa1e4d1590094e553145879ff30d223fa314de3167, 0x09b86fcdddbb5e3325bbce312865338b0e1d48e4d1e6e9fbb16fa8dc2e937a8e

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 102 were reached but never explored

SWEEP_PATTERN

pass-through: 2 receive-and-forward cycles (avg 99.5% forwarded, fastest 0.0h)

0x220bda5c8994804ac96ebe4df184d25e5c2196d4

Finding confidence 95%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

2 matched receive/forward pair(s) of the same asset; strongest cited

0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0xb291b8eb8dc4344cc507647cc4b5d99d948d05221432b89a237b75befc505a81

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9950 within 0.0h; 2 such cycle(s) overall

Rule: sweep@1 · confidence 95% · names no operator

0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0xb291b8eb8dc4344cc507647cc4b5d99d948d05221432b89a237b75befc505a81

OBFUSCATION_PATTERN

peel: 0.4% shed while 99.5% of the received amount continued onward

0x220bda5c8994804ac96ebe4df184d25e5c2196d4

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503; onward in 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503; slice in 0x8282f5ee7a7a689100f6d5669cff5b3150857827bc1ff30a46dacd378e4557f5

0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x8282f5ee7a7a689100f6d5669cff5b3150857827bc1ff30a46dacd378e4557f5

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 80% · names no operator

0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x8282f5ee7a7a689100f6d5669cff5b3150857827bc1ff30a46dacd378e4557f5

OBFUSCATION_PATTERN

splitter: value distributed to 15 distinct addresses

0x220bda5c8994804ac96ebe4df184d25e5c2196d4

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

41 outgoing movements to 15 addresses

0x0280e40b53382096e9324808adcc91c0e9aa1eda6a84a42f42542b2bfe813a76, 0x07553c69daf36583b4c0120e036da79f4897d1cb3bb1fa89a93e99b1e5383213, 0x323533c948f3d2221ff3812a7d5443c29ab5c93e8d4728b0b5bd79817ac1bdba, 0x3f7ddc5d27b764ceab622ce5e965ef0cd3fbfc9bd010f3bccb65e03032cf1182, 0x522d18b5a8d0df31af16222fe4da8b1e80ad69445a256823d9c129711d2dba47, 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x6b5ff3c54529a5dac9f1abed58c45b023a3f4cd112ee9d10584ac8c34628958f, 0x6c9a58ff660479dd5e5079ca6f9ece16cfaf989320795d52ce915cf4e9fc174a

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 15 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 62% · names no operator

0x0280e40b53382096e9324808adcc91c0e9aa1eda6a84a42f42542b2bfe813a76, 0x07553c69daf36583b4c0120e036da79f4897d1cb3bb1fa89a93e99b1e5383213, 0x323533c948f3d2221ff3812a7d5443c29ab5c93e8d4728b0b5bd79817ac1bdba, 0x3f7ddc5d27b764ceab622ce5e965ef0cd3fbfc9bd010f3bccb65e03032cf1182, 0x522d18b5a8d0df31af16222fe4da8b1e80ad69445a256823d9c129711d2dba47, 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x6b5ff3c54529a5dac9f1abed58c45b023a3f4cd112ee9d10584ac8c34628958f, 0x6c9a58ff660479dd5e5079ca6f9ece16cfaf989320795d52ce915cf4e9fc174a

OBFUSCATION_PATTERN

consolidation: value collected from 8 distinct addresses

0x220bda5c8994804ac96ebe4df184d25e5c2196d4

Finding confidence 56%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

32 incoming movements from 8 addresses

0x0280e40b53382096e9324808adcc91c0e9aa1eda6a84a42f42542b2bfe813a76, 0x07553c69daf36583b4c0120e036da79f4897d1cb3bb1fa89a93e99b1e5383213, 0x323533c948f3d2221ff3812a7d5443c29ab5c93e8d4728b0b5bd79817ac1bdba, 0x3f7ddc5d27b764ceab622ce5e965ef0cd3fbfc9bd010f3bccb65e03032cf1182, 0x522d18b5a8d0df31af16222fe4da8b1e80ad69445a256823d9c129711d2dba47, 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x6c9a58ff660479dd5e5079ca6f9ece16cfaf989320795d52ce915cf4e9fc174a, 0x6ce518ab81fa4852c4bb12bb9c1871c37897a5e75558b942b88e73078ca96fbd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 8 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 56% · names no operator

0x0280e40b53382096e9324808adcc91c0e9aa1eda6a84a42f42542b2bfe813a76, 0x07553c69daf36583b4c0120e036da79f4897d1cb3bb1fa89a93e99b1e5383213, 0x323533c948f3d2221ff3812a7d5443c29ab5c93e8d4728b0b5bd79817ac1bdba, 0x3f7ddc5d27b764ceab622ce5e965ef0cd3fbfc9bd010f3bccb65e03032cf1182, 0x522d18b5a8d0df31af16222fe4da8b1e80ad69445a256823d9c129711d2dba47, 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x6c9a58ff660479dd5e5079ca6f9ece16cfaf989320795d52ce915cf4e9fc174a, 0x6ce518ab81fa4852c4bb12bb9c1871c37897a5e75558b942b88e73078ca96fbd

OBFUSCATION_PATTERN

relay: 20 receive-then-forward cycles within 30 minutes each

0x220bda5c8994804ac96ebe4df184d25e5c2196d4

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

20 inflow/outflow pairs of the same asset in quick succession

0x0280e40b53382096e9324808adcc91c0e9aa1eda6a84a42f42542b2bfe813a76, 0x07553c69daf36583b4c0120e036da79f4897d1cb3bb1fa89a93e99b1e5383213, 0x323533c948f3d2221ff3812a7d5443c29ab5c93e8d4728b0b5bd79817ac1bdba, 0x522d18b5a8d0df31af16222fe4da8b1e80ad69445a256823d9c129711d2dba47, 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x6c9a58ff660479dd5e5079ca6f9ece16cfaf989320795d52ce915cf4e9fc174a, 0x6ce518ab81fa4852c4bb12bb9c1871c37897a5e75558b942b88e73078ca96fbd, 0x81e12cea251d24ad7b28d26c8b5024582a4f59a68bb497bf7db6708975f02f65

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

20 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0280e40b53382096e9324808adcc91c0e9aa1eda6a84a42f42542b2bfe813a76, 0x07553c69daf36583b4c0120e036da79f4897d1cb3bb1fa89a93e99b1e5383213, 0x323533c948f3d2221ff3812a7d5443c29ab5c93e8d4728b0b5bd79817ac1bdba, 0x522d18b5a8d0df31af16222fe4da8b1e80ad69445a256823d9c129711d2dba47, 0x685c062b7b55ad1a2ec435e07c8549efa677161b23d57d36d6bc1fcb5866b503, 0x6c9a58ff660479dd5e5079ca6f9ece16cfaf989320795d52ce915cf4e9fc174a, 0x6ce518ab81fa4852c4bb12bb9c1871c37897a5e75558b942b88e73078ca96fbd, 0x81e12cea251d24ad7b28d26c8b5024582a4f59a68bb497bf7db6708975f02f65

OBFUSCATION_PATTERN

splitter: value distributed to 16 distinct addresses

0x559ebe4e206e6b4d50e9bd3008cda7ce640c52cb

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

27 outgoing movements to 16 addresses

0x02ead36557de72186431002a2cc8c692c17bff4d9817cca5f5d2244128d47f21, 0x0f14505a5332b6f6f897f6c8c768a1ded23d30c0297e2fea23ac69d21df0d94d, 0x13bee167c9e89a42567b5e321cfa340da4cbbc78d82589ef298caab08ff43df2, 0x24fb4af90b1c862aa0cd35a8311b57eaa811b0679461921f7adbc285300e4932, 0x2544b0526f92d900ffb0fbe5e65371fc395d488b0697ab578d066114de2e6639, 0x2d4bca286439b77ca84aaa3ed6f3ed33899af040ad92067c243e4b832a7e3352, 0x4e81b1f3afc58bf7f8bc6e95af4b51b350521a84d1ac193946ae1351404c7df8, 0x4fc6a5726426aa2419d34792eda457bf3bb16ed84d2b5dbd53f4a96385df6b6c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 16 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 62% · names no operator

0x02ead36557de72186431002a2cc8c692c17bff4d9817cca5f5d2244128d47f21, 0x0f14505a5332b6f6f897f6c8c768a1ded23d30c0297e2fea23ac69d21df0d94d, 0x13bee167c9e89a42567b5e321cfa340da4cbbc78d82589ef298caab08ff43df2, 0x24fb4af90b1c862aa0cd35a8311b57eaa811b0679461921f7adbc285300e4932, 0x2544b0526f92d900ffb0fbe5e65371fc395d488b0697ab578d066114de2e6639, 0x2d4bca286439b77ca84aaa3ed6f3ed33899af040ad92067c243e4b832a7e3352, 0x4e81b1f3afc58bf7f8bc6e95af4b51b350521a84d1ac193946ae1351404c7df8, 0x4fc6a5726426aa2419d34792eda457bf3bb16ed84d2b5dbd53f4a96385df6b6c

OBFUSCATION_PATTERN

consolidation: value collected from 12 distinct addresses

0x559ebe4e206e6b4d50e9bd3008cda7ce640c52cb

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

23 incoming movements from 12 addresses

0x00bcb47d40ca605aa7a92ba60912c047e1a9a1a87a5944e7d0666a832a62f5ec, 0x122d933d3f6413a6c42ef216fab5a092b3d6cc46f1bc7aad7c73895ca092d52f, 0x1c9f5447f69439cc3432e3d2189faf5eaa019176c34191475673903172409d1, 0x3ee065bf1048e12645dcfd846439bc5ef8deee6f9acc03d8e8a68688aa6394ac, 0x402bc41dd8833a0e268eb8757323840a7ea9f21d0b8a547944022c4865ae5884, 0x52229d2db06f34b50f4c188ee0c875aeb29bcc08983f2788d2d5e33ed264aeb7, 0x6064f4ebca98f62f85b63ccba61355c9de68e81c22d2e3097ed72368391a6336, 0x608a20d505f550ec93feab27a52c81a94093c46d95c56e5e31970e2af2f9c4dd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 12 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 59% · names no operator

0x00bcb47d40ca605aa7a92ba60912c047e1a9a1a87a5944e7d0666a832a62f5ec, 0x122d933d3f6413a6c42ef216fab5a092b3d6cc46f1bc7aad7c73895ca092d52f, 0x1c9f5447f69439cc3432e3d2189faf5eaa019176c34191475673903172409d1, 0x3ee065bf1048e12645dcfd846439bc5ef8deee6f9acc03d8e8a68688aa6394ac, 0x402bc41dd8833a0e268eb8757323840a7ea9f21d0b8a547944022c4865ae5884, 0x52229d2db06f34b50f4c188ee0c875aeb29bcc08983f2788d2d5e33ed264aeb7, 0x6064f4ebca98f62f85b63ccba61355c9de68e81c22d2e3097ed72368391a6336, 0x608a20d505f550ec93feab27a52c81a94093c46d95c56e5e31970e2af2f9c4dd

SWEEP_PATTERN

pass-through: 6 receive-and-forward cycles (avg 98.8% forwarded, fastest 4.3h)

0x92560c178ce069cc014138ed3c2f5221ba71f58a

Finding confidence 90%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

6 matched receive/forward pair(s) of the same asset; strongest cited

0x1219be8382cb88201306450486ca4a5989f576b880f5df0500a20a74eac418d9, 0x2c6dae4b10a80c810dcaa69fc9ca13512846c6f6a4c1ba1c9bbb24c00bc50596, 0x38651a87240221695dfa2c2f1cabf30c9bcc1f34de714c86bac869707b633d2d, 0x56ddebcb179831b8a65fd4f4a7083dbe7f44c5d1db87933945a2f40e933e42947, 0x5aa6590b4737d64153dcaccbdc9532ab37c854dfe7e7016409ffa41071d487b, 0x6850a20a5ca20a75d1dae1eb21733a83a89e467f198cdef106640398e85fafe2, 0xafcb1ddb1baa239ec6122c1ad8adf0b7bea1dc4cc5a8b5fe7c9c54791725e8e6, 0xea13b5e3d4ff5f9acebcd8d245ede9f546fbe20114c02980e572e33d8be38549

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9965 within 12.4h; 6 such cycle(s) overall

Rule: sweep@1 · confidence 90% · names no operator

0x1219be8382cb88201306450486ca4a5989f576b880f5df0500a20a74eac418d9, 0x2c6dae4b10a80c810dcaa69fc9ca13512846c6f6a4c1ba1c9bbb24c00bc50596, 0x38651a87240221695dfa42cf1cabf30c9bcc1f34de714c86bac869707b633d2d, 0x56ddebc179831b8a65fd4f4a7083dbe7f44c5d1db87933945a2f40e933e42947, 0x5aa6590b4737d64153dcacccbd9532ab37c854dfe7e7016409ffa41071d487b, 0x6850a20a5ca20a75d1dae1eb21733a83a89e467f198cdef106640398e85fafe2, 0xafcb1ddb1baa239ec6122c1ad8adf0b7bea1dc4cc5a8b5fe7c9c54791725e8e6, 0xea13b5e3d4ff5f9acebcd8d245ede9f546fbe20114c02980e572e33d8be38549

OBFUSCATION_PATTERN

splitter: value distributed to 10 distinct addresses

0x92560c178ce069cc014138ed3c2f5221ba71f58a

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

28 outgoing movements to 10 addresses

0x1219be8382cb88201306450486ca4a5989f576b880f5df0500a20a74eac418d9, 0x15de94e8d5a38b3071fa2cd8c7f1f307d5c536e0e5c96427cf2492510b8cf1b5, 0x198ac3f328db1c8cb72b8fb45b3be5ea280e38a38c09b9899e827107c444d01e, 0x1c598fd8ceb1e58ad4dc88111c577477a1102793d9424bf7a60833e8e7373b03, 0x2c6dae4b10a80c810dcaa69fc9ca13512846c6f6a4c1ba1c9bbb24c00bc50596, 0x2ec22d41b1e42a76bdf37c5640a1cb87e802b0161d11ef9cd061a4cf845d5513, 0x4c82f6356ee025e1a33080d89f886528b5a41877a278db50a01439786088f235, 0x5aa6590b4737d64153dcacccbdd9532ab37c854dfe7e7016409ffa41071d487b

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 10 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 58% · names no operator

0x1219be8382cb88201306450486ca4a5989f576b880f5df0500a20a74eac418d9, 0x15de94e8d5a38b3071fa2cd8c7f1f307d5c536e0e5c96427cf2492510b8cf1b5, 0x198ac3f328db1c8cb72b8fb45b3be5ea280e38a38c09b9899e827107c444d01e, 0x1c598fd8ceb1e58ad4dc88111c577477a1102793d9424bf7a60833e8e7373b03, 0x2c6dae4b10a80c810dcaa69fc9ca13512846c6f6a4c1ba1c9bbb24c00bc50596, 0x2ec22d41b1e42a76bdf37c5640a1cb87e802b0161d11ef9cd061a4cf845d5513, 0x4c82f6356ee025e1a33080d89f886528b5a41877a278db50a01439786088f235, 0x5aa6590b4737d64153dcacccbdd9532ab37c854dfe7e7016409ffa41071d487b

OBFUSCATION_PATTERN

consolidation: value collected from 9 distinct addresses

0x92560c178ce069cc014138ed3c2f5221ba71f58a

Finding confidence 57%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

25 incoming movements from 9 addresses

0x003d20838278ab823b3aa645cb229b8bfbdda258e08d9e79e2680b9e0dadc98d, 0x020cd0a458312286c684eb5627ce5a1bc659ad3024c955b46a56e93cdf607691, 0x0cec7d2d8abb1ac536f856d47bfdebda47e5ba77a440b81eba5389aa78b74a5a, 0x1470c920e9a566ef583884c89641da79c20ccfa0ddb0abc50ce93a5f27b5277, 0x16fbbcc5e26bf1364fe5f902f19b8ae83ff0442ccf1254343a52ecd83493e881, 0x187f856b02416c05aa1c31bae83510e41510193c3ccc60d9d77ce4063234e11b, 0x27de2d02797609155279f33e346142e8d79477109fb383603b0e7f6c1484619c, 0x27f1b4b176e0ffac5443568d4d0ad2629e9b8ada8277bb2cf634cf23a57270d4

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 9 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 57% · names no operator

0x003d20838278ab823b3aa645cb229b8bfbdda258e08d9e79e2680b9e0dadc98d, 0x020cd0a458312286c684eb5627ce5a1bc659ad3024c955b46a56e93cdf607691, 0x0cec7d2d8abb1ac536f856d47bfdebda47e5ba77a440b81eba5389aa78b74a5a, 0x1470c920e9a566ef583884c89641da79c20ccfa0ddb0abc50ce93a5f27b5277, 0x16fbbcc5e26bf1364fe5f902f19b8ae83ff0442ccf1254343a52ecd83493e881, 0x187f856b02416c05aa1c31bae83510e41510193c3ccc60d9d77ce4063234e11b, 0x27de2d02797609155279f33e346142e8d79477109fb383603b0e7f6c1484619c, 0x27f1b4b176e0ffac5443568d4d0ad2629e9b8ada8277bb2cf634cf23a57270d4

OBFUSCATION_PATTERN

relay: 3 receive-then-forward cycles within 30 minutes each

0x92560c178ce069cc014138ed3c2f5221ba71f58a

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

3 inflow/outflow pairs of the same asset in quick succession

0x1219be8382cb88201306450486ca4a5989f576b880f5df0500a20a74eac418d9, 0x198ac3f328db1c8cb72b8fb45b3be5ea280e38a38c09b9899e827107c444d01e, 0xba68feda334fc8159d508153ab61ae32d9e89d98b0db0593cfb46bd5899eecb5

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

3 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 58% · names no operator

0x1219be8382cb88201306450486ca4a5989f576b880f5df0500a20a74eac418d9, 0x198ac3f328db1c8cb72b8fb45b3be5ea280e38a38c09b9899e827107c444d01e, 0xba68feda334fc8159d508153ab61ae32d9e89d98b0db0593cfb46bd5899eecb5

SWEEP_PATTERN

pass-through: 2 receive-and-forward cycles (avg 95.3% forwarded, fastest 0.0h)

0x26aad2da94c59524ac0d93f6d6cbf9071d7086f2

Finding confidence 94%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

2 matched receive/forward pair(s) of the same asset; strongest cited

0x3b69dc41327144176b949ce0fbc2375768828f445e0a0f4a87b4b4d42a2f669a, 0xa98e5af79f617bbeaf5a430f7d1442b938e670084b979050895a99213e1a5a40, 0xba4513c41734f00947fa0caebd2a0470861ef5f6ec81f88340502fbc5778bc41, 0xfe698f0078607be9954e1bf30b9e885feb5dce59f4027374d33f80819657899d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9532 within 0.0h; 2 such cycle(s) overall

Rule: sweep@1 · confidence 94% · names no operator

0x3b69dc41327144176b949ce0fbc2375768828f445e0a0f4a87b4b4d42a2f669a, 0xa98e5af79f617bbeaf5a430f7d1442b938e670084b979050895a99213e1a5a40, 0xba4513c41734f00947fa0caebd2a0470861ef5f6ec81f88340502fbc5778bc41, 0xfe698f0078607be9954e1bf30b9e885feb5dce59f4027374d33f80819657899d

OBFUSCATION_PATTERN

peel: 1.1% shed while 71.4% of the received amount continued onward

0x26aad2da94c59524ac0d93f6d6cbf9071d7086f2

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x27ac6ee16b473ad863b47fba8195afa31a5f7adef6dcceb845c2dc632351313e; onward in

0xfceb1f435603505a171149551f882efeabf7e61a38df698fecbcf05b9312e0b1; slice in

0xc1bed5e89bb63e901cd5d7e6efb5da92a7b121032b8655219edefcf25c373592

0x27ac6ee16b473ad863b47fba8195afa31a5f7adef6dcceb845c2dc632351313e, 0xc1bed5e89bb63e901cd5d7e6efb5da92a7b121032b8655219edefcf25c373592, 0xfceb1f435603505a171149551f882efeabf7e61a38df698fecbcf05b9312e0b1

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 73% · names no operator

0x27ac6ee16b473ad863b47fba8195afa31a5f7adef6dcceb845c2dc632351313e, 0xc1bed5e89bb63e901cd5d7e6efb5da92a7b121032b8655219edefcf25c373592, 0xfceb1f435603505a171149551f882efeabf7e61a38df698fecbcf05b9312e0b1

OBFUSCATION_PATTERN

splitter: value distributed to 20 distinct addresses

0x26aad2da94c59524ac0d93f6d6cbf9071d7086f2

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

31 outgoing movements to 20 addresses

0x121a2dbb26dae6bc644744fc90c2e88230bc111e17182aa7846c8511949f019d, 0x17d7078fa5ec07283415b5a496acc24b1d8a32681b840ac69214b38f6132b232, 0x1a29c4dee4d373ba033939092630697c4237c7105bb691e43946a824622c9ff3, 0x22974d944782827814d3871b39696cebc6c3f0f86bc871da47c030d762108f13, 0x2985a75cabfb6467d46949603d06ee6f582185404423f95ff4cbf4762248a641, 0x376486b56d245903c013f0f93c078b0d29c3b2e574ef8ddc9045042f95268479, 0x39c448a5bbfce807c3574ee701d81fdede17c5f22f549689b4e1e495d98fea98, 0x3b0b0a6f4a84fff23a4bdae841fa80fe82a3b0c751c1522d0d3f6a55609d346c

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 20 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 66% · names no operator

0x121a2dbb26dae6bc644744fc90c2e88230bc111e17182aa7846c8511949f019d, 0x17d7078fa5ec07283415b5a496acc24b1d8a32681b840ac69214b38f6132b232, 0x1a29c4dee4d373ba033939092630697c4237c7105bb691e43946a824622c9ff3, 0x22974d944782827814d3871b39696cebc6c3f0f86bc871da47c030d762108f13, 0x2985a75cabfb6467d46949603d06ee6f582185404423f95ff4cbf4762248a641, 0x376486b56d245903c013f0f93c078b0d29c3b2e574ef8ddc9045042f95268479, 0x39c448a5bbfce807c3574ee701d81fdede17c5f22f549689b4e1e495d98fea98, 0x3b0b0a6f4a84fff23a4bdae841fa80fe82a3b0c751c1522d0d3f6a55609d346c

OBFUSCATION_PATTERN

consolidation: value collected from 15 distinct addresses

0x26aad2da94c59524ac0d93f6d6cbf9071d7086f2

Finding confidence 62%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

19 incoming movements from 15 addresses

0x27ac6ee16b473ad863b47fba8195afa31a5f7adef6dcceb845c2dc632351313e, 0x3bdc930148f07c73ebc76a1f0f35dcfc875844c84a8ecef78cb8419898d5518d, 0x4ec52988c83337d80bc30d39709b53c2ced717ec5bf1ce756862ae81a98b0e9e, 0x4f4bc6831c3ac1bac13ae0334758d09a399add89bbeb8b50113ef7919fa264e0, 0x55aeb2bcb697f252a2f03793f6c68b939ca10c779dce12d0b197f67f71d84885, 0x5d1a7c5b8d4c5696c6ae342ef1d4fbcdb725744164f5705bfaf097450cb78e45, 0x603487d5ac2413c9ede5275f1ecaeaf8f9c66effbf6529e052b6952bc1d2142d, 0x6f5f1dce7be362aab6c50f9b62044bd527b1e9c9bc59473fc5f3b601daca1965

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 15 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 62% · names no operator

0x27ac6ee16b473ad863b47fba8195afa31a5f7adef6dcceb845c2dc632351313e, 0x3bdc930148f07c73ebc76a1f0f35dcfc875844c84a8ecef78cb8419898d5518d, 0x4ec52988c83337d80bc30d39709b53c2ced717ec5bf1ce756862ae81a98b0e9e, 0x4f4bc6831c3ac1bac13ae0334758d09a399add89bbeb8b50113ef7919fa264e0, 0x55aeb2bcb697f252a2f03793f6c68b939ca10c779dce12d0b197f67f71d84885, 0x5d1a7c5b8d4c5696c6ae342ef1d4fbcd725744164f5705bfaf097450cb78e45, 0x603487d5ac2413c9ede5275f1ecaeaf8f9c66effbf6529e052b6952bc1d2142d, 0x6f5f1dce7be362aab6c50f9b62044bd527b1e9c9bc59473fc5f3b601daca1965

OBFUSCATION_PATTERN

relay: 7 receive-then-forward cycles within 30 minutes each

0x26aad2da94c59524ac0d93f6d6cbf9071d7086f2

Finding confidence 69%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

7 inflow/outflow pairs of the same asset in quick succession

0x1a29c4dee4d373ba033939092630697c4237c7105bb691e43946a824622c9ff3, 0x22974d944782827814d3871b39696cebc6c3f0f86bc871da47c030d762108f13, 0x39c448a5bbf8ce807c3574ee701d81fdede17c5f22f549689b4e1e495d98fea98, 0x4db4097f70beaff0e9a71a33d73cac92e6a0c3ff33f614923cd771d83da7287e, 0xba4513c41734f00947fa0caebd2a0470861ef5f6ec81f88340502fbc5778bc41, 0xfceb1f435603505a171149551f882efeabf7e61a38df698fecbcf05b9312e0b1, 0xfd01cda54d654dbee5be03d90cf63c92af402a9e3ec6a541b826e68bce846ebc

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

7 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 69% · names no operator

0x1a29c4dee4d373ba033939092630697c4237c7105bb691e43946a824622c9ff3, 0x22974d944782827814d3871b39696cebc6c3f0f86bc871da47c030d762108f13, 0x39c448a5bbf8ce807c3574ee701d81fdede17c5f22f549689b4e1e495d98fea98, 0x4db4097f70beaff0e9a71a33d73cac92e6a0c3ff33f614923cd771d83da7287e, 0xba4513c41734f00947fa0caebd2a0470861ef5f6ec81f88340502fbc5778bc41, 0xfceb1f435603505a171149551f882efeabf7e61a38df698fecbcf05b9312e0b1, 0xfd01cda54d654dbee5be03d90cf63c92af402a9e3ec6a541b826e68bce846ebc

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'polygon-plasma-bridge' toward polygon — the trail continues off this chain

0x401f6c983ea34274ec46f84d70b31c151321188b

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x9ceeb94e20d6665606f1190d0a05c76f64ad2f4363228b15823d139da20b995b, 0x401F6c983eA34274ec46f84D70b31C151321188b

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-plasma-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

BRIDGE_CROSSING · FORWARD

value entered bridge 'polygon-plasma-bridge' toward polygon — the trail continues off this chain

0x401f6c983ea34274ec46f84d70b31c151321188b

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x8394917e53b194876273709c9a4246ca4dda81e3f94fc3a148ca088344d0a600, 0x401F6c983eA34274ec46f84D70b31C151321188b

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-plasma-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

VASP_ENDPOINT · FORWARD

nearest next VASP: OKX 2 hop(s) away

0x65c340eb0688d8f8b64e9c6d580f312a97b615d8

Finding confidence 90%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

value path over 2 transaction(s) links root to endpoint

0x117f41e80cb6f0100a5b77c067ce8bdfa635f2d6469b5c80303d2c0e20ec5aba, 0x1e838e46c22e911383d95e033a65674468a1e396dd3ec8b87760a6357d6143ff

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

OKX labeled 'vasp'

Source: OKX proof-of-reserves, signature-verified · dated 2026-08-10 00:00 UTC — 7 days old · claim confidence 90%

SWEEP_PATTERN

98.9% of a received amount forwarded after 19.9h — address behaves as a pass-through

0x06b1655b9d560de112759b4f0bf57d6f005e72fe

Finding confidence 86%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

1 matched receive/forward pair(s) of the same asset; strongest cited

0x6bd261398d6462cc3fd29fe3479ac54109a8ea9f30955b9cea6e823fad3d34da, 0x98cc235c343f9a37cd28d396885b9d218635219444019d999697d1ea16e219e4

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

best forwarded ratio 0.9895 within 19.9h; 1 such cycle(s) overall

Rule: sweep@1 · confidence 86% · names no operator

0x6bd261398d6462cc3fd29fe3479ac54109a8ea9f30955b9cea6e823fad3d34da, 0x98cc235c343f9a37cd28d396885b9d218635219444019d999697d1ea16e219e4

OBFUSCATION_PATTERN

peel: 0.2% shed while 77.0% of the received amount continued onward

0x06b1655b9d560de112759b4f0bf57d6f005e72fe

Finding confidence 74%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x8c20e4bbb78b3e5aeb935a4761cc4e0d0668c6227a57d828028030f80e6e0001; onward in

0xf5d9227d414b8b29e553f50fc6ca2f0c1095a68e772557aff49d0819e2dafcf6; slice in

0xf1cc27e56271ca33b797a0a74969fea142225eb30214190b733d57907a99d238

0x8c20e4bbb78b3e5aeb935a4761cc4e0d0668c6227a57d828028030f80e6e0001, 0xf1cc27e56271ca33b797a0a74969fea142225eb30214190b733d57907a99d238, 0xf5d9227d414b8b29e553f50fc6ca2f0c1095a68e772557aff49d0819e2dafcf6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 74% · names no operator

0x8c20e4bbb78b3e5aeb935a4761cc4e0d0668c6227a57d828028030f80e6e0001, 0xf1cc27e56271ca33b797a0a74969fe
a142225eb30214190b733d57907a99d238, 0xf5d9227d414b8b29e553f50fc6ca2f0c1095a68e772557aff49d0819e2dafc
f6

OBFUSCATION_PATTERN

splitter: value distributed to 18 distinct addresses

0x06b1655b9d560de112759b4f0bf57d6f005e72fe

Finding confidence 64%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

33 outgoing movements to 18 addresses

0x14eeb48df0d5b202c5ffc17e5b73c2960339b1508fa761ecae98c8bd5183ddf8, 0x1e6cdea41a84a1fee36784ed7f453e
fef2adb3bfa909852a96aba23e3e8ce07e, 0x216a796c405482b21f2afdd5ebc28d9df4e8530b02e4ec845fba03375f40eb
b2, 0x21e0ad4a6aba4336724f52f42f4d6b9879489a0f6fd5d9eece834dfd3fd5cc79, 0x260ec6ec7617d9fecca1fe6acb
ca1935e459f73f0574361a9e8c3aa8de99922b, 0x26c56b40eed3f34c0c852c4012fd79bb6fa48839147e5ac1029b85e882
2da6a0, 0x36a1a371eb2bbb5738283398eb090a251e095fd8dac25454b1c0aaf0c33af83d, 0x3e85c78a5b651b80767dde
94051336ea5a2c53c2b33de8f77eae02e03ed610a7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 18 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 64% · names no operator

0x14eeb48df0d5b202c5ffc17e5b73c2960339b1508fa761ecae98c8bd5183ddf8, 0x1e6cdea41a84a1fee36784ed7f453e
fef2adb3bfa909852a96aba23e3e8ce07e, 0x216a796c405482b21f2afdd5ebc28d9df4e8530b02e4ec845fba03375f40eb
b2, 0x21e0ad4a6aba4336724f52f42f4d6b9879489a0f6fd5d9eece834dfd3fd5cc79, 0x260ec6ec7617d9fecca1fe6acb
ca1935e459f73f0574361a9e8c3aa8de99922b, 0x26c56b40eed3f34c0c852c4012fd79bb6fa48839147e5ac1029b85e882
2da6a0, 0x36a1a371eb2bbb5738283398eb090a251e095fd8dac25454b1c0aaf0c33af83d, 0x3e85c78a5b651b80767dde
94051336ea5a2c53c2b33de8f77eae02e03ed610a7

OBFUSCATION_PATTERN

consolidation: value collected from 9 distinct addresses

0x06b1655b9d560de112759b4f0bf57d6f005e72fe

Finding confidence 57%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

20 incoming movements from 9 addresses

0x0bacbbe43d841012163145498692675fbbadb8dceec88111b47e89c89cb27ebb0, 0x10e9e15da9c7a2b62821b918d3e3d663c37574b8638fb9efeb303181afbc1eeb, 0x33975e3ebe37be46ffeb7e6fd16af2f326a20d423d918a602af7b832398fda49, 0x347779425003693f6e25c53c140a9943fd22fb0d73558f182996389325606642, 0x3f1c9f2d430dd74674bbb390a34811c569e25bf43e9c821a6763988a2b1cc6e9, 0x40a2436f79047fd7eafa4123a5c5088f47f703ef9379cbc679faca59adaa7c85, 0x4e406ca7dff331b3c6a17299104a70880bf24ab923fab0639ad10c9128c8c9b9, 0x56da38eb2187d359ebafa78d62babedc695adecb00f4cd440f4be86a57966535

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 9 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 57% · names no operator

0x0bacbbe43d841012163145498692675fbbadb8dceec88111b47e89c89cb27ebb0, 0x10e9e15da9c7a2b62821b918d3e3d663c37574b8638fb9efeb303181afbc1eeb, 0x33975e3ebe37be46ffeb7e6fd16af2f326a20d423d918a602af7b832398fda49, 0x347779425003693f6e25c53c140a9943fd22fb0d73558f182996389325606642, 0x3f1c9f2d430dd74674bbb390a34811c569e25bf43e9c821a6763988a2b1cc6e9, 0x40a2436f79047fd7eafa4123a5c5088f47f703ef9379cbc679faca59adaa7c85, 0x4e406ca7dff331b3c6a17299104a70880bf24ab923fab0639ad10c9128c8c9b9, 0x56da38eb2187d359ebafa78d62babedc695adecb00f4cd440f4be86a57966535

TERMINAL · FORWARD

high-degree address (98 counterparties): followed the 20 largest by value, 78 branch(es) not followed

0x9e3382ca57f4404ac7bf435475eae37e87d1c453

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x014b7ecf8d3040ac6436ebf132bd68d5b6831f45c20c207199338d4e1bc9bfad, 0x017bb86cfc653eb97a55f2cafd01ce797d890a652e71ba85c46333702610286a, 0x046abcba5a67ef051def92b9e30555e4883d1a024e8faf1ec3fca7d62a3d34d6, 0x05b0e94ad1bbe614cf638aceefc8f461ca0fa324435424a0242edd6007b332c7, 0x08416ba082784eb1e906530b99ecad935881c76103464bab969bc915a68d4e98, 0x09a3a1c3ad59396a085ae0242d14a2f2b578bbcd3539fe505c2fefe45cdd7012, 0x09b77988160e5613240f71e4767651beec2a28abd81d5cca709d973f48770a13, 0x0c7ae2c5ff84479e65161709ffac7001e4ed18948d15ebc52ec3cf95afc62d09, 0x0d29062caba714ce09aea47111a0016999a8d260d7e11e18b438123f8fbc1e99, 0x107dede347697ffc89b1198876fa69b9450708453d3b3c4e50bb96320bb3fada

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 78 were reached but never explored

VASP_ENDPOINT · FORWARD

service endpoint (operator unnamed): collects from 25 and pays out to 39 distinct addresses — behaves as custodial infrastructure such as an exchange

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 58%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

51 inbound and 70 outbound movements across 64 distinct counterparties

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

bidirectional counterparty degree (25 in / 39 out) exceeds the service thresholds (25/25); identifies the ROLE only — the operator's identity is off-chain and requires a sourced label

Rule: service-endpoint@1 · confidence 58% · names no operator

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e

TERMINAL · FORWARD

high-degree address (64 counterparties): followed the 20 largest by value, 44 branch(es) not followed

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

Finding confidence 100%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

sample of transactions touching the high-degree address

0x04d68ad02282ef4e5f9f1af26b84a824536d53ee2019201456278b3a59cddf64, 0x06c13055229024b95e47def1133f62c0c9b347a5c33e93dab229156dcb86be2c, 0x0f799a1ce46d97505996fff632d29ea320a9cd1b1103caf5d4ab93779313967d, 0x192082087b0f657cba3ca5fac3326783a29f5284e74379588e7dca790c22cf18, 0x1dcf99764659b7d3d78a2c691d6fc7a4bf801bd8f1181bad273fb82b59d03f90, 0x265d7187e9ecfc6bc7969dd90394f13f75bfaa5a92b4098cdebb732875ea49e1, 0x3345179b376550485e818bb59a4aabfa346fe124247b2c3bdad5892faecff050, 0x399cb9baaeda7239d1d34b0da9c5503041a04d675d8790f0af251b3f3649ef44, 0x3f85d7e144b515cfbb7180feb70e91bd1b3c9fbfe5ec89fc2d7beb25fd18373e, 0x4e561e5d13bc1445c544c9bd49b96a50ff7b9bce198ddb93a2dde965076542c1

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

expansion capped at the 20 highest-value counterparties; 44 were reached but never explored

OBFUSCATION_PATTERN

splitter: value distributed to 26 distinct addresses

0x23b7e6932cb873b8696afba077c4a2486b1c862e

Finding confidence 70%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

43 outgoing movements to 26 addresses

0x0428bd8708eb378e6f45db2af9d217960490f210c7c638afd03478ddf0fe0610, 0x0f7b562aa58e7fef7afd08034b628674b8abf7355b4c3efdd4ec7c8eb01f6446, 0x1d5b4a7e7f6173eb9b3d63d3d73a2b9863eff2ed3d7eab3ac7175d285af99b2d, 0x1e5f296faab95bf205a7e1125b4776bec1abf3750aae4cf1b2109d7a95348fb5, 0x2e35ab8f1d9d5eae59e0b4f0636cacd25abeb270fa21256dffeeec706b8297989, 0x2f9555b333053ceedfaa18483801a8798c6540f40059507c985a0c1490940eaa, 0x456e1558d75d2b47b0792106c33d5784df54a1e4443cd58417def581d69d6142, 0x45d77a1104709a295d929e00ee546fc8c22cf52f15fe69d31fa2086670badda6

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 26 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 70% · names no operator

0x0428bd8708eb378e6f45db2af9d217960490f210c7c638afd03478ddf0fe0610, 0x0f7b562aa58e7fef7afd08034b628674b8abf7355b4c3efdd4ec7c8eb01f6446, 0x1d5b4a7e7f6173eb9b3d63d3d73a2b9863eff2ed3d7eab3ac7175d285af99b2d, 0x1e5f296faab95bf205a7e1125b4776bec1abf3750aae4cf1b2109d7a95348fb5, 0x2e35ab8f1d9d5eae59e0b4f0636cacd25abeb270fa21256dffeeec706b8297989, 0x2f9555b333053ceedfaa18483801a8798c6540f40059507c985a0c1490940eaa, 0x456e1558d75d2b47b0792106c33d5784df54a1e4443cd58417def581d69d6142, 0x45d77a1104709a295d929e00ee546fc8c22cf52f15fe69d31fa2086670badda6

OBFUSCATION_PATTERN

splitter: value distributed to 12 distinct addresses

0x3e40d73eb977dc6a537af587d48316fee66e9c8c

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

15 outgoing movements to 12 addresses

0x2125a0c3c37058ebd572393d7e78d22378e170c6450839fb889d3700867ca40f, 0x2abb82e41437006aaae223930ee87a2d5cd589e27c42a81983953df85396418b, 0x3b0ccce12eaa27f9a4ce7efdf6564a902511fde24fcab96ab40d00b8987eda3, 0x40d08d3276a02df662badac68029642503fdce1deefbd1addfda7eaf61b2dd5f, 0x673804d1c993c21f50f019cefb4c4cfb5e0a9e0ca2d78d6a59c33b321887a277, 0x7af91e3834d7e8797387a2aa4cbb0ba4e04261295de56d5e86247744ad5bf8b9, 0x8dee1661419c467c9197002b03be18d3234baa56839d59be4a491287459cd676, 0xa94212f46481e7ee1fa0f994a97765ddbf687a37518d8dce5097df03af98fb9d

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 12 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 59% · names no operator

0x2125a0c3c37058ebd572393d7e78d22378e170c6450839fb889d3700867ca40f, 0x2abb82e41437006aaae223930ee87a2d5cd589e27c42a81983953df85396418b, 0x3b0ccccce12eaa27f9a4ce7efdf6564a902511fde24fcab96ab40d00b8987eda3, 0x40d08d3276a02df662badac68029642503fdce1deefbd1adddfa7eaf61b2dd5f, 0x673804d1c993c21f50f019cefb4c4cfb5e0a9e0ca2d78d6a59c33b321887a277, 0x7af91e3834d7e8797387a2aa4cbb0ba4e04261295de56d5e86247744ad5bf8b9, 0x8dee1661419c467c9197002b03be18d3234baa56839d59be4a491287459cd676, 0xa94212f46481e7ee1fa0f994a97765ddbf687a37518d8dce5097df03af98fb9d

OBFUSCATION_PATTERN

consolidation: value collected from 20 distinct addresses

0x3e40d73eb977dc6a537af587d48316fee66e9c8c

Finding confidence 66%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

78 incoming movements from 20 addresses

0x0057ecfe4b5885f738886e3896258c42961afc279e71230fd2701d4b894876f7, 0x0249a1bc83e9411a2edf76384600b5863efd8587ce03b1c23c9847716acd560c, 0x03617757ed953574b2b046f67ce40a79461079130ce8c4b569f255c494306b08, 0x06444652a8f5ca9622b51ebc7a65afc2b0f503ccf6c3650860abda0bc6940fb2, 0x0740f824a88270f91e0f821a2ede028da74c8b748c92bb0f8bb7782a7bc5915f, 0x0867d8222a47675be06c1a515b61bb4f83f78ad1144392095972cc97fabf474, 0x08683b231ced26f6ae427d206e36334a79a1ad7179cbe21fa4782cad87012b7, 0x0e70daee03a7aa6bbe5373b510ff2393686c8909b5f39314e0c7a0b7432be911

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 20 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 66% · names no operator

0x0057ecfe4b5885f738886e3896258c42961afc279e71230fd2701d4b894876f7, 0x0249a1bc83e9411a2edf76384600b5863efd8587ce03b1c23c9847716acd560c, 0x03617757ed953574b2b046f67ce40a79461079130ce8c4b569f255c494306b08, 0x06444652a8f5ca9622b51ebc7a65afc2b0f503ccf6c3650860abda0bc6940fb2, 0x0740f824a88270f91e0f821a2ede028da74c8b748c92bb0f8bb7782a7bc5915f, 0x0867d8222a47675be06c1a515b61bb4f83f78ad1144392095972cc97fabf474, 0x08683b231ced26f6ae427d206e36334a79a1ad7179cbe21fa4782cad87012b7, 0x0e70daee03a7aa6bbe5373b510ff2393686c8909b5f39314e0c7a0b7432be911

BRIDGE_CROSSING · FORWARD

value arrived from bridge 'polygon-pos-bridge' toward polygon — the trail continues off this chain

0xdb72ec0cddce93c6499ebba24a9f0176c72c20b3

Finding confidence 80%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

transaction moves value against the bridge contract

0x8e96cfc1ab81278e0a2bd93315703389af05d44265431312c241f347bb6caf92, 0x40ec5B33f54e0E8A33A975908C5BA1c14e5BbbDf

THIRD-PARTY CLAIMS

Someone else's assertion, reproduced with its source and its date. This is the only kind of evidence that ever names an operator, and its age is part of its weight.

contract registered as bridge 'polygon-pos-bridge'

Source: bridge-registry · no source date recorded — the age of this claim is unknown · claim confidence 80%

OBFUSCATION_PATTERN

splitter: value distributed to 11 distinct addresses

0xdb72ec0cddce93c6499ebba24a9f0176c72c20b3

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

26 outgoing movements to 11 addresses

0x01a24eb26b72a7031c4a438019f1c8eea5bf796fe089c3312e4ca3a5c54bde01, 0x1325a2daa6953f953cf2192898ce524679e277ccd377e3fa7c5f774c66daf722, 0x15e8281e7594251758df0cb170f0be9dd0290fb4aca5976471848561ce89f1f3, 0x1c50d9817a722e578151f5cd9c5fda906c58b98759c3063c7bc13f6a275be37b, 0x224bcebdca49891bf9012df921ac74695bf0542d67e3441f56abf98de7823a55c, 0x2b3ad16f79ec2ee66319e269329f37b4beffbdcab630e55bdd40e3ad227e9860, 0x32982bc4152151ce6ce6a60f402964c329c30763bfe72691b7293b42ef6259cb, 0x32b479e3d43ac81e62d9be2ca5b5047c064dbedc0247f1cf9f13226d2c3806c1

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 11 exceeds the splitter threshold 8; batch payouts by a service look the same; includes 4 outputs of identical value

Rule: fan-out@1 · confidence 59% · names no operator

0x01a24eb26b72a7031c4a438019f1c8eea5bf796fe089c3312e4ca3a5c54bde01, 0x1325a2daa6953f953cf2192898ce524679e277ccd377e3fa7c5f774c66daf722, 0x15e8281e7594251758df0cb170f0be9dd0290fb4aca5976471848561ce89f1f3, 0x1c50d9817a722e578151f5cd9c5fda906c58b98759c3063c7bc13f6a275be37b, 0x224bcebdca49891bf9012df921ac74695bf0542d67e3441f56abf98de7823a55c, 0x2b3ad16f79ec2ee66319e269329f37b4beffbdcab630e55bdd40e3ad227e9860, 0x32982bc4152151ce6ce6a60f402964c329c30763bfe72691b7293b42ef6259cb, 0x32b479e3d43ac81e62d9be2ca5b5047c064dbedc0247f1cf9f13226d2c3806c1

OBFUSCATION_PATTERN

consolidation: value collected from 28 distinct addresses

0xdb72ec0cddce93c6499ebba24a9f0176c72c20b3

Finding confidence 72%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

225 incoming movements from 28 addresses

0x0065525f487ccc30bb52ddb127b61f7f59b20e682130f1552d0d13f3c1dcfa70, 0x02b081f448cb7c884849e6ed209e0f0fdf7d4e60b5c2f225cdee14380f8b05b3, 0x033441b895dd0b4a28564fef6bf19d5b05de53472e23b32c5228b3bb1c0db2d9, 0x040ebfe8c4752bfbb734ad5fe99166372799b27fd778db6249c53b0bd513c3cc, 0x04380951f93c786f59498c3e493890f56f42193f279d98f5b13b06243333b855, 0x04b4fa2447a4db131bdd3189d901424058e08f2d0e1d843e05c4361f19e8acb4, 0x0522087134cf5141789f64064338713525a2e1ceaa865a4f3a7e9c4194def999, 0x072c254cca4625ccf2a7ce9d495e86c2dd730cf568b561d3153165571e831559

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 28 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 72% · names no operator

0x0065525f487ccc30bb52ddb127b61f7f59b20e682130f1552d0d13f3c1dcfa70, 0x02b081f448cb7c884849e6ed209e0f0fdf7d4e60b5c2f225cdee14380f8b05b3, 0x033441b895dd0b4a28564fef6bf19d5b05de53472e23b32c5228b3bb1c0db2d9, 0x040ebfe8c4752bfbb734ad5fe99166372799b27fd778db6249c53b0bd513c3cc, 0x04380951f93c786f59498c3e493890f56f42193f279d98f5b13b06243333b855, 0x04b4fa2447a4db131bdd3189d901424058e08f2d0e1d843e05c4361f19e8acb4, 0x0522087134cf5141789f64064338713525a2e1ceaa865a4f3a7e9c4194def999, 0x072c254cca4625ccf2a7ce9d495e86c2dd730cf568b561d3153165571e831559

OBFUSCATION_PATTERN

relay: 15 receive-then-forward cycles within 30 minutes each

0xdb72ec0cddce93c6499ebba24a9f0176c72c20b3

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

15 inflow/outflow pairs of the same asset in quick succession

0x15e8281e7594251758df0cb170f0be9dd0290fb4aca5976471848561ce89f1f3, 0x224bcebd49891bf9012df921ac74695bf0542d67e3441f56abf98de7823a55c, 0x32982bc4152151ce6ce6a60f402964c329c30763bfe72691b7293b42ef6259cb, 0x469aa9682c53e24c3f6e6df226fe03d10aacfa814e833af7c0b5a19dc0d096d4, 0x4fc71357f4d89d49b0ec9bc47cd0d6fddf07811c7351a75545a03dafa0635362, 0x53354e6fc91faed384a5a2d0ba13794ab4cd0f28ffea14efd76a6bb7f7b91d47, 0x57e4649a5bb2bcab18264019f367ae1ae64b54c49d5ca499786e9b74da3a0626, 0x5ebd6c84b4ddde58fa78296414144899db5e92a2df245d8a23921552af0007f7

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

15 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x15e8281e7594251758df0cb170f0be9dd0290fb4aca5976471848561ce89f1f3, 0x224bcebdc49891bf9012df921ac74695bf0542d67e3441f56abf98de7823a55c, 0x32982bc4152151ce6ce6a60f402964c329c30763bfe72691b7293b42ef6259cb, 0x469aa9682c53e24c3f6e6df226fe03d10aacfa814e833af7c0b5a19dc0d096d4, 0x4fc71357f4d89d49b0ec9bc47cd0d6fddf07811c7351a75545a03dafa0635362, 0x53354e6fc91faed384a5a2d0ba13794ab4cd0f28ffea14efd76a6bb7f7b91d47, 0x57e4649a5bb2bcab18264019f367ae1ae64b54c49d5ca499786e9b74da3a0626, 0x5ebd6c84b4ddde58fa78296414144899db5e92a2df245d8a23921552af0007f7

OBFUSCATION_PATTERN

peel: 0.2% shed while 94.4% of the received amount continued onward

0x49a2dcc237a65cc1f412ed47e0594602f6141936

Finding confidence 79%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

received in 0x9bd3de9d56615a71c49e849a3e24d5f153ee080a39bfdabfd5b5c193312564cd; onward in 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bffbe805201f0ba7f3c; slice in 0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952

0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bffbe805201f0ba7f3c, 0x9bd3de9d56615a71c49e849a3e24d5f153ee080a39bfdabfd5b5c193312564cd

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

one large remainder plus one small slice of the same asset within the peel window — consistent with a peel chain, and also with ordinary change-making

Rule: peel-chain@1 · confidence 79% · names no operator

0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bffbe805201f0ba7f3c, 0x9bd3de9d56615a71c49e849a3e24d5f153ee080a39bfdabfd5b5c193312564cd

OBFUSCATION_PATTERN

splitter: value distributed to 12 distinct addresses

0x49a2dcc237a65cc1f412ed47e0594602f6141936

Finding confidence 59%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

28 outgoing movements to 12 addresses

0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x0aad3e9d6c1db24458d8ac3802ced22a8594f92f4b579784069a5fab67e9e5d4, 0x0bc182f3154831ad3d7d73cc33fbb3af792720b6bb2ea743ff9f6d90998ecbf2, 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bfffbe805201f0ba7f3c, 0x153990f2f05b3d325288cd60c46ab19d5c7195b9f58b975b0996d349182065f7, 0x257b7613eb05db06f6873045abe7fd5c5ee92ae8cd24f1cbba51bfa464c21fd3, 0x28d67c68a60203c8b6c93780c9a3a83ef96fc422da4adb240374da2a44ed38ef, 0x32583b983a52d35527ce82ecb73825070b0db03433db6bf6c36227e9604d69f0

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

outbound degree 12 exceeds the splitter threshold 8; batch payouts by a service look the same

Rule: fan-out@1 · confidence 59% · names no operator

0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x0aad3e9d6c1db24458d8ac3802ced22a8594f92f4b579784069a5fab67e9e5d4, 0x0bc182f3154831ad3d7d73cc33fbb3af792720b6bb2ea743ff9f6d90998ecbf2, 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bfffbe805201f0ba7f3c, 0x153990f2f05b3d325288cd60c46ab19d5c7195b9f58b975b0996d349182065f7, 0x257b7613eb05db06f6873045abe7fd5c5ee92ae8cd24f1cbba51bfa464c21fd3, 0x28d67c68a60203c8b6c93780c9a3a83ef96fc422da4adb240374da2a44ed38ef, 0x32583b983a52d35527ce82ecb73825070b0db03433db6bf6c36227e9604d69f0

OBFUSCATION_PATTERN

consolidation: value collected from 29 distinct addresses

0x49a2dcc237a65cc1f412ed47e0594602f6141936

Finding confidence 73%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

135 incoming movements from 29 addresses

0x00679c5da33d8278b010ef37d66f418ae1910735c3da43e04f79e9029cd84b2f, 0x01749580db74098133cd41ec9def088dad3c33b86bf54215bbe53628bd9956, 0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x070407fd32a8b579af6268561eff2cb9cb4448b25d1ae7b17dc6e185b2c4fb0b, 0x08f2b67e496b879524ca9db544c124f5c165c80b82df291f14ef7bbf65dbaef2, 0x09ed1eadb72aa0bbb3596f093f5609992be3d0a7ade591a79a33afb2563506a1, 0x0a922e80a4474e90c164be35e78299b1060ef4aba53b7058adcef16379810a02, 0x0eded9e23c6e8bbc6b363209c62c4ff16c799c477ba57fa645f9db1135db016e

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

inbound degree 29 exceeds the consolidation threshold 8; a service deposit address looks the same

Rule: fan-in@1 · confidence 73% · names no operator

0x00679c5da33d8278b010ef37d66f418ae1910735c3da43e04f79e9029cd84b2f, 0x01749580db74098133cd41ec9def088dad3c33b86bfb54215bb5e53628bd9956, 0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x070407fd32a8b579af6268561eff2cb9cb4448b25d1ae7b17dc6e185b2c4fb0b, 0x08f2b67e496b879524ca9db544c124f5c165c80b82df291f14ef7bbf65dbaef2, 0x09ed1eadb72aa0bbb3596f093f5609992be3d0a7ade591a79a33afb2563506a1, 0x0a922e80a4474e90c164be35e78299b1060ef4aba53b7058adcef16379810a02, 0x0eded9e23c6e8bbc6b363209c62c4ff16c799c477ba57fa645f9db1135db016e

OBFUSCATION_PATTERN

relay: 13 receive-then-forward cycles within 30 minutes each

0x49a2dcc237a65cc1f412ed47e0594602f6141936

Finding confidence 75%

EVIDENCE

ON-CHAIN FACTS

Verifiable by anyone against the ledger, using the transaction references given.

13 inflow/outflow pairs of the same asset in quick succession

0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x0aad3e9d6c1db24458d8ac3802ced22a8594f92f4b579784069a5fab67e9e5d4, 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bfffbe805201f0ba7f3c, 0x257b7613eb05db06f6873045abe7fd5c5ee92ae8cd24f1cbba51bfa464c21fd3, 0x28d67c68a60203c8b6c93780c9a3a83ef96fc422da4adb240374da2a44ed38ef, 0x529e6454b3730c4de77536943934cc9626d3da126156196e49ee89009b2fab37, 0x595602e0826154fdc6d0db68c4d6c648d52e714bcec227909742022a02883e9a, 0x613f12a13f27efad929efe5fa2a4b649d917b4899e2210cb0f1936ab48e46c95

HEURISTIC INFERENCES

FATHOM's own reasoning from on-chain behaviour, with the versioned rule that produced it. An inference describes what an address does — it never names who runs it.

13 rapid receive-forward cycles; trading bots and market makers exhibit the same timing

Rule: rapid-hop@1 · confidence 75% · names no operator

0x0303dbc0f0a9cf74aeabfcf4284e714b7e21ed533308cb6f485f24b8c1581952, 0x0aad3e9d6c1db24458d8ac3802ced22a8594f92f4b579784069a5fab67e9e5d4, 0x13bbcc924f24431a3a026da1d318b01b350ca4b63faf2bfffbe805201f0ba7f3c, 0x257b7613eb05db06f6873045abe7fd5c5ee92ae8cd24f1cbba51bfa464c21fd3, 0x28d67c68a60203c8b6c93780c9a3a83ef96fc422da4adb240374da2a44ed38ef, 0x529e6454b3730c4de77536943934cc9626d3da126156196e49ee89009b2fab37, 0x595602e0826154fdc6d0db68c4d6c648d52e714bcec227909742022a02883e9a, 0x613f12a13f27efad929efe5fa2a4b649d917b4899e2210cb0f1936ab48e46c95

TERMINAL

budget 'seconds' exhausted with 1435 frontier address(es) unexplored — partial result, gaps explicit

0xdcbeffbecce100cce9e4b153c4e15cb885643193

Finding confidence 100%

EVIDENCE

ENGINE OBSERVATIONS

A statement about this run: what it examined, where it stopped, what it never looked at. Check it against the investigation record, not against the chain.

unexplored frontier sample: 0xa7b6296945906d190fc0ddfdc0fa1da03382b891, 0xb992ad53ee7dbdaa7e01631f97a2f05c10ed9f00, 0x34d7d7aaf50ad4944b70b320acb24c95fa2def7c, 0x2af33e93f68b8497bb535c492f5867c7e83f2bc4, 0xbb2e5c2ff298fd96e166f90c8abacaf714df14f8, 0xa188eec8f81263234da3622a406892f3d630f98c, 0x5c5b40855fc364b797c1f539f7eb39cdc94a8a91, 0xdb57fdf5fd24a9d0e1ea94552eb2c7bdc28fa27, 0x1c244ad85b650a10d92175f16d466406a1221acb, 0xab7ae646063087317c1f410c6661364779f87d73

14982 transaction(s) examined; 1 mixer(s) were crossed on a heuristic — every branch past them is speculative and may belong to an unrelated party; 4 branch(es) stopped at a mixer with no exit candidate to follow; 97 address(es) were read only in part — a cut page, a feed no provider could serve, or more stored movements than one query returns; the unread part was never examined; 17 high-degree address(es) were expanded only in part — 1160 counterparty branch(es) were reached and never followed; 1435 frontier address(es) never expanded; exploration order ranks by value in verified assets only, so a large movement in an unverified token is explored late rather than first

COVERAGE AND CAVEATS

What this investigation examined, and what it did not. A conclusion above is only as good as this section allows: an address that was never read cannot have been ruled out.

ADDRESSES REACHED	TRANSACTIONS EXAMINED
1573	14982
HISTORIES READ ONLY IN PART	ADDRESSES MISSING AN ACQUISITION FEED
97	0
FEEDS UNAVAILABLE	STOPPED AT THE DEPTH HORIZON
none	0
QUEUED BUT NEVER EXPLORED	ADDRESSES EXPANDED ONLY IN PART
1435	17
BRANCHES DROPPED BY THAT CAP	BRANCHES STOPPED AT A MIXER
1160	4
BRANCHES CONTINUED PAST A MIXER	SEARCH DEPTH LIMIT
1	4

This run did not finish. [partial_run]

The investigation stopped on an exhausted budget rather than on an exhausted trail. Everything below is what was found before it stopped. Absence of a result in any direction is not evidence that none exists — re-running with a larger budget may reach further.

97 address(es) had more history than was read. [truncated_history]

An address is read one page at a time, through several acquisition feeds. These addresses were read only in part: the page had more behind it, a feed could not be served by any provider, or more movements were stored than one expansion query returns. The unread part was never examined, so an earlier counterparty — possibly a nearer VASP — could not have been seen.

17 high-degree address(es) were expanded only in part — 1160 onward branch(es) were never followed. [capped_expansion]

An address with very many counterparties is expanded partially: the trace follows the largest by value and abandons the rest. The abandoned branches were reached and never read. They are ranked by value in VERIFIED assets only, so a large movement in an unverified token is among the first dropped — and a small onward hop can still be the one that reaches an exchange.

1435 address(es) were queued but never explored. [unexplored_frontier]

The run ended with work still on the frontier. Each of these is an address the trace reached and did not read — a lead that remains open.

1 branch(es) were continued past a mixer by heuristic, not by following value. [mixer_crossings]

At a mixer the deposit-to-withdrawal link is severed by design. Where this run continued, it SELECTED which withdrawal to follow using a published heuristic; it did not observe the connection. Every address beyond such a crossing may belong to an unrelated party, and nothing downstream of one is offered as a traced result.

4 branch(es) ended at a mixer. [mixer_stops]

The trail reached a mixing service and no onward candidate could be proposed. These are hard stops in this run, not evidence that the funds stopped moving — the value continues past them unattributed.

The trail reached 14 mixer contact(s). [mixer_contact]

Funds reached a known mixer, where the deposit-to-withdrawal link is severed by design. FATHOM does not de-anonymize the pool. Where this run continued past one, it SELECTED a candidate withdrawal by published heuristic and marked everything beyond as speculative; that branch is a lead, not a traced path, and the true onward path may be one this report never names.

0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc, 0x169ad27a470d064dede56a2d3ff727986b15d52b, 0x22aaa7720ddd5388a3c0a3333430953c68f1849b, 0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936, 0x910cbd523d972eb0a6f4cae4618ad62622b39dbf, 0xa160cdab225685da1d56aa342ad8841c3b53f291, 0xd4b88df4d29f5cedd6857912842cff3b20c8cfa3, 0xd90e2f925da726b50c4ed8d0fb90ad053324f31b, 0xd96f2b1c14db8458374d9aca76e26c3d18364307

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 174 were reached but never explored
0x7a250d5630b4cf539739df2c5dacb4c659f2488d

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 115 were reached but never explored
0xc02aaa39b223fe8d0a0e5c4f27ead9083c756cc2

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 46 were reached but never explored
0x9008d19f58aabd9ed0d60971565aa8510560ab41

The engine's own statement about what it examined: [engine_observation]

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool
0x910cbd523d972eb0a6f4cae4618ad62622b39dbf:ETH#7 within 7 days before this transaction; the
branch has nothing to follow; the anonymity set was counted from the mixer transactions FATHOM has
stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly
weaker than its confidence suggests
0x910cbd523d972eb0a6f4cae4618ad62622b39dbf

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 35 were reached but never explored
0xa5025faba6e70b84f74e9b1113e5f7f4e7f4859f

The engine's own statement about what it examined: [engine_observation]

unexplored frontier sample: 0x500e996476a1f0ddb6195520074bb56109f6536c,
0x2ee3dc2522ffbf46d8564d21b790f282f0dec862, 0xa0c68c638235ee32657e8f720a23cec1bfc77c77,
0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936, 0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc,
0x11111112542d85b3ef69ae05771c2dccff4faa26, 0x283af0b28c62c092c9727f1ee09c02ca627eb7f5,
0x3eed23ea148d356a72ca695dbce2fceb40a32ce0, 0x69ac0688f8d5dbaa519abffde6cff500341741df,
0xb541fc07bc7619fd4062a54d96268525cbc6ffef
0xdcbeffbecce100cce9e4b153c4e15cb885643193

The engine's own statement about what it examined: [engine_observation]

2474 transaction(s) examined; 1 branch(es) stopped at a mixer with no exit candidate to follow; 14 address(es) were read only in part — a cut page, a feed no provider could serve, or more stored movements than one query returns; the unread part was never examined; 4 high-degree address(es) were expanded only in part — 370 counterparty branch(es) were reached and never followed; 382 frontier address(es) never expanded; exploration order ranks by value in verified assets only, so a large movement in an unverified token is explored late rather than first

0xdcbeffbecce100cce9e4b153c4e15cb885643193

The engine's own statement about what it examined: [engine_observation]

the run stopped on budget 'max_nodes', not on an exhausted frontier

0xdcbeffbecce100cce9e4b153c4e15cb885643193

The engine's own statement about what it examined: [engine_observation]

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool
0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936:ETH#7 within 7 days before this transaction; the branch has nothing to follow; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

0x47ce0c6ed5b0ce3d3a51fdb1c52dc66a7c3c2936

The engine's own statement about what it examined: [engine_observation]

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool
0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc:ETH#7 within 7 days before this transaction; the branch has nothing to follow; 9 further transaction(s) between this address and the pool on the same side were not used as an anchor; each is a separate crossing, with its own window and its own crowd, whose exits were never enumerated; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

0x12d66f87a04a9e220743712ce6d9bb1b5616b8fc

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 75 were reached but never explored

0x3eed23ea148d356a72ca695dbce2fceb40a32ce0

The engine's own statement about what it examined: [engine_observation]

no identifying heuristic fired; anonymity set of 2 deposits in pool
0xd4b88df4d29f5cedd6857912842cff3b20c8cfa3:ETH#7 within 7 days, following 2; 1 further transaction(s) between this address and the pool on the same side were not used as an anchor; each is a separate crossing, with its own window and its own crowd, whose exits were never enumerated; the anonymity set was counted from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is larger and every candidate is correspondingly weaker than its confidence suggests

0xd4b88df4d29f5cedd6857912842cff3b20c8cfa3

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 58 were reached but never explored

0x11111112542d85b3ef69ae05771c2dccff4faa26

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 39 were reached but never explored

0x48d7a6bbc428bca019a560cf3e8ea5364395aad3

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 76 were reached but never explored

0x283af0b28c62c092c9727f1ee09c02ca627eb7f5

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 56 were reached but never explored

0x26cc0eab6cb650b0db4d0d0da8cb5bf69f4ad692

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 62 were reached but never explored

0x5427fefa711eff984124bfbb1ab6fbf5e3da1820

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 66 were reached but never explored

0xde0b295669a9fd93d5f28d9ec85e40f4cb697bae

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 61 were reached but never explored

0xdac17f958d2ee523a2206206994597c13d831ec7

The engine's own statement about what it examined: [engine_observation]

the trail stopped at this mixer: no exit candidate could be proposed; no deposits in pool
0xd90e2f925da726b50c4ed8d0fb90ad053324f31b:\$ TornadoV2.com - TornadoCash new link#33258
within 7 days before this transaction; the branch has nothing to follow; the anonymity set was counted
from the mixer transactions FATHOM has stored, not from the pool's full history, so the real crowd is
larger and every candidate is correspondingly weaker than its confidence suggests

0xd90e2f925da726b50c4ed8d0fb90ad053324f31b

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 34 were reached but never explored

0xc18360217d8f7ab5e7c516566761ea12ce7f9d72

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 102 were reached but never explored

0x00

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 78 were reached but never explored

0x9e3382ca57f4404ac7bf435475eae37e87d1c453

The engine's own statement about what it examined: [engine_observation]

expansion capped at the 20 highest-value counterparties; 44 were reached but never explored

0xc176761d388caf2f56cf03329d82e1e7c48ae09c

The engine's own statement about what it examined: [engine_observation]

unexplored frontier sample: 0xa7b6296945906d190fc0ddfdc0fa1da03382b891,
0xb992ad53ee7dbdaa7e01631f97a2f05c10ed9f00, 0x34d7d7aaf50ad4944b70b320acb24c95fa2def7c,
0x2af33e93f68b8497bb535c492f5867c7e83f2bc4, 0xbb2e5c2ff298fd96e166f90c8abacaf714df14f8,
0xa188eec8f81263234da3622a406892f3d630f98c, 0x5c5b40855fc364b797c1f539f7eb39cdc94a8a91,
0xdb57fdf5fd24a9d0e1ea94552eb2c7bdc28fa27, 0x1c244ad85b650a10d92175f16d466406a1221acb,
0xab7ae646063087317c1f410c6661364779f87d73
0xdcbeffbecce100cce9e4b153c4e15cb885643193

The engine's own statement about what it examined: [engine_observation]

14982 transaction(s) examined; 1 mixer(s) were crossed on a heuristic — every branch past them is speculative and may belong to an unrelated party; 4 branch(es) stopped at a mixer with no exit candidate to follow; 97 address(es) were read only in part — a cut page, a feed no provider could serve, or more stored movements than one query returns; the unread part was never examined; 17 high-degree address(es) were expanded only in part — 1160 counterparty branch(es) were reached and never followed; 1435 frontier address(es) never expanded; exploration order ranks by value in verified assets only, so a large movement in an unverified token is explored late rather than first
0xdcbeffbecce100cce9e4b153c4e15cb885643193

Investigation ca7581f4-e06c-4731-8ced-98e22e92915b · engine 0.1.0 · ruleset baseLine-2026-08-07 · generated 2026-08-17 10:39 UTC.

Budgets: api_calls=2000, max_depth=4, max_nodes=2500, seconds=1500.0. Spent: api_calls=125, nodes=1573, seconds=1505.066, txs_normalized=14982.

Evidence in this document belongs to exactly four kinds — on-chain fact, third-party claim, heuristic inference, engine observation — and they are never merged. A heuristic inference never names an operator; only a third-party claim does.