

SIMATS ENGINEERING

ASSESSMENT TOOL 2

COURSE NAME: CSA16 COURSE CODE: Data Warehousing and Data Mining

COURSE OUTCOME COVERED

CO3: Evaluate the effectiveness of classification techniques on real-time data for accurate prediction, enabling informed decision-making. (BL3,BL4,BL5)
Assessment Tool Weightage: 30%

QUESTIONS: 3

Total Marks:30

Annexure C

Case study

Criteria	Understanding of Case (2.5)	Application of Concepts (2.5)	Analysis (2)	Solution Design (2)	Clarity (1)	Total(10)
Weightage	25%	25%	20%	20%	10%	100%
Q1						
Q2						
Q3						

Code of Conduct:

*I MANIBAALAKRISHNAN S/192211171 (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.
I understand that any violation of academic integrity rules will result in disciplinary action.*

Signature of the student: MANIBAALAKRISHNAN S

RUBRICS FOR CALCULATION:

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Understanding of Case	25	Thorough understanding ; clearly identifies all key issues	Good understanding with most issues identified	Basic understanding ; some issues missed	Poor understanding ; problem not identified correctly
Application of Concepts	25	Effectively applies relevant concepts to analyze the case deeply	Applies appropriate concepts with minor gaps	Limited application of concepts	Fails to apply relevant concepts
Analysis	20	In-depth analysis with strong reasoning and insights	Good analysis with logical reasoning	Basic analysis with limited depth	Weak or no analysis; lacks reasoning
Solution Design	20	Innovative, feasible solutions with strong justification	Logical solutions with adequate justification	Basic solutions with weak justification	Incorrect or no solution provided
Clarity	10	Clear, well-structured, and easy to understand	Organized and understandable presentation	Limited clarity and structure	Poor clarity; difficult to understand

ANNEXURE A

Case Study:

1. A shepherd boy gets bored tending the town's flock. To have some fun he cries out, "Wolf!" even though no wolf is in sight. The villagers run to protect the flock, but then get really mad when they realize the boy was playing a joke on them.

One night, the shepherd boy sees a real wolf approaching the flock and calls out, "Wolf!" The villagers refuse to be fooled again and stay in their houses. The hungry wolf turns the flock into lamb chops. The town goes hungry. Panic ensues. Identify TP,FP,FN,TN

2. Assume there are 100 images, 30 of them depict a cat, the rest do not. A machine learning model predicts the occurrence of a cat in 25 of 30 cat images. It also predicts absence of a cat in 50 of the 70 no cat images. Identify TP,FP,FN,TN and Calculate the Precision and Recall and F1 Score .

3. An email service provider wants to classify emails as **Spam or Not Spam** using features:

- Contains “Offer” (Yes/No)
- Contains “Free” (Yes/No)
- Email Length (Short/Long)

Sample Dataset

Offer	Free	Length	Class
Yes	Yes	Short	Spam
Yes	No	Long	Not Spam
No	Yes	Short	Spam
No	No	Long	Not Spam
Yes	Yes	Long	Spam
No	No	Short	Not Spam

Questions

1. Calculate prior probabilities:
 - $P(\text{Spam})$, $P(\text{Not Spam})$
2. Compute conditional probabilities for each feature.
3. Using **Naïve Bayes**, classify:
 - (Offer=Yes, Free=No, Length=Short)
4. Compare results using **WEKA (Naïve Bayes classifier)**.
5. Discuss the **independence assumption** in Naïve Bayes

CO3 - ALT 2

1. A Shepherd boy gets bored tending the town's flock. To have some fun he cries out, "Wolf!" even though no wolf is in sight. The villagers run to protect the flock, but then get really mad when they realize the boy was playing a joke on them.

One night, the shepherd boy sees a real wolf approaching the flock and calls out "Wolf!" The villagers refuse to be fooled again and stayed. The hungry wolf tears the flock into lamb chops. Identify TP, FP, FN, TN.

Ans. -

Actual \ Prediction	wolf = Yes	wolf = No
wolf = Yes	TP Predicting wolf came, wolf came	FN warning not given, wolf came
wolf = No	FP Predicting wolf will come, wolf not come	TN warning not given, wolf also not come

2. Assume there are 100 images, 30 of them depict a cat, the rest do not. A machine learning model predicts the occurrence of a cat in 25 of 20 cat images. It also predicts the absence of a cat in 50 of the 70 no cat images. Identify TP, FP, FN, TN and calculate the Precision and Recall and F1 score.

Ans. -

Actual \ Prediction	Cat = Yes	Cat = No
Cat = Yes	TP 25	FN 5
Cat = No	FP 20	TN 50
	45	55
	P	N

30 - P
70 - N
100 - All

$$\text{Precision} = \frac{TP}{TP+FP} = \frac{25}{25+20} = \frac{25}{45} = 0.556 \times 100$$

$$\boxed{\text{Precision} = 55.6\%}$$

$$\text{Recall} = \frac{TP}{TP+FN} = \frac{25}{25+5} = \frac{25}{30} = 0.833 \times 100 = 83.3\%$$

$$F_1 \text{ score} = \frac{2 \times \text{precision} \times \text{recall}}{\text{precision} + \text{recall}} = \frac{2 \times 0.556 \times 0.833}{0.556 + 0.833}$$

$$= \frac{0.926296}{1.389} = 0.667 \times 100$$

$$F_1 \text{ score} = 66.7\%$$

3. An email service provider wants to classify emails as Spam (or), not Spam using features:

* Contains "Offer" (Yes/No)

* Contains "Free" (Yes/No)

* Email length (Short/Long)

Sample Dataset:-

Offer	Free	Length	Class
Yes	Yes	Short	Spam
Yes	No	Long	not spam
No	Yes	Short	Spam
No	No	Long	not spam
Yes	Yes	Long	spam
No	No	Short	not spam

Calculate prior probabilities: $P(\text{spam})$, $P(\text{not spam})$

$$P(\text{spam}) = \frac{3}{6} = \frac{1}{2}$$

$$P(\text{not spam}) = \frac{3}{6} = \frac{1}{2}$$

2) Compute conditional probabilities for each feature.

$$P(O=Y | \text{spam}) = \frac{2}{3}$$

$$P(O=N | \text{spam}) = \frac{1}{3}$$

$$P(F=Y | \text{spam}) = \frac{3}{3} = 1$$

$$P(F=N | \text{spam}) = \frac{0}{3} = 0$$

$$P(L=S | \text{spam}) = \frac{2}{3}$$

$$P(L=long | \text{spam}) = \frac{1}{3}$$

$$P(O=Y | \text{not spam}) = \frac{1}{3}$$

$$P(O=N | \text{not spam}) = \frac{2}{3}$$

$$P(F=Y | \text{not spam}) = \frac{0}{3} = 0$$

$$P(F=N | \text{not spam}) = \frac{3}{3} = 1$$

$$P(L=S | \text{not spam}) = \frac{1}{3}$$

$$P(L=long | \text{not spam}) = \frac{2}{3}$$

3) Using Naïves Bayes, classify:

* (Offer = Yes, Free = No, length = short)

$$P(O=Y, F=N, L=S)$$

$$P(\text{spam}) = \frac{1}{2} \times \frac{2}{3} \times 0 \times \frac{2}{3} = 0$$

$$P(\text{not spam}) = \frac{1}{2} \times \frac{1}{3} \times \frac{0}{3} \times \frac{1}{3} = \frac{1}{18} = 0.0556$$

Prediction:

spam = 0

no spam = 0.056


↓

As no spam has higher value, Thus Nosпам

4) Value of Naïves Bayes:

Dataset	Bayes	Naïve Bayes	Naïve Bayes Multinomial
Sam-DT	75.25	75.75	59.82
	(2/1/1)	(0/1/0)	(0/0/1)

5) Curve:-



all ratio

age	income	student	credit-rating	buys-computer
≤ 30	high	no	fair	no
≤ 30	high	no	excellent	no
31-40	high	no	fair	yes
> 40	medium	no	fair	yes
> 40	low	yes	fair	yes
> 40	low	yes	excellent	no
31-40	low	yes	excellent	yes
≤ 30	medium	no	fair	no
≤ 30	low	yes	fair	yes
> 40	medium	yes	fair	yes
≤ 30	medium	yes	excellent	yes
31-40	medium	no	excellent	yes
31-40	high	yes	fair	yes
> 40	medium	no	excellent	no

Assume,

Class P : buys-computer = "yes"

Class N : buys-computer = "no"

Age	class		I(P, N)	
	P	N		
≤ 30	2	3	0.911	$C = 5$
31-40	4	0	0	$C = 4$
> 40	3	2	0.911	$C = 5$
total	9	5	0.940	$T = 14$

$$\begin{aligned}
 I(P, N) &= I(2, 3) = -\sum P_i \log_2(P_i) \\
 &= -\frac{2}{5} \log_2\left(\frac{2}{5}\right) - \frac{3}{5} \log_2\left(\frac{3}{5}\right) \\
 &= \frac{2 \cdot 644}{5} + \frac{2 \cdot 211}{5}
 \end{aligned}$$

$$I(2, 3) = 0.971$$

$$I(4, 0) = -\frac{4}{4} \log_2\left(\frac{4}{4}\right) - \frac{0}{4} \log_2\left(\frac{0}{4}\right)$$

$$I(4, 0) = 0$$

$$\begin{aligned}
 I(3, 2) &= -\frac{3}{5} \log_2\left(\frac{3}{5}\right) - \frac{2}{5} \log_2\left(\frac{2}{5}\right) \\
 &= \frac{2 \cdot 211}{5} + \frac{2 \cdot 644}{5}
 \end{aligned}$$

$$I(3, 2) = 0.971$$

$$\begin{aligned}
 I(9, 5) &= -\frac{9}{14} \log_2\left(\frac{9}{14}\right) - \frac{5}{14} \log_2\left(\frac{5}{14}\right) \\
 &= \frac{5 \cdot 737}{14} + \frac{1 \cdot 427}{14}
 \end{aligned}$$

$$I(9, 5) = 0.940$$

$$\begin{aligned}
 \text{Info}_{\text{age}}(D) &= \frac{5}{14} \times 0.971 + \frac{4}{14} \times 0 + \frac{5}{14} \times 0.971 \\
 &= 0.3468 + 0.3468
 \end{aligned}$$

$$\text{Info}_{\text{age}}(D) = 0.694$$

$$\begin{aligned}
 \text{Gain}(\text{age}) &= 0.940 - 0.694 \\
 &= 0.246
 \end{aligned}$$


For income:-

income	class		I(P, N)
	P	N	
low	3	1	0.8113
Medium	4	2	0.9183
high	2	2	1
Total	9	5	0.940

$$C = 4$$

$$C = 6$$

$$C = 4$$



$$\text{Gain Ratio}_{\text{age}} = \frac{0.246}{1.58}$$

$$= 0.156$$

$$\text{gini}(D) = 1 - \sum_{j=1}^n P_j^2$$

$$\text{gini}_n(D) = \frac{|D_1|}{|D|} \text{gini}(D_1) + \frac{|D_2|}{|D|} \text{gini}(D_2)$$

gini index on income:

$$\text{gini} = 1 - \left[\left(\frac{9}{14} \right)^2 + \left(\frac{5}{14} \right)^2 \right]$$

$$\boxed{\text{gini} = 0.459} \Rightarrow \text{For (who buys & not buys computer)}$$

Gini-income:

$$L = 4, M = 6, H = 4$$

$$\Rightarrow D_1 \{ \text{Low, Medium} \} D_2 \{ \text{High} \}$$

$$\begin{aligned} \text{gini}_{\text{income}} \left(\frac{L}{M} \right) &= \frac{10}{14} \left[1 - \left(\frac{7}{10} \right)^2 + \left(\frac{3}{10} \right)^2 \right] + \frac{4}{14} \left[1 - \left(\frac{4}{4} \right)^2 + \left(\frac{0}{4} \right)^2 \right] \\ &= \frac{10}{14} [1 - 0.58] + \frac{4}{14} [1 - 0.5] \\ &= \frac{4.2}{14} + \frac{2}{14} \end{aligned}$$

$$\boxed{= 0.443}$$

$$\Rightarrow D_1 \{ \text{Low, High} \} D_2 \{ \text{Medium} \}$$

$$\boxed{\text{Gini} = 0.458}$$

$$\Rightarrow D_1 \{ \text{Medium, High} \} D_2 \{ \text{Low} \}$$

$$\boxed{\text{Gini} = 0.450}$$

$$I(3,1) = -\frac{3}{4} \log_2\left(\frac{3}{4}\right) - \frac{1}{4} \log_2\left(\frac{1}{4}\right) = \frac{1.245}{4} + \frac{2}{4}$$

$$I = 0.8113$$

$$I(4,2) = -\frac{4}{6} \log_2\left(\frac{4}{6}\right) - \frac{2}{6} \log_2\left(\frac{2}{6}\right) = \frac{2.34}{6} + \frac{3.17}{6}$$

$$I = 0.9183$$

$$I(2,2) = -\frac{2}{4} \log_2\left(\frac{2}{4}\right) - \frac{2}{4} \log_2\left(\frac{2}{4}\right) = \frac{2}{4} + \frac{2}{4}$$

$$I = 1$$

$$I(9,5) = 0.940$$

$$\text{Info}_{\text{income}}(D) = \frac{4}{14} \times 0.8113 + \frac{6}{14} \times 0.9183 + \frac{4}{14} \times 1$$

$$= \frac{12.755}{14}$$

$$I = 0.911$$

$$\text{Gain}_{\text{income}} = 0.940 - 0.911$$

$$I = 0.029$$

$$\text{Gain}_{\text{student}} = 0.151$$

$$\text{Gain}_{\text{credit ranking}} = 0.048$$

$$\text{Gain Ratio}(A) = \frac{\text{gain } A}{\text{split info}(A)}$$

$$\text{Split Info}(A) = -\sum_{j=1}^J \frac{|D_j|}{|D|} \times \log_2\left(\frac{|D_j|}{|D|}\right)$$

$$\text{Split Info}_{\text{Age}} = -\frac{5}{14} \log_2\left(\frac{5}{14}\right) - \frac{4}{14} \log_2\left(\frac{4}{14}\right) - \frac{5}{14} \log_2\left(\frac{5}{14}\right)$$

$$= \frac{7.227}{14} + \frac{7.2296}{14} + \frac{7.427}{14}$$

$$\text{Split Info}_{\text{Age}} = 1.58$$

Thus $\Rightarrow D_1$ & M & D_2 & H has lowest value, then they with highest income will buy.

Confusion Matrix Problem:-

Actual class \ Predicted class	Cancer = yes	Cancer = no	Total
Cancer = yes	90	210	300
Cancer = no	140	9560	9700
Total	230	9770	10000

$$TP = 90, FN = 210, FP = 140, TN = 9560$$

$$All = 10000$$

$$P = 300, N = 9700, P' = 230, N' = 9770$$

$$Accuracy = \frac{(TP + TN)}{All} = \frac{(90 + 9560)}{10000} = \frac{9650}{10000} = 0.965 \times 100$$

$$Accuracy = 96.5\%$$

$$Error\ rate = 1 - accuracy = 1 - 96.5 = 0.035 \times 100$$

$$ER = 3.5\%$$

$$Sensitivity = \frac{TP}{P} = \frac{90}{300} = 0.3 = 30\%$$

$$F_1\ score\ specificity = \frac{TN}{N} = \frac{9560}{9700} = 98.6\%$$

$$Specificity = 98.6\%$$

$$Precision = \frac{TP}{TP + FP} = \frac{90}{90 + 140} = 0.391 \times 100 = 39.1\%$$

$$Recall = \frac{TP}{TP + FN} = \frac{90}{90 + 210} = \frac{90}{300} = 0.3 \times 100 = 30\%$$

$$F_1\ score = \frac{2 \times precision \times recall}{precision + recall} = \frac{2 \times 0.391 \times 0.3}{0.391 + 0.3} = \frac{0.2346}{0.691}$$

$$= 0.330 \times 100 = 33$$

Handwritten signature/initials