

Bluconn Support Portal — Refined MVP PRD

Field	Value
Document	Refined Product Requirements Document
Product	Bluconn Support Portal MVP
Status	Reflects shipped implementation (as of latest enhancements branch)
Base	Original <i>Bluconn Support MVP PRD for Cursor</i> + Figma designs
Branch of truth	<code>cursor/support-mvp-enhancements-c3a0</code>
Version	1.1 (Refined)
Date	2026-08-07

1. Purpose of this document

This is the **refined PRD**: the original PRD updated to match what was actually built.

- **Kept** — original requirements that shipped
- **Added** — features developed after the original PRD (WhatsApp, dashboard, SLA days, etc.)
- **Changed** — stack or behavior that differs from the original PRD
- **Removed / deferred** — original items not shipped or no longer required for MVP

2. Product goal

Build a working MVP support ticketing system for Bluconn with three surfaces:

1. **Customer Portal** — customers raise and follow tickets
2. **Internal Partner Portal** — support agents triage and resolve tickets
3. **WhatsApp channel** — site engineers / selected POCs raise and follow up via mobile chat

Change from original PRD: WhatsApp was originally *out of scope* ("Ignore WhatsApp integration for now"). It is **in scope** in this refined PRD.

3. Success criteria

The MVP is successful when a reviewer can:

1. Raise a ticket from the **Customer Portal** and see it in the Partner queue
 2. Raise a ticket from **WhatsApp** (keyword `Support`) and triage it in Partner Portal
 3. Have a Partner agent raise a ticket for a customer **POC** and notify that POC on WhatsApp
 4. Assign, label, set component/status/priority, reply (including `@internal`), and close tickets
 5. See **SLA Due** countdown and breached state
 6. Attach files on raise / reply and see them in the conversation
 7. Run locally with zero external DB install (SQLite)
-

4. Tech stack (refined)

Layer	Choice	vs original PRD
Framework	Next.js 15 (App Router) + TypeScript	Unchanged
Styling	Tailwind CSS + shadcn-style UI	Unchanged
ORM / DB	Prisma + SQLite	Changed (was PostgreSQL)
Forms / validation	Zod + Server Actions	Unchanged (RHF patterns optional)
Client UI state	Zustand	Unchanged
Architecture	Feature-based folders; UI separated from actions	Unchanged

Rationale for SQLite: zero-setup local demos and Vercel-friendly deploys without managed Postgres.

5. Portals & routes

Surface	Route	Status
Home / portal picker	/	Shipped
Customer — My Tickets	/support	Shipped
Customer — Ticket detail	/support/SUP-xxxx	Shipped
Partner — Dashboard	/partner	Added (sidebar item existed; live stats shipped later)
Partner — Support queue	/partner/support	Shipped
Partner — Ticket detail	/partner/support/SUP-xxxx	Shipped
WhatsApp — Mobile support chat	/whatsapp	Added

6. Customer Portal requirements

6.1 Raise Ticket

- Modal with Subject, Description, optional attachments
- On create: generate Ticket ID (SUP-xxxx), status **Open**, priority **Medium**, source **PORTAL**
- Ticket appears in customer list and Partner queue

6.2 My Tickets

- List of the current customer's tickets
- Search / status filters as implemented in the UI

6.3 Ticket Detail

- Conversation timeline (customer / support / system messages)
- Reply box with optional attachments
- Metadata: status, priority, timestamps

Original (kept): Raise Ticket, My Tickets, Ticket Detail, reply + attachments, auto Ticket ID, Open/Medium defaults.

7. Partner Portal requirements

7.1 Navigation

- Sidebar: **Dashboard, Support**

7.2 Dashboard (Added)

Live snapshot: - Active tickets, SLA breached, Unassigned

- WhatsApp vs Portal channel mix
- Open / In Progress / Critical open / High open
- Recently updated tickets

7.3 Ticket List (queue)

Show at least: - Ticket Number, Customer, Company, Subject

- Status, Priority, **Channel (PORTAL / WHATSAPP)**
- Last Message, Last Updated, Unread Count

Controls: search, filters (status / priority / **source**), sort, pagination

Layout target: list + detail similar to Freshdesk / Intercom (list page + detail page in shipped MVP).

7.4 Ticket Detail & actions

Metadata: subject, customer, company, assignee, priority, status, labels, component, timestamps, SLA fields

Actions (shipped): - Assign to Me

- Change Status / Priority
 - Add Label(s)
 - Select Component
 - Close Ticket
 - Reply (public) and @internal notes
 - **Edit SLA days (Added)**
 - Raise Ticket for a customer (drawer): Account/Company + **Select POC** + optional **notify POC on WhatsApp (Added)**
-

8. Conversation model

Sender type	Visible to customer	Notes
CUSTOMER	Yes	End-user / POC / site engineer
SUPPORT	Yes	Partner agent ("Bluconn Support")
SYSTEM	Yes	Status / lifecycle notices
INTERNAL	No	Partner-only @internal notes

Chat orientation (Added): - Partner view: customer left, Bluconn Support right

- Customer / WhatsApp view: customer right, Bluconn Support left

- Clear sender naming in WhatsApp and portal threads

Attachments persist on ticket create and on replies, and render in the thread (**strengthened vs original** — original called for attachment support; refined MVP stores and displays them).

9. Status workflow

Open → In Progress → Waiting for Customer → Resolved → Closed

Rule	Status
Closed is final	Kept
Resolved can be reopened	Kept

10. Priority & SLA (refined)

Priority	Default SLA	Notes
Low	7 days	Kept
Medium	3 days	Kept
High	1 day	Kept
Critical	4 hours (default days = 1)	Kept

UI (Added / refined): - Partner can enter **SLA as whole days** (editable)

- **SLA Due** field shows remaining days (decrements by calendar day)

- When breached: show red styling and negative day counts (-1 , -2 , ...) plus breached badge

11. Taxonomy

Components (kept)

Attendance, Leave, Trip, Workflow, Face Attendance, Reports, Payroll, General

Labels

Original: Bug, Feature Request, Configuration, Question, Data Issue, Enhancement

Seed also includes (added in implementation): Service, Knowledge Gap, Duplicate

Ticket source / channel (Added)

- PORTAL
- WHATSAPP

Partner queue shows channel badges and can filter by channel.

12. WhatsApp channel (Added — now in scope)

12.1 Goals

Same customers who use the Customer Portal can also raise and follow tickets from a **mobile WhatsApp chat experience**.

12.2 Field raise — Scenario A

1. Open /whatsapp
2. User sends keyword **Support**
3. Bot responds with CTA **Raise Support Ticket**
4. CTA opens an **in-app browser** form (not an external browser)
5. User submits subject / description / optional screenshot
6. Ticket is created (demo path uses SUP-2027) with source **WHATSAPP**
7. Chat confirms creation; later Partner replies appear as WhatsApp updates with **View & Reply**

12.3 Partner-raised → POC notify — Scenario B

1. Partner raises a ticket, selects Account + POC

2. System notifies the POC on WhatsApp with ticket intro
3. POC receives subsequent agent updates on WhatsApp
4. POC responds via **View & Reply**

12.4 WhatsApp copy (demo contract)

- Prompt: need help → button below
- Create success includes Ticket ID
- Update: new update on ticket + **View & Reply**
- Reply success / thank-you follow-up messages as implemented in the demo UI

12.5 Actors

Role	Surface	Identity approach
Site Engineer	WhatsApp Scenario A	Seeded WhatsApp customer (e.g. <code>ravi.site@jmrconstructions.com</code>) — no POC picker
POC	WhatsApp Scenario B	Selected from Partner raise-ticket POC list; phones seeded (<code>+91 5...</code> series)
Partner Agent	Partner Portal	Demo agent <code>olivia@untitledui.com</code>

13. Data model

Model	Status
Customer	Kept
SupportAgent	Kept
Ticket	Kept (+ <code>source</code> , <code>slaDays</code> , channel-related fields)
TicketMessage	Kept
Attachment	Kept / strengthened
Label	Kept
Component	Kept
TicketActivity	Kept
StatusHistory	Kept

Seed targets (kept as MVP targets)

- ~20 Customers
- 5 Agents
- ~75 Tickets
- ~500 Messages

Demo actors (refined)

- Customer portal: `shivani@bluconn.com` (fallback: first seeded customer)
 - Partner agent: `olivia@untitledui.com`
 - WhatsApp site engineer: `ravi.site@jmrconstructions.com`
-

14. Non-functional / engineering constraints

- Clean architecture; reusable components; strong typing
- Feature-based folder structure; separate UI from business logic
- Runnable live product (DB-backed), **not** static HTML prototypes
- Local run on port **3002** with `npm run db:setup + npm run dev`
- Optional public deploy via Vercel (`docs/VERCEL_SETUP.md`)

Original process note: original PRD asked to stop after each of 6 phases for approval. Delivery was end-to-end; this refined PRD does **not** require phased stop-gates for future work unless re-introduced.

15. Diff vs original PRD (summary)

Added

- WhatsApp mobile support channel (`/whatsapp`)
- Ticket `source` / channel field + Partner filters & badges
- Partner live Dashboard stats
- Real attachment persistence & rendering in threads
- Partner raise → POC WhatsApp notify (Scenario B)
- Field WhatsApp keyword raise (Scenario A)
- Editable SLA days + SLA Due countdown (including red negatives)
- Viewer-relative chat bubble orientation & clearer naming
- SQLite for zero-setup local runs
- Vercel / public URL setup docs

Changed

- Database: PostgreSQL → SQLite

- WhatsApp: out of scope → **in scope**
- Partner “Dashboard” sidebar item: from placeholder intent → live metrics page

Removed / not required for current MVP

- Hard requirement for managed PostgreSQL in local/dev
- Strict “stop after each phase for approval” delivery gate
- Dependency on missing Figma pixel-perfect matching for WhatsApp form (form mirrors portal raise styling when Figma assets are unavailable)

Still deferred / not claimed as MVP-complete

- Full production WhatsApp Business API / Meta webhook integration (current experience is a **product demo UI** wired to the same ticket store)
 - Production auth / multi-tenant RBAC / true multi-actor login switcher
 - Exact Freshdesk dual-pane (list | detail) single-screen layout if not present in current routing
-

16. Acceptance demo scripts

A. Customer Portal

1. Open `/` → Customer Portal → `/support`
2. Raise Ticket → submit → land on detail
3. Reply with optional attachment

B. Partner triage

1. Open `/partner` → view dashboard counts
2. Open `/partner/support` → filter by status / priority / channel
3. Open a ticket → Assign to Me → set Bug + Attendance → reply / `@internal` → update status

C. WhatsApp Scenario A

1. `/whatsapp?scenario=a` (or plain `/whatsapp`)
2. Send `Support` → Raise → Create → confirmation
3. Partner updates ticket → return to WhatsApp → View & Reply

D. WhatsApp Scenario B

1. Partner raises ticket for a POC with WhatsApp notify
 2. Open POC WhatsApp deep-link / Scenario B entry
 3. Confirm POC received intro and can View & Reply
-

17. Out of scope (refined)

- Native Meta WhatsApp Business Cloud API production webhooks
 - Billing / SLA contracts beyond countdown UX
 - Email / SMS channels
 - Full SSO / org admin console
 - Mobile native apps (WhatsApp surface is a web mobile simulation)
-

18. Document history

Version	Notes
1.0	Original <i>Bluconn Support MVP PRD for Cursor</i> (Customer + Partner only; WhatsApp ignored)
1.1	This refined PRD — aligns requirements with shipped Customer + Partner + WhatsApp MVP and subsequent enhancements

19. Where this lives in the repo

- Markdown: `docs/Bluconn_Support_MVP_PRD_Refined.md`
- Printable HTML: `docs/Bluconn_Support_MVP_PRD_Refined.html`
- PDF: `docs/Bluconn_Support_MVP_PRD_Refined.pdf`

Implementation reference branch: `cursor/support-mvp-enhancements-c3a0`