tiếng anh cnpm

Nguyen The Quy

Phần 1:

Câu 1: (1 đáp án)

An interface used by two individuals with the same education and background but entirely different personalities _____ and unfriendly to the other.

- may saw to one
- may see friendly for one
- may seem one
* may seem friendly to one

Câu 2: (1 đáp án)

While there is a massive trend towards multitasking, window-oriented, point and pick interfaces which can make HCI easier, this _____ careful design of the interface is conducted.

- only happens
- only happen if
* only happens if
- only detect

Câu 3: (1 đáp án)

Each person has some model _____ system works and what it does.

- of who the
- of whom the
* of how the
- of whereas the

Câu 4: (1 đáp án)

The scenario is software _____ thousands or even hundreds of thousands of lines of code

* that consists of
- that consists in
- that consists off
- that consist of

Câu 5: (1 đáp án)

A third possibility _____ interface that is flexible and can be used in different ways according to personality differences.

* is to create an
- are to create an
- is create an
- is to create a

Câu 6: (1 đáp án)

It seems that context- or domain-specific knowledge _____ overall education or intelligence.

- is more important then
- are more important than
* is more important than
- is important than

Câu 7: (1 đáp án)

But an experienced and frequent user may be frustrated by an interface _____ novices and may prefer shortcut commands and/or a command line interface

- design for
- designed to
* designed for
- designing for

Câu 8: (1 đáp án)

These heuristics tend to be domain specific – an identical problem, encountered in entirely different contexts, _____ applying different heuristics

* might be solved by
- might solve by
- might be solving by
- might be

Câu 9: (1 đáp án)

These different perspectives _____ mental models

- is called
- is sometimes called
* are sometimes called
- are sometimes call

Câu 10: (1 đáp án)

Rather, they apply a set of _____ based on their understanding of similar problems.

- strategies

* all of the given answers are correct
- guidelines
- rules

Câu 11: (1 đáp án)

The problem is that different people often have different perspectives of the user interface; they also have different _____.

* all of the given answers are correct
- culture
- skills
- personalities

Câu 12: (1 đáp án)

In designing a user interface it is as well to realize that there are several potentially different viewpoints. The perspectives include

- the novice or occasional user
- the end-user who will eventually get to use the software
- different end-users with different personalities
* all of the given answers are correct

Câu 13: (1 đáp án)

Thus a direct manipulation interface_____ suitable approach.

- may be most
- be the most
- may the most
* may be the most

Câu 14: (1 đáp án)

At the finest level of granularity, _____ statements and variable declarations can be placed in a method.

- a number off
- number of
- a numbers of
* a number of

Câu 15: (1 đáp án)

Ideally, each component should be self-contained and _____ references as possible to other components.

- has as few
- has a few

* have as few
- have few

Câu 16: (1 đáp án)

The problem is that different people often have different perspectives of the user interface; they also have different _____.

* all of the given answers are correct
- culture
- skills
- personalities

Câu 17: (1 đáp án)

In designing a user interface it is as well to realize that there are several potentially different viewpoints. The perspectives include

- the novice or occasional user
- the end-user who will eventually get to use the software
- different end-users with different personalities
* all of the given answers are correct

Câu 18: (1 đáp án)

Thus a direct manipulation interface_____ suitable approach.

- may be most
- be the most
- may the most
* may be the most

Câu 19: (1 đáp án)

At the finest level of granularity, _____ statements and variable declarations can be placed in a method.

- a number off
- number of
- a numbers of
* a number of

Câu 20: (1 đáp án)

Ideally, each component should be self-contained and _____ references as possible to other components.

- has as few
- has a few
* have as few

- have few

Câu 21: (1 đáp án)

This same interface might confuse a physician, _____ physician has considerable experience of using a computer for diagnosing illnesses in patients

- the

* even though the

- even
- though

Câu 22: (1 đáp án)

This aim has consequences _____ stages of software development, as follows.

* for nearly all

- for shall all
- for nearly that all
- for all that
-

Câu 23: (1 đáp án)

In designing a user interface it _____ realize that there are several potentially different viewpoints.

- are good
- is as well for
- is as good to

* is as well to

-

Câu 24: (1 đáp án)

For example, a number of applications provide a macro facility, _____ commands can be grouped together, parameterized and invoked as a single command

- in series of

* in which a series of

- which a series of
- in which of

Câu 25: (1 đáp án)

In essence, the desire for modularity _____ construct software from pieces that are as independent of each other as possible.

- is about

- is to trying to
- is trying to be
* is about trying to

Câu 26: (1 đáp án)

Thus a component is a fairly independent piece of program _____, some instructions and some data of its own.

- that don't has a name
* that has a name
- that have a name
- that has name

Câu 27: (1 đáp án)

The skill level of the end user has a significant impact on the ability to

- effectively apply heuristics that create a rhythm of interaction
- respond efficiently to tasks that are demanded by the interaction
- extract meaningful information from the user interface
* all of the given answers are correct

Câu 28: (1 đáp án)

Most people do not apply any formal reasoning _____ a problem, such as understanding what a computer is displaying.

- confronting with
* when confronted with
- matching with
- when matched with

Câu 29: (1 đáp án)

The _____ the desktop metaphor, familiar to users of Microsoft and Apple Macintosh operating systems.

- not known of these is
- best hidden of those are
- best known of these are
* best known of these is

Câu 30: (1 đáp án)

A set of methods can be grouped together, _____ shared variables, into a class.

- along some
- along within

- along within some

* along with some

Câu 31: (1 đáp án)

A novice user or an occasional user_____ remember much about how to use the system.

- is likely to
- is not
- are not likely to

* is not likely to

Câu 32: (1 đáp án)

Therefore, the ideal user interface would be designed to accommodate differences in personality, or, alternatively, would be designed to accommodate a typical personality _____.

- classes of end users
- a class of end users
- among a class end users

* among a class of end users

Câu 33: (1 đáp án)

In various programming languages, a component is _____

* all of the given answers are correct

- a method
- a class
- a package

Câu 34: (1 đáp án)

For example, an engineer who uses a computer-based diagnostic system _____ automobiles understands the problem domain and can interact effectively through an interface specifically designed to accommodate users with an engineer's background.

- to find faults

* to find faults in

- to find a fault in
- to finding faults in
-

Câu 35: (1 đáp án)

There is a variety of mechanisms for splitting software into independent components, or, expressed another way, grouping together items _____ mutual affinity.

- that has sometimes
* that have some
- that having some
- that has some

Câu 36: (1 đáp án)

User interface design must take into account _____ of the user.

- the needs
- capabilities
* all of the given answers are correct
- experience

Câu 37: (1 đáp án)

Early computers only had facilities for text input and output, _____ modern computers have high-resolution bit mapped displays and pointing devices

- where
* whereas
- what
- who
-

Câu 38: (1 đáp án)

Usually, other people _____ the work, so that the sociology of the workplace has a role.

- are involve in
- are also involve in
* are also involved in
- are also involved
-

Câu 39: (1 đáp án)

If we take as an example the instruction to delete a file, the command to do it typically looks like this: del c:\file.txt where the user _____ in this text (accurately), following a prompt from the system.

- have keying
- have to key

- have a key
* has to key
-

Câu 40: (1 đáp án)

Cognitive scientists are concerned with how human beings _____

- behave at an individual level
* all of the given answers are correct
- perceive the world
- think at an individual level

Câu 41: (1 đáp án)

Menu-based systems have advantage over a command line interface:

- users do not need to know command names
- all of the given answers are correct
* users do not need to remember what is on offer
- typing effort is minimal

Câu 42: (1 đáp án)

The different specialisms reflect different views about _____ people and computers.

* the interaction between
- the interaction
- the switch
- the switch between
-

Câu 43: (1 đáp án)

Developments in user interfaces _____ more sophisticated technology

- has been largely enabled by
- have been enable by
* have been largely enabled by
- have been largely enabled
-

Câu 44: (1 đáp án)

On the other hand, experienced users _____ a command line interface.

- often prefers

- always avoids
- often avoid
* often prefer
-

Câu 45: (1 đáp án)

A direct manipulation interface presents users _____ of their information space.

* without visual model
- in and out of a visual model
- from visual model
- with a visual model
-

Câu 46: (1 đáp án)

Software engineers _____ responsibility for user interface design as well as the design of the software to implement that interface.

- must often takes
- must often taking
- musts often take
* must often take
-

Câu 47: (1 đáp án)

How does the user learn_____ with a new system

* to interact
- to interacting
- interact
- to interacted
-

Câu 48: (1 đáp án)

The user is offered a choice of commands, like this: To delete the file, key D To display the file, key L To open a file, key O To save the file, key S after which the user _____ pressing the appropriate key.

- makes selection
* makes their selection by
- make selection by
- makes your selection by

•

Câu 49: (1 đáp án)

One way of helping to achieve interface consistency is to define a consistent model or metaphor for user–computer interaction, _____ some real world domain that the user understands.

• what are analogous to

• which is not analogous to

• that are analogous to

* which is analogous to

•

Câu 50: (1 đáp án)

It is nowadays considered important that potential users _____ in the design process.

* should be involved

• should be involve

• should involve

• Tùy chọn 4

Câu 51: (1 đáp án)

Broadly, there have been types of interface like _____

• graphical user interface

• menu

* are also involved

• command line

•

Câu 52: (1 đáp án)

At one level it _____ view HCI as the interaction between one individual and the computer.

* is possible to

• be possible to

• is possible be

• is possible

•

Câu 53: (1 đáp án)

This kind of interaction is error prone, very unforgiving if an error occurs, and _____ to learn.

• freely

- relatively easily
* relatively difficult
- relatively freely
-

Câu 54: (1 đáp án)

Menu-based systems have advantage over a command line interface:

- context-dependent help can be provided
- all of the given answers are correct
- some kinds of user error are avoided
* syntax errors are prevented
-

Câu 55: (1 đáp án)

At this level, the concerns are about _____ the amount of information displayed on the screen and the colors chosen.

- things as
- such things
- things from
* such things as

Câu 56: (1 đáp án)

This type of command is _____ operating systems as Unix.

- associated as such
* associated with
- associated as
- associated with such
-

Câu 57: (1 đáp án)

The advantages of GUIs include:

- they are relatively easy to learn and use
- fast, full-screen interaction is possible with immediate access to anywhere on the screen
- the user can use multiple windows for system interaction
* all of the given answers are correct
-

Câu 58: (1 đáp án)

The manner in which users tell the computer what they want to do _____ over the last ten years.

- have changed dramatically
- have changed dangerously
* has changed dramatically
- has changed dangerously
-

Câu 59: (1 đáp án)

In the workplace, however, the computer system _____ the wider context of the work being carried out.

- are often part
* is often part of
- are often part of
- is part
-

Câu 60: (1 đáp án)

Sociologists study _____ and their interactions.

- group people
- grouping people
* groups of people
- grouping

Câu 61: (1 đáp án)

Clearly, command line interfaces are not suitable for _____.

- experienced users
- all of the given answers are correct
- casual and experienced users
* casual and inexperienced users
-
-

Câu 62: (1 đáp án)

User interface design _____ to do with the study of people as it does with technology.

- all of the given answers are correct
* has as much
- has much
- have as much
-

Câu 63: (1 đáp án)

In the early days of computing, the only mode of HCI _____ command line interface.

- were the
- was
* was the
- is the.
-

Câu 64: (1 đáp án)

These different disciplines _____ to bear on designing the human–computer interface.

- bring disagreement
* bring different perspectives
- bring similar exchange
- bring different argument
-

Câu 65: (1 đáp án)

Ergonomics is about designing systems that are _____.

- hard to use
- hard to using
- easy to using
* easy to use

Câu 66: (1 đáp án)

There is a single actor, shown as a stick figure. The name _____ of the user is shown below.

- of the family
- rolled
- *of the role
- all of the given answers are correct
-

Câu 67: (1 đáp án)

Dịch câu sau “In a waterfall model, the correctness of each step is checked”.

- Trong mô hình thác nước, mỗi bước thực hiện đều đúng.
- Trong thác nước mẫu, tính đúng đắn của mỗi bước được kiểm tra

* Trong mô hình thác nước, tính đúng đắn của mỗi bước được kiểm tra.
- Trong kiểu mẫu thác nước, tính đúng đắn của mỗi bước được kiểm tra
-

Câu 68: (1 đáp án)

The _____is a graph that describes steps of software development in sequence.

- diagram
- model
* waterfall model
- sequence diagram
-

Câu 69: (1 đáp án)

You will see that a use case diagram does not contain the detail associated with a (textual) use case. However, it _____ an overall picture of the actors and the use cases.

- give
- neglect
- deny
* does give

Câu 70: (1 đáp án)

Guidelines are _____ and therefore easy to apply, but principles have to be interpreted and applied to the specific system.

- interpreted and applied
- direct, high level
- direct, general
- *direct, immediate
-

Câu 71: (1 đáp án)

User interface design or human–computer interaction (HCI) is very much an interdisciplinary subject, with contributions from _____

- cognitive psychology
- ergonomics
- computer science
* all of the given answers are correct
-

Câu 72: (1 đáp án)

Which one is not a risk while developing software?

- the client changes some of the requirements
- someone leaves the development team
* the waterfall model is not good
- a user requirement was misunderstood

Câu 73: (1 đáp án)

Dịch câu sau sang tiếng anh "Trưởng nhóm sẽ quyết định bao nhiêu lập trình viên sẽ được tham gia vào dự án này"

* The team leader will decide how many developers will be involved in this project.
- The team leader will decide how many developers will involve in this project.
- The team leader will decide how many developers will be join in this project.
- The leader will decide how many developers will work in this project.
-

Câu 74: (1 đáp án)

Dịch câu sau sang tiếng anh "Thỉnh thoảng khách hàng thay đổi một vài yêu cầu"

- The customer changes some requirements
- The client often changes their requirements
- The client asks to change some requirements
* Sometimes the client changes some requirements

Câu 75: (1 đáp án)

This in itself is valuable, but, as we shall see, use cases can also be used to _____

- help write a user manual
- all of the given answers are correct
* create test cases
- predict software cost
-

Câu 76: (1 đáp án)

If something is ambiguous it _____ clearly understandable.

- cannot being
- can being

* cannot be
- can be
-

Câu 77: (1 đáp án)

Which one is an approach to incremental implementation of software?

- waterfall model
- diagram
* top-down
- OOP
-

Câu 78: (1 đáp án)

A use case diagram shows _____ and all the use cases for a system.

* all the actors
- all of the given answers are correct
- all the actor
- the actor

Câu 79: (1 đáp án)

A _____ is an early version built for a system that reflects the features which are of interest.

- program
* prototype
- class
- model

Câu 80: (1 đáp án)

Prototyping is a process model that offers a _____ to the problem of ensuring that the customer gets what they want.

- new function
* solution
- package
- class
-

Câu 81: (1 đáp án)

The principle of the waterfall model is each step is well _____.

* defined

- defining
- defines
- define
-

Câu 82: (1 đáp án)

We will decide how many people will be _____ in the project.

- join
- get out
* involved
- work
-

Câu 83: (1 đáp án)

Which one is a risk while developing software?

- the waterfall model is good
- large budget
- many developers
* a user requirement was misunderstood
-

Câu 84: (1 đáp án)

_____model shows progress as a line that spirals out from near the centre of the diagram.

- Circle
- Waterfall
* Spiral
- Oval

Câu 85: (1 đáp án)

It is common in user interface design to distinguish between principles and guidelines: principles are _____.

- high level and specific
* high level and general
- all of the given answers are correct
- high level and detailed

Câu 86: (1 đáp án)

“The software occupies too much main memory” - Từ “occupies” nghĩa là _____.

* chiếm giữ

- yêu cầu
- bận
- lấy
-

Câu 87: (1 đáp án)

For each specification identify _____ with the specification like, such as ambiguities, inconsistencies and vagueness.

- offer
* any problems
- announce
- recommend
-

Câu 88: (1 đáp án)

Dịch câu sau "A prototype is an early version built for a system that reflects the features which are of interest."

- Một nguyên mẫu là phiên bản dùng thử của một hệ thống phản ánh những tính năng quan tâm.
* Một nguyên mẫu là phiên bản đầu tiên được xây dựng cho một hệ thống phản ánh những tính năng quan tâm.
- Một nguyên mẫu là phiên bản đầu tiên được xây dựng cho một hệ thống phản ánh những tính năng thú vị.
- Một ví dụ mẫu là phiên bản đầu tiên được xây dựng cho một hệ thống phản ánh những tính năng quan tâm.
-

Câu 89: (1 đáp án)

Guidelines are direct, immediate and therefore easy to apply, but principles have to be _____ to the specific system.

* interpreted and applied
- unfit and applied
- all of the given answers are correct
- interpreted and unfit

Câu 90: (1 đáp án)

The program _____too much main memory

- occupys
- occupy
* occupies
- occupied

•

Câu 91: (1 đáp án)

An example of a guideline is: black text on a white background is _____ white text on a black background.

• clear than

• clearer then

* clearer than

• clearer

•

Câu 92: (1 đáp án)

So ambiguity has _____ to help achieve an understandable specification.

• to be removing

* to be removed

• to removed

• be removed

•

Câu 93: (1 đáp án)

Consider, for example, _____ browser and including hyperlinks in a specification to promote cross-referencing

• used web

* using a web

• use web

• being use web

Câu 94: (1 đáp án)

Dịch câu sau: “For effective management, we must establish deadlines for the next stage of the project.”

• Để quản lý hiệu quả, chúng ta phải hoàn thành đúng thời hạn từng giai đoạn của dự án

• Quản lý hiệu quả là chúng ta phải hoàn thành đúng thời hạn từng giai đoạn của dự án.

• Để đem lại hiệu quả quản lý, chúng ta phải hoàn thành đúng thời hạn từng giai đoạn của dự án.

* Để quản lý hiệu quả, chúng ta phải thiết lập thời hạn cho từng giai đoạn của dự án.

•

•

Câu 95: (1 đáp án)

Who should be consulted when collecting the requirements of a computer-based system _____ an existing information system

- to delete
* to replace
- to construct
- all of the given answers are correct

Câu 96: (1 đáp án)

You will see that sometimes different use cases _____ in common.

- all of the given answers are correct
* have parts
- use parts
- cover parts
-

Câu 97: (1 đáp án)

One way of understanding more clearly the difficulties of carrying out requirements elicitation is _____ a role-playing exercise.

- be carrying out
* to carry out
- to carrying out
- all of the given answers are correct
-

Câu 98: (1 đáp án)

Use cases take the _____ of the user or users of the system.

* point of view
- arrange
- changeless
- point of read
-

Câu 99: (1 đáp án)

It is sometimes difficult _____ distinct use cases.

- by identifying
* to identify
- identified

- without identifying
-

Câu 100: (1 đáp án)

A useful checklist for the ingredients of a specification covers _____

- data requirements
- performance requirements
* all of the given answers are correct
- functional requirements

Câu 101: (1 đáp án)

The main issue with specifications is good communication, both in discussions and in writing. For each specification identify any problems with the specification like _____

* all of the given answers are correct
- vagueness
- ambiguities
- inconsistencies
-

Câu 102: (1 đáp án)

You will see that a use case diagram _____ the detail associated with a (textual) use case.

* does not contain
- does not crack
- contain
- crack
-

Câu 103: (1 đáp án)

A use case is a textual description of a _____ user task. A use case diagram shows all the actors and all the use cases for a system.

- big and colorful
- small and incomplete
* small, but complete
- big but colorful
-

Câu 104: (1 đáp án)

A guideline provides useful direction for the implementation in a situation where _____ more than one implementation strategy.

- lack
- all of the given answers are correct
* there may be
- may input

Câu 105: (1 đáp án)

The ideal characteristics of a requirements specification are that it is _____

- unconscious
- ambiguous
- all of the given answers are correct
* consistent
-
-

Câu 106: (1 đáp án)

One way of understanding more clearly the difficulties of carrying out requirements elicitation is to carry out a role-playing exercise. Students can split up into groups of four people, in which two act as _____ , while the other two act as software analysts.

* users
- clients
- customers
- all of the given answers are correct
-

Câu 107: (1 đáp án)

Students can split up into groups of four people, in which _____ as users, while the other two act as software analysts

* two act
- two acted
- one acts
- all of the given answers are correct
-

Câu 108: (1 đáp án)

Use the guidelines and checklists given above _____ improve the specification.

- all of the given answers are correct
- to improving
- to rewriting
* to rewrite and thereby

Câu 109: (1 đáp án)

For each specification_____ the use cases. Draw a use case diagram.

* identify and write
- identifying
- reading
- writing
-

Câu 110: (1 đáp án)

A use case is a task that an actor _____ the system to carry out.

- breaks
- rests
* needs
- avoid
-

Câu 111: (1 đáp án)

Requirements specifications are sometimes very long – they can be as long as a book. Suggest a software tool that could be used to assist in _____ a specification.

- writing
- browsing
- *all of the given answers are correct
- checking
-

Câu 112: (1 đáp án)

The ideal characteristics of a requirements specification are _____

- minimal
- concise
- all of the given answers are correct
- *complete
-

Câu 113: (1 đáp án)

The usage of main memory should be _____ possible.

* as small as
- small
- big
- as big

Câu 114: (1 đáp án)

A use case _____

- specifies what the user does
* all of the given answers are correct
- specifies what the system does
- says nothing about how the system performs its tasks
-

Câu 115: (1 đáp án)

A use case is a textual description of a small, but _____ task. A use case diagram shows all the actors and all the use cases for a system.

- thinking
* complete user
- cold
- incomplete user

Câu 116: (1 đáp án)

One way to identify _____ is to identify a goal that an actor wishes to accomplish.

- use case
- useless use cases
* distinct use cases
- all of the given answers are correct
-

Câu 117: (1 đáp án)

A number of notations and approaches are available to carry out requirement specification. The notations can be _____

- semi-formal (e.g. use cases)
- informal (use case diagrams)
- formal (mathematics)
* all of the given answers are correct

•

Câu 118: (1 đáp án)

These are influences on the implementation of a system. An example is: The system must _____ in Java.

• turn

• write

* be written

• break

•

Câu 119: (1 đáp án)

For each specification identify _____

* all of the given answers are correct

• functional component

• performance component

• data component

•

Câu 120: (1 đáp án)

Many specifications mix up the areas identified above, so that, for example, design guidelines are _____ with functional requirements.

• always ordered

• always confused

• sometimes ordered

* sometimes confused

Câu 121: (1 đáp án)

Another viewpoint is identifying _____ of value to the user.

• all of the given answers are correct

• some house

• some car

* some outcome

•

Câu 122: (1 đáp án)

For each specification _____ the functional, data and performance components of the specification.

• selected

* identify

- distance
- expensed
-

Câu 123: (1 đáp án)

The ideal characteristics of a requirements specification are _____

- understandable
- unambiguous
* all of the given answers are correct
- testable
-

Câu 124: (1 đáp án)

Requirements specifications are sometimes very long – they can be _____ a book.

- as long life
* as long as
- all of the given answers are correct
- long life

Câu 125: (1 đáp án)

Testing is one set of _____ for verifying software.

- job
- module
* techniques
- package
-

Câu 126: (1 đáp án)

We can see that assessing the costs and _____ a system is complicated and time-consuming.

- then benefits of
- than benefits of
- the benefits off
* the benefits of
-
-

Câu 127: (1 đáp án)

The software cost _____ small part of the cost. The benefits overwhelm the costs.

- are only a
* is only a
- is on a
- is only but

Câu 128: (1 đáp án)

In the real world of software development _____ indications that many systems do not meet their users' needs precisely because the needs were not accurately specified in the first place.

- there is strong
* there are strong
- who are strong
- what are strong

Câu 129: (1 đáp án)

In white box testing, the internal structure of the software is _____ to select test data.

- using
- use
- uses
* used
-
-

Câu 130: (1 đáp án)

Now, all these figures are indicative, but the point is to see _____ costbenefit analysis.

- how to going about
- how than go about
* how to go about
- how go about
-

Câu 131: (1 đáp án)

Conversely, we could implement the most beautiful software in the world, _____ what is needed, we have failed.

- but it is not
* but if it is not

- but if it not
- but if is not
-

Câu 132: (1 đáp án)

There is, however, another common reason for avoiding a feasibility study: once an idea for a system has been suggested, the project generates its own momentum, people become _____ and it cannot be stopped.

- commit to it
- committed for it
- committed then it
* committed to it

Câu 133: (1 đáp án)

Bear _____ sometimes the feasibility study plays a large part in deciding that the project should be abandoned.

- in mind then
* in mind that
- in mine that
- in mind than

Câu 134: (1 đáp án)

Constraints often address implementation (e.g., the specification of the programming language) and therefore should be included _____

* with caution
- with cautioned
- without caution
- without cautioning
-

Câu 135: (1 đáp án)

There are two kinds of testing: ____ box and ____ box.

- back - white
- back - while
- black - while
* black - white
-
-

Câu 136: (1 đáp án)

One way to identify distinct _____ is to identify a goal that an actor wishes to accomplish.

- user case
* use cases
- all of the given answers are correct
- user cases
-

Câu 137: (1 đáp án)

If the software cost _____ the decision be the same

- were doubled, what
- were double, would
* were doubled, would
- was doubled, would

Câu 138: (1 đáp án)

Discuss the validity of _____, especially in socially useful applications.

* using cost-benefit analysis
- using cost-benefit analyze
- using book-benefit analysis
- use cost-benefit analysis
-

Câu 139: (1 đáp án)

Dịch câu sau sang tiếng anh “Verification is the general term for techniques that aim to produce fault-free software”.

- Kiểm thử là thuật ngữ chung cho các kỹ thuật nhằm mục đích tạo ra phần mềm không lỗi
- Kiểm chứng là thuật ngữ chung cho các kỹ thuật nhằm mục đích tạo ra phần mềm rảnh lỗi
- Kiểm thử là thuật ngữ được sử dụng chung nhằm mục đích tạo ra phần mềm không lỗi
* Kiểm chứng là thuật ngữ chung cho các kỹ thuật nhằm mục đích tạo ra phần mềm không lỗi
-
-

Câu 140: (1 đáp án)

The set of use cases constitutes the functional _____ of a system.

- schema

- design
* specification
- layout
-

Câu 141: (1 đáp án)

In order to control complexity, use cases _____ into use case packages.

- mix
* are grouped
- add
- are mixed

Câu 142: (1 đáp án)

The dominant part _____ communication between the users and the software developer or engineer.

* of this stage is
- of than stage is
- of this stage are
- of then stage is
-

Câu 143: (1 đáp án)

It _____ exact science and some guesses usually have to be made

- are not an
- is non an
- is not a
* is not an
-
-

Câu 144: (1 đáp án)

This is not simply salaries, _____ other costs, such as office space.

- then includes
- also include
- but include
* but includes

Câu 145: (1 đáp án)

In some _____ to development, such as Agile Methods and the Unified Process (both discussed later in this book), use cases are the driving force behind the development process.

* approaches
- notices
- views
- questions
-

Câu 146: (1 đáp án)

Logically the first stage of software development is _____ what the users of the system want.

- to be establish precisely
- to establishing precisely
* to establish precisely
- to establish precise
-

Câu 147: (1 đáp án)

Constraints deal with such items as _____

- the computer hardware that is to be used
* all of the given answers are correct
- the amount of memory available
- the amount of backing store available
-

Câu 148: (1 đáp án)

Software testing is the process of verifying a system with the purpose of identifying any _____.

- design
* errors
- diagram
- code
-

Câu 149: (1 đáp án)

Dịch câu sau sang tiếng anh “Chất lượng phần mềm được nâng cao nhờ nhiều lỗi được loại bỏ”

- software quality is high because many bugs are eliminated
* software quality is improved because many bugs are eliminated

- quality software is improved because many bugs are eliminated
- software quality is improved because more bugs are ignored

Câu 150: (1 đáp án)

Suppose we guess two person years for the software. Suppose that this equates to $100,000. But this cost _____ across the 200 machines, which is $500 per machine.

- must been shared
* must be shared
- must be share
- musts be shared
-

Câu 151: (1 đáp án)

Instead people talk about a business case for the system, which tends to emphasize the positive aspects _____ negative.

- while minimize the
- what minimizing the
* while minimizing the
- who minimizing the
-

Câu 152: (1 đáp án)

Arrows lead from the actor to the use cases, shown as ovals with their _____ beneath.

- function deleted
- family titled
* function named
- family named
-

Câu 153: (1 đáp án)

Thus a use case diagram is an informal _____ of requirements.

- caution
- vocal representation
- awareness
* graphical representation

Câu 154: (1 đáp án)

Dịch câu sau “Meeting deadline is improved because project is managed well”

- Thời hạn hoàn thành được cải thiện bởi vì dự án được điều khiển tốt
- Buổi gặp mặt được cải thiện nhờ dự án được quản lý tốt
- Buổi gặp mặt được tiến hành nhờ dự án được quản lý tốt
* Thời hạn hoàn thành được cải thiện nhờ dự án được quản lý tốt

Câu 155: (1 đáp án)

If we cannot accurately specify _____, it is futile to implement it.

- what is need on
* what is needed
- what is need
- what were needed
-

Câu 156: (1 đáp án)

The dominant part of this stage is communication _____ users and the software developer or engineer.

- between then
- between than
* between the
- between them
-

Câu 157: (1 đáp án)

However, _____ the viability on the basis of cost, we must look at the complete system.

* if we are assessing
- we are assessing
- if we are assess
- if he are assessing
-

Câu 158: (1 đáp án)

Many people develop software purely for fun. Open source programmers are a prime example. Their motivations include providing _____

* all of the given answers are correct
- enjoying the act of programming
- useful tools

- collaborating with others

Câu 159: (1 đáp án)

Large military projects are sometimes funded because they are considered necessary (militarily or politically), _____.

- what is the cost
* whatever the cost
- what are the cost
- what is cost
-

Câu 160: (1 đáp án)

Arguably, establishing the requirements _____ important activity in software development.

* is the single most
- are the single most
- is then single most
- is the singles most
-

Câu 161: (1 đáp án)

However, most banks in the industrialized world _____ computerization and this is probably the significant cost benefit.

* have reduce jobs by
- has reduced jobs by
- have reducing jobs by
- have reduced jobs but
-

Câu 162: (1 đáp án)

The hardware cost includes _____

- the display
- the processor
- the card reader
* all of the given answers are correct
-
-

Câu 163: (1 đáp án)

This would probably _____ temporary advantage, until other banks caught up.

- be off a
* be only a
- be one a
- be on a

Câu 164: (1 đáp án)

Instead people talk about a business case for the system, _____ emphasize the positive aspects while minimizing the negative.

- which tend to
- which tends be
- what tend to
* which tends to
-

Câu 165: (1 đáp án)

While all of these costs should be estimated in advance of developing a system, _____ very difficult to estimate the cost of construction and of maintenance.

- it is in practical
- it is practice
* it is in practice
- it be in practice
-

Câu 166: (1 đáp án)

Now, all these figures are indicative, _____ to see how to go about costbenefit analysis.

* but the point is
- but one point is
- be the point is
- but the point are
-

Câu 167: (1 đáp án)

There will probably be _____ extra server capacity at the bank in order to handle the requests from ATMs.

* a need for
- a need from
- an need for
- need for

Câu 168: (1 đáp án)

Logically the first stage of software development _____ the users of the system want.

* is to establish precisely what
- are to establish precisely what
- is to establishing precisely what
- is to establish precisely whatever
-

Câu 169: (1 đáp án)

Cost-benefit analysis _____ developing the system with the money saved by using it.

- compares a cost of
* compares the cost of
- compare the cost of
- compares the costs off
-

Câu 170: (1 đáp án)

The upgrade cost is part of the cost of some future system and not strictly part of the current costing, _____ in mind at the evaluation stage.

- but is worthy bearing
* but is worth bearing
- but is worth bear
- but are worth bearing
-

Câu 171: (1 đáp án)

Some people, perhaps seduced by technology, take the view that a computer system _____ a manual system.

- is obviously better then
* is obviously better than
- are obviously better than
- re obviously better then

Câu 172: (1 đáp án)

This is typical of software costs in embedded systems, _____ is simply one component among many others.

- why the software
* where the software

- what the software
- who the software
-

Câu 173: (1 đáp án)

A feasibility study is an investigation _____ a development is worthwhile.

- to check those
- to check that
- to checking that
- to check than
-

Câu 174: (1 đáp án)

An ATM is part hardware, part software, _____ carry out a feasibility study for the complete system or limit ourselves to the software component.

- so we could other
- so we coulds either
* so we could either
- so he could either
-

Câu 175: (1 đáp án)

_____ users are concerned, they are sometimes known as clients or customers.

- As far the
- As low as the
- As the
* As far as the

Câu 176: (1 đáp án)

He or she summons the analyst and thereafter they collaborate _____ requirements specification.

* on drawing up the
- on drawing up than
- on drawing the
- drawing up the
-

Câu 177: (1 đáp án)

It is easy to be drawn into judging _____ basis of costs, but there are other approaches.

- everything is the
* everything on the
- everything are the
- everything the
-

Câu 178: (1 đáp án)

The provision of ATMs _____ customers to the bank and this benefit could be costed.

- might been attract
- might attracting
- might be attract

Câu 179: (1 đáp án)

How can we meaningfully assess the value of a system that allows a patient to book a medical appointment, or a system that provides information _____ at bus stops

* on bus arrival times
- in bus arrival time
- on bus arrive time
- on bus arrive times
-

Câu 180: (1 đáp án)

Bear in mind that sometimes the feasibility study _____ deciding that the project should be abandoned

- plays large part in
- plays a large in
* plays a large part in
- play a large part in
-

Câu 181: (1 đáp án)

When the engineers are dealing with requirements, they _____ as systems analysts or, simply, “analysts”.

- are normally referring to
- is normally referred to
* are normally referred to
- are normally referred in

•

Câu 182: (1 đáp án)

There is, however, another common reason _____ feasibility study: once an idea for a system has been suggested, the project generates its own momentum, people become committed to it and it cannot be stopped.

- for avoiding
- for avoidings a
- for avoid a
* for avoiding a

Câu 183: (1 đáp án)

Thus motor cars, buildings and televisions need to be

* all of the given answers are correct
- robust
- reliable
- easy to maintain

Câu 184: (1 đáp án)

Some systems are, arguably, socially useful and, perhaps, _____ a costingbased approach.

- outside scope of
- outside the scope
- *outside the scope of
- outside then scope of

Câu 185: (1 đáp án)

Dịch câu sau: “Java is a language that provides single inheritance”

- Java là ngôn ngữ có tính kế thừa
- Java là ngôn ngữ nói có tính kế thừa
* Java là ngôn ngữ cung cấp kế thừa đơn
- Java cung cấp tính kế thừa đơn

Câu 186: (1 đáp án)

In Java, classes called Monday, Tuesday, Wednesday, Thursday, Friday, Saturday and Sunday are grouped in a package called week. Write the statement to create an object monday of the class Monday

- monday
- monday is Monday;

- Monday

* Monday monday = new Monday();

-

Câu 187: (1 đáp án)

A header file is a source code file that contains the declaration of the methods to be _____ within a package.

* found

- was found

- find

- to find

Câu 188: (1 đáp án)

A tester is a person who has been _____ to test programs.

- asking

- ask

- to ask

* asked

Câu 189: (1 đáp án)

Monday monday = new Monday(); (In Java). Monday is a _____.

- function

- object

- method

* class

Câu 190: (1 đáp án)

Monday monday = new Monday(); (In Java). monday is a _____.

- variable

- class

* object

- method

Câu 191: (1 đáp án)

Many evaluation criteria _____ computer systems – and indeed to all products designed for some useful purpose.

- is common to all

- are commonly to all

- are common for all

* are common to all

Câu 192: (1 đáp án)

Dịch câu sau “Những chương trình lớn phải được phát triển bởi đội ngũ lập trình viên”

- Large programs must be developed by program team.
- Large programs must develop by program team.
* Large programs must be developed by teams of programmers.
- Big programs must develop by teams of programmers.
-

Câu 193: (1 đáp án)

Trong tin học, “floating point overflow” nghĩa là _____.

* lỗi tràn dấu phẩy động
- lỗi dấu phẩy động
- tràn điểm
- dấu phẩy động

Câu 194: (1 đáp án)

public void moveLeft (int amount) { x = x - amount; } (In Java). MoveLeft is a _____.

- object
- variable
* method
- class

Câu 195: (1 đáp án)

Dịch câu sau: “Faults can be prevented and detected during software development”

* Sai lầm có thể được phát hiện và sửa trong quá trình phát triển phần mềm
- Lỗi có thể được phát hiện và sửa trong quá trình phát triển phần mềm
- Sai lầm có thể được ngăn chặn và phát hiện trong quá trình làm và viết phần mềm
- Lỗi có thể được ngăn chặn và phát hiện trong quá trình phát triển phần mềm

Câu 196: (1 đáp án)

public void moveLeft (int amount) { x = x - amount; } (In Java). amount is a _____.

* variable
- class
- method
- number

Câu 197: (1 đáp án)

It is _____ to group the classes of a large program into packages.

- conveniently
* convenient
- conveniences
- convenience

Câu 198: (1 đáp án)

Robust software is _____.

- software that contains errors
* software that tolerates faults
- computer that contains errors
- software that contains faults

Câu 199: (1 đáp án)

In Java, to create an object of the class Friday, I put _____.

- Friday = new Friday();
- friday = new Friday();
* Friday fri = new Friday();
- friday = Friday();

Câu 200: (1 đáp án)

Trong tin học, “Division by zero” nghĩa là _____.

- là toán tử chia cho 0
* là lỗi khi chia cho 0
- là lỗi tràn
- là toán tử tên Division

Câu 201: (1 đáp án)

Typically the classes are described in a graphical notation, called a _____.

* class diagram
- activity diagram
- graph
- use case

Câu 202: (1 đáp án)

If the import statement was _____, we can not use the class JButton.

- omittes
- omits
* omitted
- omited

Câu 203: (1 đáp án)

Dịch câu sau sang tiếng anh “Kiểm thử viên là người được yêu cầu kiểm thử chương trình”

- A tester is a person has been asked to test programs.
- A developer is a person who has been asked to test programs.
* A tester is a person who has been asked to test programs.
- A tester is a person who asked to test programs.

Câu 204: (1 đáp án)

In Java, classes called Monday, Tuesday, Wednesday, Thursday, Friday, Saturday and Sunday are grouped in a package called week. Write down the import statement that will be needed to use all the classes in the package.

- all classes
* import week.*;
- all packages
- import all classes

Câu 205: (1 đáp án)

public void moveLeft (int amount) { x = x - amount; } (In Java). x is a _____.

- object
- class
* variable
- method

Câu 206: (1 đáp án)

In Java, classes called Monday, Tuesday, Wednesday, Thursday, Friday, Saturday and Sunday are grouped in a package called week. Write down the Java import statement that will be needed to use only the class Sunday

- import week.*;
* import week.Sunday;

- import week.Friday;
- import week.week;

Câu 207: (1 đáp án)

Dịch câu sau ra tiếng anh “Tôi tạo 3 gói với tên gọi mylib, mydata và mygui”

- I create three packs, named mylib, mydata and mygui.
- I create three packets with call names mylib, mydata and mygui.
- I create three packets, named mylib, mydata and mygui
* I create three packages, named mylib, mydata and mygui.

Câu 208: (1 đáp án)

Dịch câu sau “Errors can be detected by a compiler”

* Lỗi có thể được phát hiện bởi trình biên dịch
- Lỗi có thể được phát hiện bởi người dịch
- Lỗi có thể sửa bởi trình biên dịch
- Lỗi có thể được sửa bởi trình biên dịch

Câu 209: (1 đáp án)

Errors can be _____by a compiler.

- fix
* detected
- detect
- fixed

Câu 210: (1 đáp án)

The C and C++ languages have a rule that a method _____ to be declared before it can be used.

- must
- have
- should
* has

Câu 211: (1 đáp án)

javax.swing is the name _____ package.

- on
- in
* of
- at

Câu 212: (1 đáp án)

What should we do to prevent errors during software development?

- ignore
* make good design
- debug
- fix errors

Câu 213: (1 đáp án)

In OOP, "Classes Square and Rectangle are subclasses of superclass Shape". superclass là _____.

- siêu lớp
- lớp con
* lớp cha
- lớp kế thừa

Câu 214: (1 đáp án)

import java.awt.*; (in Java) - Using * means that we want to _____ all the classes within the named package.

- imports
- exports
* import
- export

Câu 215: (1 đáp án)

In OOP, a _____is a template or blueprint for any number of objects that can be created from it.

- object
- program
- subject
* class

Câu 216: (1 đáp án)

JAVA language is a _____.

- machine language
* high-level programming language
- low-level programming language
- medium-level programming language

Câu 217: (1 đáp án)

A programming language is _____.

* used to write software

- to design web
- used for programs
- to write games

Câu 218: (1 đáp án)

Which one is not an activity of software development?

* changing client's requirements
- programming
- testing
- project management

Câu 219: (1 đáp án)

Which of the following is not a data type of programming language?

- integer
* for
- boolean
- char

Câu 220: (1 đáp án)

Trong lập trình hướng đối tượng, "private variable" có nghĩa là _____.

* biến cục bộ
- biến toàn cục
- biến trong vòng lặp
- biến cá nhân

Câu 221: (1 đáp án)

WWW là viết tắt của _____

- World Whole Web
- Wide World Web
- Web World Wide
* World Wide Web

Câu 222: (1 đáp án)

"Statement" trong đoạn lệnh là _____.

- hàm số
- điều kiện để thực thi
* lệnh thực thi
- cú pháp

Câu 223: (1 đáp án)

Which of the following is correct?

- if statement2 is true, statement1 will execute.
- If statement1 is true, condition will execute
* if condition is true, statement1 will execute.
- if statement2 is false, statement1 will execute.

Câu 224: (1 đáp án)

Trong lập trình hướng đối tượng, “public method” có nghĩa là _____.

* phương thức toàn cục
- cục bộ phương thức
- toàn cục phương thức
- phương thức cục bộ

Câu 225: (1 đáp án)

Most software has a graphical user interface, which must be carefully _____ so that it is easy to use.

- designing
- designs
* designed
- design

Câu 226: (1 đáp án)

Dịch câu sau sang tiếng Anh “The advantage of OOP is to promote the reusability of software components”

- Điểm mạnh của OOP là thúc đẩy tái sử dụng các phần mềm thành phần
* Ưu điểm của lập trình hướng đối tượng là thúc đẩy khả năng tái sử dụng các thành phần phần mềm
- Tính vượt trội của lập trình hướng đối tượng là thúc đẩy tái sử dụng các phần mềm thành phần
- Tính vượt trội của OOP là thúc đẩy tái sử dụng các phần mềm thành phần

Câu 227: (1 đáp án)

Which is not a programming language?

- C#
* Eclipse
- Java
- Visual Basic

Câu 228: (1 đáp án)

A _____language, such as Cobol, Visual Basic or C#, is said to be problem-oriented and to reduce software production and maintenance costs.

- low-level
- object-oriented
* high-level
- foreign

Câu 229: (1 đáp án)

Which of the following is not true about OOP?

* is data structure design
- simulate real world situations as objects
- designs into general purpose classes
- allows a class to be reused

Câu 230: (1 đáp án)

Trong lập trình hướng đối tượng, biến cục bộ là _____.

* private variable
- private change
- transformation
- local transformation

Câu 231: (1 đáp án)

“The syntax of a programming language” - từ syntax có nghĩa là _____.

- ngữ nghĩa
* cú pháp
- viết tắt
- lập trình

Câu 232: (1 đáp án)

java.lang contains the classes _____support the main features of the language like Object, String, number, exception and threads.

* that
- when
- who
- which
-

Câu 233: (1 đáp án)

The principles of OOP are _____.

- architecture and inheritance
* encapsulation, inheritance and polymorphism
- reusability, encapsulation and analysis
- inheritance, construction and architecture

Câu 234: (1 đáp án)

Which of the following is not a Java statement?

- while
- if
- for
* condition

Câu 235: (1 đáp án)

A class is a template or blueprint for any number of _____ that can be created from it.

* objects
- class
- method
- function

Câu 236: (1 đáp án)

_____ provides a graphical notation for describing packages.

- C#
- SQL
- Java
* UML

Câu 237: (1 đáp án)

In OOP, an object can be created from a _____.

- function
- method
* class
- object

Câu 238: (1 đáp án)

One of the principles used in the design of object-oriented software is to simulate real world situations as _____.

* objects
- table
- unit
- package

Câu 239: (1 đáp án)

_____includes creating plans, resolving problems and monitoring stages of software development.

- Software design
* Project management
- Programming
- Testing

Câu 240: (1 đáp án)

Algorithm có nghĩa là _____.

- chương trình
* thuật toán
- dữ liệu
- mã chương trình

Câu 241: (1 đáp án)

If a computer provides database services to others, then it will be known as a _____.

* Database server
- Web server
- FTP server
- Application server

Câu 242: (1 đáp án)

“One of the main benefits of OOP is the reuse of software components”. Từ “components” có nghĩa là _____.

- cấu tạo
- bộ phận
- cấu thành
* thành phần

Câu 243: (1 đáp án)

The three pillars _____ OOP are encapsulation, inheritance and polymorphism.

- at
- on
- in
* of

Câu 244: (1 đáp án)

“The break statement causes control to be transferred to the end of the switch statement” - break có nghĩa là _____.

- bẻ
* lệnh thoát
- vỡ
- gãy

Câu 245: (1 đáp án)

A software development project _____ and involve tens or even hundreds of people.

- can take several year
* can take several years
- can takes several years
- can take severals years

Câu 246: (1 đáp án)

Data flow design is a _____for carrying out the architectural design of software.

- program
- function
- design
* method

Câu 247: (1 đáp án)

Current evidence suggests that many computer systems do not meet the needs of their users, and that therefore successful validation _____ software engineering today.

- is a major problem as
- is a major problems in
- are a major problem in
* is a major problem in

Câu 248: (1 đáp án)

Mainstream process models can be

* all of the given answers are correct
- waterfall
- open source
- agile

Câu 249: (1 đáp án)

If there is some other way of accomplishing the same task, _____, then it is necessary to compare the two costs.

* which may be manually
- which may manually
- what may be manual
- which may be manual

Câu 250: (1 đáp án)

Whichever technique gives the smaller cost _____ , provided that the benefit is greater than the cost.

- is one to select
- is as one to select
* is the one to select
- is the one for select

Câu 251: (1 đáp án)

Such a package _____, say the XYZ methodology, and is often marketed by a corporation, together with books, manuals and training

- are given a name
- to give a name
- is give a name
* is given a name

Câu 252: (1 đáp án)

However, in software development, the term methodology _____ and come to mean a complete package of techniques, tools and notations.

- has been kidnap
* has been kidnapped
- have been kidnapped
- has kidnapped

Câu 253: (1 đáp án)

Which of the following is true about Object-oriented programming?

- using objects to represent data structure design
- functional decomposition
- describing data structure via classes.
* methods and data are strongly related and are grouped together into an object.

Câu 254: (1 đáp án)

Designing the database _____ in its own right and is not normally considered to be part of software engineering.

* is a whole subject
- is a whole subjects
- is whole subject
- is a hole subject

Câu 255: (1 đáp án)

A process model has two distinct uses: it can be _____ for the plan for a project.

- used as basis
* used as a basis
- using as a basis
- use as a basis

Câu 256: (1 đáp án)

The outcome is that the system _____ requirements of the client or it does not.

- complies within the
- complies without the
- comply with the
* complies with the

Câu 257: (1 đáp án)

The plan of action is known as a process model. It is a plan of what _____ taken as the development proceeds

- steps are going to being
* steps are going to be
- steps was going to be
- steps are go to be

Câu 258: (1 đáp án)

OOP là viết tắt của _____.

* object-oriented programming
- object orientation program
- objective orientation programming
- Office-oriented programming

Câu 259: (1 đáp án)

Software can be _____by a method, such as functional decomposition, object-oriented design or data structure design.

- sold

* coded
- tested
- designed

Câu 260: (1 đáp án)

This happens at the end of the project when the software is deemed complete, _____ its client and accepted by them as satisfactory.

- are demonstrated to
- is demonstrate to
* is demonstrated to
- is demonstrate for

Câu 261: (1 đáp án)

What do you need when you set about a software project? You need _____

- tools
- overall plan or strategy
- a set of methods
* all of the given answers are correct

Câu 262: (1 đáp án)

An ad hoc approach _____, and no organization would admit to using such an approach.

* is no plan at all
- is no plan at one
- is no plan in all
- is a plan at all

Câu 263: (1 đáp án)

Someone needs to create and maintain plans, resolve problems, allocate work to people _____ it has been completed.

- and checking that
* and check that
- and checks that
- and checked that

Câu 264: (1 đáp án)

Dịch câu sau: “As its name suggests, functional decomposition is a method that focuses on the functions, or actions, that the software has to carry out. ”

- Khi được gợi ý, phân rã chức năng là một phương pháp tập trung vào các chức năng, hoặc các hành động, mà phần mềm phải thực hiện.
- Như tên gọi của nó, phân chia chức năng là một phương pháp chỉ có các chức năng, hoặc các hành động, mà phần mềm phải thực hiện
- Khi được gợi ý, phần mềm phân rã chức năng theo phương pháp tập trung vào các chức năng, hoặc các hành động, mà phần mềm phải thực hiện.
* Như tên gọi của nó, phân rã chức năng là một phương pháp tập trung vào các chức năng, hoặc các hành động, mà phần mềm phải thực hiện.

Câu 265: (1 đáp án)

Thus most approaches identify a series of distinct stages within a project, _____ order they will occur in.

- along with a planning who
- along without plan of what
* along with a plan of what
- along with a plan of whereas

Câu 266: (1 đáp án)

We will see that, in dividing the work into a series of distinct activities, it _____ the work is carried out strictly in sequence.

- may appeared that
* may appear that
- mays appear that
- may appearing that

Câu 267: (1 đáp án)

Why do we need Modularity?

- to put all pieces into a package
* to construct software from pieces that are as independent of each other as possible.
- to reduce lines of code
- to build up a new program

Câu 268: (1 đáp án)

If the benefit _____ the cost, the system is worthwhile; otherwise it is not.

- is greater then
- are greater then
- are greater than

* is greater than

Câu 269: (1 đáp án)

The documentation is typically large and costly (in people's time) to produce. Also, because it is additional to the product itself, _____ to ignore it or skimp on it.

- there were a tendency
- there is tendency
* there is a tendency
- there are a tendency

Câu 270: (1 đáp án)

Each of these approaches _____ in this book, except for the last in the list.

- will be discuss later
- will discuss later
- will discussed later
* will be discussed later

Câu 271: (1 đáp án)

Modularity is to do with the _____ of software.

- structures
* structure
- structured
- structuring

Câu 272: (1 đáp án)

In common language, the word methodology _____ study of method

* means the
- meaning the
- mean the
- means that

Câu 273: (1 đáp án)

The documentation is typically large and costly (in people's time) to produce. Also, because it is additional to the product itself, _____ to ignore it or skimp on it.

* there is a tendency
- there were a tendency
- there is tendency
- there are a tendency

Câu 274: (1 đáp án)

A process model has two distinct uses: it can be _____ for the plan for a project.

- using as a basis
- use as a basis
* used as a basis
- used as basis

Câu 275: (1 đáp án)

As we shall see, in some process models all of the stages are visible, _____ process models some of the stages vanish or become part of some other stage.

- while in and out
- while others
* while in other
- where in other

Câu 276: (1 đáp án)

However, it _____ on large projects, for many activities to take place in parallel.

- are usual, particularly
- is usual, particular
* is usual, particularly
- is use, particularly

Câu 277: (1 đáp án)

Designing the database _____ in its own right and is not normally considered to be part of software engineering.

- is a whole subjects
- is whole subject
- is a hole subject
* is a whole subject

Câu 278: (1 đáp án)

Consultants _____ guide an organization in using the methodology.

- are also to hand to
* are also on hand to
- are also ask hand to
- is also on hand to

Câu 279: (1 đáp án)

In common language, the word methodology _____ study of method

- means that
* means the
- mean the
- meaning the

Câu 280: (1 đáp án)

A software development project _____ and involve tens or even hundreds of people.

- can takes several years
- can take severals years
- can take several year
* can take several years

Câu 281: (1 đáp án)

Hacking is often disparaged in software development circles because it appears _____ control.

- to being out of
- to be
- to be out off
* to be out of

Câu 282: (1 đáp án)

Current evidence suggests that many computer systems do not meet the needs of their users, and that therefore successful validation _____ software engineering today.

- are a major problem in
- is a major problem as
* is a major problem in
- is a major problems in

Câu 283: (1 đáp án)

Different process models offer alternative suggestions _____ and when tasks are carried out.

- as to exact how
- as be exact how
* as to exactly how
- in to exactly how

Câu 284: (1 đáp án)

Whichever technique gives the smaller cost _____ , provided that the benefit is greater than the cost.

- is as one to select
- is the one for select
* is the one to select
- is one to select

Câu 285: (1 đáp án)

If the benefit _____ the cost, the system is worthwhile; otherwise it is not.

- is greater then
* is greater than
- are greater then
- are greater than

Câu 286: (1 đáp án)

There are actually two types of hacker: the malicious hacker who breaks into computer systems,_____ internet, to commit fraud, to cause damage or simply for fun the programmer hacker, who uses supreme skills, but no obvious method, to develop software.

- often use the
- often used the
* often using the
- often be using the

Câu 287: (1 đáp án)

An ad hoc approach _____, and no organization would admit to using such an approach.

- is no plan in all
* is no plan at all
- is no plan at one
- is a plan at all

Câu 288: (1 đáp án)

If there is some other way of accomplishing the same task, _____, then it is necessary to compare the two costs.

- which may be manual
- which may manually
- what may be manual
* which may be manually

Câu 289: (1 đáp án)

The plan of action is known as a process model. It is a plan of what _____ taken as the development proceeds

- steps are going to being
* steps are going to be
- steps was going to be
- steps are go to be

Câu 290: (1 đáp án)

Thus most approaches identify a series of distinct stages within a project, _____ order they will occur in.

- along with a plan of whereas
* along with a plan of what
- along with a planning who
- along without plan of what

Câu 291: (1 đáp án)

The outcome is that the system _____ requirements of the client or it does not.

- complies without the
- complies within the
* complies with the
- comply with the

Câu 292: (1 đáp án)

Mainstream process models can be

* all of the given answers are correct
- agile
- waterfall
- open source

Câu 293: (1 đáp án)

We have avoided describing any particular methodology, _____ explain all the ingredients that go into making the mainstream methodologies available today.

- as we do
- but we does
- but we done
* but you do

Câu 294: (1 đáp án)

We will see that, in dividing the work into a series of distinct activities, it _____ the work is carried out strictly in sequence.

- mays appear that
* may appear that
- may appearing that
- may appeared that

Câu 295: (1 đáp án)

Each of these approaches _____ in this book, except for the last in the list.

* will be discussed later
- will discussed later
- will be discuss later
- will discuss later

Câu 296: (1 đáp án)

The products _____ sign-off document and an accepted system or a list of faults.

* are either a
- are either
- are neither a
- is either a

Câu 297: (1 đáp án)

Such a package _____, say the XYZ methodology, and is often marketed by a corporation, together with books, manuals and training

- are given a name
- is give a name
- to give a name
* is given a name

Câu 298: (1 đáp án)

We have identified a list of tasks _____ software development. All of them must be carried out somehow during development.

- that are in parts of
* that are part of
- that are part off
- that is a part of

Câu 299: (1 đáp án)

However, in software development, the term methodology _____ and come to mean a complete package of techniques, tools and notations.

- have been kidnapped
- has kidnapped
- has been kidnap
- has been kidnapped

Câu 300: (1 đáp án)

Someone needs to create and maintain plans, resolve problems, allocate work to people _____ it has been completed.

- and checking that
- and checks that
* and check that
- and checked that

Câu 301: (1 đáp án)

This happens at the end of the project when the software is deemed complete, _____ its client and accepted by them as satisfactory.

* is demonstrated to
- is demonstrate for
- are demonstrated to
- is demonstrate to

Câu 302: (1 đáp án)

What do you need when you set about a software project? You need _____

* all of the given answers are correct
- a set of methods
- overall plan or strategy
- tools

Câu 303: (1 đáp án)

What word can be used to replace “headache” in the sentence below: “Meeting deadlines has always been a headache in software production”

- Hard
- Pain in head
* Difficulty
- Fun

Câu 304: (1 đáp án)

Fill in the blank “Users do not know about technicalities, whereas the software engineer expects (...) instructions”

- Details
* Detailed
- Flaw
- Detail

Câu 305: (1 đáp án)

Fill in the gap “The millions of lines of program written in what many people consider to be outdated programming languages (like Cobol) constitute what are known as (...)”

- Senior
- Code
* Legacy systems
- Embedded systems

Câu 306: (1 đáp án)

Choose the right definition for the description below “This seeks to ensure that the software is reliable”

* Verification
- Reliability
- Validation
- Reliable

Câu 307: (1 đáp án)

Fill in the gap “(...) is a consequence of inadequate testing”

- Programming
- Test
- Radical operation
* Remedial maintenance

Câu 308: (1 đáp án)

What word can be used to replace “time-consuming” in the sentence below: “Effective testing is notoriously difficult and time-consuming”

- Kill time
- Easy
* Take much time
- Complex

Câu 309: (1 đáp án)

Fill in the gap “The individual components of the software are (...) together, which is sometimes called the build. The product is the complete system”

- Combed
* Combined
- Combining
- Combine

Câu 310: (1 đáp án)

Choose the right definition for the description: “A problem that may cause software to depart from its intended behavior”

- Fault
* Error
- Wrong
- Failure

Câu 311: (1 đáp án)

Choose the right definition for the description: “A wrong decision made during software development”

- Wrong
- Failure
* Fault
- Error

Câu 312: (1 đáp án)

Fill in the gap “In either case, maintenance is usually regarded as a nuisance, both by managers, who have to make sure that there are sufficient people to do it, and by (...), who regard it as less interesting than writing new programs”

- Staffs
* Programmers
- Boss
- Clients

Câu 313: (1 đáp án)

Fill in the gap “A software system may be large and complex. The software must be constructed from (...)”

- Programmer
* Modules
- Programs
- Module

Câu 314: (1 đáp án)

Fill in the gap “Evidence suggests that around 60% of projects exceed their initial budgets and around 50% are completed (...). Whatever the exact figures, meeting deadlines is clearly a problem”

- Perfect
* Late
- Early
- Soon

Câu 315: (1 đáp án)

Fill in the gap “It is often difficult to predict the future uses for a piece of software, and so (...) is also rarely avoided”

- Operation
* Adaptive maintenance
- Testing
- Listening

Câu 316: (1 đáp án)

Fill the gap “Before anything else is done, a (...) establishes whether or not the project is to proceed”

- Feasibility studies
- Feasible study
* Feasibility study
- Feasible studies

Câu 317: (1 đáp án)

Fill the gap “At the start of a project, the developer finds out what the user (client or customer) wants the software to do and records the requirements as clearly as possible. The product of this stage is a (...)”

* Requirements specification
- Require specify
- Requires specification
- Requirements specific

Câu 318: (1 đáp án)

Choose the right definition for the description “The term for any effort that is put into a piece of software after it has been written and put into operation”

- Progress

- Programming
- Operation
* Maintenance

Câu 319: (1 đáp án)

Fill in the blank “Users do not know about (...), whereas the software engineer expects detailed instructions”

* Technicalities
- Technical
- Technics
- Software

Câu 320: (1 đáp án)

Fill in the gap “(...) is sometimes called efficiency. This terminology dates from the days when the cost and speed of hardware meant that every effort was made to use the hardware – primarily memory and processor – as carefully as possible.”

- Hardware
- Computer
* Software performance
- System

Câu 321: (1 đáp án)

Sometimes feasibility study _____

* all of the given answers are correct
- is carried out in a detailed and systematic fashion
- is carried out in a hurried and ad hoc fashion
- is not carried out at all

Câu 322: (1 đáp án)

Fill in the gap “Most software has a graphical user interface, which must be (...) designed so that it is easy to use”

* Carefully
- Careful
- Need
- Clear

Câu 323: (1 đáp án)

Fill in the blank “Users (...) about technicalities, whereas the software engineer expects detailed instructions”

- Are mind

- Is fluently
- Are fluently
* Do not know

Câu 324: (1 đáp án)

Fill in the gap “Evidence suggests that around 60% of projects exceed their initial budgets and around 50% are completed late. Whatever the exact figures, meeting deadlines is clearly a (...)”

- Negotiation
* Problem
- Skill
- Reality

Câu 325: (1 đáp án)

Choose the right definition for the description “The time spent correcting faults in the software (fixing bugs)”

- Software maintenance
- Adaptive maintenance
- System maintenance
* Remedial maintenance

Câu 326: (1 đáp án)

Fill in the gap “The recognition that we cannot produce bug-free software, however hard we try, has led to the concept of (...) software”

* Good enough
- Bad
- Better
- Worst

Câu 327: (1 đáp án)

Fill in the blank “The users are probably happiest with (...), whereas the software engineer would probably prefer some more rigorous language”

* Natural language
- Nature language
- Complexity language
- Complex language

Câu 328: (1 đáp án)

Fill in the gap “A software system may be large and complex. The software must be constructed from (...)”

* Components
- Component
- Programs
- Programmer

Câu 329: (1 đáp án)

Fill in the gap “There may be a choice of programming languages, from which one must be (...). The product is the code”

- Select
- Selecting
* Selected
- Selectively

Câu 330: (1 đáp án)

Choose the right definition for the description: “An event when software departs from its intended behavior”

- Wrong
- Fault
* Failure
- Error

Câu 331: (1 đáp án)

Fill in the gap “It is a common experience for a software project to run late and over budget, (...) the client and causing despair among the software team”

- Discuss
- Satisfy
- Satisfying
* Disappointing

Câu 332: (1 đáp án)

Choose the right definition for the description “Which is modifying software either because the users’ needs have changed or because, for example, the computer, operating system or programming language has changed”

- System maintenance
* Adaptive maintenance
- Software maintenance
- Remedial maintenance

Câu 333: (1 đáp án)

"There is about 19% software projects abandoned or reworked". Which area below that the main reason for that problem lies in?

- Cost
- Performance
- Reliability
* Requirement engineering

Câu 334: (1 đáp án)

Fill in the gap: "These tools enable certain types of programs to be constructed very easily, and even people who are not programmers can learn to use tools like a spreadsheet (e.g. (...))"

- Microsoft Access
- Microsoft Word
* Microsoft Excel
- Calculator

Câu 335: (1 đáp án)

What is off-the-shelf package in the sentence below? "The problem with an off-the-shelf package is, of course, that it may not do exactly what you want it to do and you may have to resort to tailor-made software"

- The software that is used for a particular application
- The software that is packaged
* The software that has many copies
- The package that placed on the floor of the market

Câu 336: (1 đáp án)

Fill the blanks: "Nowadays, thanks to mass production and miniaturization, hardware is (...) and software (labor intensive) is (...)

- Expensive – Cheap
- Small – Big
- More expensive – Cheaper
* Cheap – Expensive

Câu 337: (1 đáp án)

Fill the gap: “Poor performance does not just reflect the time taken for (...), but also includes the time required to carry out clarifying the problem specification, software design, coding, testing and documentation”

- Program
- Application
- Software

* Coding

Câu 338: (1 đáp án)

“There is only about 2% software projects used as delivered”. Which area below that the main reason for that problem lies in?

* Requirement engineering

- Performance
- Reliability
- Cost

Câu 339: (1 đáp án)

Fill in the gap: “If you buy a stereo for $200, you don’t expect to pay $2,000 for a CD. Similarly, if you buy a PC for $1,000, you (...) to pay $10,000 for the software”

* Don’t want

- Don’t need
- Don’t care
- Don’t mind

Câu 340: (1 đáp án)

Choose the right definition: “Collection of programs that service other programs”

- Legacy software
- Application software

* System software

- Cloud computing

Câu 341: (1 đáp án)

“There is about 47% software projects delivered but not used”. Which area below that the main reason for that problem lies in?

* Requirement analysis

- Reliability
- Cost

- Interface

Câu 342: (1 đáp án)

Fill in the gap (...): "The first step in developing some software is to find out what the client, customer or user needs. This step is often called (...)"

- Requirement engineer
- System analysis
- Programming
* Requirement engineering

Câu 343: (1 đáp án)

Dịch câu sau sang tiếng Việt: "It is therefore more difficult than it initially appears to attribute the level of productivity to laziness, poor tools or inadequate methods"

- Khó khăn khi đánh giá năng suất dựa trên độ lười biếng, công cụ nghèo nàn và phương thức thiếu sót
- Khó có thể đóng góp vào năng suất của sản xuất phần mềm do các vấn đề về độ lười biếng, công cụ nghèo nàn và phương thức sai lệch
- Đó là do có nhiều khó khăn khi tạo ra cấp độ năng suất đối với những phương thức lười biếng, nghèo nàn và thiếu đầy đủ
* Không nên sớm quy kết rằng mức năng suất thấp là do sự lười biếng, công cụ nghèo nàn và sai phương thức

Câu 344: (1 đáp án)

What is tailor-made software in the sentence below? "The problem with an off-the-shelf package is, of course, that it may not do exactly what you want it to do and you may have to resort to tailor-made software"

- The software that has many copies
* The software that is specifically designed for a particular application
- The software that made by tailors and can be
- The software that is packaged

Câu 345: (1 đáp án)

Fill in the gap: "In the early days of computers, hardware was (...) and software relatively cheap"

* Costly
- Cheaper
- Tùy chọn 4
- Expensived

Câu 346: (1 đáp án)

What word can be used to replace “fault” in the sentence below: “How much it costs to fix a fault”

- Complain
- Component
* Error
- Situation

Câu 347: (1 đáp án)

Fill in the gap: “It can be (...) to comprehend that something for which you paid $50 has cost millions of dollars to develop”

- Fast
- Easy
* Hard
- Late

Câu 348: (1 đáp án)

Fill in the blank: “Applications software can be coded (...) than systems software”

- Quicker
- Quicklier
* More quickly
- More difficult

Câu 349: (1 đáp án)

What word can be used to replace “enormous” in the sentence below “Clearly the cost of testing is enormous, whereas coding constitutes only a small part of software development”

* Huge
- Worth
- Clear
- Terrible

Câu 350: (1 đáp án)

Fill the gap: “Poor performance does not just reflect the time taken to (...) coding, but also includes the time required to carry out clarifying the problem specification, software design, coding, testing and documentation”

* Carry out
- Wrote
- Write

- Make

Câu 351: (1 đáp án)

Fill in the gap: “Complex (...) (GUI’s) are now seen as essential, systems are commonly implemented on the web, and the sheer size of projects has mushroomed”

- Graphics user interface
* Graphical user interfaces
- Graphical user interface
- Graphic user interfaces

Câu 352: (1 đáp án)

Fill in the gap: “The problem with an off-the-shelf package is that it (...) what you want it to do”

- May do
* May not do exactly
- Very comprehends
- Will do

Câu 353: (1 đáp án)

Select the best choice for the blank in the sentence below: “Microsoft Excel is a (...)”

- Tailor software
* Off-the-shelf software
- Tailor-made software
- Available software

Câu 354: (1 đáp án)

Fill in the blank: “Applications software can be (...) more quickly than systems software”

* Written
- Wrote
- Wroten
- Write

Câu 355: (1 đáp án)

“The task of trying to ensure that software does what its users want” is known as...?

- Check
- Verification
- Test
* Validation

Câu 356: (1 đáp án)

What word can be used to replace “escalated” in sentence below: “Whereas, in about 1955, software cost typically only about 10% of a project, it has now escalated to 90%, with the hardware comprising only 10%”

- Increase
* Lifted
- Reduced
- Descended

Câu 357: (1 đáp án)

Fill in the gap: “It is very difficult to (...) in advance how long it will take to write a particular piece of software”

- Chase
- Adequate
- Make
* Predict

Câu 358: (1 đáp án)

Fill the gap: “Poor performance does not just reflect the time taken to (...), but also includes the time required to carry out clarifying the problem specification, software design, coding, testing and documentation”

- Coding
- Application
- Software
* Code

Câu 359: (1 đáp án)

Fill in the gap (...): “The first step in developing some software is to find out what the client, customer or user needs. This step is often called (...)”

- Programming
- Requirement analyst
- System analysis
* Requirement analysis

Câu 360: (1 đáp án)

What word can be used to replace “escalated” in sentence below: “Whereas, in about 1955, software cost typically only about 10% of a project, it has now escalated to 90%, with the hardware comprising only 10%”

- Reduced
- Mitigated
- Descended
* Increased

Câu 361: (1 đáp án)

What is the meaning of “layperson” in the sentence: “To the layperson, a productivity of 20 lines of code per day may well seem disgraceful”

- Older
- Senior in programing
* People who do not participate in programming.
- People who very good at programming.

Câu 362: (1 đáp án)

What word can be used to replace “Nonetheless” in the sentence below: “Nonetheless, the availability of cheap packages conveys the impression that software is cheap to produce”

- Consequence
- Unfortunately
* However
- Therefore

Câu 363: (1 đáp án)

Which one is true about “information system”?

- an information system is an application software.
- the software that acts as tools to help construct or support applications software
* the systems that store and access large amounts of data, for example, an airline seat reservation system.
- mobile software is an information system.

Câu 364: (1 đáp án)

Validation is to do with the client’s view of the system, the external view of the system. Từ “Validation” nghĩa là:

- kiểm tra
* xác thực
- kiểm chứng
- kiểm thử

Câu 365: (1 đáp án)

Which is a bug of software?

- Butterfly
- Insect
* Error
- Beetle

Câu 366: (1 đáp án)

Microsoft office is a type of ?

* Application software
- Utility Software
- Firmware
- System software

Câu 367: (1 đáp án)

Which one is not a process model?

- waterfall
* design
- rational
- agile

Câu 368: (1 đáp án)

What is the meaning of “validation”?

- finding bugs and errors of software
* a task of trying to ensure that software does what its users want
- checking errors of software
- test cases that help finding errors of software

Câu 369: (1 đáp án)

The goals that software development seeks to achieve are:

- high performance
- meeting users’ needs
* all above
- low cost of production and maintenance

Câu 370: (1 đáp án)

Choose the right definition for the description: “The software that helps perform some directly useful or enjoyable task. Examples are games, the software for automatic teller machines (ATMs), the control software in an airplane, e-mail software, word processors, spreadsheet”

- System software

* Application software
- Computer
- Software

Câu 371: (1 đáp án)

“Meeting users’ needs” có nghĩa là _____. Đáp ứng nhu cầu của khách hàng

- Gặp người dùng để biết người dùng cần gì
* Đáp ứng nhu cầu của người dùng
- Cần thiết phải gặp người dùng để biết sự cần thiết

Câu 372: (1 đáp án)

Which among following is commonly used language in Android applications ?

- Php
- C
- C++
* Java

Câu 373: (1 đáp án)

Which one is application software?

- Word, Excel
- E-mail system
- Games
* All above

Câu 374: (1 đáp án)

Which one is considered a problem in software development? late

* all above
- over budget
- hard to use

Câu 375: (1 đáp án)

_____ is the term for any effort that is put into a piece of software after it has been written and put into operation.

- Development
* Maintenance
- Design
- Adaptation

Câu 376: (1 đáp án)

Designing the _____ is a whole subject in its own right and is not normally considered to be part of software engineering.

* database
- software
- application
- game

Câu 377: (1 đáp án)

In the USA it is estimated that about $500 billion are spent each year on producing software. This amounts to 1% of the gross national product. The estimated figure for the world is that $1,000 billion is spent each year on software production.Each year the cost of software production of the world is _____.

* $1,000 billion
- $500 billion
- $1,500 billion
- 1% of the gross world product

Câu 378: (1 đáp án)

Software Engineering _____.

- explains a variety of techniques in computer science.
* is about methods, tools and techniques used for developing software.
- is to solve the problems and meet the goals in life.
- only focuses on designing software.

Câu 379: (1 đáp án)

Which one is not an application?

- Excel
- Game
* Internet
- Lingo

Câu 380: (1 đáp án)

Which type of software is an operating system (OS)?

- Firmware Software
- Application Software
* System Software
- Utility Software

Câu 381: (1 đáp án)

What kind of software that Photoshop belongs to?

- System software
* Application software
- Firmware
- Common software

Câu 382: (1 đáp án)

Application software _____.

- is a mobile software
- works as an operating system.
* is software that helps perform some directly useful or enjoyable tasks.
- is the software that acts as tools to help construct or support applications software.

Câu 383: (1 đáp án)

Dịch câu sau "Specification is a list of requirements that describe what the user wants"

- Đặc tả một danh sách các yêu cầu được người sử dụng muốn
- Yêu cầu là tập hợp mong muốn của khách hàng
- Đặc tả một danh sách các yêu cầu được diễn tả bởi người sử dụng
* Đặc tả là một danh sách các yêu cầu miêu tả những gì người sử dụng muốn

Câu 384: (1 đáp án)

Requirements analysis is _____.

- to find bugs of software
- coding software
* to find out what the client, customer or user needs
- software design

Câu 385: (1 đáp án)

Dịch câu sau "Use cases are descriptions of requirements that can be augmented by UML use case diagrams."

- Graphical user Instrument
* Graphical user Interface
- Graphical unified Instrument
- Graphical unified Interface

Câu 386: (1 đáp án)

What kind of software that Dev C++ belongs to?

- Firmware
- Application software
- Common software
* System software

Câu 387: (1 đáp án)

The _____of software is determined largely by the productivity of the programmers and the salaries that they are paid.

- LOC
- size
* cost
- code

Câu 388: (1 đáp án)

System software is _____.

- The main application that runs on a computer with other systems.
- is software that helps perform some directly useful or enjoyable tasks.
* The software that acts as tools to help construct or support applications software, such as operating systems, databases, networking software and compilers.
- Are games, the software for automatic teller machines (ATMs), the control software in an airplane, e-mail software, word processors, spreadsheets.

Câu 389: (1 đáp án)

In recent years, many interfaces have become _____(GUIs) that use windows with features like buttons and scroll bars, together with pointing devices like a mouse and cursor.

- graph user internets
- game user interfaces
- guide user interchange
* graphical user interfaces

Câu 390: (1 đáp án)

Choose the right definition for the description “The software that acts as tools to help construct or support applications software. Examples are operating systems, databases, networking software, compilers”

- Application software

- Software
- Computer application
* System software

Câu 391: (1 đáp án)

Dịch câu sau sang tiếng Anh “Meeting deadlines has always been a headache in software production”

- Làm việc thời vụ luôn gây ra đau đầu khi làm phần mềm
* Hoàn thành đúng thời hạn luôn là vấn đề nhức nhối trong sản xuất phần mềm
- Gặp gỡ các nhà làm phần mềm luôn làm đau đầu
- Gặp được giới hạn luôn là vấn đề đau đầu trong sản xuất phần mềm

Câu 392: (1 đáp án)

In the USA it is estimated that about $500 billion are spent each year on producing software. This amounts to 1% of the gross national product. The estimated figure for the world is that $1,000 billion is spent each year on software production. Which is the amount of the US’s gross national product?

- $1,500 billion
- $500 billion
- $1,000 billion
* $50,000 billion