
4/9/24, 5:25 PM SSA Portal







4/9/24, 5:25 PM SSA Portal

Autho.2.1Validate if application accept URL with "/" string (and its url encoded, double encoded values)Files are not accessible by providing/ as inputAutho.2.2Validate if application accept URL with url encoded or double encoded or UTF-8 encoded values of dot (.) , slash (/) or backslash ()Application do not accept URL encoded values that can form "/" constructAutho.2.3Validate if application accept filename as input from userApplication do not accept filename from userAutho.2.4Validate if application uses hidden directories with public accessApplication do not use hidden directories with public accessAutho.2.5Validate if application displays directory listingApplication do not display directory listing	Test case ID	Description	<b>Expected results</b>
Autho.2.2 encoded or double encoded or UTF-8 encoded values of dot (.), slash (/) or backslash ()  Autho.2.3 Validate if application accept filename as input from user  Autho.2.4 Validate if application uses hidden directories with public access  Autho.2.5 Validate if application do not use hidden directories with public access  Autho.2.5 Validate if application displays directory  Application do not accept filename as filename from user  Application do not accept filename form user  Application do not accept filename from user  Application do not accept filename from user  Application do not accept filename from user  Application do not accept filename form user  Application do not accept filename form user  Application do not accept filename from user  Application do not accept filename form user  Application do not accept filename form user  Application do not display	Autho.2.1	string (and its url encoded, double encoded	
Autho.2.3 input from user  Autho.2.4 Validate if application uses hidden directories with public access  Autho.2.5 Validate if application displays directory  Application do not use hidden directories with public access  Application do not display	Autho.2.2	encoded or double encoded or UTF-8 encoded values of dot (.) , slash (/) or	URL encoded values that can
Autho.2.4 Validate if application uses hidden directories with public access  Autho.2.5 Validate if application displays directory  Autho.2.5 Application do not display	Autho.2.3	··	
$\Delta \text{Litho} 25$	Autho.2.4		hidden directories with
	Autho.2.5		

<sup>\*\*3.</sup> Testing horizontal privilege escalation\*\*

Objective: To test if application allows access restricted functionality to user who don't have privileges

Test case ID	Description	Expected results
Autho.3.1	Validate if user can access functions and perform operations for which user do not have privileges	Users are not allowed to access functions or operations for which they do not have privilege
Autho.3.2	Validate if it one user can access functions and resources for other user who has same privileges	User can not access resource / functionality for other users
Autho.3.3	Validate if user is able to perform action or access resource which is explicitly denied for user	User can not perform action which is explicitly denied
Autho.3.4	Validate if user is able to access resources after logout	User can not access resource after logout

<sup>\*\*4.</sup> Testing vertical privilege escalation\*\*

Objective: To test if application allows access functionality allowed only for higher privilege users

Test case ID	Description	<b>Expected results</b>
Autho.4.1	Validate if user can access functions and perform operations for which user do not have privileges	Users are not allowed to access functions or operations for which they do not have privilege

4/9/24, 5:25 PM SSA Portal

Test case ID	Description	Expected results
Autho.4.2	Validate if it one user can access function and resources for other user who has low privileges	liser can not access resource /
Autho.4.3	Validate if user could perform actions assigned for high privilege users	User can not access resource / functionality which require higher privilege
Autho.4.4	Validate if application user can access administrative functionality	Normal user can not access administrative functionality
Autho.4.5	Check if users are able to execute functions or operations with non application level privileges (OS user, application server admin, database user)	Users can not perform application operations or execute functions with non application privileges
Autho.4.6	Validate if user could bypass approval hierarchy	Users can not bypass approval hierarchy
**5. Testin	g for Special Cases**	
Objective:	To test if application allows access of info	ormation in emergencies
Test case ID	Description	Expected results
	Validate if user can access basic and	Emergency Access Procedure is
Autho.5.1	,	established and information is accessible faster and on time.
Autho.5.1  Testing Au	Information) in emergency situation	
Testing Au	Information) in emergency situation	accessible faster and on time.
Testing Au Testing Se	Information) in emergency situation  udit Trails	accessible faster and on time.
Testing Au Testing Se	Information) in emergency situation  udit Trails  ession Management	accessible faster and on time.    the contraction
Testing Se  Data Secu	Information) in emergency situation  udit Trails  ession Management  rity Testing	accessible faster and on time.    C +      C +
Testing Se  Data Secur  Testing for  Testing Data	Information) in emergency situation  udit Trails  ession Management  rity Testing  r Client Side Attacks	accessible faster and on time.