



IARE
INSTITUTE OF
AERONAUTICAL ENGINEERING

Course Title - Arial 34 pt

Topic Title - Arial 26 pt

Presenter's Name - Arial 18 pt

Presenter's ID - Arial 18 pt

Department Name - Arial 18 pt

Lecture Number - Arial 18 pt

Presentation Date - Arial 18 pt

Course Outcomes

Arial 30 pt



At the end of the course, students should be able to: Arial 21 pt

CO1: write CO1 here.

CO2: write CO2 here.


CO3: write CO3 here.

Title Name




Title Name

Bar Chart Name




Title Name

Bar Chart Name



Title Name

Bar Chart Name



Source: Source Name

Title Name

Graph Chart Name



Title Name

Table Chart Name



Title 1		Data	XX%
Title 2		Data	XX%
Title 3		Data	XX%
Title 4		Data	XX%
Title 5		Data	XX%
Title 6		Data	XX%
Total		Data Total	

“A stand-alone slide option for a quote - Arial 30 - 48 pt”

—Author’s Name - Arial 24 - 28 pt


Title Name

- This slide has text and an image.



Title Name

- This slide has text and bar chart.




Title Name



- This slide has text and bar chart.

Title 1	Data	XX%
Title 2	Data	XX%
Title 3	Data	XX%
Title 4	Data	XX%
Title 5	Data	XX%
Title 6	Data	XX%
Total	Data Total	

Title Name



Sum of Two Integers



Given two integers a and b , return the sum of the two integers without using the operators $+$ and $-$.

Example 1:

Input: $a = 1$, $b = 2$ **Output:** 3

Example 2:

Input: $a = 2$, $b = 3$ **Output:** 5

```
def getSum(a, b):  
    s=[]  
    s.append(a)  
    s.append(b)  
    return sum(s)
```

8086 Pins Configuration


Given two integers a and b , return the sum of the two integers without using the operators $+$ and $-$.

Example 1:

Input: $a = 1$, $b = 2$ **Output:** 3

Example 2:

Input: $a = 2$, $b = 3$ **Output:** 5



Title Name



Title Name

Subtitle

Subtitle



Title Name





IARE
INSTITUTE OF
AERONAUTICAL ENGINEERING

Thank You – Arial 34 pt