

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
740	7.688954900	10.10.29.14	23.34.81.42	HTTP	165	GET /connecttest.txt HTTP/1.1
761	7.721063800	23.34.81.42	10.10.29.14	HTTP	241	HTTP/1.1 200 OK (text/plain)
2399	13.408012400	10.10.29.14	44.238.29.244	HTTP	617	GET /login.aspx HTTP/1.1
2910	14.601885500	44.238.29.244	10.10.29.14	HTTP	487	HTTP/1.1 200 OK (text/html)
3851	24.548283600	10.10.29.14	44.238.29.244	HTTP	1241	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
4041	25.214131800	44.238.29.244	10.10.29.14	HTTP	504	HTTP/1.1 200 OK (text/html)

> Frame 740: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits) on interface \Device\NPF_{...}

> Ethernet II, Src: Intel_f0:69:19 (70:a6:cc:f0:69:19), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

> Internet Protocol Version 4, Src: 10.10.29.14, Dst: 23.34.81.42

> Transmission Control Protocol, Src Port: 50302, Dst Port: 80, Seq: 1, Ack: 1, Len: 111

> Hypertext Transfer Protocol

0000 c8 4f 86 fc 00 09 70 a6 cc f0 69 19 08 00 45 00 .O...p
0010 00 97 90 d3 40 00 80 06 00 00 0a 0a 1d 0e 17 22@...
0020 51 2a c4 7e 00 50 29 82 40 54 02 fe 33 0e 50 18 Q*~P)({
0030 00 ff 8f ed 00 00 47 45 54 20 2f 63 6f 6e 6e 65GE
0040 63 74 74 65 73 74 2e 74 78 74 20 48 54 54 50 2f cttest.t:
0050 31 2e 31 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 1.1~Con
0060 20 43 6c 6f 73 65 0d 0a 55 73 65 72 2d 41 67 65 Close: l
0070 6e 74 3a 20 4d 69 63 72 6f 73 6f 66 74 20 4e 43 nt: Micr
0080 53 49 0d 0a 48 6f 73 74 3a 20 77 77 77 2e 6d 73 SI~Host
0090 66 74 63 6f 6e 6e 65 63 74 74 65 73 74 2e 63 6f ftconnec
00a0 6d 0d 0a 0d 0a

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

httprequest.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
740	7.688954900	10.10.29.14	23.34.81.42	HTTP	165	GET /connecttest.txt HTTP/1.1
761	7.721063800	23.34.81.42	10.10.29.14	HTTP	241	HTTP/1.1 200 OK (text/plain)
2399	13.408012400	10.10.29.14	44.238.29.244	HTTP	617	GET /login.aspx HTTP/1.1
2910	14.601885500	44.238.29.244	10.10.29.14	HTTP	487	HTTP/1.1 200 OK (text/html)
3851	24.548283600	10.10.29.14	44.238.29.244	HTTP	1241	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
4041	25.214131800	44.238.29.244	10.10.29.14	HTTP	504	HTTP/1.1 200 OK (text/html)

> Frame 740: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits) on interface \Device\NPF_{...}

> Ethernet II, Src: Intel_f0:69:19 (70:a6:cc:f0:69:19), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

> Internet Protocol Version 4, Src: 10.10.29.14, Dst: 23.34.81.42

> Transmission Control Protocol, Src Port: 50302, Dst Port: 80, Seq: 1, Ack: 1, Len: 111

> Hypertext Transfer Protocol

0000 c8 4f 86 fc 00 09 70 a6 cc f0 69 19 08 00 45 00 .O...p
0010 00 97 90 d3 40 00 80 06 00 00 0a 0a 1d 0e 17 22@...
0020 51 2a c4 7e 00 50 29 82 40 54 02 fe 33 0e 50 18 Q*~P)({
0030 00 ff 8f ed 00 00 47 45 54 20 2f 63 6f 6e 6e 65GE
0040 63 74 74 65 73 74 2e 74 78 74 20 48 54 54 50 2f cttest.t:
0050 31 2e 31 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 1.1~Con
0060 20 43 6c 6f 73 65 0d 0a 55 73 65 72 2d 41 67 65 Close: l
0070 6e 74 3a 20 4d 69 63 72 6f 73 6f 66 74 20 4e 43 nt: Micr
0080 53 49 0d 0a 48 6f 73 74 3a 20 77 77 77 2e 6d 73 SI~Host
0090 66 74 63 6f 6e 6e 65 63 74 74 65 73 74 2e 63 6f ftconnec
00a0 6d 0d 0a 0d 0a

.. was unexpected in this context.

Packets: 10776 · Displayed: 10 (0.1%) · Dropped: 0 (0.0%) | Profile: Default

You are signed in as 99240040: x login

Ask Gemini

Not secure testasnet.vulnweb.com/login.aspx

acunetix acublog

Test Website for Acunetix Web Vulnerability Scanner

about news login signup network scanner network vuln help RSS

Username: manideep

Password:

☒ Remember me

Login

August 2026

Get RSS feed

Warning: This is not a blog. This is a test site for Acunetix. It is vulnerable to SQL Injections, Cross-site Scripting (XSS), and more. It was built using ASP.NET and it shows how bad programming leads to vulnerabilities. Do not visit the links in the comments. They are posted by malicious parties who are trying to exploit this site to their advantage. Comments are purged daily.

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

httprequest.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
3851	24.548283600	10.10.29.14	44.238.29.244	HTTP	1241	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
9958	52.873305900	10.10.29.14	44.238.29.244	HTTP	1241	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)

> Frame 9958: Packet, 1241 bytes on wire (9928 bits), 1241 bytes captured (9928 bits) on interface \Device\NPF{...}

> Ethernet II, Src: Intel_f0:69:19 (70:a6:cc:f0:69:19), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

> Internet Protocol Version 4, Src: 10.10.29.14, Dst: 44.238.29.244

> Transmission Control Protocol, Src Port: 59359, Dst Port: 80, Seq: 3185, Ack: 27156, Len: 1187

> [3 Reassembled TCP Segments (1904 bytes): #9957(717), #10017(1460), #9958(1187)]

> Hypertext Transfer Protocol

> HTML Form URL Encoded: application/x-www-form-urlencoded

0000 c8 4f 86 fc 00 09 70 a6 cc f0 69 19 08 00 45 00 .O...p...i...E.
0010 04 cb d6 cf 40 00 80 06 00 00 0a 0a 1d 0e 2c ee@.....,.
0020 1d f4 e7 df 00 50 f3 b1 bd c0 7d aa 0c 4e 50 18P...}...NP.
0030 00 fe 76 b7 00 00 5f 5f 45 56 45 4e 54 54 41 52 ...V...__EVENTTAR
0040 47 45 54 3d 26 5f 5f 45 56 45 4e 54 41 52 47 55 GET=&__E VENTARGU
0050 4d 45 4e 54 3d 26 5f 5f 56 49 45 57 53 54 41 54 MENT=&__ VIEWSTAT
0060 45 3d 25 32 46 77 45 50 44 77 55 4b 4c 54 49 79 E=%2FwEP DwUKLTiY
0070 4d 7a 6b 32 4f 54 67 78 4d 51 39 6b 46 67 49 43 Mzk20TgX MQ9kFgIC
0080 41 51 39 6b 46 67 49 43 41 51 39 6b 46 67 51 43 AQ9kFgIC AQ9kFgQC
0090 41 51 38 57 42 42 34 45 61 48 4a 6c 5a 67 55 4b AQ8WBB4E aHJlZgUK
00a0 62 47 39 6e 61 57 34 75 59 58 4e 77 65 42 34 4a bG9naW4u YXNweB4J
00b0 61 57 35 75 5a 58 4a 6f 64 47 31 73 42 51 56 73 aW5uZXJo dG1sBQVs

Packet (1241 bytes) Reassembled TCP (1904 bytes)

Wireshark · Packet 9958 · Wi-Fi

> Hypertext Transfer Protocol

> HTML Form URL Encoded: application/x-www-form-urlencoded

- > Form item: "__EVENTTARGET" = ""
- > Form item: "__EVENTARGUMENT" = ""
- > [...] Form item: "__VIEWSTATE" = "/wEPDwUKLTiYmzk20TgXMQ9kFgICAQ9kFgICAQ9kFgICAQ8WBB4EaHJlZgUKbG9naW4uYXNweB4Jaw5uZXJodG1sBQVs b2dpbmQv
- > Form item: "__VIEWSTATEGENERATOR" = "C2EE9ABB"
- > [...] Form item: "__EVENTVALIDATION" = "/wEWwMwLoz/fGcGLStq248wK3jsrkBALtufvLDQKC3IeGDAKR1ca+DALi++jXCALU2djsAgLU2djsAgLU2cyDCgLU2cyDCi
- > Form item: "tbUsername" = "manideep"
- > Form item: "tbPassword" = "Mani8985"
- > Form item: "cbPersistCookie" = "on"

Packet (1241 bytes) Reassembled TCP (1904 bytes)

No.: 9958 · Time: 52.873305900 · Source: 10.10.29.14 · Destination: 44.238.29.244 · Protocol: HTTP · Length: 1241 · Info: POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)

☒ Show packet bytes Layout: Vertical (Stacked)

Close Help

