



WEBHOOK - DJANGO



The name of this project is “webhook_project.” After that, I will create three Django apps:

1. accounts
2. destination
3. data_handler

1. ACCOUNT MODULE WITH CRUD




FOR ACCOUNT URL IS <http://127.0.0.1:8000/api/accounts/>


METHOD: GET

TO RETRIEVE ALL ACCOUNTS FROM THE DATABASE.

METHOD: POST




METHOD DELETED:



2. DESTINATION MODULE

FOR DESTINATION URL IS <http://127.0.0.1:8000/api/destination/>
METHOD: POST




3. DATA HANDLER


FOR DATA HANDLER URL IS http://127.0.0.1:8000/server/incoming_data/
HEADER:
VERIFY WITH CL-X-TOKEN

Key	Value	Description	Bulk Edit	Presets
<input checked="" type="checkbox"/> CL-X-TOKEN	891ca1fa8d0b435aabc21170f689a9e			
Key	Value	Description		


BODY:





ONCE CL-X-TOKEN IS VERIFIED, THE DATA WILL BE SENT TO ALL THE DESTINATIONS THAT THE ACCOUNT HAS.



IF THE ACCOUNT IS DELETED, THE RESPECTIVE DESTINATIONS SHOULD ALSO BE DELETED.





AFTER DELETING ACCOUNTS 4 AND 5, WHEN VISITING THE DESTINATION PATH, THERE SHOULD BE NO DESTINATION. THAT DESTINATION IS ALSO DELETED WHEN THE ACCOUNT IS DELETED.