Hands-on Lab: Create Tables and Load Data in Db2

Estimated time needed: 30 minutes

In this lab, you will learn how to create tables and load data in Db2.

Software Used in this Lab

In this lab, you will use IBM Db2 Database. Db2 is a Relational Database Management System (RDBMS) from IBM, designed to store, analyze and retrieve the data efficiently.

IBM **Db2**

To complete this lab you will utilize a Db2 database service on IBM Cloud. If you did not complete the lab below earlier, you may not have access to Db2 on Cloud and should complete that lab before starting this lab.

- Hands-on Lab : Sign up for IBM Cloud and Create Db2 service instance

Dataset Used in this Lab

Two datasets are used in this lab - PETSHOP and BookShop.

- PETSHOP table:

ID	ANIMAL	SALEPRICE	SALEDATE	QUANTITY
1	Cat	450.09	2018-05-29	9
2	Dog	666.66	2018-06-01	3
3	Parrot	50.00	2018-06-04	2
4	Hamster	60.60	2018-06-11	6
5	Goldfish	48.48	2018-06-14	24

- BookShop table:

| BOOK_ID	TITLE	AUTHOR_NAME	AUTHOR_BIO	AUTHOR_ID	PUBLICATION_DATE	PRICE_USD
B101	Introduction to Algorithms	Thomas H. Cormen	Thomas H. Cormen is the co-author of Introd…	123	2001-09-01	125.00
B201	Structure and Interpretation of Computer Pro…	Harold Abelson	Harold Abelson, Ph.D., is Class of 1922 Profe…	456	1996-07-25	65.50
B301	Deep Learning	Ian Goodfellow	Ian J. Goodfellow is a researcher working in …	369	2016-11-01	82.70
B401	Algorithms Unlocked	Thomas H. Cormen	Thomas H. Cormen is the co-author of Introd…	123	2013-05-15	36.50
B501	Machine Learning: A Probabilistic Perspective	Kevin P. Murphy		157	2012-08-24	46.00

Objectives

After completing this lab, you will be able to:

- Create a table structure using the Db2 UI
- Load data into a table from a CSV file
- Create a table structure and load data using an SQL script file

Exercise 1: Create table structure through Db2 UI

In this exercise, you will learn how to create a table structure using the Db2 UI.

1. To access your database instance, go to your IBM Cloud Resource List (you may need to log into IBM Cloud in the process) directly at:
   cloud.ibm.com/resources

   - **Alternative**: Go to your IBM Cloud dashboard (you may need to login to IBM Cloud in the process) at: cloud.ibm.com and click **Services**.

2. In the Resource list, expand the **Services** and locate and click on your instance of Db2 you provisioned in exercise 2 (the name typically starts with Db2-xx for example Db2-fk, Db2-50, etc.)

3. Click on the **Go to UI** button.

4. Click on the data icon in the left corner and then click on the **Tables** tab. Later select your schema.
   It typically starts with 3 letters (not SQL) followed by 5 numbers (but will be different from the **SRW76180** example below). Then click on **New table**

5. The **New Table** creation window will appear. Name the table as **PETSHOP**. Then add 4 more columns by clicking **Add column** four times.

6. Now configure the table structure like the image below. Then click **Create**.

New Table   ✕

QDW50830

PETSHOP

⊕ Add column

COLUMN NAME	DATA TYPE	NULLABLE	LENGTH	SCALE
ID	INTEGER	N	--	--
ANIMAL	VARCHAR	Y	20	--
SALEPRICE	DECIMAL	Y	6	2
SALEDATE	DATE	Y	--	--
QUANTITY	INTEGER	Y	--	--

Create	Generate DDL

7. You have successfully created **PETSHOP** table.

Exercise 2: Load data into tables using CSV files

In this exercise, you will learn how data can be loaded into Db2. You could manually insert each row into the table one by one, but that would take a long time. Instead, Db2 (and almost every other database) allows you to load data from CSV files.

The steps below explain the process of loading data into the table you created earlier in Exercise 1.

1. Download the PETSHOP.csv file below to your local computer:

   ○ PETSHOP.csv

2. From the **data** icon on the left side of the **Go to UI** screen , click on the **Load Data** tab.
   Click on the **browse files** link. Later browse for your file on the local machine.

| Load Data | Load History | Tables | Views | Indexes | Aliases | MQTs | Sequences | Application objects |

○ Source   ○ Target   ○ Define   ○ Finalize
You are loading the file

🖥 My Computer
A single delimited text file (CSV) without header row.

S3 Amazon S3

☁ Cloud Object Storage

File selection

Drag a file here or **browse files**

3. Choose the file **PETSHOP.csv** that you downloaded to your computer and click **Open**.

4. Once the file is selected, select your schema and then click **Next** button.

5. It will show all the tables that have been created in this schema, including the PETSHOP table. Select the **PETSHOP** table, and in the new Table definition tab that appears, choose **Overwrite table with new data** (note the warning message), then click **Next**.

6. Because the source data file contains row with column labels, ensure that the **Header in first row** option is selected.

   ○ **Note:** Sometimes you may need to select correct **Time & date format** according to the way the date is formatted in the source data file.

7. Click **Next**. Review the load settings and click **Begin Load** in the bottom right-hand corner.

⊘ Source	⊘ Target	⊘ Define	● Finalize

*You are loading the file **PETSHOP.csv** into **SRW76180.PETSHOP***

Review settings

Summary

Code page:	1208 (Default)
Separator:	, (Default)
Time format:	HH:MM:SS (Default)
Date format:	YYYY-MM-DD (Default)
Timestamp format:	YYYY-MM-DD HH:MM:SS (Default)
String delimiter:	(Default)

Option

Maximum number of warnings

1000

Back   Begin Load

8. After loading has completed, you will notice that you were successful in loading all 5 rows of the PETSHOP table. If there are any **Errors** or **Warnings**, you can see them on this screen.

✓ COMPLETE   My computer   Target   View Table   Load More Data
              PETSHOP.csv   SRW76180.PETSHOP

Status   Settings   Errors 0   Warnings 0   ⭳

5	5	0
Rows read	Rows loaded	Rows rejected

Start time
07/27/2021 6:29:11 PM
End time
07/27/2021 6:29:16 PM

The data load job succeeded.
You can now work with your data.

No errors

9. You can see the data that was loaded by clicking on **View Table**.

⊘ Source	⊘ Target	● Define	○ Finalize

*You are loading the file **PETSHOP.csv** into **SRW76180.PETSHOP***

Code page (character encoding):   1208 (UTF-8) ⌄ ⓘ   Separator: ,   Header in first row: ●   Time & date format: 🕐

	ID INTEGER	ANIMAL VARCHAR	SALEPRICE DECIMAL	SALEDATE DATE	QUANTITY INTEGER
1	1	Cat	450.09	2018-05-29	9
2	2	Dog	666.66	2018-06-01	3
3	3	Parrot	50.00	2018-06-04	2
4	4	Hamster	60.60	2018-06-11	6
5	5	Goldfish	48.48	2018-06-14	24

Back   Next

Exercise 3: Create table structure and load data using an SQL script file

In this exercise, you will learn how to create a table and load data into it by executing a script containing the CREATE and INSERT SQL commands.

1. Download the script file to your computer:

   ○ BookShop-CREATE-INSERT.sql

2. Click on the **RUN SQL** page in the **Go to UI** . The **RUN SQL** tool enables you to run SQL scripts/statements.

3. Click on **From file**.

4. Locate the **BookShop-CREATE-INSERT.sql** file that you downloaded to your computer earlier and load it.

5. Once the statements are in the RUN SQL tool , you can run the queries against the database by clicking the **Run all** button. On the right-hand side of the RUN SQL tool, you will see a Result section. Clicking on the expand button for a query in the Result section will show the execution details of the job, such as whether it ran successfully or had any errors or warnings. Ensure your queries ran successfully and created all the tables.

   ○ **Note:** You may see several errors before the successful creation of the table. These errors relate to the dropping (removal) of any pre-existing versions of these tables. You can ignore these errors.

Run SQL

```
* BookShop-...    ✕                                          Add new script +    ⚪ Script summary

💾 ▾    ↶  ↷   </>  T̄T  🗑  ⊟  🔍  🟢 Syntax assistant  ⬈  ⚙        Result - Jul 27, 2021 6:34:33 PM  ▾  ⋮                      ✕

1   -- Drop the tables in case they exist               ▲      ⌄  🟢 -- Drop the tables in case they exist DROP ...   Run time: 0.064 s   ⋮
2
3   DROP TABLE BookShop;                                          Status: Success  | Affected rows: 0
4   DROP TABLE BookShop_AuthorDetails;
5                                                              ⌄  🔴 DROP TABLE BookShop_AuthorDetails       Run time: 0.022 s   ⋮
6   -- Create the table
7                                                              ⌄  🟢 -- Create the table CREATE TABLE BookSh...  Run time: 0.100 s   ⋮
8   CREATE TABLE BookShop (
9       BOOK_ID VARCHAR(4) NOT NULL,                           ⌄  🟢 -- Insert sample data into the table INSER...  Run time: 0.014 s   ⋮
10      TITLE VARCHAR(100) NOT NULL,
11      AUTHOR_NAME VARCHAR(30) NOT NULL,                      ⌄  🟢 -- Retrieve all records from the table SELE...  Run time: 0.012 s   ⋮
12      AUTHOR_BIO VARCHAR(250),
13      AUTHOR_ID INTEGER NOT NULL,
14      PUBLICATION_DATE DATE NOT NULL,
15      PRICE_USD DECIMAL(6,2) CHECK(Price_USD>0) NOT NULL
16      );
17
18  -- Insert sample data into the table
19
20  INSERT INTO BookShop VALUES
21  ('B101', 'Introduction to Algorithms', 'Thomas H. Cormen', 'Thomas H. Corm◄ ►
22  ◄ ▬▬▬▬▬▬                                    ►

Run all  ▾    ☑ Remember my selection
```

```
ookShop-CREATE....sql  ∧    📊 PETSHOP.csv  ∧                                      Show all
```

6. Now you can look at the table you successfully created. Click on the **data** icon. Click on the **Tables** tab. Select your schema and then check for the newly created bookshop table.If the newly created tables don't show up, click **Refresh**.

```
Load Data   Load History   Tables   Views   Indexes   Aliases   MQTs   Sequences   Application objects

🔍 Find schemas or tables                                                                    Refresh

Schemas                                          Tables                    New table  +   ⇅ ⌃ ⋮ ›

☑ Name        Type         Tables ▲            ☐ Name ▾         Schema          Properties

☑ SRW76180    User         19                  ☐ BOARD          SRW76180        ···

                                                ☐ BOOKSHOP       SRW76180        ···

                                                ☐ C1             SRW76180        ···

                                                ☐ C2             SRW76180        ···

                                                ☐ CHICAGO1       SRW76180        ···

                                                ☐ CHICAGO_PUBLIC_SCHO...  SRW76180  ···

                                                ☐ CROP_DATA      SRW76180        ···

                                                ☐ DAILY_FX       SRW76180        ···

Total: 1, selected: 1                           Total: 19, selected: 0
```

7. Click on the table **BOOKSHOP** you created and you will see its table structure (that is, the list of columns, data types, etc).

```
🔍 Find schemas or tables                                                              Refresh ↻

Tables                        New table  +  ⇅ ⌃ ⋮ ✕    Table definition                    ⋮ ✕
                                                        BOOKSHOP
☑ Name ▾       Schema       Properties                                          No statistics available.

☐ BOARD        SRW76180     ···                         Name          Data type   Nullable  Length  Scale

☑ BOOKSHOP     SRW76180     ···                         BOOK_ID       VARCHAR     N         4       0      👁

☐ C1           SRW76180     ···                         TITLE         VARCHAR     N         100     0      👁

☐ C2           SRW76180     ···                         AUTHOR_NAME   VARCHAR     N         30      0      👁

☐ CHICAGO1     SRW76180     ···                         AUTHOR_BIO    VARCHAR     Y         250     0      👁

☐ CHICAGO_PUBLIC_SCHO...  SRW76180  ···                 AUTHOR_ID     INTEGER     N                 0      👁

☐ CROP_DATA    SRW76180     ···                         PUBLICATION_DATE  DATE    N         4       0      👁

☐ DAILY_FX     SRW76180     ···                         PRICE_USD     DECIMAL     N         6       2      👁

☐ FARM_PRICES  SRW76180     ···

Total: 19, selected: 1                                  View data
```

8. Click on **View Data** to view the table data.

SRW76180.BOOKSHOP

Back

Export to CSV ⬇

BOOK_ID	TITLE	AUTHOR_NAME	AUTHOR_BIO	AUTHOR_ID	PUBLICATION_DATE	PRICE_USD
B101	Introduction to Algorithms	Thomas H. Cormen	Thomas H. Cormen is the co-author of Introduction to Algorithms, along with Charles Leiserson, Ron Rivest, and Cliff Stein. He is a Full Professor of computer science at Dartmouth College and currently Chair of the Dartmouth College Writing Program.	123	2001-09-01	125.00
B201	Structure and Interpretation of Computer Programs	Harold Abelson	Harold Abelson, Ph.D., is Class of 1922 Professor of Computer Science and Engineering in the Department of Electrical Engineering and Computer Science at MIT and a fellow of the IEEE.	456	1996-07-25	65.50
B301	Deep Learning	Ian Goodfellow	Ian J. Goodfellow is a researcher working in machine learning, currently employed at Apple Inc. as its director of machine learning in the Special Projects Group. He was previously employed as a research scientist at Google Brain.	369	2016-11-01	82.70
B401	Algorithms Unlocked	Thomas H. Cormen	Thomas H. Cormen is the co-author of Introduction to Algorithms, along with Charles Leiserson, Ron Rivest, and Cliff Stein. He is a Full Professor of computer science at Dartmouth College and currently Chair of the Dartmouth College Writing Program.	123	2013-05-15	36.50
B501	Machine Learning: A Probabilistic Perspective	Kevin P. Murphy		157	2012-08-24	46.00

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- [Sandip Saha Joy](#)

Other Contributor(s)

-

Changelog

Date	Version	Changed by	Change Description
27-07-2022	1.2	Lakshmi Holla	updated numbers
29-07-2021	1.1	Lakshmi Holla	Modified as per new DB2 UI
16-03-2020	1.0	Sandip Saha Joy	Created initial version