

# Database cipla

## Table structure for table cp\_address

Column	Type	Null	Default
address_id	int(11)	No	
customer_id	int(11)	No	
firstname	varchar(32)	No	
lastname	varchar(32)	No	
company	varchar(40)	No	
address_1	varchar(128)	No	
address_2	varchar(128)	No	
city	varchar(128)	No	
postcode	varchar(10)	No	
country_id	int(11)	No	0
zone_id	int(11)	No	0
custom_field	text	No	

## Table structure for table cp\_api

Column	Type	Null	Default
api_id	int(11)	No	
username	varchar(64)	No	
key	text	No	
status	tinyint(1)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_api\_ip

Column	Type	Null	Default
api_ip_id	int(11)	No	
api_id	int(11)	No	
ip	varchar(40)	No	

## Table structure for table cp\_api\_session

Column	Type	Null	Default
<b>api_session_id</b>	int(11)	No	
api_id	int(11)	No	
session_id	varchar(32)	No	
ip	varchar(40)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_approval\_history

Column	Type	Null	Default
<b>approval_id</b>	int(11)	No	
parent_id	int(11)	No	
status_id	int(10)	No	
approval_level_id	int(11)	No	
status_count	int(10)	No	
comment	varchar(100)	No	
entity_id	int(10)	No	
status_type_id	int(10)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	datetime	No	

## Table structure for table cp\_approval\_link

Column	Type	Null	Default
<b>approval_link_id</b>	bigint(20)	No	
parent_id	int(11)	No	
entity_id	tinyint(4)	No	
user_id	int(11)	No	
token	varchar(255)	Yes	NULL

is_mail_sent	tinyint(4)	No
is_link_clicked	tinyint(4)	No
created_date	datetime	No CURRENT_TIMESTAMP
valid_upto	datetime	Yes NULL
updated_date	datetime	No CURRENT_TIMESTAMP

## Table structure for table cp\_approval\_status

Column	Type	Null	Default
status_id	tinyint(4)	No	
name	varchar(255)	Yes	NULL
level_of_order	tinyint(4)	No	
number_of_approval	int(11)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_attribute

Column	Type	Null	Default
attribute_id	int(11)	No	
attribute_group_id	int(11)	No	
sort_order	int(3)	No	

## Table structure for table cp\_attribute\_description

Column	Type	Null	Default
attribute_id	int(11)	No	
language_id	int(11)	No	
name	varchar(64)	No	

## Table structure for table cp\_attribute\_group

Column	Type	Null	Default
attribute_group_id	int(11)	No	
sort_order	int(3)	No	

## Table structure for table cp\_attribute\_group\_description

Column	Type	Null	Default
<b>attribute_group_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
<b>name</b>	varchar(64)	No	

## Table structure for table cp\_banner

Column	Type	Null	Default
<b>banner_id</b>	int(11)	No	
<b>name</b>	varchar(64)	No	
<b>status</b>	tinyint(1)	No	

## Table structure for table cp\_banner\_image

Column	Type	Null	Default
<b>banner_image_id</b>	int(11)	No	
<b>banner_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
<b>title</b>	varchar(64)	No	
<b>link</b>	varchar(255)	No	
<b>image</b>	varchar(255)	No	
<b>sort_order</b>	int(3)	No	0

## Table structure for table cp\_capqty\_excel

Column	Type	Null	Default
<b>id</b>	bigint(20)	No	
<b>special_rate_id</b>	varchar(255)	No	
<b>product_code</b>	varchar(255)	No	
<b>new_cap_qty</b>	int(11)	No	
<b>start_date</b>	date	No	
<b>end_date</b>	date	No	
<b>reason</b>	text	Yes	NULL
<b>status</b>	int(11)	No	
<b>created_at</b>	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_cap\_qty\_utiliation

Column	Type	Null	Default
cp_qty_id	int(200)	No	
product_code	varchar(200)	No	
original_cap	int(100)	No	
updated_cap	int(100)	No	
utilised_cap	int(100)	No	
available_cap	int(100)	No	
status	int(11)	No	1
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_cap\_quantity\_requested\_history

Column	Type	Null	Default
history_id	int(11)	No	
special_rate_product_id	int(11)	Yes	NULL
special_rate_id	int(11)	No	
user_id	int(11)	No	
cap_quantity_requested	mediumint(9)	No	
created_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_cart

Column	Type	Null	Default
cart_id	int(11)	No	
api_id	int(11)	No	
customer_id	int(11)	No	
session_id	varchar(32)	No	
product_id	int(11)	No	
recurring_id	int(11)	No	
option	text	No	
quantity	int(5)	No	

date_added	datetime	No
------------	----------	----

## Table structure for table cp\_category

Column	Type	Null	Default
category_id	int(11)	No	
image	varchar(255)	Yes	NULL
parent_id	int(11)	No	0
top	tinyint(1)	No	
column	int(3)	No	
sort_order	int(3)	No	0
status	tinyint(1)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_category\_description

Column	Type	Null	Default
category_id	int(11)	No	
language_id	int(11)	No	
name	varchar(255)	No	
description	text	No	
meta_title	varchar(255)	No	
meta_description	varchar(255)	No	
meta_keyword	varchar(255)	No	

## Table structure for table cp\_category\_filter

Column	Type	Null	Default
category_id	int(11)	No	
filter_id	int(11)	No	

## Table structure for table cp\_category\_path

Column	Type	Null	Default
--------	------	------	---------

**category\_id** int(11) No

**path\_id** int(11) No

**level** int(11) No

## Table structure for table cp\_category\_to\_layout

Column	Type	Null	Default
<b>category_id</b>	int(11)	No	
<b>store_id</b>	int(11)	No	
<b>layout_id</b>	int(11)	No	

## Table structure for table cp\_category\_to\_store

Column	Type	Null	Default
<b>category_id</b>	int(11)	No	
<b>store_id</b>	int(11)	No	

## Table structure for table cp\_chemist\_doc

Column	Type	Null	Default
<b>doc_id</b>	int(255)	No	
<b>doc_name</b>	varchar(200)	No	
<b>adduser</b>	varchar(100)	No	
<b>adddate</b>	datetime	No	
<b>moduser</b>	varchar(200)	No	
<b>moddate</b>	datetime	No	
<b>chemiest_id</b>	int(100)	No	
<b>doc_file_name</b>	varchar(200)	No	

## Table structure for table cp\_chemist\_inactive\_history

Column	Type	Null	Default
<b>chemist_inactive_history_id</b>	int(255)	No	
<b>parent_id</b>	int(255)	No	
<b>user_id</b>	int(200)	No	

entity_id	int(10)	No
inactive_type_id	int(10)	No
inactive_reasons_id	int(10)	No
comment	varchar(100)	No
created_date	datetime	No

## Table structure for table cp\_chemist\_master

Column	Type	Null	Default
<b>chemist_id</b>	int(255)	No	
chemist_code	varchar(255)	No	
chemist_name	varchar(255)	No	
chemist_type	varchar(100)	No	
depot_id	int(11)	No	
address1	varchar(255)	No	
address2	varchar(255)	No	
address3	varchar(255)	No	
pincode	varchar(100)	No	
state	varchar(100)	No	
city	varchar(100)	No	
contact_person	varchar(255)	No	
contact_email	varchar(255)	No	
contact_phone	varchar(200)	No	
contact_cell	varchar(200)	No	
gst_number	varchar(200)	No	
drug_license	varchar(200)	No	
license_number	varchar(100)	No	
license_number_20b	varchar(200)	No	
license_number_21	varchar(200)	No	
license_number_21b	varchar(200)	No	
aiocd	varchar(100)	No	



group_rate_spplicable	varchar(100)	No
alliance_group	varchar(100)	No Pharma
claim_inactive	tinyint(4)	Yes NULL
order_inactive	tinyint(4)	Yes NULL
request_inactive	tinyint(4)	Yes NULL
remark	varchar(255)	No
is_draft	tinyint(4)	No
is_active	int(4)	No
approval_status	tinyint(4)	No
next_approval	int(11)	No
approval_level_id	int(11)	No
request_type	int(11)	No
question_gstin_uploaded	tinyint(4)	No
question_bill_copy	tinyint(4)	No
question_gstin_match	int(11)	No
question_bill_copy_match	int(11)	No
chemist_drug_match	tinyint(4)	No
customer_approvel	tinyint(4)	No
adddate	datetime	No
adduser	int(11)	No
moduser	int(11)	No
moddate	datetime	No
status	varchar(100)	No

## Table structure for table cp\_chemist\_master\_imported

Column	Type	Null Default
<b>chemist_id</b>	int(11)	No
chemist_code	varchar(255)	No
chemist_name	varchar(255)	No
chemist_type	varchar(100)	No
depot_id	int(11)	No

address1	varchar(255)	No
address2	varchar(255)	No
address3	varchar(255)	No
pincode	varchar(100)	No
state	varchar(100)	No
city	varchar(100)	No
contact_person	varchar(255)	No
contact_email	varchar(255)	No
contact_phone	varchar(200)	No
contact_cell	varchar(200)	No
gst_number	varchar(200)	No
drug_license	varchar(200)	No
license_number	varchar(100)	No
license_number_20b	varchar(200)	No
license_number_21	varchar(200)	No
license_number_21b	varchar(200)	No
aiocd	varchar(100)	No
group_rate_spplicable	varchar(100)	No
alliance_group	varchar(100)	No
claim_inactive	tinyint(4)	Yes NULL
order_inactive	tinyint(4)	Yes NULL
request_inactive	tinyint(4)	Yes NULL
remark	varchar(255)	No
is_draft	tinyint(4)	No
approval_status	tinyint(4)	No
next_approval	int(11)	No
approval_level_id	int(11)	No
request_type	int(11)	No
question_gstin_uploaded	tinyint(4)	No
question_bill_copy	tinyint(4)	No
question_gstin_match	int(11)	No

question_bill_copy_match	int(11)	No
chemist_drug_match	tinyint(4)	No
customer_approvel	tinyint(4)	No
adddate	datetime	No
adduser	int(11)	No
moduser	int(11)	No
moddate	datetime	No
status	varchar(100)	No
is_active	int(11)	No

### Table structure for table cp\_chemist\_stockiest

Column	Type	Null	Default
<b>id</b>	int(100)	No	
stockiest_id	int(200)	No	
chemist_id	int(100)	No	
hospital_id	int(11)	No	
margin	varchar(200)	No	
group_rate_applicable	int(4)	No	
alliance_group	varchar(100)	No	Pharma
claim_inactive	int(4)	Yes	NULL
order_inactive	int(4)	Yes	NULL
request_inactive	int(4)	Yes	NULL
adduser	int(100)	No	
adddate	timestamp	No	CURRENT_TIMESTAMP
mod_user	int(100)	No	
mod_date	datetime	Yes	NULL

### Table structure for table cp\_chemist\_stockiest\_imported

Column	Type	Null	Default
<b>id</b>	int(11)	No	
stockiest_id	int(11)	No	
chemist_id	int(11)	No	

hospital_id	int(11)	No	
margin	varchar(200)	No	
group_rate_applicable	int(11)	No	
alliance_group	varchar(100)	No	
adduser	int(11)	No	
adddate	timestamp	No	CURRENT_TIMESTAMP
mod_user	int(11)	No	
mod_date	datetime	Yes	NULL
claim_inactive	int(11)	Yes	NULL
order_inactive	int(11)	Yes	NULL
request_inactive	int(11)	Yes	NULL

## Table structure for table cp\_chemist\_stockist\_inactive\_history

Column	Type	Null	Default
chemist_stockist_inactive_history_id	int(100)	No	
chemist_id	int(100)	No	
stockist_id	int(11)	No	
user_id	int(100)	No	
inactive_type_id	int(100)	No	
inactive_reasons_id	int(100)	No	
comment	varchar(200)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_city

Column	Type	Null	Default
city_id	int(255)	No	
city_no	varchar(11)	Yes	NULL
city_name	varchar(255)	Yes	NULL
town_type	int(40)	No	
state_code	varchar(10)	Yes	NULL
state_id	int(40)	Yes	NULL
pincode	varchar(10)	Yes	NULL
state_name	varchar(100)	Yes	NULL

is\_active int(4) No 1

## Table structure for table cp\_claim\_approval\_status

Column	Type	Null	Default
approval_status_id	int(11)	No	
approval_name	varchar(100)	No	
level_of_order	int(11)	No	
number_of_approval	int(11)	No	
is_active	int(11)	No	

## Table structure for table cp\_claim\_audit\_reject\_reasons

Column	Type	Null	Default
audit_reason_id	int(11)	No	
reasons	varchar(250)	No	
is_active	int(11)	No	
sort_order	int(11)	No	
created_at	datetime	No	CURRENT_TIMESTAMP
updated_at	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_claim\_history\_master

Column	Type	Null	Default
history_id	int(255)	No	
urn_number	varchar(200)	No	
claim_id	int(200)	No	
action	varchar(200)	No	
comment	varchar(200)	No	
modified_data	varchar(200)	Yes	NULL
action_by	int(200)	No	
last_action_date	datetime	Yes	NULL
created_at	datetime	No	
updated_at	datetime	No	

## Table structure for table cp\_claim\_master

Column	Type	Null	Default
claim_id	int(11)	No	
claim_order_id	int(11)	No	
claim_order_number	varchar(200)	No	
claim_parent_urn_number	varchar(20)	Yes	NULL
claim_urn_number	varchar(200)	No	
claim_invoice_number	varchar(200)	No	
claim_request_number	varchar(255)	No	
claim_type	int(11)	No	
claim_order_type	int(11)	No	
claim_invoice_date	date	No	
claim_invoice_value	varchar(200)	No	
e_way_bill_number	varchar(200)	No	
claim_raiseing_date	date	No	
claim_taken_days	int(11)	No	
claim_purchase_order_number	varchar(200)	No	
claim_secondary_order_number	varchar(200)	No	
claim_hospital_id	int(11)	No	
claim_chemist_id	int(11)	No	
claim_stockiest_id	int(11)	No	
claim_depot	int(11)	No	
claim_zone	int(11)	No	
claim_status	int(11)	No	
claim_audit_status	int(11)	Yes	0
total_rate_difference	varchar(100)	No	
total_igst	varchar(100)	No	
total_cgst	varchar(100)	No	
total_sgst	varchar(100)	No	
total_tax	varchar(100)	No	
total_cn_amount	varchar(100)	No	

total_margin	varchar(100)	No	
claim_rejection_comment	varchar(200)	No	
claim_query_pending	int(11)	Yes	NULL
claim_rejection_reason	varchar(500)	No	
claim_sendback_reason	varchar(500)	No	
claim_callback_reason	varchar(500)	No	
audit_hold_comments	varchar(500)	No	
audit_rej_reasons	varchar(500)	No	
claim_user	int(11)	No	
claim_indexer	int(11)	No	
claim_verifier	int(11)	No	
assigned_to	int(11)	No	
is_reprocessed	int(11)	No	0
reprocessed_comments	varchar(500)	No	
claim_send_to	int(11)	No	
next_approval_user	int(11)	No	1
approval_level	int(11)	No	1
is_verified	int(11)	No	1
is_active	int(11)	No	1
is_approved	int(11)	No	1
is_customer_rejected	int(4)	No	0
is_link_clicked	int(11)	No	0
last_action_by	int(11)	No	1
last_action_date	datetime	No	CURRENT_TIMESTAMP
claim_updated_at	timestamp	No	CURRENT_TIMESTAMP
claim_created_at	timestamp	No	CURRENT_TIMESTAMP
stockiest_user	int(11)	No	0
stockist_reject_comment	int(11)	No	0
stockist_sendback_reason	int(11)	No	0

## Table structure for table cp\_claim\_products

Column	Type	Null	Default
claim_product_id	int(11)	No	
claim_parent_urn_number	varchar(50)	Yes	NULL
claim_urn_number	varchar(100)	No	

product_code	varchar(20)	No
po_order	varchar(30)	No
chemist_name	varchar(100)	No
chemist_code	varchar(100)	No
hospital_name	varchar(100)	No
hospital_code	varchar(100)	No
order_qty	varchar(10)	No
invoice_date	date	Yes NULL
invoice_qty	varchar(100)	No
primary_ref_no	varchar(20)	No
special_rate_ref_no	varchar(30)	No
batch_no	varchar(20)	No
product_name	varchar(250)	No
billed_rate	varchar(20)	No
nrv	varchar(20)	No
net_available_qty	varchar(100)	No
approved_rate	varchar(20)	No
margin	varchar(10)	No
margin_percent	varchar(30)	No
rate_difference	varchar(20)	No
igst_rate	varchar(10)	No
cgst_rate	varchar(10)	No
sgst_rate	varchar(10)	No
ugst_rate	varchar(100)	No
igst_amount	varchar(100)	No
cgst_amount	varchar(100)	No
sgst_amount	varchar(100)	No
ugst_amount	varchar(100)	No
total_tax	varchar(10)	No
cn_amount	varchar(10)	No
rejected	varchar(15)	No



reject_reason	varchar(100)	No	
rbm_id	int(11)	No	
rbm_status	int(11)	No	
rbm_reject_reson	int(11)	No	
is_rbm_not_found	int(10)	No	0
order_type	varchar(30)	No	
is_draft	int(11)	No	0
inv_ref_id	int(11)	No	
user_id	int(11)	No	
is_reprocessed	int(11)	No	0
reprocessed_comments	varchar(500)	Yes	NULL
reprocessed_urn	varchar(100)	Yes	NULL
product_status	int(11)	No	1
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP
created_by_stockist	int(11)	Yes	0

## Table structure for table cp\_claim\_query\_rejections

Column	Type	Null	Default
query_id	int(11)	No	
claim_id	int(11)	No	
claim_urn	varchar(50)	No	
query_rej_user	int(11)	No	
query_subject	varchar(200)	No	
query_type	int(11)	No	1
email_to	varchar(200)	No	
replyt_to	varchar(200)	No	
queries	varchar(500)	No	
query_created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_claim\_query\_type

Column	Type	Null	Default
claim_query_id	int(11)	No	

claim_query_type	varchar(200)	No	
is_active	int(11)	No	1
is_sort	int(11)	No	0
claim_query_updated_at	timestamp	No	CURRENT_TIMESTAMP
claim_query_created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_claim\_rejections

Column	Type	Null	Default
<b>claim_rej_id</b>	int(11)	No	
claim_id_master	int(11)	Yes	NULL
rejection_type	int(11)	No	
claim_order_id	varchar(20)	No	
urn_number	varchar(20)	No	
invoice_number	varchar(25)	No	
invoice_date	date	Yes	NULL
rej_user_id	int(11)	No	
comment	varchar(100)	No	
status	int(11)	No	
created_at	datetime	No	CURRENT_TIMESTAMP
updated_at	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_classification

Column	Type	Null	Default
<b>classification_id</b>	tinyint(4)	No	
classification_code	varchar(20)	Yes	NULL
classification_name	varchar(100)	Yes	NULL
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_cluster

Column	Type	Null	Default
<b>cluster_id</b>	int(11)	No	
cluster_name	varchar(255)	Yes	NULL
cluster_code	varchar(50)	Yes	NULL

sort_order	mediumint(4)	No
is_active	tinyint(4)	No

## Table structure for table cp\_cluster\_new

Column	Type	Null	Default
cluster_id	int(11)	No	
cluster_name	varchar(255)	Yes	NULL
created_at	datetime	No	

## Table structure for table cp\_cndr

Column	Type	Null	Default
id	int(11)	No	
urn_no	varchar(120)	Yes	NULL
depot_name	varchar(60)	Yes	NULL
zone	varchar(30)	Yes	NULL
stockist_name	varchar(120)	Yes	NULL
stockist_bill_no	varchar(60)	Yes	NULL
stockist_bill_date	varchar(30)	Yes	NULL
sap_cndr_no	varchar(60)	Yes	NULL
sap_cndr_date	varchar(30)	Yes	NULL
cndr_no	varchar(120)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_commom\_status

Column	Type	Null	Default
id	int(11)	No	
status_name	varchar(50)	No	
sort_order	int(11)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_country

Column	Type	Null	Default
country_id	int(11)	No	

name	varchar(128)	No
iso_code_2	varchar(2)	No
iso_code_3	varchar(3)	No
address_format	text	No
postcode_required	tinyint(1)	No
status	tinyint(1)	No 1

## Table structure for table cp\_coupon

Column	Type	Null	Default
coupon_id	int(11)	No	
name	varchar(128)	No	
code	varchar(20)	No	
type	char(1)	No	
discount	decimal(15,4)	No	
logged	tinyint(1)	No	
shipping	tinyint(1)	No	
total	decimal(15,4)	No	
date_start	date	No	0000-00-00
date_end	date	No	0000-00-00
uses_total	int(11)	No	
uses_customer	varchar(11)	No	
status	tinyint(1)	No	
date_added	datetime	No	

## Table structure for table cp\_coupon\_category

Column	Type	Null	Default
coupon_id	int(11)	No	
category_id	int(11)	No	

## Table structure for table cp\_coupon\_history

Column	Type	Null	Default
--------	------	------	---------

<b>coupon_history_id</b>	int(11)	No
coupon_id	int(11)	No
order_id	int(11)	No
customer_id	int(11)	No
amount	decimal(15,4)	No
date_added	datetime	No

## Table structure for table cp\_coupon\_product

Column	Type	Null	Default
<b>coupon_product_id</b>	int(11)	No	
coupon_id	int(11)	No	
product_id	int(11)	No	

## Table structure for table cp\_currency

Column	Type	Null	Default
<b>currency_id</b>	int(11)	No	
title	varchar(32)	No	
code	varchar(3)	No	
symbol_left	varchar(12)	No	
symbol_right	varchar(12)	No	
decimal_place	char(1)	No	
value	double(15,8)	No	
status	tinyint(1)	No	
date_modified	datetime	No	

## Table structure for table cp\_customer

Column	Type	Null	Default
<b>customer_id</b>	int(11)	No	
customer_group_id	int(11)	No	
store_id	int(11)	No	0
language_id	int(11)	No	

firstname	varchar(32)	No
lastname	varchar(32)	No
email	varchar(96)	No
telephone	varchar(32)	No
fax	varchar(32)	No
password	varchar(40)	No
salt	varchar(9)	No
cart	text	Yes NULL
wishlist	text	Yes NULL
newsletter	tinyint(1)	No 0
address_id	int(11)	No 0
custom_field	text	No
ip	varchar(40)	No
status	tinyint(1)	No
safe	tinyint(1)	No
token	text	No
code	varchar(40)	No
date_added	datetime	No

## Table structure for table cp\_customer\_activity

Column	Type	Null	Default
customer_activity_id	int(11)	No	
customer_id	int(11)	No	
key	varchar(64)	No	
data	text	No	
ip	varchar(40)	No	
date_added	datetime	No	

## Table structure for table cp\_customer\_affiliate

Column	Type	Null	Default
customer_id	int(11)	No	
company	varchar(40)	No	

website	varchar(255)	No
tracking	varchar(64)	No
commission	decimal(4,2)	No 0.00
tax	varchar(64)	No
payment	varchar(6)	No
cheque	varchar(100)	No
paypal	varchar(64)	No
bank_name	varchar(64)	No
bank_branch_number	varchar(64)	No
bank_swift_code	varchar(64)	No
bank_account_name	varchar(64)	No
bank_account_number	varchar(64)	No
custom_field	text	No
status	tinyint(1)	No
date_added	datetime	No

## Table structure for table cp\_customer\_approval

Column	Type	Null	Default
customer_approval_id	int(11)	No	
customer_id	int(11)	No	
type	varchar(9)	No	
date_added	datetime	No	

## Table structure for table cp\_customer\_group

Column	Type	Null	Default
customer_group_id	int(11)	No	
approval	int(1)	No	
sort_order	int(3)	No	

## Table structure for table cp\_customer\_group\_description

Column	Type	Null	Default
--------	------	------	---------

<b>customer_group_id</b>	int(11)	No
<b>language_id</b>	int(11)	No
name	varchar(32)	No
description	text	No

## Table structure for table cp\_customer\_history

Column	Type	Null	Default
<b>customer_history_id</b>	int(11)	No	
customer_id	int(11)	No	
comment	text	No	
date_added	datetime	No	

## Table structure for table cp\_customer\_ip

Column	Type	Null	Default
<b>customer_ip_id</b>	int(11)	No	
customer_id	int(11)	No	
ip	varchar(40)	No	
date_added	datetime	No	

## Table structure for table cp\_customer\_login

Column	Type	Null	Default
<b>customer_login_id</b>	int(11)	No	
email	varchar(96)	No	
ip	varchar(40)	No	
total	int(4)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_customer\_online

Column	Type	Null	Default
<b>ip</b>	varchar(40)	No	



customer_id	int(11)	No
url	text	No
referrer	text	No
date_added	datetime	No

## Table structure for table cp\_customer\_reward

Column	Type	Null	Default
<b>customer_reward_id</b>	int(11)	No	
customer_id	int(11)	No	0
order_id	int(11)	No	0
description	text	No	
points	int(8)	No	0
date_added	datetime	No	

## Table structure for table cp\_customer\_search

Column	Type	Null	Default
<b>customer_search_id</b>	int(11)	No	
store_id	int(11)	No	
language_id	int(11)	No	
customer_id	int(11)	No	
keyword	varchar(255)	No	
category_id	int(11)	Yes	NULL
sub_category	tinyint(1)	No	
description	tinyint(1)	No	
products	int(11)	No	
ip	varchar(40)	No	
date_added	datetime	No	

## Table structure for table cp\_customer\_transaction

Column	Type	Null	Default
<b>customer_transaction_id</b>	int(11)	No	
customer_id	int(11)	No	

order_id	int(11)	No
description	text	No
amount	decimal(15,4)	No
date_added	datetime	No

## Table structure for table cp\_customer\_wishlist

Column	Type	Null	Default
customer_id	int(11)	No	
product_id	int(11)	No	
date_added	datetime	No	

## Table structure for table cp\_custom\_field

Column	Type	Null	Default
custom_field_id	int(11)	No	
type	varchar(32)	No	
value	text	No	
validation	varchar(255)	No	
location	varchar(10)	No	
status	tinyint(1)	No	
sort_order	int(3)	No	

## Table structure for table cp\_custom\_field\_customer\_group

Column	Type	Null	Default
custom_field_id	int(11)	No	
customer_group_id	int(11)	No	
required	tinyint(1)	No	

## Table structure for table cp\_custom\_field\_description

Column	Type	Null	Default
custom_field_id	int(11)	No	

<b>language_id</b>	int(11)	No
<b>name</b>	varchar(128)	No

## Table structure for table cp\_custom\_field\_value

Column	Type	Null	Default
<b>custom_field_value_id</b>	int(11)	No	
<b>custom_field_id</b>	int(11)	No	
<b>sort_order</b>	int(3)	No	

## Table structure for table cp\_custom\_field\_value\_description

Column	Type	Null	Default
<b>custom_field_value_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
<b>custom_field_id</b>	int(11)	No	
<b>name</b>	varchar(128)	No	

## Table structure for table cp\_depot\_plant

Column	Type	Null	Default
<b>depot_plant_id</b>	int(11)	No	
<b>depot_plant_number</b>	varchar(20)	Yes	NULL
<b>depot_plant_code</b>	varchar(10)	Yes	NULL
<b>depot_plant_name</b>	varchar(100)	Yes	NULL
<b>is_active</b>	tinyint(4)	No	
<b>created_date</b>	datetime	No	CURRENT_TIMESTAMP
<b>updated_date</b>	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_designation

Column	Type	Null	Default
<b>designation_id</b>	smallint(6)	No	
<b>designation_code</b>	varchar(20)	Yes	NULL
<b>designation_name</b>	varchar(255)	Yes	NULL
<b>designation_type</b>	varchar(20)	Yes	NULL

designation_level	tinyint(4)	No
sort_order	tinyint(4)	No
is_active	tinyint(4)	No

## Table structure for table cp\_division

Column	Type	Null	Default
<b>division_id</b>	int(11)	No	
classification_id	tinyint(4)	No	
division_code	varchar(50)	Yes	NULL
division_description	varchar(255)	Yes	NULL
sort_order	int(11)	No	
is_active	int(11)	No	

## Table structure for table cp\_doct\_counters

Column	Type	Null	Default
<b>doct_counters_id</b>	int(11)	No	
doct_no	varchar(20)	Yes	NULL
lsno	int(11)	Yes	NULL
countername	varchar(50)	Yes	NULL
add1	varchar(60)	Yes	NULL
add2	varchar(60)	Yes	NULL
add3	varchar(60)	Yes	NULL
town_no	varchar(20)	Yes	NULL
stat_no	varchar(4)	Yes	NULL
pined	varchar(6)	Yes	NULL
cntct_pers	varchar(50)	Yes	NULL
cntct_mailid	varchar(50)	Yes	NULL
cntct_phone	varchar(50)	Yes	NULL
sacct_no	varchar(10)	Yes	NULL
dlno	varchar(100)	Yes	NULL
commrt	varchar(5)	Yes	NULL
remarks_1	varchar(60)	Yes	NULL
remarks_2	varchar(60)	Yes	NULL
remarks_3	varchar(60)	Yes	NULL
clxdy	varchar(1)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL

moddate	datetime	Yes	NULL
moduser	varchar(10)	Yes	NULL
control	int(11)	Yes	NULL
cntct_cell	varchar(50)	Yes	NULL
countertyp	varchar(50)	Yes	NULL
tinno	varchar(100)	Yes	NULL
rate_applicable	varchar(1)	Yes	NULL
counter_code	varchar(20)	Yes	NULL
sign1	varchar(10)	Yes	NULL
app_dt1	datetime	Yes	NULL
app_rem1	varchar(255)	Yes	NULL
sign2	varchar(10)	Yes	NULL
app_dt2	datetime	Yes	NULL
app_rem2	varchar(255)	Yes	NULL
sign3	varchar(10)	Yes	NULL
app_dt3	datetime	Yes	NULL
sign4	varchar(10)	Yes	NULL
app_dt4	datetime	Yes	NULL
app_rem4	varchar(255)	Yes	NULL
sign5	varchar(10)	Yes	NULL
app_dt5	datetime	Yes	NULL
app_rem5	varchar(255)	Yes	NULL
sign6	varchar(10)	Yes	NULL
app_dt6	datetime	Yes	NULL
app_rem6	varchar(255)	Yes	NULL
sign7	varchar(10)	Yes	NULL
app_dt7	datetime	Yes	NULL
app_rem7	varchar(255)	Yes	NULL
sign8	varchar(10)	Yes	NULL
app_dt8	datetime	Yes	NULL
app_rem8	varchar(255)	Yes	NULL
sign9	varchar(10)	Yes	NULL
app_dt9	datetime	Yes	NULL
app_rem9	varchar(255)	Yes	NULL
batchid	varchar(20)	Yes	NULL
batchdt	datetime	Yes	NULL
osacct_no	varchar(10)	Yes	NULL
sub_group	varchar(15)	Yes	NULL

## Table structure for table cp\_doct\_mst

Column	Type	Null	Default
--------	------	------	---------

<b>doct_mst_id</b>	int(11)	No
doct_no	varchar(20)	Yes NULL
doct_nm	varchar(100)	Yes NULL
gdoct_no	varchar(20)	Yes NULL
add1	varchar(60)	Yes NULL
add2	varchar(60)	Yes NULL
add3	varchar(60)	Yes NULL
town_no	varchar(20)	Yes NULL
stat_no	varchar(4)	Yes NULL
pincd	varchar(6)	Yes NULL
cust_typ_no	varchar(20)	Yes NULL
regn_no	varchar(100)	Yes NULL
no_beds	int(11)	Yes NULL
no_icu_beds	int(11)	Yes NULL
no_opd	int(11)	Yes NULL
spl_no_list	varchar(150)	Yes NULL
spl_typ	varchar(5)	Yes NULL
sl_no	varchar(6)	Yes NULL
loc_no	varchar(3)	Yes NULL
ctgry	varchar(20)	Yes NULL
cntct_pers	varchar(50)	Yes NULL
cntct_mailid	varchar(50)	Yes NULL
cntct_phone	varchar(50)	Yes NULL
remarks_1	varchar(60)	Yes NULL
remarks_2	varchar(60)	Yes NULL
remarks_3	varchar(60)	Yes NULL
clxdy	varchar(1)	Yes NULL
sign1	varchar(10)	Yes NULL
appdt1	datetime	Yes NULL
apprem1	varchar(255)	Yes NULL
sign2	varchar(10)	Yes NULL
appdt2	datetime	Yes NULL
apprem2	varchar(255)	Yes NULL
sign3	varchar(10)	Yes NULL
appdt3	datetime	Yes NULL
apprem3	varchar(255)	Yes NULL
sign4	varchar(10)	Yes NULL
appdt4	datetime	Yes NULL
apprem4	varchar(255)	Yes NULL
sign5	varchar(10)	Yes NULL
appdt5	datetime	Yes NULL

apprem5	varchar(255)	Yes	NULL
sign6	varchar(10)	Yes	NULL
appdt6	datetime	Yes	NULL
apprem6	varchar(255)	Yes	NULL
sign7	varchar(10)	Yes	NULL
appdt7	datetime	Yes	NULL
apprem7	varchar(255)	Yes	NULL
sign8	varchar(10)	Yes	NULL
appdt8	datetime	Yes	NULL
apprem8	varchar(255)	Yes	NULL
sign9	varchar(100)	Yes	NULL
appdt9	datetime	Yes	NULL
apprem9	varchar(255)	Yes	NULL
emp_no	varchar(10)	Yes	NULL
app_y	varchar(1)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(10)	Yes	NULL
control	int(11)	Yes	NULL
allowed_cat	varchar(4000)	Yes	NULL
cat_autochng_y	varchar(800)	Yes	NULL
cntct_cell	varchar(50)	Yes	NULL
rc_y	varchar(1)	Yes	NULL
xdoct_no	varchar(20)	Yes	NULL
grpdoct_no	varchar(20)	Yes	NULL
batchid	varchar(20)	Yes	NULL
batchdt	datetime	Yes	NULL
kam	varchar(1)	Yes	NULL
dna	varchar(1)	Yes	NULL
app_date	datetime	Yes	NULL
requestor_id	int(11)	No	
requestor_name	varchar(100)	Yes	NULL
requestor_location	varchar(100)	Yes	NULL
requestor_cluster	varchar(50)	No	
requestor_therapy	varchar(50)	Yes	NULL
requestor_contact	varchar(20)	Yes	NULL
alliance_tag	tinyint(4)	No	
hospital_type	mediumint(10)	No	
rc_tag	tinyint(4)	No	

rc_validity_from	date	Yes	NULL
rc_validity_to	date	Yes	NULL
group_hospital_name	varchar(50)	Yes	NULL
group_customer_type	mediumint(10)	No	
customer_group_code	varchar(50)	Yes	NULL
expected_monthly_business	varchar(100)	Yes	NULL
purchase_orders_from_hospital_doctor	varchar(100)	Yes	NULL
maximum_capacity	varchar(100)	Yes	NULL
key_doctor_name	varchar(100)	Yes	NULL
monitoring_level	varchar(20)	Yes	NULL
rate_contract	varchar(20)	Yes	NULL
other_rc_categories	varchar(50)	Yes	NULL
city	varchar(100)	Yes	NULL
zone	varchar(50)	Yes	NULL
mini_region	varchar(100)	Yes	NULL
town_type	varchar(100)	Yes	NULL
subtherapy_id	int(10)	No	
regn_no_doc	varchar(255)	Yes	NULL
gstn_exempt	tinyint(4)	No	
gstn_doc	varchar(500)	Yes	NULL
gstn	varchar(50)	Yes	NULL
pan	varchar(50)	Yes	NULL
undertaking_doc	varchar(500)	Yes	NULL
remark	varchar(255)	Yes	NULL

## Table structure for table cp\_download

Column	Type	Null	Default
download_id	int(11)	No	
filename	varchar(160)	No	
mask	varchar(128)	No	
date_added	datetime	No	

## Table structure for table cp\_download\_description

Column	Type	Null	Default
download_id	int(11)	No	
language_id	int(11)	No	



name	varchar(64)	No
------	-------------	----

## Table structure for table cp\_employee\_master\_sap

Column	Type	Null	Default
id	int(200)	No	
employee_code	varchar(200)	Yes	NULL
display_name	varchar(200)	Yes	NULL
first_name	varchar(200)	Yes	NULL
middle_name	varchar(200)	Yes	NULL
last_name	varchar(200)	Yes	NULL
email_address	varchar(200)	Yes	NULL
position_id	varchar(200)	Yes	NULL
manager	varchar(200)	Yes	NULL
employee_status	varchar(200)	Yes	NULL
legal_entity	varchar(100)	Yes	NULL
division_name	varchar(100)	Yes	NULL
sub_dept_1_id	varchar(100)	Yes	NULL
cluster	varchar(100)	Yes	NULL
therapy_field	varchar(100)	Yes	NULL
sub_therapy_field	varchar(100)	Yes	NULL
therapy_nonfield	varchar(100)	Yes	NULL
subtherapy_nonfield	varchar(100)	Yes	NULL
sub_subtherapy_nonfield	varchar(200)	Yes	NULL
cost_center_id	varchar(200)	Yes	NULL
uniquerole_label	varchar(200)	Yes	NULL
reviseduniquerole	varchar(200)	Yes	NULL
unique_role_name	varchar(200)	Yes	NULL
location_name	varchar(200)	Yes	NULL
BHQ	varchar(200)	Yes	NULL
rev_subtherapy_code	varchar(200)	Yes	NULL
designation	varchar(200)	Yes	NULL
field_nonfield	varchar(100)	Yes	NULL

## Table structure for table cp\_emp\_mst

Column	Type	Null	Default
emp_mst_id	int(11)	No	
emp_no	varchar(10)	Yes	NULL
emp_nm	varchar(30)	Yes	NULL

company	varchar(10)	Yes	NULL
add1	varchar(40)	Yes	NULL
add2	varchar(40)	Yes	NULL
add3	varchar(40)	Yes	NULL
add4	varchar(40)	Yes	NULL
pined	varchar(7)	Yes	NULL
tel	varchar(32)	Yes	NULL
mobile	varchar(13)	Yes	NULL
e_mail_id	varchar(50)	Yes	NULL
desig_no	varchar(6)	Yes	NULL
password	varchar(6)	Yes	NULL
remp_no	varchar(10)	Yes	NULL
hq_no	varchar(10)	Yes	NULL
loc_no	varchar(3)	Yes	NULL
catgrp_no	varchar(4)	Yes	NULL
lclY	varchar(1)	Yes	NULL
joindt	datetime	Yes	NULL
promdt	datetime	Yes	NULL
traindt	datetime	Yes	NULL
trfdt	datetime	Yes	NULL
clxdy	varchar(1)	Yes	NULL
clxddt	datetime	Yes	NULL
totalmsl	int(11)	Yes	NULL
drcall	int(11)	Yes	NULL
totalexstn	int(11)	Yes	NULL
totalos	int(11)	Yes	NULL
morneven	varchar(10)	Yes	NULL
lastlogin	datetime	Yes	NULL
block_y	varchar(1)	Yes	NULL
h_lett	varchar(1)	Yes	NULL
h_desp	varchar(1)	Yes	NULL
remarks_1	varchar(254)	Yes	NULL
remarks_2	varchar(1024)	Yes	NULL
remarks_3	varchar(254)	Yes	NULL
control	int(11)	Yes	NULL
updbby	varchar(10)	Yes	NULL
upddt	datetime	Yes	NULL
ltrf_date	datetime	Yes	NULL
regallowed	varchar(1024)	Yes	NULL
frnchs_no	varchar(10)	Yes	NULL
mtregion	varchar(2)	Yes	NULL
lptp_y	varchar(1)	Yes	NULL

lptp_make	varchar(30)	Yes	NULL
lptp_srno	varchar(30)	Yes	NULL
brdbndno	varchar(30)	Yes	NULL
lptp_prdno	varchar(30)	Yes	NULL
tf_no	varchar(6)	Yes	NULL
sl_no	varchar(6)	Yes	NULL
clxd_upddt	datetime	Yes	NULL
confdt	datetime	Yes	NULL
gender	varchar(1)	Yes	NULL
stat_no	varchar(4)	Yes	NULL
ohq_no	varchar(10)	Yes	NULL
ohq_edt	datetime	Yes	NULL
expdesig_no	varchar(6)	Yes	NULL
expdesig_edt	datetime	Yes	NULL
profit_centre	varchar(20)	Yes	NULL
cost_centre	varchar(20)	Yes	NULL
position_id	varchar(50)	Yes	NULL
bhq	varchar(30)	Yes	NULL

## Table structure for table cp\_entity

Column	Type	Null	Default
entity_id	tinyint(4)	No	
code	varchar(50)	Yes	NULL
name	varchar(100)	Yes	NULL
is_active	tinyint(4)	No	

## Table structure for table cp\_event

Column	Type	Null	Default
event_id	int(11)	No	
code	varchar(64)	No	
trigger	text	No	
action	text	No	
status	tinyint(1)	No	
sort_order	int(3)	No	

## Table structure for table cp\_extension

Column	Type	Null	Default
<b>extension_id</b>	int(11)	No	
type	varchar(32)	No	
code	varchar(32)	No	

## Table structure for table cp\_extension\_install

Column	Type	Null	Default
<b>extension_install_id</b>	int(11)	No	
extension_download_id	int(11)	No	
filename	varchar(255)	No	
date_added	datetime	No	

## Table structure for table cp\_extension\_path

Column	Type	Null	Default
<b>extension_path_id</b>	int(11)	No	
extension_install_id	int(11)	No	
path	varchar(255)	No	
date_added	datetime	No	

## Table structure for table cp\_filter

Column	Type	Null	Default
<b>filter_id</b>	int(11)	No	
filter_group_id	int(11)	No	
sort_order	int(3)	No	

## Table structure for table cp\_filter\_description

Column	Type	Null	Default
<b>filter_id</b>	int(11)	No	
language_id	int(11)	No	
filter_group_id	int(11)	No	
name	varchar(64)	No	

## Table structure for table cp\_filter\_group

Column	Type	Null	Default
filter_group_id	int(11)	No	
sort_order	int(3)	No	

## Table structure for table cp\_filter\_group\_description

Column	Type	Null	Default
filter_group_id	int(11)	No	
language_id	int(11)	No	
name	varchar(64)	No	

## Table structure for table cp\_freeof\_cost\_goods

Column	Type	Null	Default
foc_id	int(11)	No	
foc_hospital_id	int(11)	No	
foc_hospital_code	varchar(100)	No	
foc_hospital_name	varchar(100)	No	
account_category	int(4)	No	
city	varchar(50)	No	
state	int(11)	No	
zone	int(11)	No	
foc_code	varchar(100)	No	
budget_tracker_name	varchar(50)	No	
user_id	int(11)	No	
foc_start_date	date	No	
foc_end_date	date	No	
fixed_rate_foc	varchar(200)	No	
rbm_name	varchar(100)	No	
reconciliation_period	int(20)	No	
is_draft	int(4)	No	

approval_status	int(4)	No	
approval_level	int(11)	No	
next_approval_user	int(11)	No	
last_action_by	int(11)	No	
last_action_date	date	No	
is_approved	int(4)	No	
foc_is_active	tinyint(4)	No	
approved_date	datetime	No	
foc_created_date	timestamp	No	CURRENT_TIMESTAMP
foc_updated_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_freeof\_cost\_goods\_approval\_history

Column	Type	Null	Default
history_id	int(11)	No	
parent_id	int(11)	No	
status_id	int(11)	No	
approval_level_id	int(11)	No	
status_count	int(4)	No	
comment	varchar(100)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_freeof\_cost\_goods\_approval\_status

Column	Type	Null	Default
approval_status_id	int(11)	No	
approval_name	varchar(100)	No	
level_of_order	int(11)	No	
number_of_approval	int(11)	No	

is_active	int(11)	No
-----------	---------	----

## Table structure for table cp\_freeof\_cost\_goods\_product

Column	Type	Null	Default
foc_product_id	int(11)	No	
foc_id	int(11)	No	
product_id	int(11)	No	
product_sku	varchar(50)	No	
product_mrp	decimal(10,2)	No	
cap_qty	int(11)	No	
effective_rate	decimal(10,2)	No	
current_year_rate	int(11)	No	
min_order	int(11)	No	
free_qty	int(11)	No	
scheme	int(11)	No	
product_created_date	timestamp	No	CURRENT_TIMESTAMP
product_updated_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_gdoct\_mst

Column	Type	Null	Default
gdoct_mst_id	int(11)	No	
gdoct_no	varchar(20)	Yes	NULL
gdoct_nm	varchar(100)	Yes	NULL
add1	varchar(60)	Yes	NULL
add2	varchar(60)	Yes	NULL
add3	varchar(60)	Yes	NULL
town_no	varchar(20)	Yes	NULL
stat_no	varchar(4)	Yes	NULL
pincd	varchar(6)	Yes	NULL
custtyp_no	varchar(20)	Yes	NULL
cntct_pers	varchar(50)	Yes	NULL
cntct_mailid	varchar(50)	Yes	NULL
cntct_phone	varchar(50)	Yes	NULL
allowed_cat	varchar(4000)	Yes	NULL
panno	varchar(10)	Yes	NULL

remarks_1	varchar(60)	Yes	NULL
remarks_2	varchar(60)	Yes	NULL
remarks_3	varchar(60)	Yes	NULL
clxdy	varchar(1)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(10)	Yes	NULL
control	int(11)	Yes	NULL
cat_autochng_y	varchar(800)	Yes	NULL
cntct_cell	varchar(50)	Yes	NULL
spl_no_list	varchar(150)	Yes	NULL

## Table structure for table cp\_geo\_zone

Column	Type	Null	Default
geo_zone_id	int(11)	No	
name	varchar(32)	No	
description	varchar(255)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_googleshopping\_category

Column	Type	Null	Default
google_product_category	varchar(10)	No	
store_id	int(11)	No	0
category_id	int(11)	No	

## Table structure for table cp\_googleshopping\_product

Column	Type	Null	Default
product_advertise_google_id	int(11)	No	
product_id	int(11)	Yes	NULL
store_id	int(11)	No	0
has_issues	tinyint(1)	Yes	NULL
destination_status	enum('pending', 'approved', 'disapproved')	No	pending
impressions	int(11)	No	0
clicks	int(11)	No	0



conversions	int(11)	No	0
cost	decimal(15,4)	No	0.0000
conversion_value	decimal(15,4)	No	0.0000
google_product_category	varchar(10)	Yes	NULL
condition	enum('new', 'refurbished', 'used')	Yes	NULL
adult	tinyint(1)	Yes	NULL
multipack	int(11)	Yes	NULL
is_bundle	tinyint(1)	Yes	NULL
age_group	enum('newborn', 'infant', 'toddler', 'kids', 'adult')	Yes	NULL
color	int(11)	Yes	NULL
gender	enum('male', 'female', 'unisex')	Yes	NULL
size_type	enum('regular', 'petite', 'plus', 'big and tall', 'maternity')	Yes	NULL
size_system	enum('AU', 'BR', 'CN', 'DE', 'EU', 'FR', 'IT', 'JP', 'MEX', 'UK', 'US')	Yes	NULL
size	int(11)	Yes	NULL
is_modified	tinyint(1)	No	0

## Table structure for table cp\_googleshopping\_product\_status

Column	Type	Null	Default
product_id	int(11)	No	0
store_id	int(11)	No	0
product_variation_id	varchar(64)	No	
destination_statuses	text	No	
data_quality_issues	text	No	
item_level_issues	text	No	
google_expiration_date	int(11)	No	0

## Table structure for table cp\_googleshopping\_product\_target

Column	Type	Null	Default
product_id	int(11)	No	
store_id	int(11)	No	0
advertise_google_target_id	int(11)	No	

## Table structure for table cp\_googleshopping\_target

Column	Type	Null	Default
advertise_google_target_id	int(11)	No	
store_id	int(11)	No	0
campaign_name	varchar(255)	No	
country	varchar(2)	No	
budget	decimal(15,4)	No	0.0000
feeds	text	No	
status	enum('paused', 'active')	No	paused
date_added	date	Yes	NULL
roas	int(11)	No	0

## Table structure for table cp\_group\_customer\_type

Column	Type	Null	Default
id	int(11)	No	
code	varchar(100)	Yes	NULL
name	varchar(255)	Yes	NULL
sort_order	mediumint(4)	No	
is_active	tinyint(4)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP
updated_date	timestamp	Yes	NULL

## Table structure for table cp\_group\_hospital

Column	Type	Null	Default
group_hospital_id	int(11)	No	
group_hospital_code	varchar(20)	Yes	NULL
group_hospital_name	varchar(100)	Yes	NULL
group_customer_type_id	int(11)	No	
is_active	tinyint(4)	No	
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_gstkat\_mst

Column	Type	Null	Default
--------	------	------	---------

<b>gstkcat_mst_id</b>	int(11)	No
gstkcat_no	varchar(4)	Yes NULL
control	decimal(5,0)	Yes NULL
gstkcat_nm	varchar(60)	Yes NULL
remarks_1	varchar(60)	Yes NULL
remarks_2	varchar(60)	Yes NULL
remarks_3	varchar(60)	Yes NULL
repl_flag	varchar(1)	Yes NULL
trfy	varchar(1)	Yes NULL
clxdy	varchar(1)	Yes NULL
cluster	varchar(100)	Yes NULL

## Table structure for table cp\_hospital

Column	Type	Null	Default
<b>hospital_id</b>	int(11)	No	
user_id	int(11)	No	
hospital_code	varchar(20)	Yes	NULL
alliance_tag	tinyint(4)	No	
hospital_name	varchar(255)	Yes	NULL
account_category	tinyint(4)	No	
hospital_classification	tinyint(4)	No	
hospital_type	tinyint(4)	No	
group_hospital_name	int(11)	No	
group_customer_type	mediumint(9)	No	
group_hospital_code	int(11)	No	
rc_tag	tinyint(4)	No	
rc_validity_from	date	Yes	NULL
rc_validity_to	date	Yes	NULL
expected_monthly_business	decimal(10,0)	No	
purchase_order_from_hospital	tinyint(4)	No	
undertaking_document	varchar(255)	Yes	NULL
no_of_beds	decimal(10,0)	No	
no_of_icu	decimal(10,0)	No	
no_of_opd	decimal(10,0)	No	

maximum_capacity	decimal(10,0)	No
key_doctor_name	varchar(255)	Yes NULL
monitoring_level	mediumint(9)	No
rate_contract	tinyint(4)	No
other_rc_counters	tinyint(4)	No
address1	varchar(255)	Yes NULL
address2	varchar(255)	Yes NULL
address3	varchar(255)	Yes NULL
pincode	varchar(10)	Yes NULL
territory	int(11)	No
depot	int(11)	No
state	mediumint(9)	No
city	varchar(100)	Yes NULL
zone	smallint(6)	No
mini_region	varchar(100)	Yes NULL
town_type	varchar(100)	Yes NULL
contact_person	varchar(100)	Yes NULL
contact_email	varchar(100)	Yes NULL
contact_phone	varchar(20)	Yes NULL
contact_cell	varchar(20)	Yes NULL
specialities	varchar(20)	Yes NULL
registration_number	varchar(50)	Yes NULL
registration_number_document	varchar(255)	Yes NULL
gstin_exempt	tinyint(4)	No
gstin_document	varchar(255)	Yes NULL
gstin_number	varchar(255)	Yes NULL
pan_number	varchar(20)	Yes NULL
cluster	int(11)	No
therapy	int(11)	No
remarks	varchar(500)	Yes NULL
approval_status	tinyint(4)	No
next_approval	int(11)	No
approval_level_id	int(11)	No
request_type	int(11)	No
question_gstin_uploaded	int(11)	No

question_registration_certificat	int(11)	No
question_gstin_match	int(11)	No
question_registration_match	int(11)	No
customer_approvel	tinyint(4)	No
is_draft	tinyint(4)	No
is_active	tinyint(4)	No
claim_inactive	tinyint(4)	Yes NULL
order_inactive	tinyint(4)	Yes NULL
request_inactive	tinyint(4)	Yes 0
created_date	datetime	No CURRENT_TIMESTAMP
updated_date	datetime	No CURRENT_TIMESTAMP
deleted_by	int(11)	No
deleted_at	timestamp	Yes NULL

### Table structure for table cp\_hospital\_classification

Column	Type	Null	Default
hospital_classification_id	tinyint(4)	No	
hospital_classification_name	varchar(255)	Yes	NULL
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

### Table structure for table cp\_hospital\_division

Column	Type	Null	Default
hospital_division_id	int(11)	No	
hospital_id	int(11)	No	
classification_id	tinyint(4)	No	
division_id	int(11)	No	
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

### Table structure for table cp\_hospital\_imported

Column	Type	Null	Default
hospital_id	int(11)	No	

user_id	int(11)	No
hospital_code	varchar(20)	Yes NULL
alliance_tag	tinyint(4)	No
hospital_name	varchar(255)	Yes NULL
account_category	tinyint(4)	No
hospital_classification	tinyint(4)	No
hospital_type	tinyint(4)	No
group_hospital_name	int(11)	No
group_customer_type	mediumint(9)	No
group_hospital_code	int(11)	No
rc_tag	tinyint(4)	No
rc_validity_from	date	Yes NULL
rc_validity_to	date	Yes NULL
expected_monthly_business	decimal(10,0)	No
purchase_order_from_hospital	tinyint(4)	No
undertaking_document	varchar(255)	Yes NULL
no_of_beds	decimal(10,0)	No
no_of_icu	decimal(10,0)	No
no_of_opd	decimal(10,0)	No
maximum_capacity	decimal(10,0)	No
key_doctor_name	varchar(255)	Yes NULL
monitoring_level	mediumint(9)	No
rate_contract	tinyint(4)	No
other_rc_counters	tinyint(4)	No
address1	varchar(255)	Yes NULL
address2	varchar(255)	Yes NULL
address3	varchar(255)	Yes NULL
pincode	varchar(10)	Yes NULL
territory	int(11)	No
depot	int(11)	No
state	mediumint(9)	No
city	varchar(100)	Yes NULL
zone	smallint(6)	No
mini_region	varchar(100)	Yes NULL

town_type	varchar(100)	Yes	NULL
contact_person	varchar(100)	Yes	NULL
contact_email	varchar(100)	Yes	NULL
contact_phone	varchar(20)	Yes	NULL
contact_cell	varchar(20)	Yes	NULL
specialities	varchar(20)	Yes	NULL
registration_number	varchar(50)	Yes	NULL
registration_number_document	varchar(255)	Yes	NULL
gstin_exempt	tinyint(4)	No	
gstin_document	varchar(255)	Yes	NULL
gstin_number	varchar(255)	Yes	NULL
pan_number	varchar(20)	Yes	NULL
cluster	int(11)	No	
therapy	int(11)	No	
remarks	varchar(500)	Yes	NULL
approval_status	tinyint(4)	No	
next_approval	int(11)	No	
approval_level_id	int(11)	No	
request_type	int(11)	No	
question_gstin_uploaded	int(11)	No	
question_registration_certificat	int(11)	No	
question_gstin_match	int(11)	No	
question_registration_match	int(11)	No	
customer_approvel	tinyint(4)	No	
is_draft	tinyint(4)	No	
is_active	tinyint(4)	No	
claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	0
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP
deleted_by	int(11)	No	
deleted_at	timestamp	Yes	NULL

**Table structure for table cp\_hospital\_others\_document**

Column	Type	Null	Default
<b>document_id</b>	int(11)	No	
hospital_id	int(100)	No	
file_name	varchar(255)	Yes	NULL
file_path	varchar(300)	Yes	NULL
created_by	int(11)	No	
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_hospital\_other\_info

Column	Type	Null	Default
<b>hospital_other_info_id</b>	int(11)	No	
hospital_id	int(11)	No	
cluster_id	int(11)	No	
therapy_id	int(11)	No	

## Table structure for table cp\_hospital\_type

Column	Type	Null	Default
<b>hospital_type_id</b>	int(11)	No	
hospital_type_code	varchar(100)	Yes	NULL
hospital_type_name	varchar(255)	Yes	NULL
is_active	tinyint(4)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP
updated_date	datetime	Yes	NULL

## Table structure for table cp\_HQ\_Master\_sap

Column	Type	Null	Default
<b>id</b>	int(255)	No	
CUSTOMER_CODE	varchar(200)	No	
STOCKIST_NAME	varchar(200)	No	
SAP_TERRITORY_CODE	varchar(100)	Yes	NULL
SAP_TERRITORY_NAME	varchar(200)	Yes	NULL
SUB_THERAPY_CODE	varchar(100)	Yes	NULL
REV_SUB_THERAPY_CODE	varchar(100)	Yes	NULL



TBM_HQ	varchar(100) Yes NULL
TM_DIV	varchar(100) Yes NULL
ABM_HQ	varchar(100) Yes NULL
ABM_DIV	varchar(100) Yes NULL
RBM_HQ	varchar(100) Yes NULL
RBM_DIV	varchar(100) Yes NULL
ZBM_HQ	varchar(100) Yes NULL
ZBM_DIV	varchar(100) Yes NULL
DSH_HQ	varchar(100) Yes NULL
BU	varchar(100) Yes NULL
SENIOR_BU	varchar(100) Yes NULL
CLUSTER	varchar(100) Yes NULL
ALL_INDIA	varchar(100) Yes NULL
REMARK_1	varchar(100) Yes NULL
REMARK_2	varchar(100) Yes NULL
REMARK_3	varchar(100) Yes NULL
CREATEDBY	varchar(100) Yes NULL
DSH_Div	varchar(100) Yes NULL

### Table structure for table cp\_hsn\_tax\_master

Column	Type	Null	Default
id	int(11)	No	
hsn	varchar(60)	Yes	NULL
valid_from	varchar(20)	Yes	NULL
valid_to	varchar(20)	Yes	NULL
cgst	double(10,2)	Yes	NULL
igst	double(10,2)	Yes	NULL
sgst	double(10,2)	Yes	NULL
ugst	double(10,2)	Yes	NULL
total_tax	double(10,2)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

### Table structure for table cp\_inactive\_history

Column	Type	Null	Default
inactive_history_id	bigint(20)	No	
parent_id	int(11)	No	
user_id	int(11)	No	
entity_id	tinyint(4)	No	

inactive_type_id	tinyint(4)	No	
inactive_reasons_id	tinyint(4)	No	
comment	varchar(500)	Yes	NULL
created_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_inactive\_reasons

Column	Type	Null	Default
id	tinyint(4)	No	
name	varchar(255)	Yes	NULL
flag_color	varchar(100)	Yes	NULL
is_active	tinyint(4)	No	

## Table structure for table cp\_inactive\_type

Column	Type	Null	Default
inactive_type_id	tinyint(4)	No	
code	varchar(20)	Yes	NULL
name	varchar(100)	Yes	NULL
is_active	tinyint(4)	No	

## Table structure for table cp\_information

Column	Type	Null	Default
information_id	int(11)	No	
bottom	int(1)	No	0
sort_order	int(3)	No	0
status	tinyint(1)	No	1

## Table structure for table cp\_information\_description

Column	Type	Null	Default
information_id	int(11)	No	
language_id	int(11)	No	
title	varchar(64)	No	
description	mediumtext	No	
meta_title	varchar(255)	No	

meta\_description varchar(255) No

meta\_keyword varchar(255) No

## Table structure for table cp\_information\_to\_layout

Column	Type	Null	Default
information_id	int(11)	No	
store_id	int(11)	No	
layout_id	int(11)	No	

## Table structure for table cp\_information\_to\_store

Column	Type	Null	Default
information_id	int(11)	No	
store_id	int(11)	No	

## Table structure for table cp\_invoice\_qty\_utilisation

Column	Type	Null	Default
invoice_qty_id	int(100)	No	
invoice_no	int(100)	No	
invoice_qty	int(100)	No	
claimed_qty	int(100)	No	
available_qty	int(100)	No	
product_mrp	varchar(100)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP
updated_date	datetime	No	

## Table structure for table cp\_language

Column	Type	Null	Default
language_id	int(11)	No	
name	varchar(32)	No	
code	varchar(5)	No	
locale	varchar(255)	No	

image	varchar(64)	No
directory	varchar(32)	No
sort_order	int(3)	No 0
status	tinyint(1)	No

## Table structure for table cp\_layout

Column	Type	Null	Default
layout_id	int(11)	No	
name	varchar(64)	No	

## Table structure for table cp\_layout\_module

Column	Type	Null	Default
layout_module_id	int(11)	No	
layout_id	int(11)	No	
code	varchar(64)	No	
position	varchar(14)	No	
sort_order	int(3)	No	

## Table structure for table cp\_layout\_route

Column	Type	Null	Default
layout_route_id	int(11)	No	
layout_id	int(11)	No	
store_id	int(11)	No	
route	varchar(64)	No	

## Table structure for table cp\_length\_class

Column	Type	Null	Default
length_class_id	int(11)	No	
value	decimal(15,8)	No	

## Table structure for table cp\_length\_class\_description

Column	Type	Null	Default
<b>length_class_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
title	varchar(32)	No	
unit	varchar(4)	No	

## Table structure for table cp\_location

Column	Type	Null	Default
<b>location_id</b>	int(11)	No	
name	varchar(32)	No	
address	text	No	
telephone	varchar(32)	No	
fax	varchar(32)	No	
geocode	varchar(32)	No	
image	varchar(255)	Yes	NULL
open	text	No	
comment	text	No	

## Table structure for table cp\_loc\_mst

Column	Type	Null	Default
<b>loc_mst_id</b>	int(11)	No	
loc_no	varchar(3)	Yes	NULL
control	int(11)	Yes	NULL
loc_nm	varchar(60)	Yes	NULL
loc_nms	varchar(3)	Yes	NULL
add1	varchar(60)	Yes	NULL
add2	varchar(60)	Yes	NULL
add3	varchar(60)	Yes	NULL
add4	varchar(60)	Yes	NULL
pincd	varchar(7)	Yes	NULL
tel	varchar(60)	Yes	NULL
fax	varchar(60)	Yes	NULL
e_mail_id	varchar(50)	Yes	NULL
eccno	varchar(60)	Yes	NULL
stno	varchar(60)	Yes	NULL

cstno	varchar(60)	Yes	NULL
itno	varchar(60)	Yes	NULL
panno	varchar(60)	Yes	NULL
rng	varchar(60)	Yes	NULL
div	varchar(60)	Yes	NULL
coll	varchar(60)	Yes	NULL
plano	varchar(60)	Yes	NULL
remarks_1	varchar(60)	Yes	NULL
remarks_2	varchar(60)	Yes	NULL
remarks_3	varchar(60)	Yes	NULL
dlno	varchar(120)	Yes	NULL
stat_no	varchar(4)	Yes	NULL
dp_code	varchar(4)	Yes	NULL
sacct_no	varchar(5)	Yes	NULL
clxdy	varchar(1)	Yes	NULL
repl_flag	varchar(1)	Yes	NULL
trfy	varchar(1)	Yes	NULL
loc_typ	varchar(5)	Yes	NULL
loc_nmsap	varchar(200)	Yes	NULL
bd_areacd	varchar(10)	Yes	NULL
mobile	varchar(13)	Yes	NULL
loc_stat	varchar(10)	Yes	NULL
mms_loc_no	varchar(3)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(10)	Yes	NULL
batchid	varchar(20)	Yes	NULL
batchdt	datetime	Yes	NULL

## Table structure for table cp\_logs

Column	Type	Null	Default
id	bigint(20)	No	
section_name	varchar(255)	Yes	NULL
old_value	longtext	Yes	NULL
new_value	longtext	Yes	NULL
currentdate	date	Yes	NULL
currenttime	varchar(255)	Yes	NULL
comment	text	Yes	NULL
user_id	int(11)	Yes	NULL

## Table structure for table cp\_mail\_config

Column	Type	Null	Default
mailconfig_id	int(11)	No	
process_name	varchar(250)	No	
email	varchar(450)	No	
password	varchar(250)	No	
status	enum('Active', 'Inactive')	No	Active
created_at	timestamp	No	CURRENT_TIMESTAMP
created_by	int(11)	No	
updated_by	int(11)	No	
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_mail\_status

Column	Type	Null	Default
mail_status_id	bigint(20)	No	
send_to	int(11)	No	
email	varchar(255)	No	
is_mail_sent	tinyint(4)	No	0
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	Yes	NULL

## Table structure for table cp\_manufacturer

Column	Type	Null	Default
manufacturer_id	int(11)	No	
name	varchar(64)	No	
image	varchar(255)	Yes	NULL
sort_order	int(3)	No	

## Table structure for table cp\_manufacturer\_to\_store

Column	Type	Null	Default
manufacturer_id	int(11)	No	
store_id	int(11)	No	

## Table structure for table cp\_marketing

Column	Type	Null	Default
marketing_id	int(11)	No	
name	varchar(32)	No	
description	text	No	
code	varchar(64)	No	
clicks	int(5)	No	0
date_added	datetime	No	

## Table structure for table cp\_Material\_HSN\_SAP

Column	Type	Null	Default
Material_Number	varchar(200)	No	
HSN_Number	varchar(200)	No	

## Table structure for table cp\_material\_master

Column	Type	Null	Default
material_id	int(11)	No	
material_code	int(11)	No	
product_division	int(11)	No	
unit_of_measurement	varchar(100)	Yes	NULL
product_description	varchar(500)	Yes	NULL
packsize	varchar(50)	Yes	NULL
classification	int(11)	No	
tax_category	varchar(50)	Yes	NULL
tax_category_code	varchar(50)	Yes	NULL
hsnno	int(11)	No	
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_material\_tax\_master

Column	Type	Null	Default
id	int(11)	No	
material	varchar(60)	Yes	NULL



valid_from	varchar(30)	Yes	NULL
valid_to	varchar(30)	Yes	NULL
cgst	double(10,2)	Yes	NULL
igst	double(10,2)	Yes	NULL
sgst	double(10,2)	Yes	NULL
ugst	double(10,2)	Yes	NULL
total_tax	double(10,2)	Yes	NULL
created_at	timestamp	Yes	CURRENT_TIMESTAMP

## Table structure for table cp\_modification

Column	Type	Null	Default
<b>modification_id</b>	int(11)	No	
extension_install_id	int(11)	No	
name	varchar(64)	No	
code	varchar(64)	No	
author	varchar(64)	No	
version	varchar(32)	No	
link	varchar(255)	No	
xml	mediumtext	No	
status	tinyint(1)	No	
date_added	datetime	No	

## Table structure for table cp\_module

Column	Type	Null	Default
<b>module_id</b>	int(11)	No	
name	varchar(64)	No	
code	varchar(32)	No	
setting	text	No	

## Table structure for table cp\_mrp\_master

Column	Type	Null	Default
<b>mrp_master_id</b>	int(11)	No	
stk_no	bigint(20)	Yes	NULL

net_pts	decimal(10,2)	Yes	NULL
net_comp	decimal(10,2)	Yes	NULL
min_qty	mediumint(9)	No	
min_comp	decimal(10,2)	Yes	NULL
ibc_mrp	decimal(10,2)	Yes	NULL
dsrt_y	varchar(10)	Yes	NULL
cog_rt	decimal(10,2)	Yes	NULL
cap_qty	mediumint(9)	No	
adddate	datetime	Yes	NULL
adduser	varchar(20)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(20)	Yes	NULL
ostk_no	varchar(20)	Yes	NULL
thresh_hold	decimal(10,2)	Yes	NULL
gstkat_no	varchar(20)	Yes	NULL
stkat_no	varchar(20)	Yes	NULL
stkclsf_no	varchar(20)	Yes	NULL
stkcls_no	varchar(20)	Yes	NULL
block_y	varchar(10)	Yes	NULL
cluster	varchar(20)	Yes	NULL
chgre	varchar(50)	Yes	NULL

## Table structure for table cp\_option

Column	Type	Null	Default
option_id	int(11)	No	
type	varchar(32)	No	
sort_order	int(3)	No	

## Table structure for table cp\_option\_description

Column	Type	Null	Default
option_id	int(11)	No	
language_id	int(11)	No	
name	varchar(128)	No	

## Table structure for table cp\_option\_value

Column	Type	Null	Default
--------	------	------	---------

<b>option_value_id</b>	int(11)	No
option_id	int(11)	No
image	varchar(255)	No
sort_order	int(3)	No

## Table structure for table cp\_option\_value\_description

Column	Type	Null	Default
<b>option_value_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
option_id	int(11)	No	
name	varchar(128)	No	

## Table structure for table cp\_order

Column	Type	Null	Default
<b>order_id</b>	int(11)	No	
invoice_no	int(11)	No	0
invoice_prefix	varchar(26)	No	
store_id	int(11)	No	0
store_name	varchar(64)	No	
store_url	varchar(255)	No	
customer_id	int(11)	No	0
customer_group_id	int(11)	No	0
firstname	varchar(32)	No	
lastname	varchar(32)	No	
email	varchar(96)	No	
telephone	varchar(32)	No	
fax	varchar(32)	No	
custom_field	text	No	
payment_firstname	varchar(32)	No	
payment_lastname	varchar(32)	No	
payment_company	varchar(60)	No	
payment_address_1	varchar(128)	No	

payment_address_2	varchar(128)	No	
payment_city	varchar(128)	No	
payment_postcode	varchar(10)	No	
payment_country	varchar(128)	No	
payment_country_id	int(11)	No	
payment_zone	varchar(128)	No	
payment_zone_id	int(11)	No	
payment_address_format	text	No	
payment_custom_field	text	No	
payment_method	varchar(128)	No	
payment_code	varchar(128)	No	
shipping_firstname	varchar(32)	No	
shipping_lastname	varchar(32)	No	
shipping_company	varchar(40)	No	
shipping_address_1	varchar(128)	No	
shipping_address_2	varchar(128)	No	
shipping_city	varchar(128)	No	
shipping_postcode	varchar(10)	No	
shipping_country	varchar(128)	No	
shipping_country_id	int(11)	No	
shipping_zone	varchar(128)	No	
shipping_zone_id	int(11)	No	
shipping_address_format	text	No	
shipping_custom_field	text	No	
shipping_method	varchar(128)	No	
shipping_code	varchar(128)	No	
comment	text	No	
total	decimal(15,4)	No	0.0000
order_status_id	int(11)	No	0
affiliate_id	int(11)	No	
commission	decimal(15,4)	No	

marketing_id	int(11)	No
tracking	varchar(64)	No
language_id	int(11)	No
currency_id	int(11)	No
currency_code	varchar(3)	No
currency_value	decimal(15,8)	No 1.00000000
ip	varchar(40)	No
forwarded_ip	varchar(40)	No
user_agent	varchar(255)	No
accept_language	varchar(255)	No
date_added	datetime	No
date_modified	datetime	No

## Table structure for table cp\_orders

Column	Type	Null	Default
<b>order_id</b>	int(11)	No	
orderID	varchar(26)	Yes	NULL
hospital_id	int(11)	Yes	NULL
chemist_id	int(11)	Yes	NULL
stockist_id	int(11)	Yes	NULL
document_id	int(11)	Yes	NULL
other_document_id	int(11)	No	
depot_id	int(11)	Yes	NULL
hospital_code	varchar(64)	Yes	NULL
chemist_code	varchar(100)	Yes	NULL
stockist_code	varchar(100)	Yes	NULL
price	decimal(15,4)	Yes	NULL
amount	decimal(15,4)	Yes	NULL
tax	decimal(15,4)	Yes	NULL
total	decimal(15,4)	Yes	NULL
order_date	date	Yes	NULL
communication_date	date	Yes	NULL
order_source	varchar(100)	Yes	NULL
order_status_id	int(11)	Yes	0
receipt_name	varchar(100)	Yes	NULL
ip	varchar(40)	Yes	NULL

added_by	int(11)	Yes	NULL
date_added	timestamp	Yes	CURRENT_TIMESTAMP
updated_by	int(11)	Yes	NULL
date_modified	timestamp	Yes	NULL
deleted_by	int(11)	Yes	NULL
date_deleted	timestamp	Yes	NULL

## Table structure for table cp\_order\_document

Column	Type	Null	Default
order_document_id	int(11)	No	
order_id	int(11)	No	
file_name	varchar(100)	No	
comment	text	No	
doc_type	varchar(100)	No	Primary
date_added	timestamp	No	CURRENT_TIMESTAMP
added_by	int(11)	No	

## Table structure for table cp\_order\_history

Column	Type	Null	Default
order_history_id	int(11)	No	
order_id	int(11)	No	
order_status_id	int(11)	No	
notify	tinyint(1)	No	0
comment	text	No	
date_added	timestamp	No	CURRENT_TIMESTAMP
added_by	int(11)	No	

## Table structure for table cp\_order\_option

Column	Type	Null	Default
order_option_id	int(11)	No	
order_id	int(11)	No	
order_product_id	int(11)	No	
product_option_id	int(11)	No	

product_option_value_id	int(11)	No	0
name	varchar(255)	No	
value	text	No	
type	varchar(32)	No	

## Table structure for table cp\_order\_product

Column	Type	Null	Default
<b>order_product_id</b>	int(11)	No	
order_id	int(11)	No	
product_id	int(11)	No	
wp_product	varchar(250)	No	
name	varchar(255)	No	
model	varchar(64)	No	
quantity	int(4)	No	
this_month	varchar(100)	No	
ptr	decimal(15,4)	No	0.0000
pts	decimal(15,4)	No	0.0000
amount	decimal(15,4)	No	0.0000
price	decimal(15,4)	No	0.0000
total	decimal(15,4)	No	0.0000
tax	decimal(15,4)	No	0.0000
rate_type	varchar(100)	No	PTR
sp_id	varchar(100)	Yes	NULL
reward	int(8)	No	
cap_quantity	int(11)	No	1
added_by	int(11)	No	
added_date	timestamp	No	CURRENT_TIMESTAMP
updated_by	int(11)	Yes	NULL
updated_date	timestamp	Yes	NULL
deleted_by	int(11)	No	
deleted_date	datetime	Yes	NULL

## Table structure for table cp\_order\_product\_old

Column	Type	Null	Default
--------	------	------	---------

<b>order_product_id</b>	int(11)	No	
order_id	int(11)	No	
product_id	int(11)	No	
name	varchar(255)	No	
model	varchar(64)	No	
quantity	int(4)	No	
this_month	varchar(100)	No	
ptr	decimal(15,4)	No	0.0000
pts	decimal(15,4)	No	0.0000
amount	decimal(15,4)	No	0.0000
price	decimal(15,4)	No	0.0000
total	decimal(15,4)	No	0.0000
tax	decimal(15,4)	No	0.0000
rate_type	varchar(100)	No	Normal Rate
reward	int(8)	No	
cap_quantity	int(11)	No	1
added_by	int(11)	No	
added_date	timestamp	No	CURRENT_TIMESTAMP
updated_by	int(11)	Yes	NULL
updated_date	timestamp	Yes	NULL
deleted_by	int(11)	No	
deleted_date	datetime	Yes	NULL

## Table structure for table cp\_order\_recurring

Column	Type	Null	Default
<b>order_recurring_id</b>	int(11)	No	
order_id	int(11)	No	
reference	varchar(255)	No	
product_id	int(11)	No	
product_name	varchar(255)	No	
product_quantity	int(11)	No	
recurring_id	int(11)	No	
recurring_name	varchar(255)	No	
recurring_description	varchar(255)	No	



recurring_frequency	varchar(25)	No
recurring_cycle	smallint(6)	No
recurring_duration	smallint(6)	No
recurring_price	decimal(10,4)	No
trial	tinyint(1)	No
trial_frequency	varchar(25)	No
trial_cycle	smallint(6)	No
trial_duration	smallint(6)	No
trial_price	decimal(10,4)	No
status	tinyint(4)	No
date_added	datetime	No

### Table structure for table cp\_order\_recurring\_transaction

Column	Type	Null	Default
<b>order_recurring_transaction_id</b>	int(11)	No	
order_recurring_id	int(11)	No	
reference	varchar(255)	No	
type	varchar(255)	No	
amount	decimal(10,4)	No	
date_added	datetime	No	

### Table structure for table cp\_order\_shipment

Column	Type	Null	Default
<b>order_shipment_id</b>	int(11)	No	
order_id	int(11)	No	
date_added	datetime	No	
shipping_courier_id	varchar(255)	No	
tracking_number	varchar(255)	No	

### Table structure for table cp\_order\_status

Column	Type	Null	Default
--------	------	------	---------

<b>order_status_id</b>	int(11)	No
<b>language_id</b>	int(11)	No
<b>name</b>	varchar(32)	No

## Table structure for table cp\_order\_total

Column	Type	Null	Default
<b>order_total_id</b>	int(10)	No	
<b>order_id</b>	int(11)	No	
<b>code</b>	varchar(32)	No	
<b>title</b>	varchar(255)	No	
<b>value</b>	decimal(15,4)	No	0.0000
<b>sort_order</b>	int(3)	No	

## Table structure for table cp\_order\_voucher

Column	Type	Null	Default
<b>order_voucher_id</b>	int(11)	No	
<b>order_id</b>	int(11)	No	
<b>voucher_id</b>	int(11)	No	
<b>description</b>	varchar(255)	No	
<b>code</b>	varchar(10)	No	
<b>from_name</b>	varchar(64)	No	
<b>from_email</b>	varchar(96)	No	
<b>to_name</b>	varchar(64)	No	
<b>to_email</b>	varchar(96)	No	
<b>voucher_theme_id</b>	int(11)	No	
<b>message</b>	text	No	
<b>amount</b>	decimal(15,4)	No	

## Table structure for table cp\_Plant\_Details\_SAP

Column	Type	Null	Default
<b>depot_plant_id</b>	int(200)	No	

plant	varchar(200)	No
name	varchar(200)	No
customer_number_of_plant	varchar(200)	No
name_2	varchar(200)	No
house_number_and_street	varchar(200)	Yes NULL
postal_code	varchar(200)	Yes NULL
city	varchar(200)	Yes NULL
purchasing_organization	varchar(100)	Yes NULL
region_state_province_county	varchar(50)	Yes NULL
address	varchar(100)	No
gstn	varchar(60)	Yes NULL
pan	varchar(60)	Yes NULL

## Table structure for table cp\_Plant\_License\_SAP

Column	Type	Null	Default
<b>depot_plant__license_id</b>	int(100)	No	
Customer_number	varchar(200)	No	
Plant	varchar(100)	No	
Name	varchar(200)	No	
20B_Lic_No	varchar(200)	No	
20B_Expiry_Date	varchar(100)	No	
21B_Lic_No	varchar(200)	No	
21B_Expiry_Date	varchar(100)	No	
GSTIN	varchar(200)	No	

## Table structure for table cp\_po\_utilisation

Column	Type	Null	Default
<b>utilisation_id</b>	int(200)	No	
po_number	varchar(200)	No	
product_code	varchar(100)	No	
ordered_qty	int(100)	No	
claimed_qty	int(100)	No	

available_qty	int(100)	No
created_date	timestamp	No CURRENT_TIMESTAMP
updated_date	datetime	No

## Table structure for table cp\_pricecalculation\_master

Column	Type	Null	Default
id	bigint(20)	No	
material_id	int(11)	No	
mrp	double(10,2)	No	
retailer_margin	double(10,2)	Yes	NULL
trader_margin	double(10,2)	Yes	NULL
tax	double(10,2)	Yes	NULL
rate_before_tax	double(10,2)	Yes	NULL
ptr	double(10,2)	Yes	NULL
pts	double(10,2)	Yes	NULL
zdisnet_pts	varchar(255)	Yes	NULL
zspf_netpts	varchar(255)	Yes	NULL
zbdc_netpts	varchar(255)	Yes	NULL
COGS	varchar(255)	Yes	NULL
cap_qty	int(11)	Yes	NULL
start_date	date	Yes	NULL
end_date	date	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_primary\_invoice\_master

Column	Type	Null	Default
id	int(11)	No	
InvoiceNum	varchar(120)	Yes	NULL
ReferenceDoc	varchar(60)	Yes	NULL
ReferenceDocDate	varchar(20)	Yes	NULL
InvoiceType	varchar(20)	Yes	NULL
ItemCategory	varchar(30)	Yes	NULL
InvoiceDate	varchar(20)	Yes	NULL
SoldToParty	varchar(120)	Yes	NULL
Payer	varchar(120)	Yes	NULL
CompanyCode	varchar(120)	Yes	NULL
PlantCode	varchar(60)	Yes	NULL

StockistOrderNo	varchar(60)	Yes	NULL
PODate	varchar(20)	Yes	NULL
ProdCode	varchar(30)	Yes	NULL
ProductName	varchar(255)	Yes	NULL
Pack	varchar(30)	Yes	NULL
BatchNum	varchar(60)	Yes	NULL
ExpiryDate	varchar(20)	Yes	NULL
PTR	double(10,2)	Yes	NULL
PTS	double(10,2)	Yes	NULL
MRP	double(10,2)	Yes	NULL
Qty	bigint(20)	Yes	NULL
FreeQty	bigint(20)	Yes	NULL
NetAmount	double(10,2)	Yes	NULL
JocgPer	bigint(20)	Yes	NULL
JocgAmt	double(10,2)	Yes	NULL
JosgPer	bigint(20)	Yes	NULL
JosgAmt	double(10,2)	Yes	NULL
JougPer	bigint(20)	Yes	NULL
JougAmt	double(10,2)	Yes	NULL
JoigPer	bigint(20)	Yes	NULL
JoigAmt	double(10,2)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_primary\_invoice\_master\_recon

Column	Type	Null	Default
id	int(11)	No	
parent_reference_invoicenum	varchar(120)	No	
parent_reference_invoice_date	varchar(120)	No	
sold_to_party	bigint(20)	No	
stockist_order_no	varchar(120)	No	
prod_code	bigint(20)	No	
batch_num	varchar(120)	No	
ptr	double(10,2)	No	
pts	double(10,2)	No	
mrp	double(10,2)	No	

billed_qty	varchar(30)	No
free_qty	varchar(30)	No
cancelled_qty	varchar(30)	No
returned_qty	varchar(30)	No
net_qty	varchar(30)	No
claimed	int(11)	No
net_available	int(11)	No
created_at	timestamp	No CURRENT_TIMESTAMP
updated_at	timestamp	Yes NULL

## Table structure for table cp\_primary\_invoice\_xml

Column	Type	Null	Default
<b>id</b>	int(11)	No	
xml_file_name	varchar(255)	Yes	NULL
billing_invoice	longblob	Yes	NULL
can_invoice	longblob	Yes	NULL
return_invoice	longblob	Yes	NULL
status	bigint(20)	Yes	0
created_at	timestamp	Yes	CURRENT_TIMESTAMP

## Table structure for table cp\_primary\_sale

Column	Type	Null	Default
<b>rownum</b>	varchar(200)	No	
InvoiceNum	varchar(200)	Yes	NULL
InvoiceItem	varchar(200)	Yes	NULL
InvoiceType	varchar(200)	Yes	NULL
ItemCategory	varchar(100)	Yes	NULL
InvoiceDate	date	Yes	NULL
StockistOrderNo	varchar(200)	Yes	NULL
PODate	varchar(100)	Yes	NULL
ChequeNo	varchar(200)	Yes	NULL
PaymentDueDate	date	Yes	NULL
TransporterName	varchar(200)	Yes	NULL
LRNum	varchar(200)	Yes	NULL
LRDate	date	Yes	NULL
Destination	varchar(200)	Yes	NULL

Cases	varchar(200)	Yes	NULL
ProdCode	varchar(200)	Yes	NULL
UPC	varchar(200)	Yes	NULL
ProductName	text	Yes	NULL
Pack	varchar(200)	Yes	NULL
ManufacturerName	text	Yes	NULL
BatchNum	varchar(100)	Yes	NULL
ExpiryDate	date	Yes	NULL
VatAppliedOn	varchar(200)	Yes	NULL
VatOnFG	varchar(200)	Yes	NULL
VatPerc	varchar(200)	Yes	NULL
PTR	varchar(200)	Yes	NULL
PTS	varchar(100)	Yes	NULL
MRP	varchar(100)	Yes	NULL
ExciseDuty	varchar(100)	Yes	NULL
EducationCess	varchar(200)	Yes	NULL
Qty	varchar(200)	Yes	NULL
FreeQty	varchar(100)	Yes	NULL
AddVat	varchar(100)	Yes	NULL
Octroi	varchar(100)	Yes	NULL
DebitNote	varchar(100)	Yes	NULL
DebitAmount	varchar(100)	Yes	NULL
CreditNote1	varchar(100)	Yes	NULL
CreditNoteAmount1	text	Yes	NULL
CreditNote2	varchar(100)	Yes	NULL
CreditNoteAmount2	varchar(100)	Yes	NULL
CreditNote3	varchar(100)	Yes	NULL
CreditNoteAmount3	varchar(100)	Yes	NULL
RoundOff	varchar(100)	Yes	NULL
NetAmount	varchar(100)	Yes	NULL
CustomerPlant	varchar(100)	Yes	NULL
Customer	varchar(100)	Yes	NULL
CustomerSO	varchar(100)	Yes	NULL
OrgFile_Name	varchar(100)	Yes	NULL
OrgFile_Status	varchar(100)	Yes	NULL
PTSND	varchar(100)	Yes	NULL
ReferenceDoc	varchar(100)	Yes	NULL
ReferenceDocDate	varchar(100)	Yes	NULL
JocgPer	varchar(100)	Yes	NULL
JocgAmt	varchar(100)	Yes	NULL
JosgPer	varchar(100)	Yes	NULL
JosgAmt	varchar(100)	Yes	NULL

JougPer	varchar(100) Yes NULL
JougAmt	varchar(100) Yes NULL
JoigPer	varchar(100) Yes NULL
JoigAmt	varchar(100) Yes NULL
PtsWoDis	varchar(100) Yes NULL
DisPer	varchar(100) Yes NULL
DisAmt	varchar(100) Yes NULL

## Table structure for table cp\_product

Column	Type	Null	Default
<b>product_id</b>	int(11)	No	
model	varchar(64)	No	
sku	varchar(64)	No	
upc	varchar(12)	No	
ean	varchar(14)	No	
jan	varchar(13)	No	
isbn	varchar(17)	No	
mpn	varchar(64)	No	
location	varchar(128)	No	
quantity	int(4)	No	0
stock_status_id	int(11)	No	
image	varchar(255)	Yes	NULL
manufacturer_id	int(11)	No	
shipping	tinyint(1)	No	1
price	decimal(15,4)	No	0.0000
points	int(8)	No	0
tax_class_id	int(11)	No	
date_available	date	No	0000-00-00
weight	decimal(15,8)	No	0.00000000
weight_class_id	int(11)	No	0
length	decimal(15,8)	No	0.00000000
width	decimal(15,8)	No	0.00000000
height	decimal(15,8)	No	0.00000000
length_class_id	int(11)	No	0
subtract	tinyint(1)	No	1
minimum	int(11)	No	1



sort_order	int(11)	No	0
status	tinyint(1)	No	0
viewed	int(5)	No	0
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_product\_attribute

Column	Type	Null	Default
<b>product_id</b>	int(11)	No	
<b>attribute_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
text	text	No	

## Table structure for table cp\_product\_description

Column	Type	Null	Default
<b>product_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
name	varchar(255)	No	
description	text	No	
tag	text	No	
meta_title	varchar(255)	No	
meta_description	varchar(255)	No	
meta_keyword	varchar(255)	No	

## Table structure for table cp\_product\_discount

Column	Type	Null	Default
<b>product_discount_id</b>	int(11)	No	
product_id	int(11)	No	
customer_group_id	int(11)	No	
quantity	int(4)	No	0
priority	int(5)	No	1
price	decimal(15,4)	No	0.0000

date_start	date	No	0000-00-00
date_end	date	No	0000-00-00

## Table structure for table cp\_Product\_Enrichment\_HSN

Column	Type	Null	Default
product_hsn_id	int(255)	No	
HSN_Number	varchar(255)	Yes	NULL
Material_number	varchar(255)	No	
Product_Name	varchar(200)	No	
Sub_Therapy_Code	varchar(100)	Yes	NULL
Sub_Therapy_Name	varchar(200)	Yes	NULL
Therapy_Code	varchar(200)	Yes	NULL
Therapy_Name	varchar(200)	Yes	NULL
Cluster_Code	varchar(100)	Yes	NULL
CLUSTER_NAME	varchar(200)	Yes	NULL
MOLECULE_NAME	varchar(200)	Yes	NULL
FAMILY_NAME	varchar(200)	Yes	NULL
BRAND_NAME	varchar(200)	Yes	NULL
PRODUCT_CATEGORY	varchar(200)	Yes	NULL
CATEGORY_2	varchar(200)	Yes	NULL
DOSAGE	varchar(200)	Yes	NULL
PRODUCT_BRAND	varchar(200)	Yes	NULL
LAUNCH	varchar(200)	Yes	NULL
LAUNCH_YEAR	varchar(200)	Yes	NULL
ILD_TAGGING	varchar(200)	Yes	NULL
CHL_TAGGING	varchar(200)	Yes	NULL
NEW_PRODUCT_FLAG_YES_OR_NO	varchar(200)	Yes	NULL
PROD_ATTR_1	varchar(200)	Yes	NULL
PROD_ATTR_2	varchar(200)	Yes	NULL
PROD_ATTR_3	varchar(200)	Yes	NULL
PROD_ATTR_4	varchar(200)	Yes	NULL
PROD_ATTR_5	varchar(200)	Yes	NULL
PROD_ATTR_6	varchar(200)	Yes	NULL
PROD_ATTR_7	varchar(200)	Yes	NULL
PROD_ATTR_8	varchar(200)	Yes	NULL
PROD_ATTR_9	varchar(100)	Yes	NULL
PROD_ATTR_10	varchar(200)	Yes	NULL
sku_code	varchar(200)	Yes	NULL

## Table structure for table cp\_product\_expiry

Column	Type	Null	Default
id	bigint(20)	No	
special_rate_id	bigint(20)	No	
product_code	varchar(255)	No	
new_expiry_date	date	No	
reason	text	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_product\_filter

Column	Type	Null	Default
product_id	int(11)	No	
filter_id	int(11)	No	

## Table structure for table cp\_product\_image

Column	Type	Null	Default
product_image_id	int(11)	No	
product_id	int(11)	No	
image	varchar(255)	Yes	NULL
sort_order	int(3)	No	0

## Table structure for table cp\_product\_master

Column	Type	Null	Default
product_master_id	int(11)	No	
sku_code	int(11)	No	
product_name	varchar(50)	No	
sub_therapy_code	varchar(5)	No	
sub_therapy_name	varchar(50)	No	
therapy_code	varchar(5)	No	
therapy_name	varchar(50)	No	
cluster_code	varchar(10)	No	

cluster_name	varchar(50)	No	
molecule_name	varchar(15)	Yes	NULL
family_name	varchar(50)	No	
brand_name	varchar(50)	No	
product_category	int(1)	No	
category_2	int(1)	No	
dosage	varchar(50)	No	
product_brand	varchar(50)	No	
launch	int(11)	No	
launch_year	int(11)	No	
ild_tagging	varchar(15)	No	
chl_tagging	varchar(15)	No	
new_ppp	varchar(5)	No	
ppp_name	varchar(25)	No	
new_product_flag	varchar(5)	No	
prod_attr1	varchar(5)	No	
prod_attr2	varchar(5)	No	
prod_attr3	varchar(5)	No	
prod_attr4	varchar(5)	No	
prod_attr5	varchar(5)	No	
prod_attr6	int(11)	No	
prod_attr7	varchar(5)	No	
prod_attr8	varchar(5)	No	
prod_attr9	varchar(5)	No	
prod_attr10	varchar(5)	No	
covid_noncovid	varchar(15)	No	
mat	varchar(15)	No	
vc	varchar(15)	No	
fc	varchar(15)	No	
created_at	datetime	No	CURRENT_TIMESTAMP
updated_at	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_product\_mrp\_master

Column	Type	Null	Default
product_mrp_id	int(255)	No	
material_id	int(200)	No	
batch_code	varchar(200)	No	
mrp	double(10,2)	No	
retailer_margin	double(10,2)	No	
trader_margin	double(10,2)	No	
tax	double(10,2)	No	
rate_before_tax	double(10,2)	No	
ptr	double(10,2)	No	
pts	double(10,2)	No	
ZDISNet_pts	double(10,2)	No	
ZSPF_netpts	double(10,2)	No	
ZBDC_netpts	double(10,2)	No	
COGS	double(10,2)	No	
cap_qty	double(10,2)	No	
created_at	datetime	No	
created_by	int(100)	No	
updated_at	datetime	No	
updated_by	int(100)	No	

## Table structure for table cp\_product\_option

Column	Type	Null	Default
product_option_id	int(11)	No	
product_id	int(11)	No	
option_id	int(11)	No	
value	text	No	
required	tinyint(1)	No	

## Table structure for table cp\_product\_option\_value

Column	Type	Null	Default
product_option_value_id	int(11)	No	
product_option_id	int(11)	No	
product_id	int(11)	No	
option_id	int(11)	No	
option_value_id	int(11)	No	
quantity	int(3)	No	
subtract	tinyint(1)	No	
price	decimal(15,4)	No	
price_prefix	varchar(1)	No	
points	int(8)	No	
points_prefix	varchar(1)	No	
weight	decimal(15,8)	No	
weight_prefix	varchar(1)	No	

## Table structure for table cp\_product\_recurring

Column	Type	Null	Default
product_id	int(11)	No	
recurring_id	int(11)	No	
customer_group_id	int(11)	No	

## Table structure for table cp\_product\_related

Column	Type	Null	Default
product_id	int(11)	No	
related_id	int(11)	No	

## Table structure for table cp\_product\_reward

Column	Type	Null	Default
product_reward_id	int(11)	No	
product_id	int(11)	No	0
customer_group_id	int(11)	No	0
points	int(8)	No	0

## Table structure for table cp\_product\_special

Column	Type	Null	Default
product_special_id	int(11)	No	
product_id	int(11)	No	
customer_group_id	int(11)	No	
priority	int(5)	No	1
price	decimal(15,4)	No	0.0000
date_start	date	No	0000-00-00
date_end	date	No	0000-00-00

## Table structure for table cp\_product\_to\_category

Column	Type	Null	Default
product_id	int(11)	No	
category_id	int(11)	No	

## Table structure for table cp\_product\_to\_download

Column	Type	Null	Default
product_id	int(11)	No	
download_id	int(11)	No	

## Table structure for table cp\_product\_to\_layout

Column	Type	Null	Default
product_id	int(11)	No	
store_id	int(11)	No	
layout_id	int(11)	No	

## Table structure for table cp\_product\_to\_store

Column	Type	Null	Default
product_id	int(11)	No	
store_id	int(11)	No	0

## Table structure for table cp\_raise\_claim

Column	Type	Null	Default
<b>raise_claim_id</b>	int(255)	No	
raise_claim_order_id	int(255)	No	
raise_claim_order_number	varchar(100)	No	
raise_claim_urn_number	varchar(100)	No	
raise_claim_invoice_number	varchar(255)	No	
raise_claim_raised_by	int(100)	No	
raise_claim_status	int(4)	No	
raise_claim_is_active	int(4)	No	
raise_claim_assign_to	int(100)	No	
raise_claim_comment	varchar(200)	No	
raise_claim_updated_by	int(100)	No	
raise_claim_updated_date	datetime	No	
raise_claim_created_date	timestamp	No	CURRENT_TIMESTAMP
raise_claim_customer_approval	int(4)	No	

## Table structure for table cp\_ratecontract\_approval\_history

Column	Type	Null	Default
<b>history_id</b>	int(11)	No	
parent_id	int(11)	No	
status_id	int(11)	No	
approval_level_id	int(11)	No	
status_count	int(4)	No	
comment	varchar(100)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_ratecontract\_approval\_status

Column	Type	Null	Default
<b>approval_status_id</b>	int(11)	No	



approval_name	varchar(50)	No
level_of_order	tinyint(4)	No
number_of_approval	int(11)	No
is_active	tinyint(4)	No

## Table structure for table cp\_rate\_contract

Column	Type	Null	Default
<b>rate_contract_id</b>	int(11)	No	
rate_contract_code	varchar(100)	No	
rate_hospital_id	int(11)	No	
rate_hospital_code	varchar(100)	No	
rate_hospital_name	varchar(100)	No	
account_category	int(4)	No	
city	varchar(50)	No	
state	int(11)	No	
zone	int(11)	No	
budget_tracker_name	varchar(50)	No	
user_id	int(11)	No	
rc_start_date	date	Yes	NULL
rc_end_date	date	Yes	NULL
fixed_rate_rc	varchar(200)	No	
rbm_name	varchar(100)	No	
is_draft	int(4)	No	
approval_status	int(4)	No	
approval_level	int(11)	No	
next_approval_user	int(11)	No	
last_action_by	int(11)	No	
last_action_date	date	No	
is_approved	int(4)	No	
rc_is_active	tinyint(4)	No	
is_modified	tinyint(4)	No	

modified_id	int(100)	No
approved_date	date	No
rc_created_date	timestamp	No CURRENT_TIMESTAMP
rc_updated_date	timestamp	Yes NULL
attachment_1	varchar(255)	Yes NULL
attachment_2	varchar(255)	Yes NULL
attachment_3	varchar(255)	Yes NULL

## Table structure for table cp\_rate\_contract\_product

Column	Type	Null	Default
rc_product_id	int(11)	No	
rate_contract_id	int(11)	Yes	NULL
product_id	int(11)	No	
product_sku	varchar(50)	No	
product_mrp	decimal(10,2)	No	
product_rc_rate	decimal(10,2)	No	
approved_rc_rate	double(10,2)	Yes	NULL
approved_discount	double(10,2)	Yes	NULL
discount_percentage	decimal(10,2)	No	
cap_qty	int(11)	No	
is_modified	int(11)	No	
product_created_date	timestamp	No	CURRENT_TIMESTAMP
product_updated_date	timestamp	Yes	NULL
deleted_by	int(11)	Yes	NULL
deleted_at	timestamp	Yes	NULL
temp_rate_contract_id	int(11)	Yes	NULL
ref_rc_product_id	bigint(20)	Yes	NULL

## Table structure for table cp\_raw\_hsn\_tax\_master

Column	Type	Null	Default
id	int(11)	No	
condition_type	varchar(30)	Yes	NULL
condition_code	varchar(30)	Yes	NULL
valid_to	varchar(30)	Yes	NULL
valid_from	varchar(30)	Yes	NULL
condition_rec_no	varchar(30)	Yes	NULL

rate	double(10,2)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_raw\_material\_tax\_master

Column	Type	Null	Default
id	int(11)	No	
condition_type	varchar(30)	Yes	NULL
country	varchar(30)	Yes	NULL
material	varchar(30)	Yes	NULL
valid_to	varchar(30)	Yes	NULL
valid_from	varchar(30)	Yes	NULL
condition_rec_no	varchar(30)	Yes	NULL
rate	double	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_rbmfall\_backList

Column	Type	Null	Default
fallbacl_id	int(200)	No	
emp_code	varchar(100)	No	
emp_name	varchar(200)	No	
role	varchar(200)	No	
bhq	varchar(200)	No	
email	varchar(100)	No	
status	varchar(100)	No	
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_rbm\_Errorlog

Column	Type	Null	Default
log_id	int(255)	No	
transaction_no	int(200)	No	
stockist_code	int(200)	No	
urn_number	varchar(100)	No	
product_code	varchar(100)	No	

status	varchar(100)	No	
dsh_div	varchar(100)	No	
sup_div	varchar(100)	No	
rbm_hq	varchar(100)	No	
hq_name	varchar(100)	No	
comment	varchar(200)	No	
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_at	timestamp	No	0000-00-00 00:00:00

## Table structure for table cp\_recurring

Column	Type	Null	Default
<b>recurring_id</b>	int(11)	No	
price	decimal(10,4)	No	
frequency	enum('day', 'week', 'semi_month', 'month', 'year')	No	
duration	int(10)	No	
cycle	int(10)	No	
trial_status	tinyint(4)	No	
trial_price	decimal(10,4)	No	
trial_frequency	enum('day', 'week', 'semi_month', 'month', 'year')	No	
trial_duration	int(10)	No	
trial_cycle	int(10)	No	
status	tinyint(4)	No	
sort_order	int(11)	No	

## Table structure for table cp\_recurring\_description

Column	Type	Null	Default
<b>recurring_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
name	varchar(255)	No	

## Table structure for table cp\_return

Column	Type	Null	Default
<b>return_id</b>	int(11)	No	
order_id	int(11)	No	
product_id	int(11)	No	
customer_id	int(11)	No	
firstname	varchar(32)	No	
lastname	varchar(32)	No	
email	varchar(96)	No	
telephone	varchar(32)	No	
product	varchar(255)	No	
model	varchar(64)	No	
quantity	int(4)	No	
opened	tinyint(1)	No	
return_reason_id	int(11)	No	
return_action_id	int(11)	No	
return_status_id	int(11)	No	
comment	text	Yes	NULL
date_ordered	date	No	0000-00-00
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_return\_action

Column	Type	Null	Default
<b>return_action_id</b>	int(11)	No	
language_id	int(11)	No	0
name	varchar(64)	No	

## Table structure for table cp\_return\_history

Column	Type	Null	Default
<b>return_history_id</b>	int(11)	No	
return_id	int(11)	No	
return_status_id	int(11)	No	

notify	tinyint(1)	No
comment	text	No
date_added	datetime	No

## Table structure for table cp\_return\_reason

Column	Type	Null	Default
return_reason_id	int(11)	No	
language_id	int(11)	No	0
name	varchar(128)	No	

## Table structure for table cp\_return\_status

Column	Type	Null	Default
return_status_id	int(11)	No	
language_id	int(11)	No	0
name	varchar(32)	No	

## Table structure for table cp\_review

Column	Type	Null	Default
review_id	int(11)	No	
product_id	int(11)	No	
customer_id	int(11)	No	
author	varchar(64)	No	
text	text	No	
rating	int(1)	No	
status	tinyint(1)	No	0
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_sacct\_mst

Column	Type	Null	Default
sacct_mst_id	int(11)	No	
sacct_no	varchar(10)	Yes	NULL

control	decimal(5,0)	Yes	NULL
sacct_nm	varchar(60)	Yes	NULL
add1	varchar(60)	Yes	NULL
add2	varchar(60)	Yes	NULL
add3	varchar(60)	Yes	NULL
add4	varchar(60)	Yes	NULL
pincd	varchar(7)	Yes	NULL
crdys	decimal(5,0)	Yes	NULL
class	varchar(2)	Yes	NULL
crlim	decimal(9,0)	Yes	NULL
tel	varchar(60)	Yes	NULL
tp_no	varchar(6)	Yes	NULL
bnk_no	varchar(4)	Yes	NULL
eccno	varchar(60)	Yes	NULL
stno	varchar(60)	Yes	NULL
cstno	varchar(60)	Yes	NULL
itno	varchar(60)	Yes	NULL
panno	varchar(60)	Yes	NULL
sl_no	varchar(6)	Yes	NULL
rng	varchar(60)	Yes	NULL
div	varchar(60)	Yes	NULL
sacgrp_no	varchar(2)	Yes	NULL
cntct1	varchar(60)	Yes	NULL
cntct2	varchar(60)	Yes	NULL
remarks_1	varchar(60)	Yes	NULL
remarks_2	varchar(60)	Yes	NULL
remarks_3	varchar(60)	Yes	NULL
appdt	datetime	Yes	NULL
stat_no	varchar(4)	Yes	NULL
town_no	varchar(4)	Yes	NULL
slmn_no	varchar(6)	Yes	NULL
mail_id	varchar(50)	Yes	NULL
password	varchar(40)	No	5774889b602aba1f608f29490dfb839598d0d43f
salt	varchar(10)	No	rybZA7ofq
mileage	decimal(5,0)	Yes	NULL
d_sacct_no	varchar(5)	Yes	NULL
form	varchar(60)	Yes	NULL
instind	varchar(2)	Yes	NULL
dlno	varchar(120)	Yes	NULL
tp_no_1	varchar(6)	Yes	NULL
catno	varchar(3)	Yes	NULL
lclly	varchar(1)	Yes	NULL

destn	varchar(30)	Yes	NULL
pterm_s_no	varchar(4)	Yes	NULL
form_no	varchar(4)	Yes	NULL
repl_flag	varchar(1)	Yes	NULL
scheme	varchar(2)	Yes	NULL
chq_y	varchar(1)	Yes	NULL
bg_expdt	datetime	Yes	NULL
loc_no	varchar(3)	Yes	NULL
subsl_no	varchar(6)	Yes	NULL
taxonmrp_y	varchar(1)	Yes	NULL
mrptxonall_y	varchar(1)	Yes	NULL
taxonbns_y	varchar(1)	Yes	NULL
cb_vchtyp	varchar(5)	Yes	NULL
clxdy	varchar(1)	Yes	NULL
trfy	varchar(1)	Yes	NULL
co_no	varchar(3)	Yes	NULL
own_setup_y	varchar(1)	Yes	NULL
colldys	decimal(5,0)	Yes	NULL
aiocded	varchar(20)	Yes	NULL
licnox	varchar(120)	Yes	NULL
postal_district	varchar(40)	Yes	NULL
postal_city	varchar(40)	Yes	NULL
bank_acct_name	varchar(60)	Yes	NULL
cntct_pers_dept	varchar(20)	Yes	NULL
pay_method	varchar(10)	Yes	NULL
cust_price_proc	varchar(1)	Yes	NULL
foodlicno	varchar(50)	Yes	NULL
foodlic_vlddt	datetime	Yes	NULL
licnox_vlddt	datetime	Yes	NULL
retllicno	varchar(50)	Yes	NULL
retllic_vlddt	datetime	Yes	NULL
bgno	varchar(50)	Yes	NULL
bgamt	decimal(9,0)	Yes	NULL
bg_vlddt	datetime	Yes	NULL
bg_bank_name	varchar(50)	Yes	NULL
agmnt_vlddt	datetime	Yes	NULL
cndr_flag	varchar(1)	Yes	NULL
dlno_20b	varchar(50)	Yes	NULL
bg_y	varchar(1)	Yes	NULL
dlno_21b	varchar(50)	Yes	NULL
bg_curr	varchar(10)	Yes	NULL
bgdt	datetime	Yes	NULL



tp_nm	varchar(60)	Yes	NULL
pterm_nm	varchar(60)	Yes	NULL
sstmt_y	varchar(1)	Yes	NULL
inv_exp_y	varchar(1)	Yes	NULL
dl_expy_dt	datetime	Yes	NULL
locn_stat	varchar(5)	Yes	NULL
sap_sacct	varchar(20)	Yes	NULL
gsacct_no	varchar(20)	Yes	NULL
localos	varchar(2)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL
moduser	varchar(10)	Yes	NULL
asu_no	varchar(20)	Yes	NULL
moddate	datetime	Yes	NULL
tax_cat_type	varchar(4)	Yes	NULL
tax_class	varchar(20)	Yes	NULL
ostno	varchar(60)	Yes	NULL
batchid	varchar(20)	Yes	NULL
batchdt	datetime	Yes	NULL
payer	varchar(10)	Yes	NULL
osacct_no	varchar(10)	Yes	NULL
ogsacct_no	varchar(10)	Yes	NULL

## Table structure for table cp\_sap\_xml\_credit

Column	Type	Null	Default
id	int(11)	No	
doc_number	varchar(120)	No	
doc_date	date	No	
credit_note	varchar(120)	No	
credit_note_date	date	No	
irn_no	varchar(255)	No	
attdt	text	No	
file_name	varchar(110)	No	
is_mail_send	int(11)	No	
is_pdf_generated	int(4)	No	
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_at	timestamp	Yes	NULL

deleted_at	timestamp	Yes	NULL
------------	-----------	-----	------

## Table structure for table cp\_scanned\_claim

Column	Type	Null	Default
id	int(11)	No	
urn_no	varchar(200)	No	
invoice_no	varchar(200)	No	
file_name	varchar(200)	No	
assign_to	int(11)	No	
assigned_by	int(11)	No	
assign_date	date	No	
assignment_status	tinyint(1)	No	
lock_status	tinyint(1)	No	
claim_status	tinyint(1)	No	1
created_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_seo\_url

Column	Type	Null	Default
seo_url_id	int(11)	No	
store_id	int(11)	No	
language_id	int(11)	No	
query	varchar(255)	No	
keyword	varchar(255)	No	

## Table structure for table cp\_session

Column	Type	Null	Default
session_id	varchar(32)	No	
data	text	No	
expire	datetime	No	

## Table structure for table cp\_setting

Column	Type	Null	Default
setting_id	int(11)	No	
store_id	int(11)	No	0
code	varchar(128)	No	
key	varchar(128)	No	
value	text	No	
serialized	tinyint(1)	No	

## Table structure for table cp\_shipping\_courier

Column	Type	Null	Default
shipping_courier_id	int(11)	No	
shipping_courier_code	varchar(255)	No	
shipping_courier_name	varchar(255)	No	

## Table structure for table cp\_sl\_mst

Column	Type	Null	Default
sl_mst_id	int(11)	No	
sl_no	varchar(6)	Yes	NULL
control	int(11)	Yes	NULL
sl_nm	varchar(60)	Yes	NULL
sl_level	int(11)	Yes	NULL
stat_no	varchar(4)	Yes	NULL
loc_no	varchar(3)	Yes	NULL
repl_flag	varchar(1)	Yes	NULL
sl_nms	varchar(6)	Yes	NULL
co_no	varchar(3)	Yes	NULL
trfy	varchar(1)	Yes	NULL
clxdy	varchar(1)	Yes	NULL
remarks_1	varchar(60)	Yes	NULL
zone_no	varchar(4)	Yes	NULL
mini_reg_y	varchar(1)	Yes	NULL
sap_slno	varchar(20)	Yes	NULL

## Table structure for table cp\_specialities

Column	Type	Null	Default
--------	------	------	---------

<b>speciality_id</b>	int(11)	No
<b>name</b>	varchar(255)	Yes NULL
<b>is_active</b>	tinyint(4)	No

## Table structure for table cp\_specialrate\_approvel\_history

Column	Type	Null	Default
<b>history_id</b>	int(20)	No	
<b>parent_id</b>	int(20)	No	
<b>status_id</b>	tinyint(4)	No	
<b>approval_level_id</b>	tinyint(4)	No	
<b>status_count</b>	int(10)	No	
<b>comment</b>	varchar(100)	No	
<b>next_action_user</b>	int(10)	No	
<b>last_action_user</b>	int(10)	No	
<b>created_date</b>	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_specialrate\_approvel\_status

Column	Type	Null	Default
<b>approvel_status_id</b>	int(20)	No	
<b>approvel_name</b>	varchar(100)	No	
<b>level_of_order</b>	tinyint(4)	No	
<b>number_of_approval</b>	tinyint(4)	No	
<b>is_active</b>	tinyint(4)	No	

## Table structure for table cp\_specialrate\_product\_expirydate\_requested\_history

Column	Type	Null	Default
<b>exp_history_id</b>	int(11)	No	
<b>special_rate_id</b>	int(11)	No	
<b>special_rate_product_id</b>	int(11)	Yes	NULL
<b>user_id</b>	int(11)	No	
<b>current_exp_date</b>	date	Yes	NULL

request_exp_date	date	No
history_created_date	timestamp	No CURRENT_TIMESTAMP

## Table structure for table cp\_specialrate\_request\_type

Column	Type	Null Default
request_type_id	int(20)	No
request_type_name	varchar(255)	No
is_active	tinyint(4)	No

## Table structure for table cp\_specialrate\_supply\_type

Column	Type	Null Default
supply_type_id	int(11)	No
supply_type_name	varchar(255)	No
is_active	tinyint(4)	No
supply_cycle	tinyint(4)	No

## Table structure for table cp\_special\_rate

Column	Type	Null Default
special_rate_id	int(11)	No
ref_id	int(11)	Yes NULL
request_id	varchar(255)	No
user_id	int(11)	No
request_type_id	tinyint(4)	No
division_id	int(11)	No
depot_id	int(11)	No
region_id	tinyint(4)	No
reason_description	varchar(500)	Yes NULL
supply_type_id	tinyint(4)	No
hospital_id	int(11)	No
chemist_id	int(11)	No
stockist_id	int(11)	No
expected_business	decimal(10,2)	Yes NULL

expected_margin	decimal(7,2)	Yes	NULL
is_back_date	date	Yes	NULL
special_rate_start_date	date	Yes	NULL
special_rate_end_date	date	Yes	NULL
approval_status	tinyint(4)	No	
next_approval_user	tinyint(4)	No	
last_action_by	int(10)	No	
last_action_date	date	No	
approval_level	tinyint(4)	No	
sp_is_active	tinyint(4)	No	
is_approved	int(11)	No	
rate_created_date	datetime	No	CURRENT_TIMESTAMP
rate_updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_special\_rate\_allowed\_product\_master

Column	Type	Null	Default
special_rate_allowed_product_id	int(255)	No	
material_id	varchar(255)	No	
allowed_discount	double(10,2)	No	
margin	double(10,2)	No	
special_rate_allowed	enum('Yes', 'No')	No	
blocked	enum('Yes', 'No')	No	
created_at	timestamp	No	CURRENT_TIMESTAMP
created_by	int(100)	No	
updated_by	int(100)	Yes	NULL
updated_at	datetime	Yes	NULL

## Table structure for table cp\_special\_rate\_price\_history

Column	Type	Null	Default
special_rate_price_history_id	int(11)	No	
special_rate_product_id	int(11)	No	
product_id	int(11)	No	

mrp	decimal(10,2) Yes NULL
old_required_rate	decimal(10,2) Yes NULL
required_rate	decimal(10,2) Yes NULL
created_date	datetime No CURRENT_TIMESTAMP

## Table structure for table cp\_special\_rate\_product

Column	Type	Null	Default
special_rate_product_id	int(11)	No	
special_rate_id	int(11)	No	
product_id	int(11)	No	
mrp	decimal(10,2)	No	
pts	decimal(10,2)	No	
ptr	decimal(10,2)	No	
tax_rate	int(11)	No	
cap_quantity_requested	mediumint(9)	No	
competitor_name	varchar(50)	Yes	NULL
competitor_product_name	varchar(50)	Yes	NULL
competitor_rate	decimal(10,2)	No	
required_rate	decimal(10,2)	No	
product_status	int(11)	No	
discount_percentage	decimal(7,2)	Yes	NULL
special_rate_start_date	date	Yes	NULL
special_rate_end_date	date	Yes	NULL
required_rate_before_tax	double(10,2)	Yes	0.00
required_net_to_company	double(10,2)	Yes	0.00
approved_rate	double(10,2)	Yes	0.00
approved_rate_before_tax	double(10,2)	Yes	0.00
approve_net_to_company	double(10,2)	Yes	0.00
margin	double(10,2)	Yes	0.00
allowed_discount	double(10,2)	Yes	0.00
minimum_rates	double(10,2)	Yes	0.00
last_allowed_discount	double(10,2)	Yes	0.00
COGS	varchar(255)	Yes	0
gross_margin_required_net_to_company	double(10,2)	Yes	0.00
gross_margin_approved_net_to_company	double(10,2)	Yes	0.00
parent_reference	varchar(255)	Yes	NULL
status	int(11)	No	0

created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_special\_rate\_product\_margin\_master

Column	Type	Null	Default
special_rate_product_margin_id	int(250)	No	
material_id	int(200)	No	
product_mrp	double(10,2)	No	
retailer_margin	double(10,2)	No	
trader_margin	double(10,2)	No	
cap_quantity	int(100)	No	
COGS	double(10,2)	No	
start_date	date	Yes	NULL
end_date	date	Yes	NULL
created_at	datetime	No	
created_by	int(100)	No	
updated_at	datetime	Yes	NULL
updated_by	int(100)	Yes	NULL

## Table structure for table cp\_state

Column	Type	Null	Default
state_id	int(100)	No	
Country	varchar(100)	No	
sap_state_code	varchar(100)	No	
state_name	varchar(100)	No	
state_code	varchar(100)	Yes	NULL
zone	varchar(100)	No	
is_active	int(2)	No	1
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_State\_Master\_SAP

Column	Type	Null	Default
--------	------	------	---------



Country    varchar(100) No

Region    varchar(200) No

Decription varchar(200) No

## Table structure for table cp\_statistics

Column	Type	Null	Default
statistics_id	int(11)	No	
code	varchar(64)	No	
value	decimal(15,4)	No	

## Table structure for table cp\_status\_history

Column	Type	Null	Default
status_history_id	int(11)	No	
parent_id	int(11)	No	
entity_id	int(11)	No	
claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	NULL
user_id	int(11)	No	
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_stkcat\_mst

Column	Type	Null	Default
stkcat_mst_id	int(11)	No	
stkcat_no	varchar(2)	Yes	NULL
control	int(11)	Yes	NULL
stkcat_nm	varchar(60)	Yes	NULL
remarks_1	varchar(60)	Yes	NULL
remarks_2	varchar(60)	Yes	NULL
remarks_3	varchar(60)	Yes	NULL
repl_flag	varchar(1)	Yes	NULL
trfy	varchar(1)	Yes	NULL
co_no	varchar(3)	Yes	NULL

clxdy	varchar(1)	Yes	NULL
int_readcnt	int(11)	Yes	NULL
gen_y	varchar(1)	Yes	NULL
gstkcat_no	varchar(4)	Yes	NULL
stkcat_nms	varchar(5)	Yes	NULL
sap_div	varchar(20)	Yes	NULL
sapcat_nm	varchar(60)	Yes	NULL
costcenter	varchar(20)	Yes	NULL
ipromo_y	varchar(1)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(10)	Yes	NULL
chl_y	varchar(1)	Yes	NULL
batchid	varchar(20)	Yes	NULL
batchdt	datetime	Yes	NULL

## Table structure for table cp\_stk\_mst

Column	Type	Null	Default
<b>stk_mst_id</b>	int(11)	No	
stk_no	varchar(10)	Yes	NULL
control	decimal(5,0)	Yes	NULL
stk_nm	varchar(60)	Yes	NULL
stk_nms	varchar(20)	Yes	NULL
packs	decimal(5,0)	Yes	NULL
packc	decimal(5,0)	Yes	NULL
packm	decimal(5,0)	Yes	NULL
wtvol	decimal(9,0)	Yes	NULL
un_no	varchar(2)	Yes	NULL
lob_no	varchar(4)	Yes	NULL
stkcat_no	varchar(2)	Yes	NULL
stktyp_no	varchar(2)	Yes	NULL
stkgrp_no	varchar(3)	Yes	NULL
stkcls_no	varchar(2)	Yes	NULL
cfact	decimal(9,0)	Yes	NULL
ntxsts	varchar(254)	Yes	NULL
rtind	varchar(2)	Yes	NULL
drt	decimal(5,0)	Yes	NULL
drt	decimal(5,0)	Yes	NULL
drtss	decimal(5,0)	Yes	NULL

stcl_no	varchar(2)	Yes	NULL
maxqty	decimal(9,0)	Yes	NULL
flash_code	varchar(10)	Yes	NULL
remarks_1	varchar(60)	Yes	NULL
remarks_2	varchar(60)	Yes	NULL
remarks_3	varchar(254)	Yes	NULL
repl_flag	varchar(1)	Yes	NULL
expdys	decimal(5,0)	Yes	NULL
shelf_life	decimal(5,0)	Yes	NULL
trfy	varchar(1)	Yes	NULL
clxdy	varchar(1)	Yes	NULL
stk_ind	varchar(2)	Yes	NULL
narc_ind	varchar(2)	Yes	NULL
navi_divn	varchar(20)	Yes	NULL
navi_cat	varchar(20)	Yes	NULL
prjctn_ind	varchar(1)	Yes	NULL
inv_group	varchar(2)	Yes	NULL
stknom_no	varchar(4)	Yes	NULL
new_y	varchar(1)	Yes	NULL
upccode	varchar(20)	Yes	NULL
stkclsf_no	varchar(4)	Yes	NULL
sstmt_y	varchar(1)	Yes	NULL
gstk_no	varchar(10)	Yes	NULL
imp_ind	varchar(1)	Yes	NULL
serv_ind	varchar(1)	Yes	NULL
fyloc_no	varchar(10)	Yes	NULL
stkfmly_no	varchar(4)	Yes	NULL
stkther_no	varchar(4)	Yes	NULL
stkctgry_no	varchar(4)	Yes	NULL
sap_stkcode	varchar(20)	Yes	NULL
composition	varchar(254)	Yes	NULL
hsnno	varchar(25)	Yes	NULL
txfree_y	varchar(1)	Yes	NULL
ostk_no	varchar(10)	Yes	NULL
adddate	datetime	Yes	NULL
adduser	varchar(10)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(10)	Yes	NULL

## Table structure for table cp\_stockist\_claim

Column	Type	Null	Default
--------	------	------	---------

<b>id</b>	int(11)	No	
urn_no	varchar(200)	No	
invoice_no	varchar(200)	No	
file_name	varchar(200)	No	
assign_to	int(11)	No	
assigned_by	int(11)	No	
assign_date	date	No	
assignment_status	tinyint(1)	No	
lock_status	tinyint(1)	No	
claim_status	tinyint(1)	No	1
created_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_stockist\_inactive\_history

Column	Type	Null	Default
<b>stockist_inactive_history_id</b>	int(11)	No	
stockist_id	int(11)	No	
user_id	int(11)	No	
inactive_type_id	int(11)	No	
inactive_reasons_id	int(11)	No	
comment	varchar(200)	No	
process	enum('Deactivated', 'Activated')	No	Deactivated
created_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_stockist\_master

Column	Type	Null	Default
<b>stockist_id</b>	int(11)	No	
user_group_id	varchar(120)	No	
st_email	varchar(100)	Yes	NULL
password	varchar(40)	No	5774889b602aba1f608f29490dfb839598d0d43f
salt	varchar(10)	No	rybZA7ofq
st_code	varchar(200)	Yes	NULL
st_name	varchar(200)	Yes	NULL

Sales_district	varchar(100)	Yes	NULL
Delivering_Plant_Own_or_External	varchar(100)	Yes	NULL
lic_no_20b	varchar(200)	Yes	NULL
exp_date_20b	varchar(40)	Yes	NULL
lic_no_21b	varchar(200)	Yes	NULL
exp_date_21b	varchar(20)	Yes	NULL
City	varchar(100)	Yes	NULL
Postal_Code	varchar(100)	Yes	NULL
Region_State_Province_County	varchar(100)	Yes	NULL
House_number_and_street	varchar(200)	Yes	NULL
District	varchar(100)	Yes	NULL
Country_Key	varchar(100)	Yes	NULL
Group_key	varchar(100)	Yes	NULL
Customer_Account_Group	varchar(100)	Yes	NULL
claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	NULL
status	enum('Active', 'Inactive')	No	Active
gstn	varchar(120)	Yes	NULL
pan	varchar(120)	Yes	NULL
created_by	int(11)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_by	int(11)	Yes	NULL
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_Stockist\_Master\_SAP

Column	Type	Null	Default
id	int(200)	No	
E_Mail_Address	varchar(100)	No	
Customer_Number	varchar(200)	No	
Name_1	varchar(200)	No	
Sales_district	varchar(100)	Yes	NULL
Delivering_Plant_Own_or_External	varchar(100)	Yes	NULL
20B._Lic._No	varchar(200)	Yes	NULL
20B_Expiry_Date	varchar(40)	Yes	NULL
21B._Lic._No	varchar(200)	Yes	NULL
21B_Expiry_Date	varchar(20)	Yes	NULL
City	varchar(100)	Yes	NULL

Postal_Code	varchar(100)	Yes	NULL
Region_State_Province_County	varchar(100)	Yes	NULL
House_number_and_street	varchar(200)	Yes	NULL
District	varchar(100)	Yes	NULL
Country_Key	varchar(100)	Yes	NULL
Group_key	varchar(100)	Yes	NULL
Customer_Account_Group	varchar(100)	Yes	NULL
gstn	varchar(200)	Yes	NULL
pan	varchar(200)	Yes	NULL

## Table structure for table cp\_stock\_status

Column	Type	Null	Default
stock_status_id	int(11)	No	
language_id	int(11)	No	
name	varchar(32)	No	

## Table structure for table cp\_store

Column	Type	Null	Default
store_id	int(11)	No	
name	varchar(64)	No	
url	varchar(255)	No	
ssl	varchar(255)	No	

## Table structure for table cp\_subtherapy

Column	Type	Null	Default
subtherapy_id	int(11)	No	
therapy_id	int(11)	No	
subtherapy_code	varchar(50)	Yes	NULL
subtherapy_name	varchar(255)	Yes	NULL
sort_order	mediumint(4)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_subtherapy\_new

Column	Type	Null	Default
subtherapy_id	int(100)	No	
subtherapy_code	varchar(200)	No	
subtherapy_name	varchar(200)	No	
created_at	datetime	No	

## Table structure for table cp\_subtherapy\_therapy\_cluster\_map\_master

Column	Type	Null	Default
map_id	int(200)	No	
sub_therapy_code	varchar(200)	No	
therapy_code	varchar(200)	No	
therapy_name	varchar(200)	No	
cluster_code	varchar(200)	No	
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_tax\_class

Column	Type	Null	Default
tax_class_id	int(11)	No	
title	varchar(32)	No	
description	varchar(255)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_tax\_hsn

Column	Type	Null	Default
tax_hsn_id	int(11)	No	
control_code	int(11)	No	
condition_type	varchar(50)	Yes	NULL
valid_from	date	Yes	NULL
valid_to	date	Yes	NULL
condition_record_number	int(11)	No	

rate	decimal(10,2)	Yes	NULL
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_tax\_material

Column	Type	Null	Default
tax_material_id	int(11)	No	
material_code	int(11)	No	
condition_type	varchar(50)	Yes	NULL
country	varchar(10)	Yes	NULL
valid_from	date	Yes	NULL
valid_to	date	Yes	NULL
condition_record_number	int(11)	No	
rate	decimal(10,0)	No	
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_tax\_rate

Column	Type	Null	Default
tax_rate_id	int(11)	No	
geo_zone_id	int(11)	No	0
name	varchar(32)	No	
rate	decimal(15,4)	No	0.0000
type	char(1)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_tax\_rate\_to\_customer\_group

Column	Type	Null	Default
tax_rate_id	int(11)	No	
customer_group_id	int(11)	No	

## Table structure for table cp\_tax\_rule



Column	Type	Null	Default
tax_rule_id	int(11)	No	
tax_class_id	int(11)	No	
tax_rate_id	int(11)	No	
based	varchar(10)	No	
priority	int(5)	No	1

## Table structure for table cp\_territary\_plant\_master

Column	Type	Null	Default
territary_plant_id	int(200)	No	
Sales_District	varchar(200)	No	
Name_of_the_District	varchar(200)	Yes	NULL
Plant_Code	varchar(200)	Yes	NULL
Plant_Name	varchar(200)	Yes	NULL
Region_ID	varchar(200)	Yes	NULL
Name	varchar(100)	Yes	NULL
Zone	varchar(100)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_territory

Column	Type	Null	Default
territory_id	int(11)	No	
territory_number	varchar(20)	Yes	NULL
territory_name	varchar(100)	Yes	NULL
depot_plant_number	varchar(10)	Yes	NULL
territory_hirerarchy	int(10)	No	3
depot_plant_id	int(11)	No	
state_id	mediumint(9)	No	
zone_list_id	smallint(6)	Yes	NULL
is_active	tinyint(4)	No	1
created_date	datetime	No	CURRENT_TIMESTAMP
updated_date	datetime	No	

## Table structure for table cp\_Territory\_Master\_SAP

Column	Type	Null	Default
--------	------	------	---------

<b>id</b>	int(100)	No
Sales_District	varchar(100)	No
Name_of_the_District	varchar(200)	No

## Table structure for table cp\_theme

Column	Type	Null	Default
<b>theme_id</b>	int(11)	No	
store_id	int(11)	No	
theme	varchar(64)	No	
route	varchar(64)	No	
code	mediumtext	No	
date_added	datetime	No	

## Table structure for table cp\_therapy

Column	Type	Null	Default
<b>therapy_id</b>	int(11)	No	
therapy_name	varchar(255)	Yes	NULL
therapy_code	varchar(100)	No	
sort_order	mediumint(4)	No	0
is_active	tinyint(4)	No	1

## Table structure for table cp\_therapy\_clasification\_product\_map

Column	Type	Null	Default
<b>id</b>	int(100)	No	
THERAPY_CODE	varchar(200)	Yes	NULL
THERAPY_NAME	varchar(200)	Yes	NULL
Classification	varchar(200)	Yes	NULL
MATERIAL_NUMBER	varchar(200)	No	
PRODUCT_NAME	varchar(200)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_therapy\_classification\_relation

Column	Type	Null	Default
relation_id	int(11)	No	
therapy_id	int(11)	No	
classification_id	tinyint(4)	No	
created_date	datetime	No	CURRENT_TIMESTAMP

## Table structure for table cp\_therapy\_cluster\_map

Column	Type	Null	Default
map_id	int(200)	No	
therapy_code	varchar(100)	No	
cluster	varchar(100)	No	
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_therapy\_new

Column	Type	Null	Default
therapy_id	int(100)	No	
therapy_code	varchar(255)	No	
therapy_name	varchar(200)	No	
is_active	tinyint(4)	No	1
created_at	datetime	No	

## Table structure for table cp\_town\_type

Column	Type	Null	Default
town_type_id	tinyint(4)	No	
code	varchar(10)	Yes	NULL
name	varchar(50)	Yes	NULL
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_translation

Column	Type	Null	Default
<b>translation_id</b>	int(11)	No	
store_id	int(11)	No	
language_id	int(11)	No	
route	varchar(64)	No	
key	varchar(64)	No	
value	text	No	
date_added	datetime	No	

## Table structure for table cp\_turnover\_approval\_status

Column	Type	Null	Default
<b>approval_status_id</b>	int(11)	No	
approval_name	varchar(100)	No	
level_of_order	int(11)	No	
number_of_approval	int(11)	No	
is_active	int(11)	No	

## Table structure for table cp\_turnover\_discount

Column	Type	Null	Default
<b>tod_id</b>	int(11)	No	
tod_hospital_id	int(11)	No	
tod_hospital_code	varchar(100)	No	
tod_hospital_name	varchar(100)	No	
account_category	int(4)	No	
city	varchar(50)	No	
state	int(11)	No	
zone	int(11)	No	
tod_code	varchar(100)	No	
budget_tracker_name	varchar(50)	No	
user_id	int(11)	No	
tod_start_date	date	No	

tod_end_date	date	No	
fixed_rate_tod	varchar(200)	No	
rbm_name	varchar(100)	No	
last_year_sales	varchar(20)	No	
sale_target	varchar(20)	No	
tod_criteria	varchar(20)	No	
tod_target_slab_wise	varchar(20)	No	
is_draft	int(4)	No	
approval_status	int(4)	No	
approval_level	int(11)	No	
next_approval_user	int(11)	No	
last_action_by	int(11)	No	
last_action_date	date	No	
is_approved	int(4)	No	
tod_is_active	tinyint(4)	No	
approved_date	datetime	No	
tod_created_date	timestamp	No	CURRENT_TIMESTAMP
tod_updated_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_turnover\_discount\_approval\_history

Column	Type	Null	Default
<b>history_id</b>	int(11)	No	
parent_id	int(11)	No	
status_id	int(11)	No	
approval_level_id	int(11)	No	
status_count	int(4)	No	
comment	varchar(100)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_turnover\_discount\_product

Column	Type	Null	Default
<b>tod_product_id</b>	int(11)	No	
<b>tod_id</b>	int(11)	No	
<b>product_id</b>	int(11)	No	
<b>product_sku</b>	varchar(50)	No	
<b>product_mrp</b>	decimal(10,2)	No	
<b>product_tod_rate</b>	decimal(10,2)	No	
<b>cap_qty</b>	int(4)	No	
<b>discount_percentage</b>	decimal(10,2)	No	
<b>product_created_date</b>	timestamp	No	CURRENT_TIMESTAMP
<b>product_updated_date</b>	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_upload

Column	Type	Null	Default
<b>upload_id</b>	int(11)	No	
<b>name</b>	varchar(255)	No	
<b>filename</b>	varchar(255)	No	
<b>code</b>	varchar(255)	No	
<b>date_added</b>	datetime	No	

## Table structure for table cp\_user

Column	Type	Null	Default
<b>user_id</b>	int(11)	No	
<b>user_group_id</b>	text	No	
<b>employee_code</b>	varchar(255)	Yes	NULL
<b>username</b>	varchar(255)	No	
<b>password</b>	varchar(40)	No	
<b>salt</b>	varchar(9)	No	
<b>password_expire_date</b>	date	Yes	NULL
<b>display_name</b>	varchar(255)	Yes	NULL

firstname	varchar(32)	No
middlename	varchar(50)	Yes NULL
lastname	varchar(32)	No
email	varchar(96)	No
contact	varchar(100)	No
designation	varchar(100)	No
unique_role_name	varchar(200)	Yes NULL
designation_name	varchar(200)	Yes NULL
user_type	varchar(100)	No
manager	int(100)	Yes NULL
reporting_manager	int(100)	No
location_name	varchar(200)	Yes NULL
location	text	No
rev_subtherapy_code	varchar(200)	Yes NULL
therapy	text	No
subtherapy	text	No
cluster	text	No
depot	text	No
bhq	varchar(200)	Yes NULL
division	int(11)	No
present_address	text	No
permanent_address	text	No
image	varchar(255)	No
code	varchar(40)	No
ip	varchar(40)	No
status	tinyint(1)	No
date_added	datetime	No
personal_email	varchar(255)	Yes NULL
position_id	varchar(20)	Yes NULL
is_import	tinyint(4)	Yes NULL
is_alliance_user	tinyint(4)	Yes NULL
is_logged_in	tinyint(4)	No 0
first_login	tinyint(4)	No 0
add_user	int(100)	No

mode_user	int(100)	No
mode_date	datetime	No CURRENT_TIMESTAMP

## Table structure for table cp\_users\_activities

Column	Type	Null	Default
activity_id	int(11)	No	
user_id	int(10)	No	
user_name	varchar(255)	Yes	NULL
ip_address	varchar(100)	No	
item	varchar(255)	No	
action_performed	varchar(455)	No	
before_data	text	Yes	NULL
after_data	text	Yes	NULL
sort_order	int(10)	No	
status	int(10)	No	0
created_date	timestamp	No	CURRENT_TIMESTAMP
updated_date	timestamp	Yes	NULL

## Table structure for table cp\_user\_claim\_reject\_reason

Column	Type	Null	Default
reason_id	int(11)	No	
reason	longtext	No	
is_active	int(11)	No	1
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_user\_group

Column	Type	Null	Default
user_group_id	int(100)	No	
name	varchar(64)	No	
permission	text	No	

## Table structure for table cp\_user\_password\_history



Column	Type	Null	Default
<b>user_password_history_id</b>	bigint(20)	No	
<b>user_id</b>	int(11)	No	
<b>password</b>	varchar(40)	Yes	NULL
<b>salt</b>	varchar(10)	Yes	NULL
<b>encrypt_password</b>	varchar(50)	Yes	NULL
<b>created_date</b>	datetime	Yes	CURRENT_TIMESTAMP

## Table structure for table cp\_voucher

Column	Type	Null	Default
<b>voucher_id</b>	int(11)	No	
<b>order_id</b>	int(11)	No	
<b>code</b>	varchar(10)	No	
<b>from_name</b>	varchar(64)	No	
<b>from_email</b>	varchar(96)	No	
<b>to_name</b>	varchar(64)	No	
<b>to_email</b>	varchar(96)	No	
<b>voucher_theme_id</b>	int(11)	No	
<b>message</b>	text	No	
<b>amount</b>	decimal(15,4)	No	
<b>status</b>	tinyint(1)	No	
<b>date_added</b>	datetime	No	

## Table structure for table cp\_voucher\_history

Column	Type	Null	Default
<b>voucher_history_id</b>	int(11)	No	
<b>voucher_id</b>	int(11)	No	
<b>order_id</b>	int(11)	No	
<b>amount</b>	decimal(15,4)	No	
<b>date_added</b>	datetime	No	

## Table structure for table cp\_voucher\_theme

Column	Type	Null	Default
<b>voucher_theme_id</b>	int(11)	No	
image	varchar(255)	No	

## Table structure for table cp\_voucher\_theme\_description

Column	Type	Null	Default
<b>voucher_theme_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
name	varchar(32)	No	

## Table structure for table cp\_weight\_class

Column	Type	Null	Default
<b>weight_class_id</b>	int(11)	No	
value	decimal(15,8)	No	0.00000000

## Table structure for table cp\_weight\_class\_description

Column	Type	Null	Default
<b>weight_class_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
title	varchar(32)	No	
unit	varchar(4)	No	

## Table structure for table cp\_xml\_config

Column	Type	Null	Default
<b>id</b>	int(11)	No	
SalesDocType	varchar(60)	No	
SalesOrg	varchar(60)	No	
DistChannel	varchar(60)	No	
Division	varchar(60)	No	
OrderReason	varchar(60)	No	
ReasonCode	varchar(60)	No	

ItemCategory varchar(60) No

## Table structure for table cp\_xml\_generation

Column	Type	Null	Default
id	int(11)	No	
transaction_num	varchar(60)	Yes	NULL
stockist_id	bigint(20)	No	
claim_urn_number	varchar(60)	Yes	NULL
primary_ref_no	varchar(220)	No	
cn_amount	varchar(10)	No	
sale_doc_type	varchar(60)	Yes	NULL
sales_org	varchar(60)	Yes	NULL
dist_channel	varchar(60)	Yes	NULL
division	varchar(60)	Yes	NULL
sold_to_party	varchar(30)	Yes	NULL
doc_number	varchar(60)	Yes	NULL
doc_date	varchar(20)	Yes	NULL
actual_received_date	varchar(30)	No	
order_reason	varchar(255)	No	
comments	varchar(255)	No	
original_invoice_num	varchar(120)	No	
original_invoice_date	varchar(30)	No	
approval_req	varchar(60)	No	
approval_date	varchar(30)	No	
bill_number	varchar(60)	No	
bill_date	varchar(30)	No	
reason_code	varchar(60)	No	
item_catogery	varchar(60)	Yes	NULL
material	varchar(60)	Yes	NULL
batch	varchar(60)	Yes	NULL
quantity	varchar(30)	Yes	NULL
plant	varchar(30)	Yes	NULL
remarks	varchar(255)	Yes	NULL
hospital_name	varchar(120)	Yes	NULL
special_rate	double(10,2)	Yes	NULL

supply_rate	double(10,2)	Yes	NULL
commission_rate	double(10,2)	Yes	NULL
is_xml_genrated	bigint(20)	Yes	NULL
is_pdf_generated	int(11)	No	0
generated_pdf_name	varchar(120)	Yes	NULL
created_at	timestamp	No	CURRENT_TIMESTAMP

## Table structure for table cp\_zbdc

Column	Type	Null	Default
id	bigint(20)	No	
cond_type	varchar(255)	No	
sku_code	varchar(255)	No	
zbdc_value	double(10,2)	No	
start_date	date	No	
end_date	date	No	
created_at	timestamp	No	CURRENT_TIMESTAMP
updated_at	timestamp	Yes	NULL
created_by	int(11)	No	
updated_by	int(11)	Yes	NULL

## Table structure for table cp\_zdis

Column	Type	Null	Default
id	bigint(20)	No	
cond_type	varchar(255)	No	
sku_code	varchar(255)	No	
zdis_value	double(10,2)	No	
start_date	date	No	
end_date	date	No	
created_at	timestamp	No	CURRENT_TIMESTAMP
created_by	int(11)	No	
updated_at	timestamp	Yes	NULL
updated_by	int(11)	Yes	NULL

## Table structure for table cp\_zone

Column	Type	Null	Default
zone_id	int(11)	No	
country_id	int(11)	No	
name	varchar(128)	No	
code	varchar(32)	No	
status	tinyint(1)	No	1

## Table structure for table cp\_zone\_list

Column	Type	Null	Default
zone_id	smallint(6)	No	
zone_code	varchar(50)	Yes	NULL
zone_name	varchar(150)	Yes	NULL
sort_order	smallint(6)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_zone\_to\_geo\_zone

Column	Type	Null	Default
zone_to_geo_zone_id	int(11)	No	
country_id	int(11)	No	
zone_id	int(11)	No	0
geo_zone_id	int(11)	No	
date_added	datetime	No	
date_modified	datetime	No	

## Table structure for table cp\_zspf

Column	Type	Null	Default
id	bigint(20)	No	
cond_type	varchar(255)	No	
sku_code	varchar(255)	No	
amount	double(10,2)	No	
currency	varchar(255)	No	
start_date	date	No	

end_date	date	No
created_at	timestamp	No CURRENT_TIMESTAMP
created_by	int(11)	No
updated_at	timestamp	Yes NULL
updated_by	int(11)	Yes NULL

## Table structure for table TABLE 236

Column	Type	Null	Default
les_District	varchar(6)	Yes	NULL
Name_of_the_District	varchar(20)	Yes	NULL
createddatetime	varchar(23)	Yes	NULL