

# Database cipla

## Table structure for table cp\_approval\_history

Column	Type	Null	Default
approval_id	int(11)	No	
parent_id	int(11)	No	
status_id	int(10)	No	
approval_level_id	int(11)	No	
status_count	int(10)	No	
comment	varchar(100)	No	
entity_id	int(10)	No	
status_type_id	int(10)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	datetime	No	

## Table structure for table cp\_approval\_link

Column	Type	Null	Default
approval_link_id	bigint(20)	No	
parent_id	int(11)	No	
entity_id	tinyint(4)	No	
user_id	int(11)	No	
token	varchar(255)	Yes	NULL
is_mail_sent	tinyint(4)	No	
is_link_clicked	tinyint(4)	No	
created_date	datetime	No	current_timestamp()
valid_upto	datetime	Yes	NULL
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_approval\_status

Column	Type	Null	Default
status_id	tinyint(4)	No	
name	varchar(255)	Yes	NULL
level_of_order	tinyint(4)	No	
number_of_approval	int(11)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_capqty\_excel

Column	Type	Null	Default
id	bigint(20)	No	
special_rate_id	varchar(255)	No	
product_code	varchar(255)	No	
new_cap_qty	int(11)	No	
start_date	date	No	
end_date	date	No	
reason	text	Yes	NULL
status	int(11)	No	
created_at	timestamp	No	current_timestamp()

## Table structure for table cp\_cap\_qty\_utiliation

Column	Type	Null	Default
cp_qty_id	int(200)	No	
product_code	varchar(200)	No	
original_cap	int(100)	No	
updated_cap	int(100)	No	
utilised_cap	int(100)	No	
available_cap	int(100)	No	
status	int(4)	No	
created_at	timestamp	No	current_timestamp()
updated_at	datetime	No	

## Table structure for table cp\_cap\_quantity\_requested\_history

Column	Type	Null	Default
history_id	int(11)	No	
special_rate_product_id	int(11)	No	
special_rate_id	int(11)	No	
user_id	int(11)	No	
cap_quantity_requested	mediumint(9)	No	
created_date	datetime	No	current_timestamp()

## Table structure for table cp\_chemist\_doc

Column	Type	Null	Default
doc_id	int(255)	No	
doc_name	varchar(200)	No	
adduser	varchar(100)	No	
adddate	datetime	No	
moduser	varchar(200)	No	
moddate	datetime	No	
chemiest_id	int(100)	No	
doc_file_name	varchar(200)	No	

## Table structure for table cp\_chemist\_inactive\_history

Column	Type	Null	Default
chemist_inactive_history_id	int(255)	No	
parent_id	int(255)	No	
user_id	int(200)	No	
entity_id	int(10)	No	
inactive_type_id	int(10)	No	
inactive_reasons_id	int(10)	No	

comment	varchar(100)	No	
created_date	datetime	No	

## Table structure for table cp\_chemist\_master

Column	Type	Null	Default
<b>chemist_id</b>	int(255)	No	
chemist_code	varchar(255)	No	
chemist_name	varchar(255)	No	
chemist_type	varchar(100)	No	
depot_id	int(11)	No	
address1	varchar(255)	No	
address2	varchar(255)	No	
address3	varchar(255)	No	
pincode	varchar(100)	No	
state	varchar(100)	No	
city	varchar(100)	No	
contact_person	varchar(255)	No	
contact_email	varchar(255)	No	
contact_phone	varchar(200)	No	
contact_cell	varchar(200)	No	
gst_number	varchar(200)	No	
drug_license	varchar(200)	No	
license_number	varchar(100)	No	
license_number_20b	varchar(200)	No	
license_number_21	varchar(200)	No	
license_number_21b	varchar(200)	No	
aiocd	varchar(100)	No	
group_rate_spplicable	varchar(100)	No	
alliance_group	varchar(100)	No	

claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	NULL
remark	varchar(255)	No	
is_draft	tinyint(4)	No	
approval_status	tinyint(4)	No	
next_approval	int(11)	No	
approval_level_id	int(11)	No	
request_type	int(11)	No	
question_gstin_uploaded	tinyint(4)	No	
question_bill_copy	tinyint(4)	No	
question_gstin_match	int(11)	No	
question_bill_copy_match	int(11)	No	
chemist_drug_match	tinyint(4)	No	
customer_approvel	tinyint(4)	No	
adddate	datetime	No	
adduser	int(11)	No	
moduser	int(11)	No	
moddate	datetime	No	
status	varchar(100)	No	

**Table structure for table cp\_chemist\_stockiest**

Column	Type	Null	Default
<b>id</b>	int(100)	No	
stockiest_id	int(200)	No	
chemist_id	int(100)	No	
hospital_id	int(11)	No	
margin	varchar(200)	No	
group_rate_applicable	int(4)	No	
alliance_group	varchar(100)	No	

claim_inactive	int(4)	Yes	NULL
order_inactive	int(4)	Yes	NULL
request_inactive	int(4)	Yes	NULL
adduser	int(100)	No	
adddate	timestamp	No	current_timestamp()
mod_user	int(100)	No	
mod_date	datetime	Yes	NULL

## Table structure for table cp\_chemist\_stockist\_inactive\_history

Column	Type	Null	Default
chemist_stockist_inactive_history_id	int(100)	No	
chemist_id	int(100)	No	
stockist_id	int(11)	No	
user_id	int(100)	No	
inactive_type_id	int(100)	No	
inactive_reasons_id	int(100)	No	
comment	varchar(200)	No	
created_date	timestamp	No	current_timestamp()

## Table structure for table cp\_city

Column	Type	Null	Default
city_id	int(255)	No	
city_no	varchar(11)	Yes	NULL
city_name	varchar(255)	Yes	NULL
town_type	int(40)	No	
state_code	varchar(10)	Yes	NULL
state_id	int(40)	Yes	NULL
pincode	varchar(10)	Yes	NULL
state_name	varchar(100)	Yes	NULL
is_active	int(4)	No	1

## Table structure for table cp\_claim\_approval\_history

Column	Type	Null	Default
<b>approval_history</b>	int(10)	No	
claim_id	int(10)	No	
approval_level_id	int(10)	No	
comment	varchar(100)	No	
status_id	int(11)	No	
status_count	int(11)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	datetime	No	

**Table structure for table cp\_claim\_approval\_status**

Column	Type	Null	Default
<b>approval_status_id</b>	int(11)	No	
approval_name	varchar(100)	No	
level_of_order	int(11)	No	
number_of_approval	int(11)	No	
is_active	int(11)	No	

**Table structure for table cp\_claim\_audit\_reject\_reasons**

Column	Type	Null	Default
<b>audit_reason_id</b>	int(11)	No	
reasons	varchar(250)	No	
is_active	int(11)	No	
sort_order	int(11)	No	
created_at	datetime	No	current_timestamp()
updated_at	datetime	No	current_timestamp()

**Table structure for table cp\_claim\_history\_master**

Column	Type	Null	Default
--------	------	------	---------

<b>history_id</b>	int(255)	No	
urn_number	varchar(200)	No	
claim_id	int(200)	No	
action	varchar(200)	No	
comment	varchar(200)	No	
modified_data	varchar(200)	Yes	NULL
action_by	int(200)	No	
last_action_date	datetime	No	
created_at	datetime	No	
updated_at	datetime	No	

## Table structure for table cp\_claim\_master

Column	Type	Null	Default
<b>claim_id</b>	int(11)	No	
claim_order_id	int(11)	No	
claim_order_number	varchar(200)	No	
claim_parent_urn_number	varchar(20)	Yes	NULL
claim_urn_number	varchar(200)	No	
claim_invoice_number	varchar(200)	No	
claim_request_number	varchar(255)	No	
claim_type	int(11)	No	
claim_order_type	int(11)	No	
claim_invoice_date	date	No	
claim_invoice_value	varchar(200)	No	
e_way_bill_number	varchar(200)	No	
claim_raiseing_date	date	No	
claim_taken_days	int(11)	No	
claim_purchase_order_number	varchar(200)	No	
claim_secondary_order_number	varchar(200)	No	
claim_hospital_id	int(11)	No	



claim_chemist_id	int(11)	No	
claim_stockiest_id	int(11)	No	
claim_depot	int(11)	No	
claim_zone	int(11)	No	
claim_status	int(11)	No	
claim_audit_status	int(11)	Yes	NULL
total_rate_difference	varchar(100)	No	
total_igst	varchar(100)	No	
total_cgst	varchar(100)	No	
total_sgst	varchar(100)	No	
total_tax	varchar(100)	No	
total_cn_amount	varchar(100)	No	
total_margin	varchar(100)	No	
claim_rejection_comment	varchar(200)	No	
claim_query_pending	int(11)	Yes	NULL
claim_rejection_reason	varchar(500)	No	
claim_sendback_reason	varchar(500)	No	
claim_callback_reason	varchar(500)	No	
audit_hold_comments	varchar(500)	No	
audit_rej_reasons	varchar(500)	No	
claim_user	int(11)	No	
claim_indexer	int(11)	No	
claim_verifier	int(11)	No	
assigned_to	int(11)	No	
is_reprocessed	int(11)	No	0
reprocessed_comments	varchar(500)	No	
claim_send_to	int(11)	No	
next_approval_user	int(11)	No	1
approval_level	int(11)	No	1
is_verified	int(11)	No	1
is_active	int(11)	No	1

is_approved	int(11)	No	1
last_action_by	int(11)	No	1
last_action_date	datetime	No	current_timestamp()
claim_updated_at	timestamp	No	current_timestamp()
claim_created_at	timestamp	No	current_timestamp()
stockiest_user	int(11)	No	0
stockist_reject_comment	int(11)	No	0

## Table structure for table cp\_claim\_products

Column	Type	Null	Default
<b>claim_product_id</b>	int(11)	No	
claim_parent_urn_number	varchar(50)	Yes	NULL
claim_urn_number	varchar(100)	No	
product_code	varchar(20)	No	
po_order	varchar(30)	No	
chemist_name	varchar(100)	No	
chemist_code	varchar(100)	No	
hospital_name	varchar(100)	No	
hospital_code	varchar(100)	No	
order_qty	varchar(10)	No	
invoice_date	date	Yes	NULL
invoice_qty	varchar(100)	No	
primary_ref_no	varchar(20)	No	
special_rate_ref_no	varchar(30)	No	
batch_no	varchar(20)	No	
product_name	varchar(250)	No	
billed_rate	varchar(20)	No	
nrv	varchar(20)	No	
net_available_qty	varchar(100)	No	
approved_rate	varchar(20)	No	
margin	varchar(10)	No	

margin_percent	varchar(30)	No	
rate_difference	varchar(20)	No	
igst_rate	varchar(10)	No	
cgst_rate	varchar(10)	No	
sgst_rate	varchar(10)	No	
ugst_rate	varchar(100)	No	
igst_amount	varchar(100)	No	
cgst_amount	varchar(100)	No	
sgst_amount	varchar(100)	No	
ugst_amount	varchar(100)	No	
total_tax	varchar(10)	No	
cn_amount	varchar(10)	No	
rejected	varchar(15)	No	
reject_reason	varchar(100)	No	
rbm_id	int(11)	No	
rbm_status	int(11)	No	
rbm_reject_reson	int(11)	No	
is_rbm_not_found	int(100)	No	0
order_type	varchar(30)	No	
is_draft	int(11)	No	0
inv_ref_id	int(11)	No	
user_id	int(11)	No	
is_reprocessed	int(11)	No	0
reprocessed_comments	varchar(500)	Yes	NULL
reprocessed_urn	varchar(100)	Yes	NULL
product_status	int(11)	No	1
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()
created_by_stockist	int(11)	Yes	0

**Table structure for table cp\_claim\_query\_rejections**

Column	Type	Null	Default
query_id	int(11)	No	
claim_id	int(11)	No	
claim_urn	varchar(50)	No	
query_rej_user	int(11)	No	
query_subject	varchar(200)	No	
query_type	int(11)	No	1
email_to	varchar(200)	No	
replyt_to	varchar(200)	No	
queries	varchar(500)	No	
query_created_at	timestamp	No	current_timestamp()

**Table structure for table cp\_claim\_query\_type**

Column	Type	Null	Default
claim_query_id	int(11)	No	
claim_query_type	varchar(200)	No	
is_active	int(11)	No	1
is_sort	int(11)	No	0
claim_query_updated_at	timestamp	No	current_timestamp()
claim_query_created_at	timestamp	No	current_timestamp()

**Table structure for table cp\_claim\_rejections**

Column	Type	Null	Default
claim_rej_id	int(11)	No	
claim_id_master	int(11)	Yes	NULL
rejection_type	int(11)	No	
claim_order_id	varchar(20)	No	
urn_number	varchar(20)	No	
invoice_number	varchar(25)	No	
invoice_date	date	Yes	NULL
rej_user_id	int(11)	No	

comment	int(11)	No	
status	int(11)	No	
created_at	datetime	No	current_timestamp()
updated_at	datetime	No	current_timestamp()

### Table structure for table cp\_classification

Column	Type	Null	Default
<b>classification_id</b>	tinyint(4)	No	
classification_code	varchar(20)	Yes	NULL
classification_name	varchar(100)	Yes	NULL
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

### Table structure for table cp\_cluster\_new

Column	Type	Null	Default
<b>cluster_id</b>	int(11)	No	
cluster_name	varchar(255)	Yes	NULL
created_at	datetime	No	

### Table structure for table cp\_cluster\_therapy\_relation

Column	Type	Null	Default
<b>relation_id</b>	int(11)	No	
cluster_id	int(11)	No	
therapy_id	int(11)	No	
created_date	datetime	No	current_timestamp()

### Table structure for table cp\_commom\_status

Column	Type	Null	Default
<b>id</b>	int(11)	No	
status_name	varchar(50)	No	
sort_order	int(11)	No	

is_active	tinyint(4)	No	
-----------	------------	----	--

## Table structure for table cp\_depot\_plant

Column	Type	Null	Default
<b>depot_plant_id</b>	int(11)	No	
depot_plant_number	varchar(20)	Yes	NULL
depot_plant_code	varchar(10)	Yes	NULL
depot_plant_name	varchar(100)	Yes	NULL
is_active	tinyint(4)	No	
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_designation

Column	Type	Null	Default
<b>designation_id</b>	smallint(6)	No	
designation_code	varchar(20)	Yes	NULL
designation_name	varchar(255)	Yes	NULL
designation_type	varchar(20)	Yes	NULL
designation_level	tinyint(4)	No	
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_employee\_master\_sap

Column	Type	Null	Default
<b>id</b>	int(200)	No	
employee_code	varchar(200)	Yes	NULL
display_name	varchar(200)	Yes	NULL
first_name	varchar(200)	Yes	NULL
middle_name	varchar(200)	Yes	NULL
last_name	varchar(200)	Yes	NULL
email_address	varchar(200)	Yes	NULL
position_id	varchar(200)	Yes	NULL
manager	varchar(200)	Yes	NULL
employee_status	varchar(200)	Yes	NULL

legal_entity	varchar(100)	Yes	NULL
division_name	varchar(100)	Yes	NULL
sub_dept_1_id	varchar(100)	Yes	NULL
cluster	varchar(100)	Yes	NULL
therapy_field	varchar(100)	Yes	NULL
sub_therapy_field	varchar(100)	Yes	NULL
therapy_nonfield	varchar(100)	Yes	NULL
subtherapy_nonfield	varchar(100)	Yes	NULL
sub_subtherapy_nonfield	varchar(200)	Yes	NULL
cost_center_id	varchar(200)	Yes	NULL
uniquerole_label	varchar(200)	Yes	NULL
reviseduniquerole	varchar(200)	Yes	NULL
unique_role_name	varchar(200)	Yes	NULL
location_name	varchar(200)	Yes	NULL
BHQ	varchar(200)	Yes	NULL
rev_subtherapy_code	varchar(200)	Yes	NULL
designation	varchar(200)	Yes	NULL
field_nonfield	varchar(100)	Yes	NULL

**Table structure for table cp\_freeof\_cost\_goods**

Column	Type	Null	Default
<b>foc_id</b>	int(11)	No	
foc_hospital_id	int(11)	No	
foc_hospital_code	varchar(100)	No	
foc_hospital_name	varchar(100)	No	
account_category	int(4)	No	
city	varchar(50)	No	
state	int(11)	No	
zone	int(11)	No	
foc_code	varchar(100)	No	
budget_tracker_name	varchar(50)	No	
user_id	int(11)	No	
foc_start_date	date	No	
foc_end_date	date	No	

fixed_rate_foc	varchar(200)	No	
rbm_name	varchar(100)	No	
reconciliation_period	int(20)	No	
is_draft	int(4)	No	
approval_status	int(4)	No	
approval_level	int(11)	No	
next_approval_user	int(11)	No	
last_action_by	int(11)	No	
last_action_date	date	No	
is_approved	int(4)	No	
foc_is_active	tinyint(4)	No	
approved_date	datetime	No	
foc_created_date	timestamp	No	current_timestamp()
foc_updated_date	timestamp	No	current_timestamp()

## Table structure for table cp\_freeof\_cost\_goods\_approval\_history

Column	Type	Null	Default
history_id	int(11)	No	
parent_id	int(11)	No	
status_id	int(11)	No	
approval_level_id	int(11)	No	
status_count	int(4)	No	
comment	varchar(100)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	timestamp	No	current_timestamp()

## Table structure for table cp\_freeof\_cost\_goods\_approval\_status



Column	Type	Null	Default
<b>approval_status_id</b>	int(11)	No	
approval_name	varchar(100)	No	
level_of_order	int(11)	No	
number_of_approval	int(11)	No	
is_active	int(11)	No	

## Table structure for table cp\_freeof\_cost\_goods\_product

Column	Type	Null	Default
<b>foc_product_id</b>	int(11)	No	
foc_id	int(11)	No	
product_id	int(11)	No	
product_sku	varchar(50)	No	
product_mrp	decimal(10,2)	No	
cap_qty	int(11)	No	
effective_rate	decimal(10,2)	No	
current_year_rate	int(11)	No	
min_order	int(11)	No	
free_qty	int(11)	No	
scheme	int(11)	No	
product_created_date	timestamp	No	current_timestamp()
product_updated_date	timestamp	No	current_timestamp()

## Table structure for table cp\_group\_customer\_type

Column	Type	Null	Default
<b>id</b>	int(11)	No	
code	varchar(100)	No	
name	varchar(255)	No	
is_active	tinyint(4)	No	
created_date	timestamp	No	current_timestamp()

updated_date	datetime	No	
--------------	----------	----	--

## Table structure for table cp\_group\_hospital

Column	Type	Null	Default
<b>group_hospital_id</b>	int(11)	No	
group_hospital_code	varchar(20)	Yes	NULL
group_hospital_name	varchar(100)	Yes	NULL
group_customer_type_id	int(11)	No	
is_active	tinyint(4)	No	
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_hospital

Column	Type	Null	Default
<b>hospital_id</b>	int(11)	No	
user_id	int(11)	No	
hospital_code	varchar(20)	Yes	NULL
alliance_tag	tinyint(4)	No	
hospital_name	varchar(255)	Yes	NULL
account_category	tinyint(4)	No	
hospital_classification	tinyint(4)	No	
hospital_type	tinyint(4)	No	
group_hospital_name	int(11)	No	
group_customer_type	mediumint(9)	No	
group_hospital_code	int(11)	No	
rc_tag	tinyint(4)	No	
rc_validity_from	date	Yes	NULL
rc_validity_to	date	Yes	NULL
expected_monthly_business	decimal(10,0)	No	
purchase_order_from_hospital	tinyint(4)	No	
undertaking_document	varchar(255)	Yes	NULL

no_of_beds	decimal(10,0)	No	
no_of_icu	decimal(10,0)	No	
no_of_opd	decimal(10,0)	No	
maximum_capacity	decimal(10,0)	No	
key_doctor_name	varchar(255)	Yes	NULL
monitoring_level	mediumint(9)	No	
rate_contract	tinyint(4)	No	
other_rc_counters	tinyint(4)	No	
address1	varchar(255)	Yes	NULL
address2	varchar(255)	Yes	NULL
address3	varchar(255)	Yes	NULL
pincode	varchar(10)	Yes	NULL
territory	int(11)	No	
depot	int(11)	No	
state	mediumint(9)	No	
city	varchar(100)	Yes	NULL
zone	smallint(6)	No	
mini_region	varchar(100)	Yes	NULL
town_type	varchar(100)	Yes	NULL
contact_person	varchar(100)	Yes	NULL
contact_email	varchar(100)	Yes	NULL
contact_phone	varchar(20)	Yes	NULL
contact_cell	varchar(20)	Yes	NULL
specialities	varchar(20)	Yes	NULL
registration_number	varchar(50)	Yes	NULL
registration_number_document	varchar(255)	Yes	NULL
gstin_exempt	tinyint(4)	No	
gstin_document	varchar(255)	Yes	NULL
gstin_number	varchar(255)	Yes	NULL
pan_number	varchar(20)	Yes	NULL
cluster	int(11)	No	
therapy	int(11)	No	
remarks	varchar(500)	Yes	NULL
approval_status	tinyint(4)	No	

next_approval	int(11)	No	
approval_level_id	int(11)	No	
request_type	int(11)	No	
question_gstin_uploaded	int(11)	No	
question_registration_certificat	int(11)	No	
question_gstin_match	int(11)	No	
question_registration_match	int(11)	No	
customer_approvel	tinyint(4)	No	
is_draft	tinyint(4)	No	
is_active	tinyint(4)	No	
claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	0
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()
deleted_by	int(11)	No	
deleted_at	timestamp	Yes	NULL

**Table structure for table cp\_hospital\_classification**

Column	Type	Null	Default
<b>hospital_classification_id</b>	tinyint(4)	No	
hospital_classification_name	varchar(255)	Yes	NULL
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

**Table structure for table cp\_hospital\_division**

Column	Type	Null	Default
<b>hospital_division_id</b>	int(11)	No	
hospital_id	int(11)	No	
classification_id	tinyint(4)	No	
division_id	int(11)	No	

created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_hospital\_others\_document

Column	Type	Null	Default
document_id	int(11)	No	
hospital_id	int(11)	No	
file_name	varchar(255)	Yes	NULL
file_path	varchar(300)	Yes	NULL
created_by	int(11)	No	
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_hospital\_other\_info

Column	Type	Null	Default
hospital_other_info_id	int(11)	No	
hospital_id	int(11)	No	
cluster_id	int(11)	No	
therapy_id	int(11)	No	

## Table structure for table cp\_hospital\_type

Column	Type	Null	Default
hospital_type_id	int(11)	No	
hospital_type_code	varchar(100)	Yes	NULL
hospital_type_name	varchar(255)	Yes	NULL
is_active	tinyint(4)	No	
created_date	timestamp	No	current_timestamp()
updated_date	datetime	No	

## Table structure for table cp\_HQ\_Master\_sap

Column	Type	Null	Default
hq_id	int(255)	No	

CUSTOMER_CODE	varchar(200)	No	
STOCKIST_NAME	varchar(200)	No	
SAP_TERRITORY_CODE	varchar(100)	Yes	NULL
SAP_TERRITORY_NAME	varchar(200)	Yes	NULL
SUB_THERAPY_CODE	varchar(100)	Yes	NULL
REV_SUB_THERAPY_CODE	varchar(100)	Yes	NULL
TBM_HQ	varchar(100)	Yes	NULL
TM_DIV	varchar(100)	Yes	NULL
ABM_HQ	varchar(100)	Yes	NULL
ABM_DIV	varchar(100)	Yes	NULL
RBM_HQ	varchar(100)	Yes	NULL
RBM_DIV	varchar(100)	Yes	NULL
ZBM_HQ	varchar(100)	Yes	NULL
ZBM_DIV	varchar(100)	Yes	NULL
DSH_HQ	varchar(100)	Yes	NULL
BU	varchar(100)	Yes	NULL
SENIOR_BU	varchar(100)	Yes	NULL
CLUSTER	varchar(100)	Yes	NULL
ALL_INDIA	varchar(100)	Yes	NULL
REMARK_1	varchar(100)	Yes	NULL
REMARK_2	varchar(100)	Yes	NULL
REMARK_3	varchar(100)	Yes	NULL
CREATEDBY	varchar(100)	Yes	NULL
DSH_Div	varchar(100)	Yes	NULL

**Table structure for table cp\_hsn\_tax\_master**

Column	Type	Null	Default
id	int(11)	No	
hsn	varchar(60)	Yes	NULL
valid_from	varchar(20)	Yes	NULL
valid_to	varchar(20)	Yes	NULL
cgst	double(10,2)	Yes	NULL
igst	double(10,2)	Yes	NULL
sgst	double(10,2)	Yes	NULL
ugst	double(10,2)	Yes	NULL
total_tax	double(10,2)	Yes	NULL
created_at	timestamp	No	current_timestamp()

## Table structure for table cp\_inactive\_history

Column	Type	Null	Default
inactive_history_id	bigint(20)	No	
parent_id	int(11)	No	
user_id	int(11)	No	
entity_id	tinyint(4)	No	
inactive_type_id	tinyint(4)	No	
inactive_reasons_id	tinyint(4)	No	
comment	varchar(500)	Yes	NULL
created_date	datetime	No	current_timestamp()

## Table structure for table cp\_inactive\_reasons

Column	Type	Null	Default
id	tinyint(4)	No	
name	varchar(255)	Yes	NULL
flag_color	varchar(100)	Yes	NULL
is_active	tinyint(4)	No	

## Table structure for table cp\_inactive\_type

Column	Type	Null	Default
inactive_type_id	tinyint(4)	No	
code	varchar(20)	Yes	NULL
name	varchar(100)	Yes	NULL
is_active	tinyint(4)	No	

## Table structure for table cp\_invoice\_qty\_utilisation

Column	Type	Null	Default
invoice_qty_id	int(100)	No	
invoice_no	int(100)	No	
invoice_qty	int(100)	No	
claimed_qty	int(100)	No	

available_qty	int(100)	No	
product_mrp	varchar(100)	No	
created_date	timestamp	No	current_timestamp()
updated_date	datetime	No	

**Table structure for table cp\_mail\_config**

Column	Type	Null	Default
<b>mailconfig_id</b>	int(11)	No	
process_name	varchar(250)	No	
email	varchar(450)	No	
password	varchar(250)	No	
status	enum('Active', 'Inactive')	No	Active
created_at	timestamp	No	current_timestamp()
created_by	int(11)	No	
updated_by	int(11)	No	
updated_at	timestamp	Yes	NULL

**Table structure for table cp\_mail\_status**

Column	Type	Null	Default
<b>mail_status_id</b>	bigint(20)	No	
send_to	int(11)	No	
email	varchar(255)	No	
is_mail_sent	tinyint(4)	No	0
created_date	datetime	No	current_timestamp()
updated_date	datetime	Yes	NULL

**Table structure for table cp\_Material\_HSN\_SAP**

Column	Type	Null	Default
Material_Number	varchar(200)	No	
HSN_Number	varchar(200)	No	

**Table structure for table cp\_material\_master**



Column	Type	Null	Default
<b>material_id</b>	int(11)	No	
material_code	int(11)	No	
product_division	int(11)	No	
unit_of_measurement	varchar(100)	Yes	NULL
product_description	varchar(500)	Yes	NULL
packsize	varchar(50)	Yes	NULL
classification	int(11)	No	
tax_category	varchar(50)	Yes	NULL
tax_category_code	varchar(50)	Yes	NULL
hsnno	int(11)	No	
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

### Table structure for table cp\_material\_tax\_master

Column	Type	Null	Default
id	int(11)	No	
material	varchar(60)	Yes	NULL
valid_from	varchar(30)	Yes	NULL
valid_to	varchar(30)	Yes	NULL
cgst	double(10,2)	Yes	NULL
igst	double(10,2)	Yes	NULL
sgst	double(10,2)	Yes	NULL
ugst	double(10,2)	Yes	NULL
total_tax	double(10,2)	Yes	NULL
created_at	timestamp	Yes	current_timestamp()

### Table structure for table cp\_mrp\_master

Column	Type	Null	Default
<b>mrp_master_id</b>	int(11)	No	
stk_no	bigint(20)	Yes	NULL
net_pts	decimal(10,2)	Yes	NULL
net_comp	decimal(10,2)	Yes	NULL
min_qty	mediumint(9)	No	
min_comp	decimal(10,2)	Yes	NULL

ibc_mrp	decimal(10,2)	Yes	NULL
dsrt_y	varchar(10)	Yes	NULL
cog_rt	decimal(10,2)	Yes	NULL
cap_qty	mediumint(9)	No	
adddate	datetime	Yes	NULL
adduser	varchar(20)	Yes	NULL
moddate	datetime	Yes	NULL
moduser	varchar(20)	Yes	NULL
ostk_no	varchar(20)	Yes	NULL
thresh_hold	decimal(10,2)	Yes	NULL
gstkat_no	varchar(20)	Yes	NULL
stkat_no	varchar(20)	Yes	NULL
stkclsf_no	varchar(20)	Yes	NULL
stkcls_no	varchar(20)	Yes	NULL
block_y	varchar(10)	Yes	NULL
cluster	varchar(20)	Yes	NULL
chgre	varchar(50)	Yes	NULL

## Table structure for table cp\_orders

Column	Type	Null	Default
<b>order_id</b>	int(11)	No	
orderID	varchar(26)	Yes	NULL
hospital_id	int(11)	Yes	NULL
chemist_id	int(11)	Yes	NULL
stockist_id	int(11)	Yes	NULL
document_id	int(11)	Yes	NULL
other_document_id	int(11)	No	
depot_id	int(11)	Yes	NULL
hospital_code	varchar(64)	Yes	NULL
chemist_code	varchar(100)	Yes	NULL
stockist_code	varchar(100)	Yes	NULL
price	decimal(15,4)	Yes	NULL
amount	decimal(15,4)	Yes	NULL
tax	decimal(15,4)	Yes	NULL
total	decimal(15,4)	Yes	0.0000
order_date	date	Yes	NULL
communication_date	date	Yes	NULL

order_source	varchar(100)	Yes	NULL
order_status_id	int(11)	Yes	0
receipt_name	varchar(100)	Yes	NULL
ip	varchar(40)	Yes	NULL
added_by	int(11)	Yes	NULL
date_added	timestamp	Yes	current_timestamp()
updated_by	int(11)	Yes	NULL
date_modified	timestamp	Yes	NULL
deleted_by	int(11)	Yes	NULL
date_deleted	timestamp	Yes	NULL

### Table structure for table cp\_order\_document

Column	Type	Null	Default
order_document_id	int(11)	No	
order_id	int(11)	No	
file_name	varchar(100)	No	
comment	text	No	
doc_type	varchar(100)	No	Primary
date_added	timestamp	No	current_timestamp()
added_by	int(11)	No	

### Table structure for table cp\_order\_history

Column	Type	Null	Default
order_history_id	int(11)	No	
order_id	int(11)	No	
order_status_id	int(11)	No	
notify	tinyint(1)	No	0
comment	text	No	
date_added	timestamp	No	current_timestamp()
added_by	int(11)	No	

### Table structure for table cp\_order\_product

Column	Type	Null	Default
--------	------	------	---------

<b>order_product_id</b>	int(11)	No	
order_id	int(11)	No	
product_id	int(11)	No	
name	varchar(255)	No	
model	varchar(64)	No	
quantity	int(4)	No	
this_month	varchar(100)	No	
ptr	decimal(15,4)	No	0.0000
pts	decimal(15,4)	No	0.0000
amount	decimal(15,4)	No	0.0000
price	decimal(15,4)	No	0.0000
total	decimal(15,4)	No	0.0000
tax	decimal(15,4)	No	0.0000
rate_type	varchar(100)	No	PTR
sp_id	varchar(100)	Yes	NULL
reward	int(8)	No	
cap_quantity	int(11)	No	1
added_by	int(11)	No	
added_date	timestamp	No	current_timestamp()
updated_by	int(11)	Yes	NULL
updated_date	timestamp	Yes	NULL
deleted_by	int(11)	No	
deleted_date	datetime	Yes	NULL

## Table structure for table cp\_order\_status

Column	Type	Null	Default
<b>order_status_id</b>	int(11)	No	
<b>language_id</b>	int(11)	No	
name	varchar(32)	No	

## Table structure for table cp\_Plant\_Details\_SAP

Column	Type	Null	Default
<b>depot_plant_id</b>	int(200)	No	

plant	varchar(200)	No	
name	varchar(200)	No	
customer_number_of_plant	varchar(200)	No	
name_2	varchar(200)	No	
house_number_and_street	varchar(200)	Yes	NULL
postal_code	varchar(200)	Yes	NULL
city	varchar(200)	Yes	NULL
purchasing_organization	varchar(100)	Yes	NULL
region_state_province_county	varchar(50)	Yes	NULL
address	varchar(100)	No	

## Table structure for table cp\_Plant\_License\_SAP

Column	Type	Null	Default
depot_plant__license_id	int(100)	No	
Customer_number	varchar(200)	No	
Plant	varchar(100)	No	
Name	varchar(200)	No	
20B._Lic._No	varchar(200)	No	
20B_Expiry_Date	varchar(100)	No	
21B._Lic._No	varchar(200)	No	
21B_Expiry_Date	varchar(100)	No	
GSTIN	varchar(200)	No	

## Table structure for table cp\_po\_utilisation

Column	Type	Null	Default
utilisation_id	int(200)	No	
po_number	varchar(200)	No	
product_code	varchar(100)	No	
ordered_qty	int(100)	No	
claimed_qty	int(100)	No	

available_qty	int(100)	No	
created_date	timestamp	No	current_timestamp()
updated_date	datetime	No	

## Table structure for table cp\_pricecalculation\_master

Column	Type	Null	Default
id	bigint(20)	No	
material_id	int(11)	No	
mrp	double(10,2)	No	
retailer_margin	double(10,2)	Yes	NULL
trader_margin	double(10,2)	Yes	NULL
tax	double(10,2)	Yes	NULL
rate_before_tax	double(10,2)	Yes	NULL
ptr	double(10,2)	Yes	NULL
pts	double(10,2)	Yes	NULL
zdisnet_pts	varchar(255)	Yes	NULL
zspf_netpts	varchar(255)	Yes	NULL
zbdn_netpts	varchar(255)	Yes	NULL
COGS	varchar(255)	Yes	NULL
cap_qty	int(11)	Yes	NULL
start_date	date	Yes	NULL
end_date	date	Yes	NULL
created_at	timestamp	No	current_timestamp()

## Table structure for table cp\_primary\_invoice\_master

Column	Type	Null	Default
id	int(11)	No	
InvoiceNum	varchar(120)	Yes	NULL
ReferenceDoc	varchar(60)	Yes	NULL
ReferenceDocDate	varchar(20)	Yes	NULL
InvoiceType	varchar(20)	Yes	NULL
ItemCategory	varchar(30)	Yes	NULL
InvoiceDate	varchar(20)	Yes	NULL
SoldToParty	varchar(120)	Yes	NULL
Payer	varchar(120)	Yes	NULL

CompanyCode	varchar(120)	Yes	NULL
PlantCode	varchar(60)	Yes	NULL
StockistOrderNo	varchar(60)	Yes	NULL
PODate	varchar(20)	Yes	NULL
ProdCode	varchar(30)	Yes	NULL
ProductName	varchar(255)	Yes	NULL
Pack	varchar(30)	Yes	NULL
BatchNum	varchar(60)	Yes	NULL
ExpiryDate	varchar(20)	Yes	NULL
PTR	double(10,2)	Yes	NULL
PTS	double(10,2)	Yes	NULL
MRP	double(10,2)	Yes	NULL
Qty	bigint(20)	Yes	NULL
FreeQty	bigint(20)	Yes	NULL
NetAmount	double(10,2)	Yes	NULL
JocgPer	bigint(20)	Yes	NULL
JocgAmt	double(10,2)	Yes	NULL
JosgPer	bigint(20)	Yes	NULL
JosgAmt	double(10,2)	Yes	NULL
JougPer	bigint(20)	Yes	NULL
JougAmt	double(10,2)	Yes	NULL
JoigPer	bigint(20)	Yes	NULL
JoigAmt	double(10,2)	Yes	NULL
created_at	timestamp	No	current_timestamp()

**Table structure for table  
cp\_primary\_invoice\_master\_recon**

Column	Type	Null	Default
id	int(11)	No	
parent_reference_invoicenum	varchar(120)	No	
parent_reference_invoice_date	varchar(120)	No	
sold_to_party	bigint(20)	No	
stockist_order_no	varchar(120)	No	
prod_code	bigint(20)	No	
batch_num	varchar(120)	No	

ptr	double(10,2)	No	
pts	double(10,2)	No	
mrp	double(10,2)	No	
billed_qty	varchar(30)	No	
free_qty	varchar(30)	No	
cancelled_qty	varchar(30)	No	
returned_qty	varchar(30)	No	
net_qty	varchar(30)	No	
claimed	int(11)	No	
net_available	int(11)	No	
created_at	timestamp	No	current_timestamp()
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_primary\_sale

Column	Type	Null	Default
<b>rownum</b>	varchar(200)	No	
InvoiceNum	varchar(200)	Yes	NULL
InvoiceItem	varchar(200)	Yes	NULL
InvoiceType	varchar(200)	Yes	NULL
ItemCategory	varchar(100)	Yes	NULL
InvoiceDate	date	Yes	NULL
StockistOrderNo	varchar(200)	Yes	NULL
PODate	varchar(100)	Yes	NULL
ChequeNo	varchar(200)	Yes	NULL
PaymentDueDate	date	Yes	NULL
TransporterName	varchar(200)	Yes	NULL
LRNum	varchar(200)	Yes	NULL
LRDate	date	Yes	NULL
Destination	varchar(200)	Yes	NULL
Cases	varchar(200)	Yes	NULL
ProdCode	varchar(200)	Yes	NULL
UPC	varchar(200)	Yes	NULL
ProductName	text	Yes	NULL
Pack	varchar(200)	Yes	NULL



ManufacturerName	text	Yes	NULL
BatchNum	varchar(100)	Yes	NULL
ExpiryDate	date	Yes	NULL
VatAppliedOn	varchar(200)	Yes	NULL
VatOnFG	varchar(200)	Yes	NULL
VatPerc	varchar(200)	Yes	NULL
PTR	varchar(200)	Yes	NULL
PTS	varchar(100)	Yes	NULL
MRP	varchar(100)	Yes	NULL
ExciseDuty	varchar(100)	Yes	NULL
EducationCess	varchar(200)	Yes	NULL
Qty	varchar(200)	Yes	NULL
FreeQty	varchar(100)	Yes	NULL
AddVat	varchar(100)	Yes	NULL
Octroi	varchar(100)	Yes	NULL
DebitNote	varchar(100)	Yes	NULL
DebitAmount	varchar(100)	Yes	NULL
CreditNote1	varchar(100)	Yes	NULL
CreditNoteAmount1	text	Yes	NULL
CreditNote2	varchar(100)	Yes	NULL
CreditNoteAmount2	varchar(100)	Yes	NULL
CreditNote3	varchar(100)	Yes	NULL
CreditNoteAmount3	varchar(100)	Yes	NULL
RoundOff	varchar(100)	Yes	NULL
NetAmount	varchar(100)	Yes	NULL
CustomerPlant	varchar(100)	Yes	NULL
Customer	varchar(100)	Yes	NULL
CustomerSO	varchar(100)	Yes	NULL
OrgFile_Name	varchar(100)	Yes	NULL
OrgFile_Status	varchar(100)	Yes	NULL
PTSND	varchar(100)	Yes	NULL
ReferenceDoc	varchar(100)	Yes	NULL
ReferenceDocDate	varchar(100)	Yes	NULL
JocgPer	varchar(100)	Yes	NULL
JocgAmt	varchar(100)	Yes	NULL
JosgPer	varchar(100)	Yes	NULL
JosgAmt	varchar(100)	Yes	NULL
JougPer	varchar(100)	Yes	NULL
JougAmt	varchar(100)	Yes	NULL

JoigPer	varchar(100)	Yes	NULL
JoigAmt	varchar(100)	Yes	NULL
PtsWoDis	varchar(100)	Yes	NULL
DisPer	varchar(100)	Yes	NULL
DisAmt	varchar(100)	Yes	NULL

## Table structure for table cp\_Product\_Enrichment\_HSN

Column	Type	Null	Default
<b>p_id</b>	int(255)	No	
HSN_Number	varchar(255)	Yes	NULL
Material_number	varchar(255)	No	
Product_Name	varchar(200)	No	
Sub_Therapy_Code	varchar(100)	Yes	NULL
Sub_Therapy_Name	varchar(200)	Yes	NULL
Therapy_Code	varchar(200)	Yes	NULL
Therapy_Name	varchar(200)	Yes	NULL
Cluster_Code	varchar(100)	Yes	NULL
CLUSTER_NAME	varchar(200)	Yes	NULL
MOLECULE_NAME	varchar(200)	Yes	NULL
FAMILY_NAME	varchar(200)	Yes	NULL
BRAND_NAME	varchar(200)	Yes	NULL
PRODUCT_CATEGORY	varchar(200)	Yes	NULL
CATEGORY_2	varchar(200)	Yes	NULL
DOSAGE	varchar(200)	Yes	NULL
PRODUCT_BRAND	varchar(200)	Yes	NULL
LAUNCH	varchar(200)	Yes	NULL
LAUNCH_YEAR	varchar(200)	Yes	NULL
ILD_TAGGING	varchar(200)	Yes	NULL
CHL_TAGGING	varchar(200)	Yes	NULL
NEW_PRODUCT_FLAG_YES_OR_NO	varchar(200)	Yes	NULL
PROD_ATTR_1	varchar(200)	Yes	NULL
PROD_ATTR_2	varchar(200)	Yes	NULL
PROD_ATTR_3	varchar(200)	Yes	NULL
PROD_ATTR_4	varchar(200)	Yes	NULL
PROD_ATTR_5	varchar(200)	Yes	NULL
PROD_ATTR_6	varchar(200)	Yes	NULL
PROD_ATTR_7	varchar(200)	Yes	NULL

PROD_ATTR_8	varchar(200)	Yes	NULL
PROD_ATTR_9	varchar(100)	Yes	NULL
PROD_ATTR_10	varchar(200)	Yes	NULL
sku_code	varchar(200)	Yes	NULL

## Table structure for table cp\_product\_master

Column	Type	Null	Default
product_master_id	int(11)	No	
sku_code	int(11)	No	
product_name	varchar(50)	No	
sub_therapy_code	varchar(5)	No	
sub_therapy_name	varchar(50)	No	
therapy_code	varchar(5)	No	
therapy_name	varchar(50)	No	
cluster_code	varchar(10)	No	
cluster_name	varchar(50)	No	
molecule_name	varchar(15)	Yes	NULL
family_name	varchar(50)	No	
brand_name	varchar(50)	No	
product_category	int(1)	No	
category_2	int(1)	No	
dosage	varchar(50)	No	
product_brand	varchar(50)	No	
launch	int(11)	No	
launch_year	int(11)	No	
ild_tagging	varchar(15)	No	
chl_tagging	varchar(15)	No	
new_ppp	varchar(5)	No	
ppp_name	varchar(25)	No	
new_product_flag	varchar(5)	No	

prod_attr1	varchar(5)	No	
prod_attr2	varchar(5)	No	
prod_attr3	varchar(5)	No	
prod_attr4	varchar(5)	No	
prod_attr5	varchar(5)	No	
prod_attr6	int(11)	No	
prod_attr7	varchar(5)	No	
prod_attr8	varchar(5)	No	
prod_attr9	varchar(5)	No	
prod_attr10	varchar(5)	No	
covid_noncovid	varchar(15)	No	
mat	varchar(15)	No	
vc	varchar(15)	No	
fc	varchar(15)	No	
created_at	datetime	No	current_timestamp()
updated_at	datetime	No	current_timestamp()

## Table structure for table cp\_product\_mrp\_master

Column	Type	Null	Default
<b>product_mrp_id</b>	int(255)	No	
material_id	int(200)	No	
batch_code	varchar(200)	No	
mrp	double(10,2)	No	
retailer_margin	double(10,2)	No	
trader_margin	double(10,2)	No	
tax	double(10,2)	No	
rate_before_tax	double(10,2)	No	
ptr	double(10,2)	No	
pts	double(10,2)	No	
ZDISNet_pts	double(10,2)	No	

ZSPF_netpts	double(10,2)	No	
ZBDC_netpts	double(10,2)	No	
COGS	double(10,2)	No	
cap_qty	double(10,2)	No	
created_at	datetime	No	
created_by	int(100)	No	
updated_at	datetime	No	
updated_by	int(100)	No	

### Table structure for table cp\_raise\_claim

Column	Type	Null	Default
<b>raise_claim_id</b>	int(255)	No	
raise_claim_order_id	int(255)	No	
raise_claim_order_number	varchar(100)	No	
raise_claim_urn_number	varchar(100)	No	
raise_claim_invoice_number	varchar(255)	No	
raise_claim_raised_by	int(100)	No	
raise_claim_status	int(4)	No	
raise_claim_is_active	int(4)	No	
raise_claim_assign_to	int(100)	No	
raise_claim_comment	varchar(200)	No	
raise_claim_updated_by	int(100)	No	
raise_claim_updated_date	datetime	No	
raise_claim_created_date	timestamp	No	current_timestamp()
raise_claim_customer_approval	int(4)	No	

### Table structure for table cp\_ratecontract\_approval\_history

Column	Type	Null	Default
<b>history_id</b>	int(11)	No	

parent_id	int(11)	No	
status_id	int(11)	No	
approval_level_id	int(11)	No	
status_count	int(4)	No	
comment	varchar(100)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	timestamp	No	current_timestamp()

**Table structure for table cp\_ratecontract\_approval\_status**

Column	Type	Null	Default
<b>approval_status_id</b>	int(11)	No	
approval_name	varchar(50)	No	
level_of_order	tinyint(4)	No	
number_of_approval	int(11)	No	
is_active	tinyint(4)	No	

**Table structure for table cp\_rate\_contract**

Column	Type	Null	Default
<b>rate_contract_id</b>	int(11)	No	
rate_contract_code	varchar(100)	No	
rate_hospital_id	int(11)	No	
rate_hospital_code	varchar(100)	No	
rate_hospital_name	varchar(100)	No	
account_category	int(11)	No	
city	varchar(50)	No	
state	int(11)	No	
zone	int(11)	No	
budget_tracker_name	varchar(50)	No	

user_id	int(11)	No	
rc_start_date	date	Yes	NULL
rc_end_date	date	Yes	NULL
fixed_rate_rc	varchar(200)	No	
rbm_name	varchar(100)	No	
is_draft	int(11)	No	
approval_status	int(11)	No	
approval_level	int(11)	No	
next_approval_user	int(11)	No	
last_action_by	int(11)	No	
last_action_date	date	No	
is_approved	int(11)	No	
rc_is_active	tinyint(4)	No	
is_modified	tinyint(4)	No	
modified_id	int(11)	No	
approved_date	date	No	
rc_created_date	timestamp	No	current_timestamp()
rc_updated_date	timestamp	Yes	NULL

**Table structure for table cp\_rate\_contract\_product**

Column	Type	Null	Default
rc_product_id	int(11)	No	
rate_contract_id	int(11)	No	
product_id	int(11)	No	
product_sku	varchar(50)	No	
product_mrp	decimal(10,2)	No	
product_rc_rate	decimal(10,2)	No	
approved_rc_rate	double(10,2)	Yes	NULL
approved_discount	double(10,2)	Yes	NULL
discount_percentage	decimal(10,2)	No	
cap_qty	int(11)	No	

is_modified	int(11)	No	
product_created_date	timestamp	No	current_timestamp()
product_updated_date	timestamp	Yes	NULL
deleted_by	int(11)	Yes	NULL
deleted_at	timestamp	Yes	NULL
temp_rate_contract_id	int(100)	Yes	NULL
ref_rc_product_id	bigint(100)	Yes	NULL

## Table structure for table cp\_rbmfall\_backList

Column	Type	Null	Default
id	int(10)	No	
emp_code	varchar(100)	No	
emp_name	varchar(200)	No	
role	varchar(200)	No	
bhq	varchar(200)	No	
email	varchar(100)	No	
status	varchar(100)	No	

## Table structure for table cp\_rbm\_Errorlog

Column	Type	Null	Default
log_id	int(255)	No	
transaction_no	int(200)	No	
stockist_code	int(200)	No	
urn_number	varchar(100)	No	
product_code	varchar(100)	No	
status	varchar(100)	No	
dsh_div	varchar(100)	No	
sup_div	varchar(100)	No	
rbm_hq	varchar(100)	No	
hq_name	varchar(100)	No	
comment	varchar(200)	No	



created_at	timestamp	No	current_timestamp()
updated_at	timestamp	No	0000-00-00 00:00:00

## Table structure for table cp\_sap\_xml\_credit

Column	Type	Null	Default
id	int(11)	No	
doc_number	varchar(120)	No	
doc_date	date	No	
credit_note	varchar(120)	No	
credit_note_date	date	No	
irn_no	varchar(255)	No	
attdt	text	No	
file_name	int(11)	No	
created_at	timestamp	No	current_timestamp()
updated_at	timestamp	Yes	NULL
deleted_at	timestamp	Yes	NULL

## Table structure for table cp\_scanned\_claim

Column	Type	Null	Default
id	int(11)	No	
urn_no	varchar(200)	No	
invoice_no	varchar(200)	No	
file_name	varchar(200)	No	
assign_to	int(11)	No	
assigned_by	int(11)	No	
assign_date	date	No	
assignment_status	tinyint(1)	No	
lock_status	tinyint(1)	No	
claim_status	tinyint(1)	No	1
created_date	datetime	No	current_timestamp()

## Table structure for table cp\_setting

Column	Type	Null	Default
setting_id	int(11)	No	
store_id	int(11)	No	0
code	varchar(128)	No	
key	varchar(128)	No	
value	text	No	
serialized	tinyint(1)	No	

## Table structure for table cp\_specialrate\_approvel\_history

Column	Type	Null	Default
history_id	int(20)	No	
parent_id	int(20)	No	
status_id	tinyint(4)	No	
approval_level_id	tinyint(4)	No	
status_count	int(10)	No	
comment	varchar(100)	No	
next_action_user	int(10)	No	
last_action_user	int(10)	No	
created_date	timestamp	No	current_timestamp()

## Table structure for table cp\_specialrate\_approvel\_status

Column	Type	Null	Default
approvel_status_id	int(20)	No	
approvel_name	varchar(100)	No	
level_of_order	tinyint(4)	No	
number_of_approval	tinyint(4)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_specialrate\_product\_expirydate\_requested\_history

Column	Type	Null	Default
exp_history_id	int(11)	No	
special_rate_id	int(11)	No	
special_rate_product_id	int(11)	No	
user_id	int(11)	No	
current_exp_date	date	No	
request_exp_date	date	No	
history_created_date	timestamp	No	current_timestamp()

## Table structure for table cp\_specialrate\_request\_type

Column	Type	Null	Default
request_type_id	int(20)	No	
request_type_name	varchar(255)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_specialrate\_supply\_type

Column	Type	Null	Default
supply_type_id	int(11)	No	
supply_type_name	varchar(255)	No	
is_active	tinyint(4)	No	
supply_cycle	tinyint(4)	No	

## Table structure for table cp\_special\_rate

Column	Type	Null	Default
special_rate_id	int(11)	No	
ref_id	int(11)	Yes	NULL
request_id	varchar(255)	No	
user_id	int(11)	No	

request_type_id	tinyint(4)	No	
division_id	int(11)	No	
depot_id	int(11)	No	
region_id	tinyint(4)	No	
reason_description	varchar(500)	Yes	NULL
supply_type_id	tinyint(4)	No	
hospital_id	int(11)	No	
chemist_id	int(11)	No	
stockist_id	int(11)	No	
expected_business	decimal(10,2)	No	
expected_margin	decimal(7,2)	No	
is_back_date	date	Yes	NULL
special_rate_start_date	date	Yes	NULL
special_rate_end_date	date	Yes	NULL
approval_status	tinyint(4)	No	
next_approval_user	tinyint(4)	No	
last_action_by	int(10)	No	
last_action_date	date	No	
approval_level	tinyint(4)	No	
is_active	tinyint(11)	Yes	NULL
sp_is_active	tinyint(4)	No	
is_approved	int(11)	No	
rate_created_date	datetime	No	current_timestamp()
rate_updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_special\_rate\_allowed\_product\_master

Column	Type	Null	Default
special_rate_allowed_product_id	int(255)	No	
material_id	varchar(255)	No	
allowed_discount	double(10,2)	No	

margin	double(10,2)	No	
special_rate_allowed	enum('Yes', 'No')	No	
blocked	enum('Yes', 'No')	No	
created_at	timestamp	No	current_timestamp()
created_by	int(100)	No	
updated_by	int(100)	Yes	NULL
updated_at	datetime	Yes	NULL

**Table structure for table cp\_special\_rate\_price\_history**

Column	Type	Null	Default
special_rate_price_history_id	int(11)	No	
special_rate_product_id	int(11)	No	
product_id	int(11)	No	
mrp	decimal(10,2)	Yes	NULL
old_required_rate	decimal(10,2)	Yes	NULL
required_rate	decimal(10,2)	Yes	NULL
created_date	datetime	No	current_timestamp()

**Table structure for table cp\_special\_rate\_product**

Column	Type	Null	Default
special_rate_product_id	int(11)	No	
special_rate_id	int(11)	No	
product_id	int(11)	No	
mrp	decimal(10,2)	No	
pts	decimal(10,2)	No	
ptr	decimal(10,2)	No	
tax_rate	int(11)	No	
cap_quantity_requested	mediumint(9)	No	
competitor_name	varchar(50)	Yes	NULL
competitor_product_name	varchar(50)	Yes	NULL
competitor_rate	decimal(10,2)	No	

required_rate	decimal(10,2)	No	
product_status	int(11)	No	
discount_percentage	decimal(7,2)	Yes	NULL
special_rate_start_date	date	Yes	NULL
special_rate_end_date	date	Yes	NULL
required_rate_before_tax	double(10,2)	Yes	0.00
required_net_to_company	double(10,2)	Yes	0.00
approved_rate	double(10,2)	Yes	0.00
approved_rate_before_tax	double(10,2)	Yes	0.00
approve_net_to_company	double(10,2)	Yes	0.00
margin	double(10,2)	Yes	0.00
allowed_discount	double(10,2)	Yes	0.00
minimum_rates	double(10,2)	Yes	0.00
last_allowed_discount	double(10,2)	Yes	0.00
COGS	varchar(255)	Yes	0
gross_margin_required_net_to_company	double(10,2)	Yes	0.00
gross_margin_approved_net_to_company	double(10,2)	Yes	0.00
parent_reference	varchar(255)	Yes	NULL
status	int(11)	No	0
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_special\_rate\_product\_margin\_master

Column	Type	Null	Default
special_rate_product_margin_id	int(250)	No	
material_id	int(200)	No	
product_mrp	double(10,2)	No	
retailer_margin	double(10,2)	No	
trader_margin	double(10,2)	No	
cap_quantity	int(100)	No	
COGS	double(10,2)	No	
start_date	date	Yes	NULL
end_date	date	Yes	NULL
created_at	datetime	No	

created_by	int(100)	No	
updated_at	datetime	Yes	NULL
updated_by	int(100)	Yes	NULL

### Table structure for table cp\_state

Column	Type	Null	Default
state_id	int(100)	No	
Country	varchar(100)	No	
sap_state_code	varchar(100)	No	
state_name	varchar(100)	No	
state_code	varchar(100)	Yes	NULL
zone	varchar(100)	No	
is_active	int(2)	No	1
created_at	timestamp	No	current_timestamp()

### Table structure for table cp\_State\_Master\_SAP

Column	Type	Null	Default
Country	varchar(100)	No	
Region	varchar(200)	No	
Decription	varchar(200)	No	

### Table structure for table cp\_status\_history

Column	Type	Null	Default
status_history_id	int(11)	No	
parent_id	int(11)	No	
entity_id	int(11)	No	
claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	NULL
user_id	int(11)	No	
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_stockist\_claim

Column	Type	Null	Default
id	int(11)	No	
urn_no	varchar(200)	No	
invoice_no	varchar(200)	No	
file_name	varchar(200)	No	
assign_to	int(11)	No	
assigned_by	int(11)	No	
assign_date	date	No	
assignment_status	tinyint(1)	No	
lock_status	tinyint(1)	No	
claim_status	tinyint(1)	No	1
created_date	datetime	No	current_timestamp()

## Table structure for table cp\_stockist\_inactive\_history

Column	Type	Null	Default
stockist_inactive_history_id	int(11)	No	
stockist_id	int(11)	No	
user_id	int(11)	No	
inactive_type_id	int(11)	No	
inactive_reasons_id	int(11)	No	
comment	varchar(200)	No	
process	enum('Deactivated', 'Activated')	No	Deactivated
created_date	timestamp	No	current_timestamp()

## Table structure for table cp\_stockist\_master

Column	Type	Null	Default
stockist_id	int(11)	No	
user_group_id	text	No	
st_email	varchar(100)	Yes	NULL



password	varchar(200)	No	
salt	varchar(200)	No	
st_code	varchar(200)	Yes	NULL
st_name	varchar(200)	Yes	NULL
Sales_district	varchar(100)	Yes	NULL
Delivering_Plant_Own_or_External	varchar(100)	Yes	NULL
lic_no_20b	varchar(200)	Yes	NULL
exp_date_20b	varchar(40)	Yes	NULL
lic_no_21b	varchar(200)	Yes	NULL
exp_date_21b	varchar(20)	Yes	NULL
City	varchar(100)	Yes	NULL
Postal_Code	varchar(100)	Yes	NULL
Region_State_Province_County	varchar(100)	Yes	NULL
House_number_and_street	varchar(200)	Yes	NULL
District	varchar(100)	Yes	NULL
Country_Key	varchar(100)	Yes	NULL
Group_key	varchar(100)	Yes	NULL
Customer_Account_Group	varchar(100)	Yes	NULL
claim_inactive	tinyint(4)	Yes	NULL
order_inactive	tinyint(4)	Yes	NULL
request_inactive	tinyint(4)	Yes	NULL
status	enum('Active', 'Inactive')	No	Active
created_by	int(11)	Yes	NULL
created_at	timestamp	No	current_timestamp()
updated_by	int(11)	Yes	NULL
updated_at	timestamp	Yes	NULL

## Table structure for table cp\_Stockist\_Master\_SAP

Column	Type	Null	Default
E_Mail_Address	varchar(100)	No	
Customer_Number	varchar(200)	No	
Name_1	varchar(200)	No	
Sales_district	varchar(100)	Yes	NULL
Delivering_Plant_Own_or_External	varchar(100)	Yes	NULL
20B_Lic_No	varchar(200)	Yes	NULL
20B_Expiry_Date	varchar(40)	Yes	NULL

21B_Lic_No	varchar(200)	Yes	NULL
21B_Expiry_Date	varchar(20)	Yes	NULL
City	varchar(100)	Yes	NULL
Postal_Code	varchar(100)	Yes	NULL
Region_State_Province_County	varchar(100)	Yes	NULL
House_number_and_street	varchar(200)	Yes	NULL
District	varchar(100)	Yes	NULL
Country_Key	varchar(100)	Yes	NULL
Group_key	varchar(100)	Yes	NULL
Customer_Account_Group	varchar(100)	Yes	NULL

### Table structure for table cp\_stock\_status

Column	Type	Null	Default
stock_status_id	int(11)	No	
language_id	int(11)	No	
name	varchar(32)	No	

### Table structure for table cp\_subtherapy\_new

Column	Type	Null	Default
subtherapy_id	int(100)	No	
subtherapy_code	varchar(200)	No	
subtherapy_name	varchar(200)	No	
created_at	datetime	No	

### Table structure for table cp\_subtherapy\_therapy\_cluster\_map\_master

Column	Type	Null	Default
map_id	int(200)	No	
sub_therapy_code	varchar(200)	No	
therapy_code	varchar(200)	No	
therapy_name	varchar(200)	No	
cluster_code	varchar(200)	No	

created_at	timestamp	No	current_timestamp()
------------	-----------	----	---------------------

## Table structure for table cp\_tax\_hsn

Column	Type	Null	Default
tax_hsn_id	int(11)	No	
control_code	int(11)	No	
condition_type	varchar(50)	Yes	NULL
valid_from	date	Yes	NULL
valid_to	date	Yes	NULL
condition_record_number	int(11)	No	
rate	decimal(10,2)	Yes	NULL
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_tax\_material

Column	Type	Null	Default
tax_material_id	int(11)	No	
material_code	int(11)	No	
condition_type	varchar(50)	Yes	NULL
country	varchar(10)	Yes	NULL
valid_from	date	Yes	NULL
valid_to	date	Yes	NULL
condition_record_number	int(11)	No	
rate	decimal(10,0)	No	
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	current_timestamp()

## Table structure for table cp\_territary\_plant\_master

Column	Type	Null	Default
territary_plant_id	int(200)	No	
Sales_District	varchar(200)	No	
Name_of_the_District	varchar(200)	Yes	NULL
Plant_Code	varchar(200)	Yes	NULL

Plant_Name	varchar(200)	Yes	NULL
Region_ID	varchar(200)	Yes	NULL
Name	varchar(100)	Yes	NULL
Zone	varchar(100)	Yes	NULL
created_at	timestamp	No	current_timestamp()

### Table structure for table cp\_territory

Column	Type	Null	Default
<b>territory_id</b>	int(11)	No	
territory_number	varchar(20)	Yes	NULL
territory_name	varchar(100)	Yes	NULL
depot_plant_number	varchar(10)	Yes	NULL
territory_hirerarchy	int(10)	No	3
depot_plant_id	int(11)	No	
state_id	mediumint(9)	No	
zone_list_id	smallint(6)	Yes	NULL
is_active	tinyint(4)	No	1
created_date	datetime	No	current_timestamp()
updated_date	datetime	No	

### Table structure for table cp\_Territory\_Master\_SAP

Column	Type	Null	Default
<b>id</b>	int(100)	No	
Sales_District	varchar(100)	No	
Name_of_the_District	varchar(200)	No	

### Table structure for table cp\_therapy\_clasification\_product\_map

Column	Type	Null	Default
<b>id</b>	int(200)	No	
THERAPY_CODE	varchar(200)	Yes	NULL
THERAPY_NAME	varchar(200)	Yes	NULL
Classification	varchar(200)	Yes	NULL

MATERIAL_NUMBER	varchar(200)	No	
PRODUCT_NAME	varchar(200)	No	
created_date	timestamp	No	current_timestamp()

### Table structure for table cp\_therapy\_classification\_relation

Column	Type	Null	Default
relation_id	int(11)	No	
therapy_id	int(11)	No	
classification_id	tinyint(4)	No	
created_date	datetime	No	current_timestamp()

### Table structure for table cp\_therapy\_cluster\_map

Column	Type	Null	Default
map_id	int(200)	No	
therapy_code	varchar(100)	No	
cluster	varchar(100)	No	
created_at	timestamp	No	current_timestamp()

### Table structure for table cp\_therapy\_new

Column	Type	Null	Default
therapy_id	int(100)	No	
therapy_code	varchar(255)	No	
therapy_name	varchar(200)	No	
is_active	int(4)	No	
created_at	datetime	No	

### Table structure for table cp\_town\_type

Column	Type	Null	Default
town_type_id	tinyint(4)	No	

code	varchar(10)	Yes	NULL
name	varchar(50)	Yes	NULL
sort_order	tinyint(4)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_turnover\_approval\_status

Column	Type	Null	Default
approval_status_id	int(11)	No	
approval_name	varchar(100)	No	
level_of_order	int(11)	No	
number_of_approval	int(11)	No	
is_active	int(11)	No	

## Table structure for table cp\_turnover\_discount

Column	Type	Null	Default
tod_id	int(11)	No	
tod_hospital_id	int(11)	No	
tod_hospital_code	varchar(100)	No	
tod_hospital_name	varchar(100)	No	
account_category	int(4)	No	
city	varchar(50)	No	
state	int(11)	No	
zone	int(11)	No	
tod_code	varchar(100)	No	
budget_tracker_name	varchar(50)	No	
user_id	int(11)	No	
tod_start_date	date	No	
tod_end_date	date	No	
fixed_rate_tod	varchar(200)	No	
rbm_name	varchar(100)	No	

last_year_sales	varchar(20)	No	
sale_target	varchar(20)	No	
tod_criteria	varchar(20)	No	
tod_target_slab_wise	varchar(20)	No	
is_draft	int(4)	No	
approval_status	int(4)	No	
approval_level	int(11)	No	
next_approval_user	int(11)	No	
last_action_by	int(11)	No	
last_action_date	date	No	
is_approved	int(4)	No	
tod_is_active	tinyint(4)	No	
approved_date	datetime	No	
tod_created_date	timestamp	No	current_timestamp()
tod_updated_date	timestamp	No	current_timestamp()

**Table structure for table  
cp\_turnover\_discount\_approval\_history**

Column	Type	Null	Default
history_id	int(11)	No	
parent_id	int(11)	No	
status_id	int(11)	No	
approval_level_id	int(11)	No	
status_count	int(4)	No	
comment	varchar(100)	No	
next_action_user	int(11)	No	
last_action_user	int(11)	No	
created_date	timestamp	No	current_timestamp()

**Table structure for table cp\_turnover\_discount\_product**

Column	Type	Null	Default
<b>tod_product_id</b>	int(11)	No	
tod_id	int(11)	No	
product_id	int(11)	No	
product_sku	varchar(50)	No	
product_mrp	decimal(10,2)	No	
product_tod_rate	decimal(10,2)	No	
cap_qty	int(4)	No	
discount_percentage	decimal(10,2)	No	
product_created_date	timestamp	No	current_timestamp()
product_updated_date	timestamp	No	current_timestamp()

## Table structure for table cp\_user

Column	Type	Null	Default
<b>user_id</b>	int(11)	No	
user_group_id	text	No	
employee_code	varchar(255)	Yes	NULL
username	varchar(255)	No	
password	varchar(40)	No	
salt	varchar(9)	No	
password_expire_date	date	Yes	NULL
display_name	varchar(255)	Yes	NULL
firstname	varchar(32)	No	
middlename	varchar(50)	Yes	NULL
lastname	varchar(32)	No	
email	varchar(96)	No	
contact	varchar(100)	No	
designation	varchar(100)	No	
unique_role_name	varchar(200)	Yes	NULL
designation_name	varchar(200)	Yes	NULL
user_type	varchar(100)	No	
manager	int(100)	Yes	NULL



reporting_manager	int(100)	No	
location_name	varchar(200)	Yes	NULL
location	text	No	
rev_subtherapy_code	varchar(200)	Yes	NULL
therapy	text	No	
subtherapy	text	No	
cluster	text	No	
depot	text	No	
bhq	varchar(200)	Yes	NULL
present_address	text	No	
permanent_address	text	No	
image	varchar(255)	No	
code	varchar(40)	No	
ip	varchar(40)	No	
status	tinyint(1)	No	
date_added	datetime	No	
personal_email	varchar(255)	Yes	NULL
position_id	varchar(20)	Yes	NULL
is_import	tinyint(4)	Yes	NULL
is_alliance_user	tinyint(4)	Yes	NULL
is_logged_in	tinyint(4)	No	0
first_login	tinyint(4)	No	0
add_user	int(100)	No	
mode_user	int(100)	No	
mode_date	datetime	No	current_timestamp()

## Table structure for table cp\_users\_activities

Column	Type	Null	Default
activity_id	int(11)	No	
user_id	int(10)	No	
user_name	varchar(255)	Yes	NULL
ip_address	varchar(100)	No	

item	varchar(255)	No	
action_performed	varchar(455)	No	
before_data	text	Yes	NULL
after_data	text	Yes	NULL
sort_order	int(10)	No	
status	int(10)	No	0
created_date	timestamp	No	current_timestamp()
updated_date	timestamp	Yes	NULL

**Table structure for table cp\_user\_claim\_reject\_reason**

Column	Type	Null	Default
reason_id	int(11)	No	
reason	longtext	No	
is_active	int(10)	No	

**Table structure for table cp\_user\_group**

Column	Type	Null	Default
user_group_id	int(100)	No	
name	varchar(64)	No	
permission	text	No	

**Table structure for table cp\_user\_password\_history**

Column	Type	Null	Default
user_password_history_id	bigint(20)	No	
user_id	int(11)	No	
password	varchar(40)	Yes	NULL
salt	varchar(10)	Yes	NULL
encrypt_password	varchar(50)	Yes	NULL
created_date	datetime	Yes	current_timestamp()

**Table structure for table cp\_zbdc**

Column	Type	Null	Default
--------	------	------	---------

id	bigint(20)	No	
cond_type	varchar(255)	No	
sku_code	varchar(255)	No	
zdbc_value	double(10,2)	No	
start_date	date	No	
end_date	date	No	
created_at	timestamp	No	current_timestamp()
updated_at	timestamp	Yes	NULL
created_by	int(11)	No	
updated_by	int(11)	Yes	NULL

## Table structure for table cp\_zdis

Column	Type	Null	Default
id	bigint(20)	No	
cond_type	varchar(255)	No	
sku_code	varchar(255)	No	
zdis_value	double(10,2)	No	
start_date	date	No	
end_date	date	No	
created_at	timestamp	No	current_timestamp()
created_by	int(11)	No	
updated_at	timestamp	Yes	NULL
updated_by	int(11)	Yes	NULL

## Table structure for table cp\_zone

Column	Type	Null	Default
zone_id	int(11)	No	
country_id	int(11)	No	
name	varchar(128)	No	
code	varchar(32)	No	
status	tinyint(1)	No	1

## Table structure for table cp\_zone\_list

Column	Type	Null	Default
zone_id	smallint(6)	No	
zone_code	varchar(50)	Yes	NULL
zone_name	varchar(150)	Yes	NULL
sort_order	smallint(6)	No	
is_active	tinyint(4)	No	

## Table structure for table cp\_zspf

Column	Type	Null	Default
id	bigint(20)	No	
cond_type	varchar(255)	No	
sku_code	varchar(255)	No	
amount	double(10,2)	No	
currency	varchar(255)	No	
start_date	date	No	
end_date	date	No	
created_at	timestamp	No	current_timestamp()
created_by	int(11)	No	
updated_at	timestamp	Yes	NULL
updated_by	int(11)	Yes	NULL