CIRIL CRM

Complete System Architecture, Business Operations & Revenue Intelligence Manual

For AI Models, Developers & System Architects

Version 1.0 — October 2026

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 1 — What is CIRIL?

CIRIL is a structured, collaborative commercial real estate brokerage network operating across India. It is not a single brokerage firm in the traditional sense. Instead, CIRIL functions as a franchise umbrella and transaction clearing-house that coordinates multiple independent member companies — each a separate real estate brokerage — under one networked platform.

The word 'CRM' in CIRIL CRM stands for the custom-built software platform that manages the complete lifecycle of every real estate transaction that occurs within this network. The software is the operational backbone of the business.

1.1 The Core Business Idea

Most commercial real estate transactions fail or are delayed because the broker who has the client (buyer or tenant) is geographically or informationally separate from the broker who has the right property. CIRIL solves this problem by creating a shared ecosystem:

- A broker in Pune who has a client looking for a warehouse in Chennai is connected to a CIRIL partner broker in Chennai who has inventory.
- The two brokers co-operate. The deal closes. The commission is split. CIRIL takes a royalty from both parties.
- The entire process — from lead entry to final payment — is managed inside the CRM.

1.2 Who are the Actors in the System?

Actor / Role	Responsibility
Super Admin (roleId = 1)	CIRIL's own master administrator. Has visibility over all leads, all member companies, all brokerage and royalty data network-wide.
Zone Manager (roleId = 2)	Oversees a specific geographic zone. Can see all leads within their zone.
Member Company Admin	Head of a CIRIL partner company. Creates users within their org, manages their own leads and network assignments.
Broker / Agent (User)	Day-to-day operator. Creates leads, assigns leads, negotiates deals, creates proposals.
Research Team	Feeds market intelligence data (rental trends, major deals, land prices) into the Research module.

1.3 Geographic Hierarchy

The system enforces a strict, multi-level geographic hierarchy that governs how leads are scoped and routed. Every lead is tagged to a location in this hierarchy:

- Zone — The broadest level (e.g., South India, West India).
- State — Contained within a Zone.
- City — Contained within a State.

This hierarchy means a Zonal Manager can filter the lead pipeline for his entire zone, while a member company is typically scoped to one or more cities.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 2 — What is a Lead? The Core Data Entity

In CIRIL, a Lead is the most important entity in the entire system. It is the formal record of a client's real estate requirement. A lead is NOT a property listing — it is the CLIENT who needs the property.

2.1 Anatomy of a Lead

A Lead in CIRIL is a composite entity assembled from FOUR separate database tables that are always joined together when querying:

Database Table	Data It Contains
leads	The core record. Stores status flags, assignment metadata (user_id, assigned_to, assigned_orgid, assigned_user_id), negotiation document references (LOI file, Lease file), and all timestamps.
client_details	Who is the client? Stores client name, company name, contact info, document type (Aadhar, PAN, etc.), client type (individual or company).
requirements_details	What does the client need? Stores the vertical, transaction type, area range, budget, city, zone, and all vertical-specific technical parameters.
financial_details	How is the commission structured? Stores giver share %, receiver share %, giver and receiver names, their contact details, and brokerage status flags.

2.2 Lead Statuses — The State Machine

Every lead moves through a numbered status pipeline. Understanding these statuses is critical to understanding how revenue is recognized:

Status ID	Status Name	Meaning
1	New / Open	Lead just created. No action taken.
2	Processing	Lead is being worked on by a broker.
3	Assigned	Lead has been shared/assigned to another member company.
4	Negotiation	Active deal negotiations are ongoing. Broker uploads LOI, Lease Agreement.
5	Rejected	Lead was rejected by the receiving broker.
6	Deal Done	The deal is closed. Brokerage calculation is triggered.
7	Brokerage Accepted	Both parties (giver and receiver) have accepted the calculated brokerage split.
8	Royalty Paid	CIRIL's royalty has been confirmed as paid. FINAL state.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 3 — The Lead Giver & Lead Receiver: The Heart of CIRIL

The most important conceptual distinction in the entire CIRIL model is the difference between the Lead Giver and the Lead Receiver. Every financial calculation in the system flows from this relationship.

3.1 The Lead Giver (LG)

LEAD GIVER	The broker or member company who originated the lead — i.e., the person who found the client and brought them into the CIRIL network. The Lead Giver owns the client relationship.

In the database, the Lead Giver is identified by the leads.user_id field — the user who created the lead record. Their financial terms are stored in financial_details under financial_giver_share (their percentage of the total brokerage) and fields like financial_giver_name, financial_giver_phoneno.

Scenario: Rajesh, a broker at CIRIL Mumbai, gets approached by TCS who wants 50,000 sq. ft. of office space in Bengaluru. Rajesh does not have Bengaluru inventory. He creates the lead in CIRIL CRM. Rajesh is now the Lead Giver.

3.2 The Lead Receiver (LR)

LEAD RECEIVER	The broker or member company who receives the assigned lead from the giver and takes responsibility for finding and closing the property transaction in their territory.

In the database, the Lead Receiver is identified by the leads.assigned_to field (company) and leads.assigned_user_id (individual broker). Their financial terms are stored in financial_details under financial_receiver_share (their percentage of the total brokerage).

Scenario: Priya, a broker at CIRIL Bengaluru, receives Rajesh's TCS lead. She searches her inventory, presents properties, manages site visits, and negotiates the lease. Priya is the Lead Receiver.

3.3 The Assignment Workflow in Code

When a lead is assigned via the AssignleadController, the system updates three critical fields:

- leads.assigned_to → set to the receiver's member company name/ID
- leads.assigned_orgid → set to the receiver's organization ID (orgId)
- leads.is_assigned → set to 1 (true)

The receiver then sees this lead in their dashboard under 'Assign Lead'. They must explicitly click Accept Lead (acceptLead method) to confirm their participation, which updates leads.accepted = 1 and records leads.accepted_datetime.

- If the receiver rejects the lead, they call storeRejectLeadRemarks, which stores rejection remarks and resets the lead.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 4 — Revenue Engine: How CIRIL Makes Money

CIRIL generates its revenue exclusively through Royalties — a fixed percentage cut taken from both the Lead Giver's share and the Lead Receiver's share of every successfully concluded deal's brokerage fee. The actual brokerage is split between LG and LR. CIRIL takes 7.5% from each party's share.

The entire calculation is hard-coded in BrokerageController.php (getBrokerage method, line 202) and is fully automated — the system computes it the moment a deal reaches negotiation status.

4.1 Step 1 — Calculate the Base Deal Value (Transaction Value)

The base value depends on whether the transaction is a Lease (monthly rent) or a Sale (outright purchase):

LEASE	Total Value = Rent Rate per sq. ft. per month × Area (sq. ft.)
SALE	Total Value = Outright Rate per sq. ft. × Area (sq. ft.)

4.2 Step 2 — Calculate Total Brokerage

The brokerage due from the client is calculated differently for lease vs. sale:

```
LEASE: Total Brokerage = Total Value × (Lease Days / 30)
```

```
SALE:  Total Brokerage = 1% × Total Value
```

The 'Lease Days' is the agreed number of days of rent that constitute the brokerage fee (a commercial real estate convention in India — typically 30-90 days of rent).

4.3 Step 3 — Split the Brokerage Between LG and LR

The brokerage split is agreed upon upfront when the lead is created and stored in the FinancialDetail record. The fields financial_giver_share and financial_receiver_share contain the agreed percentage for each party. If either is set to 'others', the system reads financial_giver_share_others or financial_receiver_share_others for a custom percentage.

```
LG Share (Rs.) = (financial_giver_share / 100) × Total Brokerage
```

```
LR Share (Rs.) = (financial_receiver_share / 100) × Total Brokerage
```

4.4 Step 4 — CIRIL Royalty Calculation (The Revenue Formula)

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

This is CIRIL's revenue. CIRIL charges 7.5% of the LG's share AND 7.5% of the LR's share as a royalty. This is the hard-coded business rule extracted directly from BrokerageController.php line 202:

```
CIRIL Royalty = ROUND( (7.5/100 × LG Share) + (7.5/100 × LR Share) )
```

This is effectively 7.5% of the total brokerage (since LG% + LR% = 100%), but it is calculated per-party so that each broker understands exactly how much they owe CIRIL.

4.5 Full Worked Example — A Lease Deal

Scenario: TCS signs a lease for 50,000 sq. ft. of office space in Bengaluru. Details:

```
Transaction Type : Lease
Area             : 50,000 sq. ft.
Rent Rate        : Rs. 80 per sq. ft. per month
Lease Days       : 30 days (1 month's rent as brokerage)
LG Share         : 40%  (Rajesh, Mumbai)
LR Share         : 60%  (Priya, Bengaluru)
──────────────────────────────────────────────────────────
>> Step 1:  Total Value      = 80 × 50,000            = Rs. 40,00,000
>> Step 2:  Total Brokerage  = 40,00,000 × (30/30)    = Rs. 40,00,000
>> Step 3:  LG Share (40%)   = 0.40 × 40,00,000       = Rs. 16,00,000
           LR Share (60%)    = 0.60 × 40,00,000       = Rs. 24,00,000
>> Step 4:  CIRIL Royalty    = (7.5% × 16,00,000) + (7.5% × 24,00,000)
                             = Rs. 1,20,000 + Rs. 1,80,000
           CIRIL Royalty     = Rs. 3,00,000
──────────────────────────────────────────────────────────
>> Rajesh Net               = Rs. 16,00,000 - Rs. 1,20,000  = Rs. 14,80,000
>> Priya Net                = Rs. 24,00,000 - Rs. 1,80,000  = Rs. 22,20,000
>> CIRIL Revenue            = Rs. 3,00,000 (7.5% from each party)
```

4.6 Full Worked Example — A Sale/Outright Deal

Scenario: A land parcel of 2 acres sold for Rs. 1,200 per sq. ft. (approx. 87,120 sq. ft.) at a standard 1% brokerage. LG/LR split is 50/50.

```
Transaction Type : Sale (Outright)
Area             : 87,120 sq. ft.  (2 acres)
Outright Rate    : Rs. 1,200 per sq. ft.
LG Share         : 50%
LR Share         : 50%
──────────────────────────────────────────────────────────
>> Step 1:  Total Value      = 1,200 × 87,120          = Rs. 10,45,44,000
```

```
>> Step 2:  Total Brokerage  = 1% × 10,45,44,000        = Rs. 10,45,440
>> Step 3:  LG Share (50%)   = 0.50 × 10,45,440         = Rs. 5,22,720
           LR Share (50%)    = 0.50 × 10,45,440         = Rs. 5,22,720
>> Step 4:  CIRIL Royalty    = (7.5% × 5,22,720) + (7.5% × 5,22,720)
                             = Rs. 39,204 + Rs. 39,204
           CIRIL Royalty     = Rs. 78,408
──────────────────────────────────────────────────────────────────
>> LG Net                   = Rs. 5,22,720 - Rs. 39,204  = Rs. 4,83,516
>> LR Net                   = Rs. 5,22,720 - Rs. 39,204  = Rs. 4,83,516
>> CIRIL Revenue            = Rs. 78,408
```

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 5 — The Complete Deal Lifecycle (End to End)

Every rupee of CIRIL's revenue follows this exact sequence. The CRM enforces this pipeline through status codes and controller logic.

Phase 1 — Lead Creation (LeadController@createLead)

The broker (Lead Giver) opens the 'Create Lead' form. This is the most data-intensive step in the system. The form collects data that populates ALL FOUR lead tables simultaneously:

- Client Details: Company name, person name, mobile, email, client type (individual/company), document type and file upload.
- Requirements Details: Vertical selection (Office / Retail / Land / Warehouse / Investment / Hotels) → triggers a dynamic sub-form with vertical-specific fields.
- Financial Details: The giver and receiver's expected shares, giver's brokerage terms — filled at creation based on negotiated terms.

This design means a lead is never a partial record — all four tables must have data for a lead to be valid.

Phase 2 — Vertical-Specific Data Entry

Once a vertical is selected, the requirements form dynamically loads unique fields for that property type. This is managed by VerticalType and VerticalSubType models and the CustomFieldsController. Key examples:

Vertical	Unique Required Fields
Office Space	Carpet area, office type (pre-leased/vacant), completion date, power backup, car parking count.
Retail	Height from floor (from/to), floor level (from/to), retail status, completion date.
Logistic & Warehouse (LW)	Height from (ft), height to (ft), floor type, open area (from/to), covered area (from/to), power type (single/three phase), roofing type, LW status.
Land	Frontage width (from/to), road width (from/to), power availability, power type, land status (agricultural/non-agricultural).
Investment	Constructed area (from/to), lead area (from/to), investment type (pre-launch/ready), pre-property details, investment location.
Hotels	Number of keys (from/to), agreement type (management/lease/sale).

Phase 3 — Lead Assignment (AssignleadController)

Once the LG cannot fulfill the requirement alone, they assign the lead through the network. The system:

Searches for member companies in the target city using the geographic hierarchy (Zone → State → City).

Updates leads.assigned_to, leads.assigned_orgid, leads.is_assigned = 1.

Fires a SendNotificationsEvent which creates a real-time notification for the receiver.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

The LR sees the lead on their 'Assign Lead' dashboard with Accept / Reject options.

On accept: leads.accepted = 1 is written. The deal is now active for both parties.

Phase 4 — Negotiation (LeadController@negotiation)

The LR is now in active negotiation with the client. They update the negotiation_status_id field with progress codes. Most critically, when a deal is nearly closed, they upload two legal documents directly via the CRM:

- LOI (Letter of Intent) — stored in leads.negotiation_loi_file
- Final Lease/Sale Agreement — stored in leads.negotiation_lease_file

The system tracks negotiation status through IDs 1-7. Status ID 7 means 'Deal Concluded' and triggers the move to brokerage.

Phase 5 — Proposal Generation (BrokerageController@addproposel / adddetailedproposel)

Before or during negotiation, brokers can generate formal client proposals. The system supports two types:

- First-Cut Proposal (type='F'): A quick preliminary proposal. For Land vertical, generates a PowerPoint (.pptx) file using PHPPresentation library. For all others, generates an Excel (.xls) file using PhpSpreadsheet. Both include the CIRIL logo.
- Detailed Proposal (type='D'): Full property analysis with image uploads for land sites. Same file format logic applies.

Proposal files are saved to the /proposels/ directory and referenced in the proposels table with lead_id and type fields.

Phase 6 — Brokerage Calculation (BrokerageController@getBrokerage)

When leads.lead_status reaches 4 (Negotiation/Deal Done) AND leads.negotiation_status_id reaches 7, the BrokerageController automatically calculates the full financial breakdown and writes it to the brokerage table. The brokerage record contains:

- lead_id, clientType (lease/sale), area, rate (rentRate or outrightRate)
- total (base deal value), totalBrokerage, LGshare (Rs.), LRshare (Rs.)
- cirilRoyalty (Rs.) — CIRIL's revenue from this deal
- status — empty until accepted, then 'accepted'
- royality — 0 until royalty payment confirmed, then 1

Phase 7 — Brokerage Acceptance (BrokerageController@brokerageStatus)

The LR (the receiver who will collect and distribute the brokerage) formally accepts the calculated split. This sets leads.lead_status = 7 ('Brokerage Accepted'). At this point both parties are legally committed to the calculated split, and CIRIL's royalty obligation is triggered.

Phase 8 — Royalty Confirmation (RoyaltyController@royalityStatus)

This is the final financial step and CIRIL's revenue recognition event. When the Super Admin confirms that royalty has been paid:

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

leads.lead_status is updated to 8 ('Royalty Paid'). leads.leadStatus = 3 (closed).

A new entry is inserted into lead_statuses confirming the vertical and organization.

brokerage.royality is set to 1, permanently marking this deal as completed.

The system sends a 'Lead Concluded' email to the Admin, the Lead Giver, and the Lead Receiver (CC'd) with full deal details.

A real-time notification is fired via SendNotificationsEvent.

The Royalty Payment Status endpoint (royalitypaymentstatus) also allows recording individual payment dates and remarks in the payments table for financial audit tracking.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 6 — Technical Architecture Deep Dive

6.1 Technology Stack

Component	Technology
Backend Framework	Laravel 9.x (PHP 8.0+)
ORM / Query	Eloquent ORM + Raw DB Facades (Laravel)
Frontend Rendering	Blade Template Engine (Server-Side Rendering)
Asset Bundling	Vite 3.x with laravel-vite-plugin
Database	MySQL / MariaDB (Relational)
Authentication	Laravel Sanctum (Session + Token based)
Email	Laravel Mail (SMTP, configurable via settings UI)
File Generation	PhpSpreadsheet (XLS), PhpPresentation (PPTX)
Events / Notifications	Laravel Events + Broadcasting (SendNotificationsEvent)

6.2 MVC Architecture & Controller Map

The application follows strict MVC. All controllers are namespaced under App\Http\Controllers and grouped by domain:

Controller	Responsibility
Auth\AuthController	Login, Logout, Register, Forgot/Reset Password, Email Verification
Dashboard\DashboardController	Main dashboard aggregation, Mail credential settings page
Leads\LeadController	Full lead CRUD, assignment, negotiation status, remarks history
Leads\AssignleadController	Lead acceptance, rejection with remarks, preview
Leads\BrokerageController	Proposal generation, brokerage calculation, proposal downloads (XLS/PPTX)
Leads\RoyaltyController	Royalty list view, royalty status update, payment status recording
Reports\ReportController	Aggregate reports filtered by date, city, vertical, zone
Roles\RolesController	Role CRUD and permission assignment
Roles\PermissionsController	Permission CRUD per module

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Controller	Responsibility
Roles\PrivilegesController	Privilege assignment to roles for fine-grained access control
Settings\AddressController	Zone/Country/State/City/Vertical CRUD and global settings
Users\UsersController	User CRUD, profile management, zone/state lookups
Users\memberCompanyController	Member company CRUD (partner organizations)
CustomFields\CustomFieldsController	Dynamic custom fields per vertical for add/edit lead forms
ResearchReportController	Research data entry for market trends, major deals, upcoming projects
IndividualMiningController	Individual data mining record management
NotificationsController	Mark as read, clear all, view all notifications

6.3 Database Schema — Key Tables

Table Name	Purpose
leads	Core lead record. Contains all status flags and foreign key linkages.
client_details	Who the client is. Linked by lead_id.
requirements_details	What the client needs. Contains all vertical-specific data. PK: requirement_id.
financial_details	The financial/commission agreement. PK: financialdetail_id.
brokerage	Computed brokerage output. One record per lead. Contains LGshare, LRshare, cirilRoyalty, royality flag.
proposels	Stores generated proposal file references. Type='F' (first-cut), Type='D' (detailed).
payments	Royalty payment log. Stores payment_date, payment_status, payment_remarks per lead.
lead_statuses	Audit log of every status change, tagging the vertical and orgId involved.
lead_statuses_history / lead_remarks_history	Full history of remarks/comments added throughout negotiation.
users	All user accounts. Contains orgId, roleId, zoneId linkages.
companies	Member company records. Linked to users by orgId.
roles / permissions / modules / privileges	Full RBAC tables.

Table Name	Purpose
zones / countries / states / cities / verticals	Geographic and vertical master data.
research_reports / research_land_trends / research_major_deals / research_rental_trends	Market intelligence data tables.

6.4 Authentication & Authorization (RBAC)

Every route in web.php is protected by two middleware layers:

- api — Ensures the request goes through the API middleware stack (CSRF, session).
- auth — Ensures the user is logged in (Laravel Sanctum session check).
- role — A custom middleware that checks the user's roleId and orgId against the module's required permission level. This is what prevents a broker from seeing another company's leads.

The Admin (roleId = 1) is the only user who can see ALL leads across ALL companies network-wide. All other roles are scoped to their orgId or assigned leads.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 7 — The Research & Intelligence Engine

Beyond transaction management, CIRIL operates an internal market intelligence function that gives its brokers a competitive edge when pitching to clients. This is managed by the ResearchReportController and its associated models.

7.1 Research Verticals Supported

- Commercial / Office — Tracks rental trends, major deals in each city, upcoming commercial projects.
- Land — Tracks land pricing trends, major land transactions, township/project developments.
- Warehouse & Logistics — Tracks warehouse rental trends, major warehouse leasing deals.

7.2 Data Models in the Research Engine

Model	Data Tracked
ResearchReport	Master research report entry. Links to a vertical and period.
ResearchRentaltrend	Quarter-by-quarter rental rate data per micro-market/city.
ResearchMajorDeal	Records of significant leasing or sale deals with tenant, area, building.
ResearchMajorUpcoming	Pipeline of upcoming commercial projects expected to enter the market.
ResearchLandModel	Land-specific report entry.
ResearchLandtrend	Land price trends per location per period.
ResearchMajorDeal (Land)	Major land purchase transactions.
ResearchrentalwarehouseModel	Warehouse rental trend data.
ResearchmajordealswarehouseModel	Major warehouse leasing transactions.

7.3 How Research Drives Revenue

When a broker creates a Detailed Proposal for a client, the system can pull current rental trends and major deal benchmarks from the research module to populate the proposal with real market data. This makes CIRIL proposals significantly more credible than generic broker documents, increasing deal closure rates — which directly increases CIRIL's royalty income.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 8 — Notifications & Real-Time Event System

The CIRIL CRM includes a real-time notification system that keeps all parties informed as lead statuses change. This system uses Laravel's event broadcasting pattern.

8.1 The SendNotificationsEvent

Every significant action in the system fires a SendNotificationsEvent. This event carries a payload with lead_id, url (the deep link to navigate to the relevant screen), and type (the category of notification). Key notification types:

Notification Type	When It Fires
first-cut-proposal	Fired when a First-Cut Proposal is generated and available for download.
royality-update	Fired when royalty status is confirmed by the admin.
lead-assigned	Fired when a lead is assigned to a receiver company.
lead-accepted	Fired when the receiver formally accepts the lead.
lead-rejected	Fired when a receiver rejects an assigned lead.

8.2 Notification Storage

Notifications are persisted in the notifications table (mapped to the NotificationsModel). The NotificationsController provides three actions: mark_as_read (individual), clear_all (bulk), and view all (paginated list). This means even if a user is offline when an event fires, they see the notification on next login.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 9 — Reporting & Analytics Engine

The CIRIL CRM provides a multi-dimensional reporting module that allows management to analyze the deal pipeline and network performance. The ReportController and ReportController2 serve these reports.

9.1 Report Dimensions

- Time-Filtered Report — View all leads in a date range. Default view for day-to-day monitoring.
- City-Wise Report — Aggregate deal volume and value per city. Uses reportCityFilter for interactive drilling.
- Vertical-Wise Report — Performance broken down by Office, Retail, Land, Warehouse, etc.
- Zonal Report — High-level aggregate for zone managers showing performance across their entire zone.

9.2 Admin vs. Member Company Reporting

Role-based scoping applies to reports too:

- Admin (roleId = 1) sees network-wide aggregates — total deals closed, total royalty earned, best-performing cities, top member companies.
- Zone Managers see their zone's performance.
- Member Companies see only their own leads and their share of brokerage.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 10 — Guidelines, Brand Standards & Additional Modules

10.1 Guidelines Module (GuideLinesController)

CIRIL maintains operational guidelines accessible within the CRM:

- Stationary Specification — Guidelines for how member companies must use CIRIL brand elements (logos, letterheads, business cards) on physical stationery.
- Invoice Generation — Standard invoice template guidelines for billing clients for brokerage.
- Data Mining Guide — Instructions on how to prospect and mine data for new client leads.
- Property Listing Guide — Standards for how properties should be listed and described in proposals.

10.2 Individual Data Mining (IndividualMiningController)

Brokers can log individual prospect contacts they are personally mining — people who have not yet committed to a formal lead. This acts as a pre-lead pipeline that brokers can convert into full leads when the prospect is ready. The model IndividualMining stores name, contact, property interest, and status.

10.3 Miscellaneous Approvals (MiscApprovalsController)

Brokers can request approval to operate in additional 'Verticals' beyond their base assignment. For example, a broker primarily doing Office deals may request approval to also handle Warehouse leads. These requests are managed through the verticals approval workflow, where the Admin approves or denies the expansion of a broker's vertical scope.

10.4 Release Notes Module (ReleasenoteController)

The CRM includes a formal Release Notes module where the CIRIL tech team publishes changelogs for new features and fixes. This is accessible to all users and serves as an in-app changelog for the platform itself.

Confidential — For Internal and AI Reference Use Only — CIRIL Network © 2026

Section 11 — System Summary for AI Models

For any AI model, developer, or agent working with this codebase, the following mental model is critical:

11.1 The Golden Mental Model

THINK OF IT AS	CIRIL CRM is a Commission-Splitting Real Estate Network where every transaction generates a 7.5% royalty for CIRIL from each party involved. The software enforces the entire pipeline from client intake to payment confirmation.

Every feature in the codebase maps to one of these core needs:

- Intake — Lead creation and vertical-specific data capture.
- Routing — Assignment of leads across the geographic network.
- Tracking — Negotiation status, document uploads, remarks history.
- Revenue Calculation — The brokerage engine with the hardcoded 7.5% CIRIL royalty.
- Revenue Recognition — Royalty confirmation, email notification, final payment logging.
- Intelligence — Research reports to improve proposal quality and deal closure rates.
- Governance — RBAC ensuring every user sees only what they are entitled to see.

11.2 Key Code Locations for AI Reference

Concept	Location in Codebase
Royalty Formula (7.5%)	app/Http/Controllers/Leads/BrokerageController.php, Line ~202
Brokerage Calculation Logic	BrokerageController@getBrokerage — full lease vs. sale branch logic
Lead Assignment	app/Http/Controllers/Leads/AssignleadController.php
Final Royalty Trigger	app/Http/Controllers/Leads/RoyaltyController@royalityStatus
Lead Status Pipeline	app/Models/Lead.php fields: lead_status, leadStatus, negotiation_status_id
Financial Data	app/Models/FinancialDetail.php — giver_share, receiver_share fields
Custom Fields per Vertical	app/Http/Controllers/CustomFields/CustomFieldsController.php
All Routes	routes/web.php — fully documented route groups by domain
RBAC	app/Http/Controllers/Roles/ — Roles, Permissions, Modules, Privileges controllers
Research Data	app/Http/Controllers/ResearchReportController.php

11.3 What CIRIL Is NOT

- It is NOT a property listing portal. There is no 'properties' table. The system manages client requirements and deal progress, not property inventory.
- It is NOT a single-company CRM. It is explicitly multi-tenant, with each member company having its own isolated data view enforced by RBAC.
- It is NOT an SPA (Single Page Application). Every page is a server-rendered Blade template. JavaScript is used for interactivity within pages but routing is server-side.

— End of Document —

CIRIL CRM System Documentation v1.0 | Confidential