

Frontend Lab Assignment-2

Name : A.Sri Manikanta

Univ roll: 22515000013

NC-05

1.Create a webpage to display a student's marksheet using the <table> tag.

Answer:

A marksheet can be displayed neatly using an HTML table. The table contains subjects, marks obtained, maximum marks, and the result. I used basic HTML tags so that the marksheet is easy to understand and looks like a simple student marksheet.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Student Marksheet</title>
```

```
</head>
```

```
<body>
```

```
  <h2>Student Marksheet</h2>
```

```
  <table border="1">
```

```
    <tr>
```

```
      <th>Subject</th>
```

```
      <th>Maximum Marks</th>
```

```
      <th>Marks Obtained</th>
```

```
    </tr>
```

```
<tr>
  <td>Mathematics</td>
  <td>100</td>
  <td>85</td>
</tr>
```

```
<tr>
  <td>Data Science</td>
  <td>100</td>
  <td>90</td>
</tr>
```

```
<tr>
  <td>Java</td>
  <td>100</td>
  <td>82</td>
</tr>
```

```
<tr>
  <td>Frontend</td>
  <td>100</td>
  <td>88</td>
</tr>
```

```
</table>
```

```
</body>
```

```
</html>
```

Explanation:

Here, <table> creates the table, <tr> creates a row, <th> is used for headings, and <td> is used for the actual data. This makes the marksheet organized and easy to read.

2.Create a webpage in which a resume is displayed.

Answer:

A resume webpage contains important information about a person, such as their name, education, skills, projects, and contact details. I used simple HTML headings, paragraphs, and lists to arrange the information properly.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>My Resume</title>
```

```
</head>
```

```
<body>
```

```
  <h1>A. Sri Manikanta</h1>
```

```
  <p><b>Email:</b> example@gmail.com</p>
```

```
  <p><b>Phone:</b> 9876543210</p>
```

```
  <h2>Career Objective</h2>
```

```
  <p>
```

```
    I am a B.Tech student interested in Data Science and programming.
```

```
    I want to improve my technical skills and gain practical experience.
```

```
  </p>
```

```
  <h2>Education</h2>
```

```
  <ul>
```

```
    <li>B.Tech – GLA University</li>
```

```
<li>12th – SASI Junior College</li>
<li>10th – Narayana E.M School</li>
</ul>

<h2>Skills</h2>
<ul>
  <li>Python</li>
  <li>Java</li>
  <li>HTML and CSS</li>
  <li>Data Science</li>
</ul>

<h2>Projects</h2>
<p>Rainfall Prediction using Machine Learning</p>

</body>
</html>
```

Explanation:

The resume is divided into different sections such as career objective, education, skills, and projects. Headings are used to make each section clear, while lists are used where multiple items need to be displayed.

3.Create a menu of a restaurant using a list.

Answer:

A restaurant menu can be easily created using HTML lists. I used an unordered list because the order of food items is not important.

```
<!DOCTYPE html>

<html>

<head>
```

```
<title>Restaurant Menu</title>

</head>

<body>

  <h1>My Restaurant</h1>

  <h2>Starters</h2>

  <ul>

    <li>Paneer Tikka</li>

    <li>French Fries</li>

    <li>Veg Manchurian</li>

  </ul>

  <h2>Main Course</h2>

  <ul>

    <li>Veg Biryani</li>

    <li>Paneer Butter Masala</li>

    <li>Fried Rice</li>

  </ul>

  <h2>Desserts</h2>

  <ul>

    <li>Ice Cream</li>

    <li>Gulab Jamun</li>

    <li>Chocolate Cake</li>

  </ul>

</body>
```

</html>

Explanation:

The tag creates an unordered list and the tag represents each food item. Different headings are used to separate starters, main course, and desserts.

4. Create a registration form with text, email, password, radio buttons, checkboxes, a dropdown, and a submit button using proper <label> and for attributes.

Answer:

A registration form collects basic information from a user. In this form, I used different input types according to the type of information required. Labels are connected to their input fields using the for attribute.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Registration Form</title>
```

```
</head>
```

```
<body>
```

```
  <h2>Registration Form</h2>
```

```
  <form>
```

```
    <label for="name">Name:</label>
```

```
    <input type="text" id="name" name="name">
```

```
    <br><br>
```

```
    <label for="email">Email:</label>
```

```
    <input type="email" id="email" name="email">
```

```
    <br><br>
```

<label for="password">Password:</label>

<input type="password" id="password" name="password">

<label>Gender:</label>

<input type="radio" id="male" name="gender">

<label for="male">Male</label>

<input type="radio" id="female" name="gender">

<label for="female">Female</label>

<label>Skills:</label>

<input type="checkbox" id="html" name="skills">

<label for="html">HTML</label>

<input type="checkbox" id="css" name="skills">

<label for="css">CSS</label>

<input type="checkbox" id="java" name="skills">

<label for="java">Java</label>

<label for="course">Choose Course:</label>

<select id="course" name="course">

```
        <option>B.Tech</option>

        <option>BCA</option>

        <option>MCA</option>

    </select>

    <br><br>

    <input type="submit" value="Register">

</form>

</body>

</html>
```

Explanation:

The form uses text, email, and password fields for basic details. Radio buttons allow the user to select one option, while checkboxes allow multiple options. The <select> tag creates a dropdown menu. The for attribute of each label matches the id of its input field, which connects the label with the correct input.

5.Create a login page.

Answer:

A login page is used to collect a user's username or email and password. A simple HTML form can be used to create it.

```
<!DOCTYPE html>

<html>

<head>

    <title>Login Page</title>

</head>

<body>
```



```
<h2>Login</h2>
```

```
<form>
```

```
<label for="email">Email:</label>
```

```
<input type="email" id="email" name="email">
```

```
<br><br>
```

```
<label for="password">Password:</label>
```

```
<input type="password" id="password" name="password">
```

```
<br><br>
```

```
<input type="submit" value="Login">
```

```
</form>
```

```
</body>
```

```
</html>
```

Explanation:

The login page contains an email field, password field, and login button. The <label> tags make the form easier to understand, while the password input hides the entered password from view.