

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- 1bm23cs061
- ayushman123
- bank
- bank03
- bank69
- bank1
- bank\_database\_117
- bank\_database\_117
- bank\_database\_117
- bank\_database\_117
- bankdatabase\_157
- banks
- blank\_database\_117
- bm281
- car\_insurance\_11
- car\_insurance\_117
- college
- database\_supplier
- emp
- emp01
- employe

Administration Schemas

No object selected

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result Grid | Form Editor | Field Types

```

99     FROM insur.participated
100    ORDER BY damage_amount DESC;
101
102 •   SELECT a.name
103     FROM insur.person a, insur.participated b
104    WHERE a.driver_id = b.driver_id
105    AND b.damage_amount > (
106        SELECT AVG(damage_amount) FROM insur.participated
107    );
108
109
110 •   SELECT MAX(damage_amount) AS MAX_DAMAGE
111     FROM insur.participated;
112
113
114
115 •   SELECT AVG(damage_amount) AS AVG_DAMAGE
116     FROM insur.participated;

```

Result Grid	Form Editor	Field Types
AVG_DAMAGE 13600.0000		

Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15 x Read Only

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

insur bank03 emp01\* supplier\_parts\_db\*

1bm23cs061  
ayushman123  
bank  
bank03  
bank069  
bank1  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bankdatabase\_157  
banks  
blank\_database\_117  
bm281  
car\_insurance\_11  
car\_insurance\_117  
college  
database\_supplier  
emp  
emp01  
employe

Administration Schemas

No object selected

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15 | Read Only

MAX\_DAMAGE  
25000

Result Grid Form Editor Field Types

Action Output

#	Action	Message	Duration / Fetch
43	10:48:36 SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36 SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36 SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36 SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36 SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37 SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37 SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37 SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37 SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

insur bank03 emp01\* supplier\_parts\_db\*

1bm23cs061 ayushman123 bank bank03 bankk69 bank1 bank\_database\_117 bank\_database\_117 bank\_database\_117 bank\_databasee\_117 bankdatabase\_157 banks blank\_database\_117 bm281 car\_insurance\_11 car\_insurance\_117 college database\_supplier emp emp01 employe

Administration Schemas

No object selected

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid Form Editor Field Types

```

99    FROM insur.participated
100   ORDER BY damage_amount DESC;
101
102 •   SELECT a.name
103   FROM insur.person a, insur.participated b
104  WHERE a.driver_id = b.driver_id
105  AND b.damage_amount > (
106      SELECT AVG(damage_amount) FROM insur.participated
107  );
108
109
110 •   SELECT MAX(damage_amount) AS MAX_DAMAGE
111   FROM insur.participated;
112
113
114
115 •   SELECT AVG(damage_amount) AS AVG_DAMAGE
116   FROM insur.participated;

```

name

PRADEEP SMITH

Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator: insur, bank03\*, emp01\*, supplier\_parts\_db\*

**SCHEMAS**

Filter objects

- 1bm23cs061
- ayushman123
- bank
- bank03
- bank69
- bank1
- bank\_database\_117
- bank\_database\_117
- bank\_database\_117
- bank\_databasee\_117
- bankdatabase\_157
- banks
- blank\_database\_117
- bm281
- car\_insurance\_11
- car\_insurance\_117
- college
- database\_supplier
- emp
- emp01
- employe

Administration Schemas

No object selected

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15 Apply Revert

driver_id	reg_num	report_num	damage_amount
A02	KA053408	12	25000
A03	KA095477	13	25000
A01	KA052250	11	10000
A05	KA041702	15	5000
A04	KA031181	14	3000
*	NULL	NULL	NULL

Result Grid | Form Editor | Field Types

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

1bm23cs061  
ayushman123  
bank  
bank03  
bankk03  
bankk69  
bank1  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bankdatabase\_157  
banks  
blank\_database\_117  
bm281  
car\_insurance\_11  
car\_insurance\_117  
college  
database\_supplier  
emp  
emp01  
employe

Administration Schemas

No object selected

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result 11 | Result 12 | Result 13 | Result 14 | Result 15 | Read Only

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

1bm23cs061  
ayushman123  
bank  
bank03  
bank69  
bank1  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bankdatabase\_157  
banks  
blank\_database\_117  
bm281  
car\_insurance\_11  
car\_insurance\_117  
college  
database\_supplier  
emp  
emp01  
employe

Administration Schemas

Information

No object selected

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result 10 X | Result 11 | Result 12 | Result 13 | Result 14 | Result 15 | Apply | Revert

Output:

Action Output

#	Action	Message	Duration / Fetch
43	10:48:36 SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36 SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36 SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36 SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36 SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37 SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37 SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37 SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37 SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator insur bank03\* emp01\* supplier\_parts\_db\*

**SCHEMAS**

Filter objects

- 1bm23cs061
- ayushman123
- bank
- bank03
- bank69
- bank1
- bank\_database\_117
- bank\_database\_b
- bank\_database\_117
- bank\_database\_117
- bankdatabase\_157
- banks
- blank\_database\_117
- bm281
- car\_insurance\_11
- car\_insurance\_117
- college
- database\_supplier
- emp
- emp01
- employee

Administration Schemas

No object selected

```

79 •   SELECT accident_date, location FROM insur.accident;
80 •   SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
81
82 •   SELECT COUNT(DISTINCT a.driver_id) AS CNT
83     FROM insur.participated a, insur.accident b
84     WHERE a.report_num = b.report_num
85       AND b.accident_date LIKE '%08';
86
87 •   SELECT *
88   FROM insur.car
89   ORDER BY year ASC;
90
91 •   SELECT COUNT(p.report_num) AS CNT
92     FROM insur.car c, insur.participated p
93     WHERE c.reg_num = p.reg_num
94       AND c.model = 'LANCER';
95
96 •   SELECT *
97   FROM insur.participated
98   ORDER BY damage_amount DESC;
99
100

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result 9 | car 10 | Result 11 | participated 12 | Result 13 | Result 14 | Result 15 | Read Only

CNT
0

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date, location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- 1bm23cs061
- ayushman123
- bank
- bank03
- bank69
- bank1
- bank\_database\_117
- bank\_database\_117
- bank\_database\_117
- bankdatabase\_157
- banks
- blank\_database\_117
- bm281
- car\_insurance\_11
- car\_insurance\_117
- college
- database\_supplier
- emp
- emp01
- employe

Administration Schemas

No object selected

insur bank03 emp01\* supplier\_parts\_db\*

76  
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');  
78 • SELECT \* FROM insur.accident;  
79  
80 • SELECT accident\_date, location FROM insur.accident;  
81  
82 • SELECT driver\_id FROM insur.participated WHERE damage\_amount >= 25000;  
83  
84 • SELECT COUNT(DISTINCT a.driver\_id) AS CNT  
85 FROM insur.participated a, insur.accident b  
86 WHERE a.report\_num = b.report\_num  
87 AND b.accident\_date LIKE '%08';  
88  
89 • SELECT \*  
90 FROM insur.car  
91 ORDER BY year ASC;  
92  
93 • SELECT COUNT(p.report\_num) AS CNT  
94 FROM insur.car c, insur.participated p  
95 WHERE c.reg\_num = p.reg\_num  
96 AND c.model = 'LANCER';  
97

Result Grid | Filter Rows: Export: Wrap Cell Content: □

driver_id
A02
A03

Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 x Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date, location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- 1bm23cs061
- ayushman123
- bank
- bank03
- bank69
- bank1
- bank\_database\_117
- bank\_database\_117
- bank\_database\_117
- bankdatabase\_157
- banks
- blank\_database\_117
- bm281
- car\_insurance\_11
- car\_insurance\_117
- college
- database\_supplier
- emp
- emp01
- employe

Administration Schemas

No object selected

```

73 • UPDATE insur.participated SET damage_amount=25000 WHERE reg_num = 'KA053408' AND report_num = 12;
74 • SELECT * FROM insur.participated;
75
76
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');
78 • SELECT * FROM insur.accident;
79
80 • SELECT accident_date, location FROM insur.accident;
81
82 • SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
83
84 • SELECT COUNT(DISTINCT a.driver_id) AS CNT
85   FROM insur.participated a, insur.accident b
86   WHERE a.report_num = b.report_num
87     AND b.accident_date LIKE '%08';
88
89 • SELECT *
90   FROM insur.car
91   ORDER BY year ASC;
92
93 • SELECT COUNT(p.report_num) AS CNT
94   FROM insur.car c, insur.participated p

```

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid

accident_date	location
2003-01-01	Mysore Road
2004-02-02	South end Circle
2003-01-21	Bull temple Road
2008-02-17	Mysore Road
2004-03-05	Kanakpura Road

Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_date LIKE '%08';	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000 )	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

1bm23cs061  
ayushman123  
bank  
bank03  
bank069  
bank1  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bankdatabase\_157  
banks  
blank\_database\_117  
bm281  
car\_insurance\_11  
car\_insurance\_117  
college  
database\_supplier  
emp  
emp01  
employe

Administration Schemas

No object selected

```

70 •   SELECT * FROM insur.participated;
71
72
73 •   UPDATE insur.participated SET damage_amount=25000 WHERE reg_num = 'KA053408' AND report_num = 12;
74 •   SELECT * FROM insur.participated;
75
76
77 •   INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');
78 •   SELECT * FROM insur.accident;
79
80 •   SELECT accident_date, location FROM insur.accident;
81
82 •   SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
83
84 •   SELECT COUNT(DISTINCT a.driver_id) AS CNT
85     FROM insur.participated a, insur.accident b
86     WHERE a.report_num = b.report_num
87       AND b.accident_date LIKE '%08';
88
89 •   SELECT *
90     FROM insur.car
91     ORDER BY year ASC;

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result Grid

report_num	accident_date	location
11	2003-01-01	Mysore Road
12	2004-02-02	South end Circle
13	2003-01-21	Bull temple Road
14	2008-02-17	Mysore Road
15	2004-03-05	Kanakpura Road

Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 x accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_date LIKE '%08';	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > (    SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

1bm23cs061  
ayushman123  
bank  
bank03  
bank69  
bank1  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bankdatabase\_157  
banks  
blank\_database\_117  
bm281  
car\_insurance\_11  
car\_insurance\_117  
college  
database\_supplier  
emp  
emp01  
employe

Administration Schemas

No object selected

insur bank03 emp01\* supplier\_parts\_db\*

70 • SELECT \* FROM insur.participated;  
71  
72  
73 • UPDATE insur.participated SET damage\_amount=25000 WHERE reg\_num = 'KA053408' AND report\_num = 12;  
74 • SELECT \* FROM insur.participated;  
75  
76  
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');  
78 • SELECT \* FROM insur.accident;  
79  
80 • SELECT accident\_date, location FROM insur.accident;  
81  
82 • SELECT driver\_id FROM insur.participated WHERE damage\_amount >= 25000;  
83  
84 • SELECT COUNT(DISTINCT a.driver\_id) AS CNT  
FROM insur.participated a, insur.accident b  
WHERE a.report\_num = b.report\_num  
AND b.accident\_date LIKE '%08';  
85  
86  
87  
88  
89 • SELECT \*  
FROM insur.car  
ORDER BY year ASC;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result Grid

driver_id	reg_num	report_num	damage_amount
A01	KA052250	11	10000
A02	KA053408	12	25000
A03	KA095477	13	25000
A04	KA031181	14	3000
A05	KA041702	15	5000

Result 1 Result 2 Result 3 Result 4 Result 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date, location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_date LIKE '%08';	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000 )	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

insur bank03 emp01\* supplier\_parts\_db\*

```

67 • INSERT INTO insur.participated VALUES ('A05', 'KA041702', '15', '5000');

68
69 • SELECT * FROM insur.accident;
70 • SELECT * FROM insur.participated;
71
72
73 • UPDATE insur.participated SET damage_amount=25000 WHERE reg_num = 'KA053408' AND report_num = 12;
74 • SELECT * FROM insur.participated;
75
76
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');
78 • SELECT * FROM insur.accident;
79
80 • SELECT accident_date, location FROM insur.accident;
81
82 • SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
83
84 • SELECT COUNT(DISTINCT a.driver_id) AS CNT
85     FROM insur.participated a, insur.accident b
86     WHERE a.report_num = b.report_num
87         AND b.accident_date LIKE '%08';
88

```

No object selected

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result Grid | Apply

driver_id	reg_num	report_num	damage_amount
A01	KA052250	11	10000
A02	KA053408	12	25000
A03	KA095477	13	25000
A04	KA031181	14	3000
A05	KA041702	15	5000

Result 1 Result 2 accident 3 participated 4 x participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

insur bank03 emp01\* supplier\_parts\_db\*

1bm23cs061 ayushman123 bank bankk03 bankk69 bank1 bank\_database\_117 bank\_database\_117 bank\_database\_117 bank\_databasee\_117 bankdatabase\_157 banks blank\_database\_117 bm281 car\_insurance\_11 car\_insurance\_117 college database\_supplier emp emp01 employe

Administration Schemas

No object selected

```

64 • INSERT INTO insur.participated VALUES ('A02', 'KA053408','12','50000');
65 • INSERT INTO insur.participated VALUES ('A03', 'KA095477','13','25000');
66 • INSERT INTO insur.participated VALUES ('A04', 'KA031181','14','3000');
67 • INSERT INTO insur.participated VALUES ('A05', 'KA041702','15','5000');

68
69 • SELECT * FROM insur.accident;
70 • SELECT * FROM insur.participated;

71
72
73 • UPDATE insur.participated SET damage_amount=25000 WHERE reg_num = 'KA053408' AND report_num = 12;
74 • SELECT * FROM insur.participated;

75
76
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');
78 • SELECT * FROM insur.accident;

79
80 • SELECT accident_date, location FROM insur.accident;
81
82 • SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
83
84 • SELECT COUNT(DISTINCT a.driver_id) AS CNT
     FROM insur.participated a, insur.accident b
  
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result Grid | Result 1 Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15 | Apply

report_num	accident_date	location
11	2003-01-01	Mysore Road
12	2004-02-02	South end Circle
13	2003-01-21	Bull temple Road
14	2008-02-17	Mysore Road
15	2004-03-05	Kanakpura Road

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

insur bank03 emp01\* supplier\_parts\_db\*

Limit to 1000 rows

```

64 • INSERT INTO insur.participated VALUES ('A02', 'KA053408','12','50000');
65 • INSERT INTO insur.participated VALUES ('A03', 'KA095477','13','25000');
66 • INSERT INTO insur.participated VALUES ('A04', 'KA031181','14','3000');
67 • INSERT INTO insur.participated VALUES ('A05', 'KA041702','15','5000');

68
69 • SELECT * FROM insur.accident;
70 • SELECT * FROM insur.participated;

71
72
73 • UPDATE insur.participated SET damage_amount=25000 WHERE reg_num = 'KA053408' AND report_num = 12;
74 • SELECT * FROM insur.participated;

75
76
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');
78 • SELECT * FROM insur.accident;

79
80 • SELECT accident_date, location FROM insur.accident;
81
82 • SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
83
84 • SELECT COUNT(DISTINCT a.driver_id) AS CNT
     FROM insur.participated a, insur.accident b

```

Administration Schemas

No object selected

Result Grid | Filter Rows: Export: Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
driver_id	varchar(10)	NO	PRI	NULL	
name	varchar(20)	YES		NULL	
address	varchar(30)	YES		NULL	

Result 1 Result 2 x accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Output

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

1bm23cs061  
ayushman123  
bank  
bank03  
bank69  
bank1  
bank\_database\_117  
bank\_database\_117  
bank\_database\_117  
bank\_databasee\_117  
bankdatabase\_157  
banks  
blank\_database\_117  
bm281  
car\_insurance\_11  
car\_insurance\_117  
college  
database\_supplier  
emp  
emp01  
employe

Administration Schemas

No object selected

```

64 • INSERT INTO insur.participated VALUES ('A02', 'KA053408','12','50000');
65 • INSERT INTO insur.participated VALUES ('A03', 'KA095477','13','25000');
66 • INSERT INTO insur.participated VALUES ('A04', 'KA031181','14','3000');
67 • INSERT INTO insur.participated VALUES ('A05', 'KA041702','15','5000');

68
69 • SELECT * FROM insur.accident;
70 • SELECT * FROM insur.participated;

71
72
73 • UPDATE insur.participated SET damage_amount=25000 WHERE reg_num = 'KA053408' AND report_num = 12;
74 • SELECT * FROM insur.participated;

75
76
77 • INSERT INTO insur.accident VALUES (16, '2008-03-08', 'DOMULUR');
78 • SELECT * FROM insur.accident;

79
80 • SELECT accident_date, location FROM insur.accident;
81
82 • SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000;
83
84 • SELECT COUNT(DISTINCT a.driver_id) AS CNT
     FROM insur.participated a, insur.accident b

```

Result Grid | Filter Rows: Export: Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
reg_num	varchar(10)	NO	PRI	NULL	
model	varchar(10)	YES		NULL	
year	int	YES		NULL	

Result 1 x Result 2 accident 3 participated 4 participated 5 accident 6 accident 7 participated 8 Result 9 car 10 Result 11 participated 12 Result 13 Result 14 Result 15

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Manju X

File Edit View Query Database Server Tools Scripting Help

Navigator insur bank03\* emp01\* supplier\_parts\_db\*

**SCHEMAS**

Filter objects

```

1 •  create database insur;
2
3 •  create table insur.person
4  (
5    driver_id varchar(10),name varchar(20),
6    address varchar(30),primary key(driver_id)
7  );
8
9 •  create table insur.car(reg_num varchar(10),model varchar(10),
10   year int,primary key(reg_num));
11
12 •  create table insur.accident
13  (
14    report_num int,accident_date date,
15    location varchar(20),primary key(report_num)
16  );
17
18 •  create table insur.owns
19  (
20    driver_id varchar(10),reg_num varchar(10),
21    primary key(driver_id,reg_num),
22    foreign key(driver_id)references insur.person(driver_id),

```

No object selected

**Result Grid**

Field	Type	Null	Key	Default	Extra
reg_num	varchar(10)	NO	PRI	NULL	
model	varchar(10)	YES		NULL	
year	int	YES		NULL	

**Output**

Action Output

#	Time	Action	Message	Duration / Fetch
43	10:48:36	SELECT accident_date,location FROM insur.accident LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
44	10:48:36	SELECT driver_id FROM insur.participated WHERE damage_amount >= 25000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
45	10:48:36	SELECT COUNT(DISTINCT a.driver_id) AS CNT FROM insur.participated a, insur.accident b WHERE a.report_num = b.report_num AND b.accident_...	1 row(s) returned	0.000 sec / 0.000 sec
46	10:48:36	SELECT * FROM insur.car ORDER BY year ASC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	10:48:36	SELECT COUNT(p.report_num) AS CNT FROM insur.car c, insur.participated p WHERE c.reg_num = p.reg_num AND c.model = 'LANCER' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
48	10:48:37	SELECT * FROM insur.participated ORDER BY damage_amount DESC LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	10:48:37	SELECT a.name FROM insur.person a, insur.participated b WHERE a.driver_id = b.driver_id AND b.damage_amount > ( SELECT AVG(damage_a...)	2 row(s) returned	0.000 sec / 0.000 sec
50	10:48:37	SELECT MAX(damage_amount) AS MAX_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
51	10:48:37	SELECT AVG(damage_amount) AS AVG_DAMAGE FROM insur.participated LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session