

Customer Order Line and Release Module

General Infor CSI/SyteLine Customer Service guidance for regular customer order lines and, where named, blanket lines/releases. Verify the deployed version, site setup, optional modules, custom forms, permissions, and local operating procedure. A named order's current state requires an authorized live lookup.

Document Metadata

Document Title: Customer Order Lines and blanket releases form guide

Document Type: Process and form reference

Module: customer_order_line

SyteLine Forms: Customer Order Lines, Customer Order Blanket Lines, Customer Order Blanket Releases, Order Detail Tree, Order Shipping, Reservations for Order

Process Stage: Customer order item entry through supply, shipment, and billing handoff

Tags: order line, CO line, line release, item, U/M, quantity, price, Source, Ready to Ship, Invoice Hold

Access Level (SyteLine groups): Effective permissions in the deployed SyteLine site

Site Scope: General guidance; verify originating and shipping sites

SyteLine Version: General CSI/SyteLine guidance checked against Infor CSI 2026.10 help

Document Owner: Customer-to-Cash process owner

Reviewed / Approved By: Pending local SyteLine business and security review

Last Reviewed: Not yet locally reviewed

Version: 0.2 draft

Source: Infor CSI Customer Service help: Customer Order Lines; Using the Customer Order Lines Form; Customer Orders Overview; Source area Customer Order Lines; Quantity Ready; Cross-Referencing Demands to Supplies; Customer Order Lines Change Log; Creating a Blanket Order. No external links in this retrieval article.

Form role and hierarchy

1. Customer Orders owns the header; Customer Order Lines owns item-level demand for a regular order.
2. One header can contain multiple lines for separately sold items or services.
3. Each line carries its own item, quantity, unit price, due date, source, and fulfillment state.
4. Blanket orders use Customer Order Blanket Lines and Customer Order Blanket Releases for scheduled deliveries.
5. Identify order, line, release if applicable, and site before discussing a specific transaction.

Section Summary: The line or release is the unit for item-level answers.

Keywords: Customer Order Lines, regular order, blanket order, hierarchy

Header handoff and navigation

1. Create or locate the correct Customer Orders header and save it before adding lines.
2. The Lines action on a regular order opens Customer Order Lines.
3. The Releases path on a blanket order leads to blanket lines and scheduled releases.
4. Order Detail Tree shows regular lines with shipments or blanket lines with releases and shipments.
5. In multi-site processing, the tree's shipment detail can be limited to the current site.

Section Summary: Navigate from a saved header to its correct detail form.

Keywords: Lines button, Releases, Order Detail Tree, multi-site

Find the intended line

1. Search by exact order number, then confirm site and order type.

2. Select the line matching the requested item and delivery, not merely the first grid row.
3. A line number identifies a unique line within its order.
4. Compare item, description, quantity, due date, and status before answering.
5. For blanket demand, include the release number because one blanket line can have several releases.

Section Summary: Precise order-line-release keys prevent wrong-record answers.

Keywords: find line, line number, release number, lookup

Create and save a regular line

1. From the saved regular order header, choose Lines and create a new line record.
2. Enter or accept the next line number and select the requested item.
3. Verify quantity, U/M, price, discount, due date, warehouse, Ship Site, and Source.
4. Save the line, then inspect status, warnings, holds, and calculated quantities.
5. A line populated by an optional AI recommendation can remain new and unsaved until explicitly saved.

Section Summary: A visible line is not necessarily saved or shippable.

Keywords: add line, save line, unsaved record, line validation

Item selection and setup

1. Item identifies the sold product or service and must match the customer's request.
2. The Items record may supply defaults, but verify the values saved on the order line.
3. Check whether the item is stocked, non-inventory, configured, lot-tracked, or serial-tracked.
4. If an item is missing, check site, item status, access, and setup rather than substituting another item.
5. Configuration features apply only when the item and installed product support them.

Section Summary: Validate the exact item and applicable controls.

Keywords: Item, Items form, stocked, configured, item not found

Description and unit of measure

1. Description helps recognition, but item number is the stronger record identifier.
2. U/M defines the unit used to interpret line quantity and unit price.
3. Compare line U/M with the item and customer's requested unit before changing quantity.
4. U/M conversion can explain an apparent quantity mismatch.
5. Ordered-line or blanket-line U/M changes may appear in Customer Order Lines Change Log.

Section Summary: Interpret quantity and price with the same U/M.

Keywords: description, U/M, unit conversion, sales unit

Qty Ordered and other quantities

1. Qty Ordered is demand for this line or release, not the entire order.
2. Shipped, returned, reserved, and invoiced quantities are separate measures.
3. Changing Qty Ordered can adjust Allocated to Customer Orders on the Items form.
4. Quantity edits can affect availability, reservations, pricing decisions, and linked supply.
5. Investigate discrepancies using U/M, site, prior shipments, returns, reservations, and release selection.

Section Summary: Name the exact line and quantity measure.

Keywords: Qty Ordered, shipped, returned, allocation

Unit Price and repricing

1. Unit Price on Customer Order Lines is the price per line U/M.
2. Editing Qty Ordered does not automatically refresh a saved line's price after Items price changes.
3. Verify the agreement and approved pricing rule before repricing a saved line.
4. Price can depend on contracts, item pricing, quantity breaks, currency, and site setup.
5. Compare saved line price with the relevant quote or contract to explain a difference.

Section Summary: Saved transaction price is not a live copy of item master price.

Keywords: Unit Price, reprice, contract price, item price

Discount and line amount

1. Review line discount separately from Unit Price.
2. Header discount, freight, and tax may affect the final billed amount.
3. Compare quantity, U/M, price, discount, tax treatment, and currency for amount discrepancies.
4. An estimated line amount does not prove invoicing or payment.
5. Price and discount changes require transaction permission and local approval.

Section Summary: Reconcile commercial amounts without confusing them with posted billing.

Keywords: discount, line amount, tax, currency

Due, request, and projected dates

1. Line Due Date differs from header Order Date and invoice payment due date.
2. A new line Due Date can default from Order Date plus Std Due Period.
3. Request Date is a reference date for the customer promise and can preserve an earlier date in APS.
4. Projected Date can reflect ATP/CTP planning and is not automatically the agreed customer date.
5. Time-of-day handling applies only where the Automotive Industry Pack or local setup uses it.

Section Summary: Distinguish requested, due, projected, shipped, and billing dates.

Keywords: Due Date, Request Date, Projected Date, ATP, CTP

Warehouse and Ship Site

1. Warehouse is the inventory location context and may default from the order header.
2. Line warehouse override depends on order state and site rules.
3. Ship Site identifies the fulfilling site and must be valid for the item.
4. A default warehouse does not reserve stock or guarantee shipment.
5. Verify Ship Site, warehouse, availability, holds, and source before promising delivery.

Section Summary: Location defaults are not delivery promises.

Keywords: Warehouse, Ship Site, inventory site, fulfillment

Line status and progression

1. Line/release reporting can distinguish Planned, Ordered, Filled, Complete, and History.
2. Header and line statuses are separate; an Ordered header can contain a Planned line.
3. A Planned line is not ordinary shippable demand and needs cause review before status change.
4. Filled and Complete reflect later progress, but status alone does not prove an invoice.
5. For a stopped transaction, capture the exact error and both header and line statuses.

Section Summary: Inspect line status and downstream evidence separately.

Keywords: Planned, Ordered, Filled, Complete, History

Credit hold and blocked lines

1. A customer credit-hold problem indicator can appear on Customer Order Lines.
2. Customer-level or order-level Credit Hold can prevent shipping.
3. A credit-held order cannot create a new line cross-reference; an existing one remains.
4. A blank Limit Exceeded Credit Hold Reason means over-limit entry may not automatically hold the order.
5. Removing a hold or advancing a Planned line is an authorized business action.

Section Summary: Diagnose the specific hold before discussing line release.

Keywords: Credit Hold, credit limit, blocked shipping, Planned

Source area overview

1. Source identifies inventory, PO, job, requisition, transfer, project, or SRO supply where supported.
2. Source area header includes Source, G/L Account and Unit Codes, RMA, and Warehouse.
3. Source sub-areas can show linked supply status and expected availability.
4. Inventory source means no hard-peg cross-reference to a separate supply order.
5. A source reference does not itself prove material receipt or shipment.

Section Summary: Follow the selected supply path to its actual progress.

Keywords: Source tab, cross-reference, inventory, PO, job

Inventory source

1. Inventory source normally uses stocked material at an applicable site and warehouse.
2. Source can show item locations, stock or transit type, on-hand, reserved, and non-nettable quantity.
3. Inventory-referenced Ready to Ship can increase when on-hand stock exists and the item is Stocked.
4. On-hand is not uncommitted availability because other demand and reservations may consume it.
5. Available to Ship Report provides a broader readiness check when orders compete for stock.

Section Summary: Read on-hand inventory in allocation context.

Keywords: Inventory source, on hand, non-nettable, Available to Ship

Job source

1. Job source links line demand to manufacturing supply.
2. A non-stocked manufactured item can default to Job source under matching item setup.
3. A job reference can include job number, suffix, and operation; routing/BOM may need further work.
4. Source can show job-operation status, completed and moved quantity, scrap, and dates.
5. Job-referenced Ready to Ship remains zero until output is completed and released to inventory.

Section Summary: A linked job is not finished stock.

Keywords: Job source, manufacturing, job number, routing, BOM

Purchase Order source

1. Purchase Order source links demand to material bought from a vendor.
2. The reference identifies a PO number and line or release according to PO type.

3. Source can show PO status, due and promise dates, receipts, rejections, and last receipt.
4. PO-referenced Ready to Ship remains zero until receiving adds eligible material.
5. A vendor promise is not a customer shipment; inspect receipt, readiness, shipping, and invoice evidence.

Section Summary: Trace purchased supply through receipt.

Keywords: Purchase Order source, PO receipt, vendor promise

Requisition source

1. Requisition source represents a request to buy, which can later lead to a PO.
2. Its reference can contain requisition number and line number.
3. Source can show vendor, buyer, status, due date, promise date, PO, and receipt progress.
4. An open requisition is not received stock.
5. Review the requisition and resulting PO before explaining a sourcing delay.

Section Summary: A purchase request is distinct from available material.

Keywords: Requisition, PO requisition, buyer, source delay

Transfer source

1. Transfer source links demand to movement between sites or warehouses.
2. Source can show From/To locations, scheduled dates, status, and shipped/received quantities.
3. Transfer-referenced Ready to Ship remains zero until transfer completion.
4. Shipping from the source site is not the same as receipt at the fulfilling site.
5. For delays, check both sites, transfer number, receipt status, and line Due Date.

Section Summary: Trace both sides of a transfer before promising delivery.

Keywords: Transfer, From site, To site, receipt

Project and SRO source

1. Project may be a line cross-reference source where the installed process permits it.
2. SRO may identify a linked service order in configured Service workflows.
3. Availability of Project or SRO depends on enabled modules and item/order setup.
4. A linked Project or SRO does not prove shipment or invoicing.
5. Ask the site's project/service owner when the source record is inaccessible or unfamiliar.

Section Summary: Optional source types require local workflow confirmation.

Keywords: Project, SRO, service order, optional module

Cross-reference rules

1. Demand-to-supply cross-reference hard-pegs specific supply to specific demand.
2. General Infor guidance treats a cross-reference as one-to-one.
3. Supported sources can include job, PO, requisition, transfer, project, or service order.
4. Planning can raise shortage or move-in messages when supply quantity or date misses demand.
5. Check credit hold, Source, planning mode, and permission before creating a reference.

Section Summary: Dedicated supply still needs quantity and timing checks.

Keywords: hard peg, cross-reference, shortage, planning exception

Reservations and traceability

1. Normal reservation needs an item marked Reservable and a line in Ordered status.
2. Reservations for Order or Item can show line, warehouse, location, and lot.
3. Serial-tracked items can use specific serials in the reservation process.
4. Reservation reduces unsatisfied planning demand but is not a posted shipment.
5. Verify reservation records or Reserved Inventory by Order Report; Ready to Ship alone is insufficient.

Section Summary: Reservation, readiness, and shipment are distinct.

Keywords: reservation, lot, serial, Reservable

Ready to Ship versus Available to Ship

1. Ready to Ship is a line value calculated from source and fulfillment progress.
2. PO receipt, released job output, or completed transfer can increase line readiness.
3. Available to Ship Report deducts stock while evaluating competing unshipped orders.
4. The report can differ from a line's Ready to Ship without either display being broken.
5. Combine stock, source, holds, site, status, and report criteria before saying a line can ship.

Section Summary: The line field and allocation-aware report answer different questions.

Keywords: Ready to Ship, Available to Ship Report, competing demand

Partial shipment and balances

1. One order can contain a ready line and another still Planned or awaiting supply.
2. Header Ship Partial preference and line-level eligibility are separate checks.
3. Compare Qty Ordered, shipped, returned, and remaining quantity for the selected line.
4. Partial shipment does not automatically make the whole line Complete.
5. Check local picking, allocation, lot/serial, and hold rules before suggesting a partial.

Section Summary: Explain partial fulfillment from actual line quantities.

Keywords: partial shipment, Ship Partial, remaining quantity

Pick and shipping handoff

1. Saving Customer Order Lines is not itself picking or shipping.
2. Order Shipping can filter Ordered or Filled lines using its status selection.
3. Before shipping, check holds, status, warehouse, stock, reservation, and lot/serial rules.
4. Posted shipping transactions update shipped fields on the related line or release.
5. Order Detail Tree shipment rows can show ship date, shipped quantity, and returned quantity.

Section Summary: Shipping requires its own recorded transaction.

Keywords: pick, Order Shipping, shipment detail

Invoice hold and billing handoff

1. Invoice Hold can keep an otherwise shipped line out of normal invoicing.
2. Shipment and invoicing are distinct events.
3. Compare shipped and invoiced quantities and check Invoice Hold for billing delays.
4. Consolidated invoicing follows extra setup and eligibility rules if enabled.
5. Use invoice and posted A/R evidence, not line status alone, to confirm billing.

Section Summary: Follow shipped demand through actual billing.

Keywords: Invoice Hold, shipped not invoiced, consolidated invoice

Blanket line and release branch

1. A blanket order has Order Type Blanket on Customer Orders.
2. Customer Order Blanket Lines describe agreed items and blanket quantities.
3. Customer Order Blanket Releases carry scheduled dates and quantities.
4. Reconcile Quantity Released with Blanket Quantity rather than treating the line as one shipment.
5. Release Unit Price can default from the blanket line and may be changed under site rules.

Section Summary: Delivery questions must identify the specific release.

Keywords: blanket line, blanket release, Quantity Released

Non-inventory item branch

1. Non-inventory items may require manual Unit Price in order entry.
2. Do not assume non-inventory items have ordinary stocked on-hand or reservations.
3. A non-inventory line cannot be sourced to a job under Infor's job cross-reference procedure.
4. Confirm allowed sourcing and billing for the deployed version.
5. Distinguish non-inventory behavior from the stocked-item path in answers.

Section Summary: Non-inventory demand needs different price and supply checks.

Keywords: non-inventory, manual price, non-stocked

Configured item branch

1. Product Configurator and Infor CPQ controls appear only when enabled.
2. A planning item may use Features or a configuration string.
3. Configure/Create Item can be disabled for unsaved, nonconfigurable, or zero-quantity lines.
4. A configuration hold needs the approved configuration workflow.
5. Inventory Parameters Create Feature controls automatic, prompted, or no item creation.

Section Summary: Configuration behavior is conditional.

Keywords: CPQ, Configure, Create Item, Config Hold

Change log and corrections

1. Customer Order Lines Change Log can record Ordered-line creation and Planned-to-Ordered changes.
2. It can record changes to Qty Ordered, price, discount, Due Date, and U/M.
3. It can record Ordered-line deletion and other status changes.
4. Shipped or invoiced lines may require a return, credit, or controlled correction path.
5. Capture original value, requested change, user, site, and downstream documents before correction.

Section Summary: Preserve downstream integrity and an audit trail.

Keywords: Customer Order Lines Change Log, correction, shipped line

Troubleshooting sequence

1. Gather order, line, release if applicable, customer, site, and exact error.
2. Confirm item, U/M, Qty Ordered, price, discount, Due Date, Warehouse, Ship Site, Source, and status.

3. Check Credit Hold, Invoice Hold, reservations, Ready to Ship, and Available to Ship separately.
4. Follow a linked job, PO, requisition, transfer, Project, or SRO to its completion evidence.
5. Compare shipping and invoice records before recommending any change.

Section Summary: Trace demand through supply, shipment, and billing.

Keywords: line troubleshooting, diagnostic sequence, order line error

Permissions and live-data boundary

1. This article cannot report a named customer's current line, price, or availability.
2. Live lookups must enforce effective site, form, field, and record permissions.
3. Read permission does not authorize price, status, sourcing, shipment, or hold changes.
4. Do not invent local IDO names, property mappings, methods, or permission grants.
5. Ask for clarification or route to a SyteLine owner when version, site, or authorization is uncertain.

Section Summary: Keep generic help separate from secured live operations.

Keywords: permissions, live order, site, IDO, security