Assignment lab7

Start Page:


Getting Weather (and Creating):

Read data:

For Chicago:

Update data:

weatherServlet.java   web.xml   index.html   UDoperations.java   http://localhost:8080/Lab6/UDoperations

http://localhost:8080/Lab6/UDoperations

Deleted the Details of null

Name: Chicago

Temperature is: 57.0 Farenheit

Description: light rain

Place ID for Chicago is: ChIJ7cv00DwsDogRAMDACa2m4K8 (from google maps api)

Update the Details of Chicago

Markers   Properties   Servers   Data Source Explorer   Snippets   Problems   Console   Search   TCP/IP Monitor   JUnit

Tomcat v8.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk1.8.0_73\bin\javaw.exe (Mar 9, 2016, 11:51:36 PM)

mLab

WELCOME   PLANS + FEATURES   PRICING   DOCS + SUPPORT   ACCOUNT   LOG OUT

{ user: "manikanta-maddula", account: "ASESpring2016" }

Home : (db: "assignmentlab7")
Collection: weatherdata

Documents   Indexes   Stats   Tools

Documents   Delete all documents in collection   Add document

-- Start new search --

All Documents

Display mode: list table (edit table view)

records / page 10   [1 - 1 of 1]

```
{
    "_id": {
        "$oid": "56e10b1f90462b1e5c264d55"
    },
    "name": "Chicago",
    "temperature": 57,
    "placeid": "ChIJ7cv00DwsDogRAMDACa2m4K8"
```

records / page 10   [1 - 1 of 1]

Documents (aka Objects)

From the "Documents" tab you can browse and search for objects in this collection. All standard query constructs are supported except for map/reduce queries. To use map/reduce, use the MongoDB shell (note that temporary result collections will be viewable in mLab).

You can also add, edit, and delete individual documents from here. Bulk collection updates are not yet supported in this UI (although they are supported in the shell).

mLab

COMPANY   PRODUCTS   SUPPORT   CLOUDS

Delete Data:

After delete: